



1960 Cherry St., Louisville, CO 80027  
 P: 303-531-0861 E: support@quicksilverscientific.com

## PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FPS.045	Rev. 1	Effective Date 09/29/2023
Product Code #	QSCBAXP01		

Product Name:	NANOEMULSION CBD SYNERGIES AX+
Lot Number:	CBAXP2401/1
Manufacturing Date:	01/2024
Bottle Size:	50mL
Storage Recommendation:	Store at room temperature. Keep out of reach children.
Shelf Life / EXP Date:	Freshness is commonly maintained 2 years from manufacturing date.

### Final Product Tests

Test Performed	Method	Specification	Result	Pass/Fail
Aerobic Plate Count	USP2021	≤ 10 <sup>5</sup> cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Coliforms	AOAC 991.14	≤ 100cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>E. Coli</i>	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>Staph aureus</i>	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Yeast/Mold	AOAC2014.05	≤ 1000cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Salmonella	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>Pseudo. aeruginosa</i>	USP62	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Arsenic	ICPMS	≤ 2ppm	0.003 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cadmium	ICPMS	≤ 2ppm	<0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Lead	ICPMS	≤ 1ppm	0.004 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Mercury	ICPMS	≤ 1ppm	<0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
THC	LC/MS/MS or HPLC	≤ 0.01%	BRL	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cannabidiol (CBD)	LC/MS/MS or HPLC	≥ 10mg/2 mL	12.192 mg/2mL	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cannabigerol (CBG)	LC/MS/MS or HPLC	≥ 4mg/2 mL	4.548 mg/2mL	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
5-HTP (L-5-Hydroxytryptophan)	HPLC	≥ 10mg/2 mL	11.6 mg/2mL	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

\*100% label claim at the time of manufacture



1960 Cherry St., Louisville, CO 80027  
P: 303-531-0861 E: support@quicksilverscientific.com

### PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FPS.045	Rev. 1	Effective Date 09/29/2023
Product Code #	QSCBAXP01		

\*\*Solvent, Mycotoxins, Terpene, and Pesticide testing performed annually

**NOTES:** N/A BM 01/11/2024

Released: *Brandon Morey* Electronically signed by: Brandon Morey  
Reason: Reviewed and Approved  
Date: Jan 11, 2024 14:17 MST  
Quality Control: \_\_\_\_\_ Date: \_\_\_\_\_



1960 Cherry St., Louisville, CO 80027  
P: 303-531-0861 E: support@quicksilverscientific.com

## PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FPS.045	Rev. 1	Effective Date 09/29/2023
Product Code #	QSCBAXP01		

### REVISION HISTORY

Rev.	Effective Date	DCR No.	Description of Changes
1	09/29/2023	DCR20230908D	New Document.