

# CREATING A MORE FLEXIBLE SPACE Audience spaces come in every size, shape, and form today – ranging from intimate performance halls to the largest arenas in the world. At Hussey Seating, we know you need a seating solution that provides the greatest flexibility to make the most of your space. Hussey Seating has a long tradition of providing high quality seats and cutting edge telescopic systems. All our expertise comes together in our line of telescopic platforms to deliver the form, fit, function, finesse and flair that multi-use facilities have been waiting for.

#### TELESCOPIC PLATFORM SEATING

seating for your space.

SOLUTIONS

vision and create the perfect audience

We know that the key to developing and providing the perfect seating

solution is an understanding of each customer's unique needs.

We start by listening, then collaborate with you to create

the telescopic seating solution that will fulfill your

MAXAM+™ 2

New Dimension of Comfort 4

Seating Options 5-6

The Total Package 7-9

Seating Customization 10

Understructure 11-12

Rail Options / Media Platform 13

Other Options 14

APPLICATIONS

Wall Attached 15

Reverse-Fold 16

Recessed 17

Portable & Freestanding 18

SPECIALTY PLATFORMS

23-24

**MXP Understructure** 

Hussey Seatway

Cover Photo
MXP Telescopic Platform w/ Quattro Chairs
Denny Sanford Premier Center • Sioux Falls, SD
Sink Combs Dethlefs / Koch Hazard

# GREAT PERFORMANCES

Multi-use environments like gymnasiums, arenas, convention centers, and performing arts facilities that demand multiple, flexible seating configurations greatly benefit from Hussey Seating™ telescopic platform seating. Safe, easy bleacher operation, reliable performance, great looks, smart seating upgrades and the seating industry's best warranty make Hussey Seating telescopic platform seating your star player.

MAXAM+™ Telescopic Platforms are expertly engineered to meet the seating needs of a wide variety of applications and venues, from school auditoriums to small and mid-size sports and entertainment arenas. Endlessly configurable and easily upgradeable, MAXAM+ lets you reclaim the most indoor event center floor space and make the most of your facility's seating budget.

MXP™ Telescopic Platforms are built strong and smart for multipurpose event centers like professional arenas, convention centers, and community event centers. Providing maximum performance and reliability, ease of setup and operation, and the premium upholstered seating your customers demand, MXP combines the best of operational functionality with spectator luxury.

Great for "black box" auditoriums and theaters, Hussey Seatway™
Telescopic Platforms provide a space-saving retractable 'space frame'
seating platform that can also deliver the fit, finish and stylish comfort to
satisfy the most sophisticated audiences. Hussey Seatway is completely
customized for your performance space and tailored to your seating needs.



# A New Dimension of Comfort

With the wide variety of seating solutions that MAXAM+™ can support, a comfortable seating solution is just around the corner. All seats are available in both telescopic and fixed versions, allowing an aesthetic continuity throughout a facility.

Easily fitting into both new and existing facility dimensions—our telescopic seating systems allow easy adjustment and make future maintenance, chair replacement and upgrading a breeze. State-of-the-art composite finishes and fully integrated systems allow maximum seating—while providing patrons with a singularly comfortable seating experience.




#### A-B Quattro Classic Series

Shown as a Forward Fold. Available in nose mount, fixed, and portable stacking options. The Quattro Classic Series blends the comfort of a premium auditorium chair with the flexibility of telescopic seating platform, making these high value locations truly the best seats in the house. Designed to decrease labor costs and changeover time, platforms with Quattro Classic can efficiently change from stored to event-ready with each staff member operating rows of up to 14 chairs at a time for a single operator.

#### C. Gallery 3

Shown as Fold Down Upholstered. Gallery 3's contemporary European styling gives your facility a fresh look and enhances the experience of your patrons.

With multiple chair widths available, your attendees will enjoy even lengthy performances. Available in manual, lift-assist, and semi-automatic, these rail mounted seats with a surprisingly slim envelope can be event ready with minimal effort.



# Seating Options



#### **Metro Upholstered and Polymer**

Metro's innovative and distinctive design incorporates both comfort and style. The entire seat is molded using advanced engineering polymers, and is available in 18", 19", 20", 21", and 22" (450 mm, 475 mm, 500 mm, 525 mm, and 550 mm) standard widths (or any variation in-between). Metro has a full line of arm options including polymer, upholstered and wood, as well as cup holders, and many other accessories.

#### Premia Upholstered

With a sprung foam seat and back, the fully upholstered Premia chair offers big comfort in a small package. This low-maintenance chair with folding backrest offers an innovative way to provide ergonomic comfort in a compact individual chair with semi-automatic operation.

# Seating Customization



#### **Premia Polymer**

The same design as the Premia Upholstered, the Premia Polymer is an affordable alternative with the increased durability that Polymer offers. No sacrifice to design is necessary as Polymer options come in 19 different colors to match your desired color palette.

#### Upholstered Bench Seats | Club Bench

The Club Bench closes into a small space, allowing for a minimum rise per row of just under 10½" (260 mm). The manual folding, preformed plywood seat and back come with your choice of upholstery. Also available without the backrest.

#### CourtSide 12 and 10 with Backrests

Ergonomically designed for maximum comfort to provide ideal low- and mid-back support. Also engineered for maximum fan safety and easy bleacher cleaning. One person can raise or lower up to seven interconnected backrests at a time to minimize labor and operational costs.

# THE TOTAL PACKAGE From our brand new Xtembook of the first page for such inside your gryn come alive to our Clambe portable logo chars, the Total Package for such inside your stem, students and community with vibrant colored raise, spirette Courtisin graphics, excelling files on Patient Rais Select graphics, excelling files of Patient Rais Select graphics, excelling files files files graphics, excelling files files files files files graphics, excelling files files files files files graphics, excelling files files files graphics,



#### XtremeLogo

The cornerstone of the Total Package Graphics Program, the XtremeLogo places your school's mascot or logo on a grand scale in the center of your bleacher sections. Using a proprietary graphic transfer process, your XtremeLogo is permanently bonded to the CourtSide bleacher seats – no peeling, scuffing or scratching. Whether the bleachers are opened or closed, your logo will impress.

#### Clarin Portable Sideline Chairs

The choice of colleges and pro teams nationwide, Clarin portable chairs offer state-of-the-art logo customization for backs, seats and even seat gussets. Durable, full-color imprints of your mascot, logo, and spirit message give bigleague sideline impact. Clarin's proven worry-free dependable performance is legendary, delivering decades of service with the flexibility of interchangeable seats and backs.

#### CourtSide™ Graphic Logos

CourtSide gym seat modules offer a spot for every fan to see your school's logo or mascot at the end of each seating area. These durable, full-color custom graphic logos can even be individually customized for section designation.

#### StepSigns™

These ultra-durable full-color signs are pre-applied to the front of bleacher aisle steps during manufacturing. Offering full-color to single color imprinting, they are a great place to remind students, fans and competitors of your school motto or spirit message.

ESPEC"

INTEGRIT

PEPEND BILITY

**EMPATHY** 

#### CourtSigns™

Featuring the same material and imprinting options as StepSigns, CourtSigns are pre-applied to the bleacher skirt boards during manufacturing. Their longer runs and placement make them ideal for ringing the court with your school name.

#### **Media Platform**

The rail sleeves of both detachable or permanently installed Media Platforms are the perfect spot to bring together your full-color logo, mascot, school name and spirit message to top off your bleachers with a message visible from anywhere in your gym.

**Harriman Associates** 

# THE TOTAL PACKAGE (cont.)




#### **Portable Chair Storage Carts**

Put an end to haphazard sideline chair storage with our specially engineered Clarin® chair storage carts. Make set-up and break down a breeze by using stacking, hanging, flat or studio carts to keep your chairs organized and all in one place.

#### **Backrests and Seat Spacers**

Contrasting color CourtSide™ CB contoured bleacher backrests deliver truly comfortable bleacher seating and turn up the spirit. They can be incorporated anywhere on your bleachers, with or without seat spacers.



#### Safety End Closure Curtain

MAXAM® bleacher end curtains boost gym security while displaying your school pride. Vibrant full-color customization can run all the way off the edges in large full-bleed designs to wow people with your spirit as soon as they walk in the door.

#### **Auto-Rotating Center Aisle Rails**

This Patent pending rail is permanently mounted to the bleacher, and automatically rotates to the proper open or closed position as you operate the bleacher with the push of a button. No tools, no labor, no more missing or improperly positioned rails.



Your bleacher aisle, end, front and rear rails carry on your school's color scheme in one or more colors. Choose from a variety of standard color options or custom color matching to bring out school pride with a punch of color.



# **SEATING CUSTOMIZATION**



#### Signature Logo Program


Your local Hussey dealer will work with your community or school to develop a logo design that makes everyone proud. With the MAXAM+ Signature Logo Program, it is easy to create the most colorful and spirited bleacher logo design.

#### **Standard Colors**

The CourtSide™ XC10 and XCS12 are available in 15 standard colors (top 3 rows) and Metro is available in all 19. For accent lines, attention-grabbing signature logos or sticking with a solid color theme, select CourtSide or Metro as your ideal seat. Production polymer and powder coat colors can vary from printed samples shown, so Hussey makes sample chips available upon request. Custom color matches are also available.

#### Flex-Row™


Create an endless variety of lock-in configurations to accommodate constantly changing needs like team seating, wheelchair access and scorer's tables. Available with CourtSide™, Metro™, Club Bench and Gallery 2 seating.





# UNDERSTRUCTURE

# Performance, Flexibility and Safety



#### A. Posi-Lock™ LX

These automatic row locks prevent accidental closure when the system is in use. This patented, innovative, low-profile design minimizes the chance of accidental damage, ensuring consistent operation.

#### B. Nose & Riser Beam

These rolled form structural members provide continuous deck support, and are through-bolted to the frame and stabilizers. These designs deliver unparalleled strength, durability and rigidity.

#### C. Continuous Positive Interglide

This interlocking glide system is a rigid, one-piece formed design which tracks better and operates easier than systems with 1/2" (13 mm) row to row engagement. The 10" (254 mm) minimum interlock provides the industry's most rigid, stable design. Our wheels are 5" (127 mm), resulting in less rolling friction.

#### D. Captive Interlock & Adjustable Row Stops

The Captive Interlock System engages and aligns deck to deck. In addition, MAXAM® can be configured for three different row-spacing setups—adjustable on-site if required. MAXAM incorporates three stabilizer assemblies per section to provide improved tracking and stability.

#### E. Full-Length Captured Decking

Decking is captive in the riser beam and rests on the nose, firmly secured by the seat bracket. This system provides a stiff, secure walking surface with no exposed hardware. MAXAM is the only telescopic gym seat that utilizes transverse decking, using decking materials in accordance with their industry span rating. Thoroughly load tested and independently verified, MAXAM's continuous full-length deck support system provides an enhanced level of performance, safety and stability.


#### F. Slant Frame Design

Load-tested and certified for 30 tier single stack sections up to 25' 6" (7772 mm), our slant frame design delivers improved cantilever strength and capacity. It also simplifies the installation process, reducing downtime for the facility. Critical support areas are all fastened with bolts, lock washers and hex nuts. Only MAXAM incorporates a steel to steel connection where the frame meets the wall, creating a stronger union and a safer gym seat.

#### G. Tension Bracing

Through bolted to the frame to provide additional stability. All bracing is coined to remove sharp edges, and all ends are rounded for safety.

# Rail Options



#### **New Auto-Rotating Center Aisle Rails**

Hussey's breakthrough center handrail design ensures your patrons will always find a secure handhold while moving up or down the aisles – while dramatically reducing the labor of properly opening or closing your gym bleacher. This Patent pending rail is permanently mounted to the bleacher, and automatically rotates to the proper open or closed position as you operate the bleacher with the push of a button.

# Media Platform

Perfect for videotaping, photography, radio broadcasting or team talent scouting, the Hussey







#### Colored Rails (Left)

Carry your color scheme throughout the facility with one or more of our palette of standard colors to show your school spirit. Aisle rails, end rails and front or rear rails can all be customized to match your school colors. Ask your Hussey dealer for more information.



#### Center Aisle Hand Rails

Safety rails include fixed, folding and removable options and feature a safe, fully closed design.



#### **Fixed Front and Rear Rails**

An ideal solution for truncations, elevated front aisles, freestanding, portables and reverse fold systems. All rails maintain a consistent design appearance.

Media Platform creates a workable space for covering all the action. Optional rail sleeves can be customized to promote school spirit or generate revenue.









#### Fold & Stow Center Aisle Hand Rail

Requires no tool and stores on the deck in the bleacher's closed position. Rail rotates and snaps into place.

#### **Self-Storing End Rails**

This stylish self-storing rail is designed to meet the most stringent codes for rail loading and sphere passage. Add 12" (305 mm) to bank length for each railed end.

# Other Options





#### **Power Assist**

Portable power permits one person to open and close manual sections by moving the tractor from section to section. Operates on standard 115 volt 20 amp service.



#### **Integral Power**

MAXAM®'s Powered Frame design applies force where needed—at the frames—and allows for better tracking over uneven floors. With five power options available, you buy only the power you need.



#### Elevated Front Aisle

Elevated front aisles start at various heights and run the length of the first row of the bleacher. EFA's improve sight lines and are ideal installations for hockey rinks and more. All can be outfitted with front rails, end rails, front panels or access stairs. An ideal solution to facilitate egress and accommodate your individual building requirements. Access stairs can be added as an option.


#### **Safety End-Closure Curtains**

Prevent unauthorized access to the underside of the bleacher, misuse that can result in injury, vandalism and potential liability risk. With Hussey Safety End-Closure Curtains, you can boost gym security while displaying your school pride. Built school-tough, they work beautifully and securely on new or existing bleachers. And Hussey offers the capability for full-bleed designs—including photographs. When paired with the CourtSide™ graphic logo, you can carry your school's identity throughout the gym.





Intermediate steps at each vertical aisle are mounted to the deck providing codecompliant rises and tread depth. Steps are fitted with non-skid strips and offer rounded edges to enhance safety.



#### **Motion Monitor**

Audio-visual warning for an integrally powered unit that provides a flashing light with self-contained warning horn. Rated at 85 dB. it activates when bleachers are in motion



**Limit Switch** Limit switches ensure the motor stops once the bank is completely open or





Wall Attached Closed

#### Pendant Control

Pendant controls allow the operator to see the entire bank as it opens and closes—an important safety precaution. The pendant control can be easily removed to prevent unauthorized use.

#### Wireless Remote Control


All of the built-in safety features of our standard pendant control, with the additional convenience and freedom of movement offered by wireless operation.



**Reverse-Fold Closed** 

#### Reverse-Fold Delayed Action

Further increase your usable space by up to 3' (914 mm) with MAXAM's delayed action feature. The entire closed bleacher stack moves forward on a linkage to recover additional floor space.



# Traveling Units



A hybrid of recessed and portable banks, traveling units use integral power to drive the entire bank from one setup position to another. Set-up time is greatly reduced compared to individual portable sections.



Portable Closed

#### **Portable Dolly**

Most economical for large number of small portable sections. Two dollies are required to move one section. Maximum section weight of 4000 lbs (1800 kgs).

#### **Integral Dolly**

Ideal for high tier units, the integral lifting mechanism allows your staff to move multiple portable sections without additional equipment. Four mechanical screw jacks lift the unit and 12 large wheels allow for effortless transportation of your bleacher. Maximum section weight of 7000 lbs (3150 kgs).








#### **Integrated Program Supports**

MXP platforms offer nearly endless customization options for professional arena needs. Adding Integrated Program Supports to an MXP platform allows the section to be truncated at any row. You get the flexibility of choosing how many rows each section needs, on-demand. Engaging this feature is quick and easy with no extra personnel, parts or labor required, and the section is completely stable no matter where it is truncated.

#### Heavy-Duty Arena Features

MXP platforms focus on delivering on-the-spot configuration flexibility. Completely independent powered sections accommodate nearly any concert configuration easily and change over quickly. Railings can be customized to attach to any row within sections for maximum flexibility and to deliver the crowd control often required by popular tours. Best of all, railings store right on each section to eliminate loose parts and storage hassles.




#### Professional Grade Style, Comfort & Functionality

MXP platforms are designed to support fully upholstered chairs – even premium VIP chairs from our Quattro<sup>®</sup> Collections.

Accommodating up to a 39 %" (1M) premium seat back, your patrons will love the look and feel of MXP. With deeper row spacing, more legroom and our premium upholstered chair options, telescopic seating has never been more comfortable.

Plus, our new chair mounting system delivers the most stable, solid telescopic seating experience available today - one with the feel of a fixed auditorium chair and the flexibility of a telescopic platform.

No matter what chair you choose, it folds flat into the telescopic platform. MXP platforms and the chairs it supports are professional arena grade – designed to withstand the rigors of multiple changeovers a day.



# MXP™ Seat Options



#### Quattro Forward-Fold Seating

stable seat.

**Quattro® Nose-Mount Seating** 

Our Quattro nose-mount chairs can be raised and lowered in groups of up to

24 chairs, with the armrest locking into

place providing an exceptionally solid,

Setup and changeover is fast and easy with a single operator by simply unlocking our Quattro forward-fold upholstered chair rows and raising or lowering up to 14 seats at a time.



#### **Metro Semi-Automatic Seating**

Our Metro seats can be configured for true semiautomatic operation of up to 14 chairs at once. The chairs automatically lower as the system is closed and when opened, the operator provides a manual assist to lock the chairs into place.



# MXP™ Understructure

# Flexibility, Safety, Performance & Reliability

The understructure of any telescopic platform is the backbone of the system, and MXP's understructure is engineered to provide maximum flexibility, safety, performance and reliability. Utilizing Hussey's proven vertical frame design, MXP accommodates rises from 4"-24" (102-610 mm), row spacing from 32" - 39 3/8" (813mm - 1M) in 1" (25 mm) increments, and tapered sections up to 22 ½ degrees, providing maximum seating configuration flexibility.

#### A. Soft-Start Steerable Power

1 1 1 1

The most efficient system in the industry, our Soft-Start Steerable Power system utilizes existing power sources, has a controlled start to prevent wear and tear on the system and your facility, and allows a single operator to steer the section and fine-tune its final position.

#### **B. Fully Captive Interlocks**

Providing the ultimate in safety and performance, fully captive upper and lower interlocks ensure the frames can never separate. Plus, the upper interlocks provide a stable, locked deck when loaded so your audience will feel as safe and stable on the 30th row as on the first.

#### C. Adjustable Cantilevers

Creating an exceptionally quiet deck and better overall operational performance, the adjustable cantilevers eliminate friction points during open/close.

#### D. Tubular Knee Bracing

Designed to withstand heavy use and heavy loads, the tubular knee braces provide a safe, rigid walking surface.

#### E. Lower Captive Interlocks

The lower interlock design nests completely,permitting a zero-offset between tiers that minimizes the closed footprint of the system. Pre-tension guide rods cannot be bent or disengaged resulting in smooth, reliable operation every time.





# Seatway Seating Options



#### Club Bench

The Club Bench closes into a small space, allowing for a minimum rise per row of just under 10½" (260 mm). The manual folding, preformed plywood seat and back come with your choice of upholstery. Also available without the backrest.

#### Arts PC

A premium, nose mounted chair with unique folding action and auto armrests, the Arts PC chair closes down into a small space, allowing a standard row rise of only 10½" (260 mm). Available in a range of chair widths, with high quality finishes and accessories.

#### Gallery 3

Availabe in a variety of widths, with or without armrests and in a variety of upholsteries, the Gallery 2 chair features a slim and elegant profile, great for a wide range of auditorium seating.

#### Metro™ Polymer and Upholstered

Sleek, slim and easy to install, the Metro chair comes in a variety of widths and color options.

### Dimensional Data

\* See Dimensional Notes below

	MAXAM+ Closed					
Number of	30"	762 mm	33"	838 mm		
Rows	Spacing	Spacing	Spacing	Spacing		
2	3'-10"	1168	3'-10"	1168	3'-10"	1168
3	6'- 4"	1930	6'-7"	2007	3'-11"	1207
4	8'-10"	2692	9'-4"	2845	3'-11"	1207
5	11'- 4"	3454	12'-1"	3683	4'-0"	1219
6	13'-10"	4216	14'-10"	4521	4'-0"	1219
7	16'-4"	4978	17'-7"	5359	4'-0"	1219
8	18'-10"	5740	20'-4"	6197	4'-1"	1245
9	21'-4"	6502	23'-1"	7036	4'-1"	1245
10	23'-10"	7264	25'-10"	7874	4'-2"	1270
11	26'-4"	8026	28'-7"	8712	4'-2"	1270
12	28'-10"	8788	31'-4"	9550	4'-2"	1270
13	31'-4"	9550	34'-1"	10389	4'-3"	1295
14	33'-10"	10312	36'-10"	11227	4'-3"	1295
15	36'-4"	11074	39'-7"	12065	4'-4"	1321
16	38'-10"	11836	42'-4"	12903	4'-4"	1321
17	41'-4"	12598	45'-1"	13741	4'-4"	1321
18	43'-10"	13360	47'-10"	14580	4'-5"	1346
19	46'-4"	14122	50'-7"	15418	4'-5"	1346
20	48'-10"	14884	53'-4"	16256	4'-6"	1372
21	51'-4"	15646	56'-1"	17094	4'-6"	1372
22	53'-10"	16408	58'-10"	17932	4'-6"	1372
23	56'-4"	17170	61'-7"	18771	4'-7"	1397
24	58'-10"	17932	64'-4"	19609	4'-7"	1397
25	61'-4"	18694	67'-1"	20447	4'-8"	1422
26	63'-10"	19456	69'-10"	21285	4'-8"	1422
27	66'-4"	20218	72'-7"	22123	4'-8"	1422
28	68'-10"	20980	75'-4"	22962	6'-11"	2108
29	71'-4"	21742	78'-1"	23800	6'-11"	2108
30	73'-10"	22504	80'-10"	24638	7'-0"	2134

\* See Dimensional Notes below

MAXAM+ Overall Seat Height										
Number of Rows	9 <sup>5</sup> /8" Rise	244 mm Rise	11 <sup>5</sup> /8" Rise	295 mm Rise	16" Rise	406 mm Rise				
2	2'-2 <sup>5</sup> /8"	676	2'-4 <sup>5</sup> /8"	727	2'-9"	838				
3	3'-01/4"	921	3'-41/4"	1022	4'-1"	1245				
4	3'-9 <sup>7</sup> /8"	1222	4'-3 <sup>7</sup> /8"	1318	5'-5"	1651				
5	4'-71/2"	2121	5'-31/2"	1613	6'-9"	2057				
6	5'-5 <sup>1</sup> /8"	1654	6'-3 <sup>1</sup> /8"	1908	8'-1"	2464				
7	6'-23/4"	1899	7'-23/4"	2203	9'-5"	2870				
8	7'-0 <sup>3</sup> /8"	2143	8'-2 <sup>3</sup> /8"	2499	10'-9"	3277				
9	7'-10"	2388	9'-2"	2794	12'-1"	3683				
10	8'-7 <sup>5</sup> /8"	2632	10'-1 <sup>5</sup> /8"	3089	13'-5"	4089				
11	9'-51/4"	2877	11'-11/4"	3385	14'-9"	4496				
12	10'-2 //8"	3121	12'-0 <sup>7</sup> /8"	3680	16'-1"	4902				
13	11'-01/2"	3366	13'-01/2"	3975	17'-5"	5309				
14	11'-10 <sup>1</sup> /8"	3610	14'-0 <sup>1</sup> /8"	4270	18'-9"	5715				
15	12'-73/4"	3854	14'-11 <sup>3</sup> / <sub>4</sub> "	4566	20'-1"	6121				
16	13'-5 <sup>3</sup> /8"	4099	15'-11 <sup>3</sup> /8"	4861	21'-5"	6528				
17	14'-3"	4343	16'-11"	5156	22'-9"	6934				
18	15'-0 <sup>5</sup> /8"	4588	17'-10 <sup>5</sup> /8"	5451	24'-1"	7341				
19	15'-101/4"	4832	18'-10 <sup>1</sup> / <sub>4</sub> "	5747						
20	16'-7 <sup>7</sup> /8"	5077	19'-9 <sup>7</sup> /8"	6042						
21	17'-51/2"	5321	20'-91/2"	6337						
22	18'-3 <sup>1</sup> /8"	5566	21'-9 <sup>1</sup> /8"	6633						
23	19'-03/4"	5810	22'-8 <sup>3</sup> / <sub>4</sub> "	6928						
24	19'-10 <sup>3</sup> /8"	6055	23'-8 <sup>3</sup> /8"	7223						
25	20'-8"	6299	24'-8"	7518						
26	21'-5 <sup>5</sup> /8"	6544								
27	22'-31/4"	6788								
28	23'-0 /8"	7033								
29	23'-101/2"	7277								
30	24'-8 <sup>1</sup> /8"	7522								

#### DIMENSIONAL NOTES:

- 1. The Open Dimension of bleacher is increased by the depth of front steps when required to access the aisles on front-loaded seating systems a. MAXAM Add: 11 3/4" (298mm) to Open Dimension w/ CourtSide Seats b. MAXAM+ Add: 1'-3 3/4" (400mm) to Open Dimension w/ CourtSide Seats
- c. MAXAM+ Add: 1'-4 1/2" (419mm) to Open Dimension w/ Chairs
- 2. Open and Closed Dimensions are for wall attached application.
- a. For Portable Application Add: 2 ¼" (57mm) to Open and Closed Dimensions
  b. For Free Standing Application Add: 2 ¼" (57mm) to Open and Closed Dimensions
- For Reverse Fold Application Add: 2 1/4" (57mm) to Open Dimension
- For Reverse Fold Application Add: 2 1/4" (57mm) + Row Spacing to Closed Dimension
- For Recessed Application Add: 6" (157mm) to Closed Dimension for Minimum Recess Depth
- 3. The Open Dimension of bleacher is increased by the depth of front steps when required to access the aisles on front-loaded seating systems
- a. MAXAM Add: 13" (330mm) to Open Dimension
- b. MAXAM+ Add: 1'- 41/2" (419mm) to Open Dimension
- 4. For Recessed Applications Add: 2 ½" (64mm) to seat height for minimum recess height.
- 5. The chart above identifies Maximum number of rows for wall attached section lengths 16'-6" (5029mm) or greater.
- 6. SPECIAL NOTE: For complete dimensional charts referring to smaller sections and other applications including product limitations please reference FASTFACTS or ask your local dealer for details.

#### MXP™ & Hussev Seatway

MXP and Hussey Seatway are customized to your

Row Rise: 4 - 24" (102 - 610 mm) Row Spacing: 32 - 36" (813 - 914 mm) Tapered Sections: Up to 22½ degrees

Row Rise: 101/4" (260 mm), 11" (280 mm),

specifications with the following standard dimensions:

#### Seatway™

11½" (300 mm), 12½" (320 mm) Row Spacing: 33½" (850 mm), 35¾" (900 mm), 36" (915 mm)



At Hussey Seating, respecting the landscape we live in—and the hard work and well-being of the people we work with—has always been in our DNA and part of our heritage. Our commitment to environmentally friendly business practices has taken many forms over the years as standards and technology have changed.



In the 1970s, when the rest of the nation began to become more environmentally aware, we had already laid walking trails and planted a tree farm on our beautiful Maine campus. Today, going green means developing environmentally friendly paints and finishes, sourcing sustainable woods and metals, going beyond local and national regulations in clean manufacturing and waste disposal, and making deliveries on time while reducing our carbon footprint. We reduced our air emissions by 90% while tripling our seating business, so we know green business is good business.

Hussey seating solutions come in a wide range of colors—but every day our seats get greener. If you'd like to learn more about our sustainability efforts, please visit our website at www.husseyseating.com/sustainability

# Warranty

Our factory-backed warranty is the best in the industry.

For full warranty details or chair warranty information visit www.husseyseating.com/warranties

#### MAXAM, MAXAM+

10 year: Structural component parts of understructure

5 year: Decking systems including aisle steps and rails; Courtside & classic wood seating system; Electrical -Aisle lights & Power systems; Portable and Integral dolly systems; End closure curtains; Surface material finishes; polymer, powder coat, wood veneer.

5 year: Component parts of understructure operating mechanisms, structural attachments including safety rails, assembly hardware, & accessories; Decking Systems including aisle steps, CourtSide & Classic Wood Seating Collections; Electrical - aisle lights & power systems; Portable & integral Dolly systems; End Closure Curtains; Surface material finishes; polymer, powder coat, wood veneer.

## Resources

For all of our Telescopic accessories, surface materials, fast facts, evironmental data sheets and more go to HusseySeating.com.

Restored Hussey Plow Co. Model No. 25, ca 1895 Main Campus • North Berwick, ME

Photo by Ron Bilodeau

# News & Updates

HussevSeating.com

Facebook: facebook.com/HusseySeating

**Twitter:** twitter.com/husseyseating

YouTube: youtube.com/user/hscpublic LinkedIn: linkedin.com/company/hussey-seating-company


# **Expert Support**

It's standard equipment on every Hussey product.

- Safety Inspections
- Custom Fabrication
- Service Contracts Accessories
- Factory-Certified Parts Renovation & Repair

Toll-Free (USA) 1.800.353.3308









# Hussey Seating Company™

The Hussey Seating Company story dates back to 1835 with William Hussey's tremendously successful plow design, and thus, the Hussey Plow Company was born. As times changed over the next sixty years, the family set about reinventing the business, evolving into the company that is now seating the world. Today, under the sixth generation of family leadership, Hussey Seating Company is proud to be known as the leading manufacturer of seating solutions throughout the world – in stadiums, arenas, schools, universities, colleges, places of worship and anywhere people gather.

# Your partner for seating solutions.

















# **hussey**seating

**North Berwic** Toll Free (USA) 1.800. Tel: +1.207.676.2271

Fax: +1.207.676.2222 info@husseyseating.com

www.husseyseating.com

Asia-Pacific & Middle East **Hussey Asia-Pacific** www.husseyasiapacific.com

Seating™, MAXAM®, MAXAM+™, Clarin®, Metro™ Xtrem urtSigns™, CourtSides™, Flex-Row™, Posi-Lock™ and Powerglide™ are registered trademarks of Hussey Seating Company