

# The power of simple.

The Classeq Undercounter range.

**Clean  
connect.**

WiFi enabled



# C400 & C500

## Powerful creations made wonderfully simple



From the inside out the new Classeq Undercounter range combine maximum efficiency, pure lines and the cleaning power to shine bright in the busiest kitchens and bars.

Every Classeq machine is WiFi enabled with Clean Connect that enables you to stay in tune with every machine in one estate or multiple machines across your venue.



### Simple choice.

One model level with all the features you need. Just choose the size, power and optional integral water softener.



### Simple set up.

Commissioned on install as a glasswasher or dishwasher in minutes.



### Simple use.

Press on. Press wash. Watch the display for notifications and troubleshooting.



### Simple cleaning.

Simple click in, click out wash arms, double filtration system, and moulded basket rails all aid simple cleaning.



### Simple connectivity.

Wi-Fi enabled with Clean Connect, so you're able to monitor your machines remotely. Helping to maintain performance levels and plan servicing.

Plus, a Bluetooth® app for operators and service technicians providing on-site access to user guides, machine settings, performance data and diagnostics.



### Simple servicing.

The repositioning of key parts make servicing and maintenance quicker. Reducing maintenance costs throughout the life of the machine.

**Clean  
connect.**  
WiFi enabled



One model. Two sizes. Set up on install  
as a glasswasher or dishwasher.

### Standard features across the range –



Colour coded display.



Reduced rinse water consumption.



Energy saving standby mode.



Drain pump, rinse booster pump,  
detergent and rinse aid pumps.



Double skinned door and cabinet  
to reduce noise and limit heat loss.



Hygiene and service reminders.



Wi-Fi enabled with free access to  
Clean Connect allowing you to monitor  
multiple machines remotely.



Optional integral water softener  
with new low salt audible alarm.



New deep clean programme  
and refresh cycle.



Optional audible alarm.



Rental Mode allowing Distributors  
to rent machines to operators based  
on number of wash cycles.



WRAS Compliant - Type AB air gap.




Three power options: 13A, 30A Single  
Phase and 13A Three Phase.




Scan for more  
information.

# The details.

## C400



## C500



Note: external dimensions of the new models differs from older models.

## Capacities & Performance C400 C500

Glasses per rack	16	25
Plates per rack	9	18
Wash Programmes - Glass	1.5 & 2 min. cycles	1.5 & 2 min. cycles
Wash Programmes - Dish	2, 3 & 5 min. cycles	2, 3 & 5 min. cycles
Theoretical max. racks per hour - Glass	40	40
Theoretical max. racks per hour - Dish	30	30
Wash tank capacity	9.5 litres	15 litres
Rinse tank capacity	6.5 litres	6.5 litres
Wash temperature	60 °C	60 °C
Rinse temperature - Glass	70 °C	70 °C
Rinse temperature - Dish	82 °C	82 °C
Water consumption per cycle	2.75 litres	2.75 litres

## Hydraulics specification

Water supply connection	G3/4" (3/4"BSP)	G3/4" (3/4"BSP)
Required water pressure min/max	1-10 bar	1-10 bar
Incoming Water temperature min/max	4°C/55°C	4°C/55°C
Drain size	40mm diam.	40mm diam.
Maximum drain height (from machine base)	500mm	600mm
Optional integrated water softener	Yes	Yes

## Electrical specification

### 13 Amp Plug – 1 Phase

Amps required	13A (1 Phase)	13A (1 Phase)
Standard operating voltage	220-240V/1N~/50Hz	220-240V/1N~/50Hz
Total connected load	2.5 kW	2.5 kW

### 30 Amp – 1 Phase

Amps required	30A (1 Phase)	30A (1 Phase)
Standard Operating Voltage	220-240V/1N~/50Hz	220-240V/1N~/50Hz
Total Connected Load	6.5 kW	6.5 kW

### 13 Amp – 3 Phase

Amps required	13A (3 Phase)	13A (3 Phase)
Standard Operating Voltage	380-415V/3N~/50Hz	380-415V/3N~/50Hz
Total Connected Load	6.5 kW	6.5 kW

## Connectivity

Wi-Fi Enabled with free access to Clean Connect Portal.

Bluetooth® App.

Simple. Robust.  
**CLASSEQ**



Scan to download the Classeq App for performance insights and useful guides.

Tel: +44 (0)1889 272338 | [classeq.co.uk](http://classeq.co.uk)