PROTECTION FOR LIFE

LXILEXX

2025
TACTICAL CATALOG

TABLE OF CONTENTS

TECHNOLOGY

12TACTICAL SERIES

22 BLACK OPS SERIES

> **34** APEL

AFLL

40

TACTICAL GLOVES

44

APEL APPROVED LIST

45

NSN/NATO LIST

46

PRODUCT DISPLAYS

47

WARRANTY



MILEY X A LEGACY OF PROTECTION SINCE 1987

To our valued partners,

As a veteran-founded, second-generation American company, Wiley X remains committed to supporting and protecting those who serve, work and play in life's harshest environments. My brother, Myles and I, continue to build on our father's legacy while leading the brand to innovate new eyewear products without compromising protection.

This year we're proud to announce the launch of our first Made in America product. It's just the beginning of our strategy to transition all our products to American manufacturing. It's a bold investment that we believe benefits our customers, our partners, American workers and the communities we serve.

We look forward to another exciting year with all of you.

Sincerely,

Dan Freeman, CEO and Co-Owner







LENS TECHNOLOGY

LENS ANATOMY



AMPLIFIED VISUAL PERFORMANCE

CAPTIVATE™ is a premium lens technology meticulously engineered to filter light and elevate visual performance through enhanced colors, superior contrast, and increased clarity. When combined with industry-leading protection and durability, CAPTIVATE allows you to perform with confidence in any environment.

CAPTIVATE™ LENS BENEFITS

SHARPER DETAIL

Reveals features in your environment normally missed by the naked eye.

INCREASED CONTRAST

Improves depth perception in conditions where light and shadows distort vision.

ENHANCED COLOR

Provides color separation to make surroundings appear more vivid and vibrant.



CAPTIVATE™ LENS OPTIONS

STANDARD LENS OPTIONS

COPPER BASE LENSES



CAPTIVATE™ BRONZE MIRROR/ POLARIZED BRONZE MIRROR

Provides tint for lowlight activities.

Light Transmission": 15%*



CAPTIVATE™ POLARIZED GREEN MIRROR

High-contrast for outdoors. Light Transmission: 12%*



CAPTIVATE™ POLARIZED COPPER

Vivid color for variable light conditions. Light Transmission: 17%*



SOLID BASE LENSES

CAPTIVATE™ CLEAR

Enhances color perception and provides maximum light transmission. 78%*

GREY BASE LENSES



CAPTIVATE™ POLARIZED BLUE MIRROR

Reduces bright glare on the water. Light Transmission: 11%*



CAPTIVATE™ RED MIRROR / POLARIZED RED MIRROR

Improved depth perception in bright sun. Keeps colors true. Light Transmission: 15%*



CAPTIVATE™ GREY / **POLARIZED GREY**

Even contrast for everyday activities. Light Transmission: 13%*



CAPTIVATE™ **BLACK MIRROR /** POLARIZED BLACK MIRROR

Enhances detail with a natural view of colors. Light Transmission: 11%*



CAPTIVATE™ TUNGSTEN MIRROR /

POLARIZED TUNGSTEN MIRROR Provides optimal vision in all

lighting conditions. Light Transmission: 10%*

LENS OPTIONS



SMOKE GREY

Reduces glare in bright light while preserving a natural visual experience. Light Transmission: 15%



SILVER FLASH / POLARIZED SILVER FLASH

Great for bright and sunny conditions across all environments.

Light Transmission: 15%



Increased contrast in extremely low-light/hazy conditions. Light Transmission: 82%*



LIGHT RUST

Enhances contrast in medium to low-light conditions. Light Transmission: 52%*



VERMILLION

Best for medium to low-light conditions. Sharpens contrast and brightens targets. Light Transmission: 45%*



CLEAR

Maximum light transmission. See precise color values. Hazy or overcast, dusk/dawn conditions. Light Transmission: 89%*

Polarized and Non-Polarized CAPTIVATE™ Lens Options Available

^{*}Transmittance values are approximate within +\-3%

FRAME TECHNOLOGY

Protection is not just a feature of our products, it is what defines us and sets us apart from others in the industry. Our eyewear is tested to meet national and international standards, ensuring every pair of eyewear we produce surpasses the highest ratings possible for safety and optics.



ANSI HIGH-MASS IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a 1.1 lb projectile dropped from a height of 50" to ensure your eyes are protected from unexpected blunt force impacts.



ANSI HIGH-VELOCITY IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a .25" diameter steel ball. For spectacles, the projectile must be traveling 150-160 fps and for goggles, the projectile must be traveling at 250-260 fps.



VO BALLISTICS

All Tactical items meet the ballistic protection levels of MIL-PRF-32432A; .15 V0 700-725fps for spectacle and .22 580-590 for goggles. Wiley X tactical models that are part of the Authorized Protective Eyewear List (APEL) are tested to the Alpha version of the V0 ballistics standard with a spectacle frame and lens being impacted with a .15 caliber projectile traveling 700-725 fps, or a goggle frame and lens with a .22 caliber projectile traveling 580-590 fps. Both tests are meant to simulate shrapnel encountered on the battlefield.



YOUTH FORCE® ASTM F803 STANDARD

All Youth Force™ Sports Protective Eyewear models are tested to ensure that they meet the ASTM F803 standards. To pass the High-Velocity Impact Resistance Test, the eyewear must withstand projectiles sized from 40 mm to 65.1 mm fired at a 90mph. Youth Force™ styles are suitable for Soccer, Basketball, Racquetball, Squash, Badminton, Paddle Ball, Tennis and Handball.

ANSI FRAME AND LENS MARKINGS EXPLAINED

Our frames and lenses include several markings that indicate specific safety ratings as determined by the American National Standards Institute (ANSI). This guarantees your Wiley x eyewear has been put through rigorous testing to ensure they'll protect your eyes from a projectile or other foreign.



- **Z87** Designation of the standard.
- -2 The frames can be fitted with a prescription lens, which is the case with most Wiley X styles.
- The eyewear frame and lenses have been tested to the high-velocity and high-mass impact requirements of ANSI Z87.1+ safety standards.
- S The lens is a filter or a shaded lens (not clear).
- V The lens is variable-tint photochromic (light adjusting).

In order to meet the demands of harsh environments and ensure optimal performance, many of our products are designed with additional performance features. These features are specifically tailored to withstand extreme conditions and provide enhanced functionality in any environment.




CLICK A.I.R. (AIR INTAKE REGULATOR) GASKETS

CLICK A.I.R. Gaskets are designed to shield your eyes from harmful debris, while allowing you the freedom to customize airflow through the gasket to prevent fogging. Push down on the top of the gasket above the nose bridge to open and increase airflow. Click again to lock it down for activities where additional airflow isn't needed. Available with the WX Ozone.



DYNAMIC VENTILATION

Our Dynamic Ventilation system works with the Removable Facial Cavity $^{\text{TM}}$ seal, allowing you to control airflow and reduce fogging. Side vents open to allow air to flow in and behind the lenses to clear condensation. Close the side vents to stop airflow. This technology is currently available with the WX Breach.



REMOVABLE FACIAL CAVITY™ SEALS

Fine dust and pollen, as well as wind, can cause long-term eye irritation, such as Dry Eye Syndrome. Peripheral light can also diminish optical clarity. Wiley X's removable soft foam Facial Cavity™ Seals block out even the finest irritants and peripheral light, protecting the eyes and allowing polarized lenses to perform at peak levels. Included with all Climate Control models.



ANSI Z87.1+ SIDE SHIELDS

All Active 6 and Worksight models come with removable and permanent side shield options to meet ANSI Z87.1+ compliance.



SUSTAINABLE FRAME MATERIALS

Our latest frame styles are made of bio-based raw materials that are lightweight, flexible, resistant to heat, UV resistant, and BPA-free. All performance characteristics make this material a superior, sustainable choice for fit, function, and performance while providing the impact protection we require for all of our products.

WILEY X AUTHENTIC PRESCRIPTIONS

As a company that specializes in high-wrap sport and safety eyewear, it's imperative that we provide the same clarity and protection to prescription-lens wearers as we do to those without prescription requirements. We've spent decades innovating and refining our technology to ensure that every pair of prescription glasses we build inspires confidence in everyone who wears them.

THE WILEY X DIFFERENCE

Through the Wiley X Authentic Prescription Program, we're able to provide our customers with:

- The highest Rx ranges in the industry for safety and sportwrapped frames (-10/+6 in our Active 6 series and up to -7/+5 in most wrapped styles).
- Precise prescriptions for high-wrap frames.
- CAPTIVATE[™] color enhancing lens technology.
- A full service lab with an in-house coating facility.
- A dedicated Rx support team.



COMPARE THE DIFFERENCE

This is a side-by-side comparison of the same Wiley X frame with an authentic Wiley X prescription versus one without. You'll notice the other lab's frame has splayed-out temples and a thicker lens protruding out of both sides. Ours has a thinner lens and no frame distortion, providing a more comfortable and aesthetically pleasing pair of eyewear.



DIGIFORCE™ DIGITAL LENSES

Digiforce™ is Wiley X's proprietary technology which takes into account frame fitting position, prescription, vertex distance, pantoscopic tilt and eye movement patterns to create the most accurate prescription possible in our high wrap frames.

BENEFITS OF DIGIFORCE™ LENSES:

- · 10 times more accurate than conventional surfacing.
- Provides the patient with an exact prescription, rather than rounding to the nearest setting in conventional lenses.
- · Maximizes field of view with edge-to-edge clarity.
- Wrap compensation allows us to customize a patient's prescription specific to their lifestyle and vision needs.
- · Easier patient adaptation to high-wrap frames.

LENS TREATMENTS:

- Anti-Scratch Coating
- Permanent Anti-Fog Coating
- Standard Anti-Fog Coating
- Anti-Reflective Coating

· WX Blue Anti-Reflective

CAPTIVATE™ Polarized

LENS OPTIONS:

- CAPTIVATE
- Polarized
- Non-Polarized
- Photochromic

DIGITAL EDGE THINNING

Our proprietary Digiforce Digital Edge Thinning technology is offered exclusively through Wiley X and allows for a high prescription with the thinnest lens necessary to still meet safety standards.

WHY WE USE IT

Digital Edge Thinning was created to accommodate high prescriptions in wrap around sport and safety glasses while still providing an aesthetically pleasing pair of eyewear with minimal distortion.

WHAT IT LOOKS LIKE

Digital Edge Thinning mirrors the frame shape by concentrating the optics centrally. This creates a slight plano area on the outer edge of each lens.



10 TECHNOLOGY: SPECIFICATIONS

TECHNOLOGY 1

TECHNICAL SPECIFICATIONS

	FLIGHT DECK APPROVED	APELAPPROVED	U.S. AIR FORCE SAFE-TO-FLY	NAVAIR APPROVED	NSN / NATO LIST	GSA LIST	MIL-PRF-32432A	MIL-PRF-32432(GL)	ANSI 287.1+ IMPACT (HIGH-VELOCITY AND HIGH-MASS)	U.S. FEDERAL OSHA 1910.133(B)(1)(I)	FOIL" ANTI-FOG LENSES	T-SHELL" SCRATCH RESISTANCE	100% UVA/UVB PROTECTION	FACIAL CAVITY" SEALS / REMOVABLE FOAM BROWBAR	TOP DOWN" VENTILATION	RX INSERT / RX READY	LASER PROTECTION	ASTM D 6413 - FLAME RETARDANT	ASTM F 1790 - CUT RESISTANCE	NFPA 1971-07 - THERMAL RESISTANCE	LEATHER REINFORCED FINGERTIPS	SYNTHETIC LEATHER	THERMOPLASTIC KNUCKLE	REMOVABLE THERMOPLASTIC KNUCKLE
PRODUCTS	A	PPR	OVE	D				EYEV FANI					ENS TEC						LOV NDA				EATU SPE	
WX GRAVITY (APEL ONLY)		•			•	•	•		•	•	•	•	•	•		•								
SPEAR	•	•			•	•	•		•		•	•	•	•	•	•	•							
SPEAR THERMAL		•			•	•	•		•	•	•	•	•	•	•	•	•							
WX JAKL							•		•	•			•			•								
SG-1	•				•	•		•	•	•	•	•	•	•	•	•	•							
WX VAPOR		•			•	•	•		•	•	•	•	•			•	•							
WX VALOR		•			•	•	•		•	•	•	•	•			•	•							
GUARD						•		•	•	•		•	•	•		•	•							
SABER ADVANCED					•	•	•		•	•		•	•			•	•							
WX SAINT						•		•	•	•	•	•	•			•	•							
ROMER 3					•	•	•		•	•	•	•	•			•	•							
XL-1 ADVANCED					٠	•	٠		٠	•	٠	•	•	•		•	•							
ORION			•	•		•												•	•	•	•			
ARIES			•	•		•												•	•	•	•			
HYBRID						•												•	•	•	•		•	•
APX						•																•		

700-725 FPS MIL-PRF-32432A SPECTACLE STANDARD


640-660 FPS MIL-PRF-32432(GL) SPECTACLE STANDARD


580-590 FPS MIL-PRF-32432A GOGGLE STANDARD

550-560 FPS MIL-PRF-32432(GL) GOGGLE STANDARD

250-260 FPS ANSI Z87.1+ HIGH-VELOCITY GOGGLE STANDARD

150-160 FPS ANSI Z87.1+ HIGH-VELOCITY SPECTACLE STANDARD





TACTICAL SERIES

BUILT TO ADAPT TO YOUR EVER-CHANGING ENVIRONMENT, OUR TACTICAL SERIES PROVIDES EXCEPTIONAL PROTECTION AND VISIBILITY IN ANY CONDITION.

FEATURES



IMPACT PROTECTION





POLARIZED LENSES*



UVA/UVB BLOCKING



INTERCHANGEABLE LENSES











*AVAILABLE ON SELECT MODELS

14 TACTICAL SERIES

SPRING 2025

TACTICAL SERIES 15 ⊢

WX BREACH 2.5 TACTICAL SERIES





F: MATTE BLACK L: CAPTIVATE™ GREY / CLEAR (NON-POLARIZED)

MIL-SPEC EAPTIVATE



CHBRC02 F: MATTE BLACK L: SMOKE GREY

MIL-SPEC



L: CLEAR MIL-SPEC

MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Facial Gasket seals around eyes for protection against wind, dust, and other irritants

Dynamic Ventilation System to allow for airflow behind lenses

Dual-Injected Rubber Temples and nose pads Interchangeable lenses

Foil™ Anti-Fog Lenses

ALSO INCLUDES

Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

MIL-SPEC

F: MATTE BLACK

L: GREY/CLEAR/

LIGHT RUST

WX BREACH XL 2.5 TACTICAL SERIES





F: MATTE BLACK L: CAPTIVATE™ GREY / CLEAR (NON-POLARIZED)

MIL-SPEC EAPTIVATE



CHBRC02XL F: MATTE BLACK L: SMOKE GREY

MIL-SPEC



CHBRC03XL

F: MATTE BLACK L: CLEAR

MIL-SPEC



F: MATTE BLACK L: GREY/CLEAR/





LARGE/X-LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite[™] Lenses

Super-Tough Triloid Nylon Frame

Facial Gasket seals around eyes for protection against wind, dust, and other irritants

Dynamic Ventilation System to allow for airflow behind lenses

Dual-Injected Rubber Temples and nose pads Interchangeable lenses

Foil™ Anti-Fog Lenses

ALSO INCLUDES

Black Zippered Case (DN800L)

WX Hard Case 2 and 3 Lens Pack (DN770S3) Microfiber Bag (DN900)

WX JAKL TACTICAL SERIES





CHJKL01

CHJKL05

CHJKL08

MIL-SPEC

F: MATTE BLACK

L: GREY/CLEAR/

LIGHT RUST

F: MATTE BLACK

EVEL AVE

L: CAPTIVATE™ POLARIZED

BLACK MIRROR (GREY BASE)

F: MATTE BLACK

L: CAPTIVATE™ GREY / CLEAR (NON-POLARIZED)

MIL-SPEC EAPTIVATE



L: CAPTIVATE™ SMOKE GREY

BLACK OPS MIL-SPEC EVBLIAVE.



CHJKL06

F: GLOSS CRYSTAL GREY L: CAPTIVATE™ RED MIRROR

(GREY BASE)

EVALIANTE



CHJKL09

F: GLOSS CRYSTAL GREY L: CAPTIVATE™ POLARIZED

BLUE MIRROR (GREY BASE) EVB11/V1E.



F: MATTE BLACK AND TAN L: CAPTIVATE™ TUNGSTEN

MIRROR (GREY BASE) MIL-SPEC EAPTIVATE



CHJKL07

F: POLISHED WHITE L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) EVEL INVE



CHJKL15

F: MATTE BLACK W/ RED RUBBER L: CAPTIVATE™ BLACK MIRROR (GREY BASE)

MIL-SPEC EAPTIVATE



MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard (Non-polarized models only)

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Dual-Injected rubber nose pads and

Assembled in America

temple tips

ALSO INCLUDES

Microfiber Bag (DN900)

Black Zippered Case (DN800L) WX Hard Case 2 and 3 Lens Pack (DN770S3)



→ 16 TACTICAL SERIES

GUARD ADVANCED TACTICAL SERIES





L: SMOKE GREY / CLEAR



L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC

MEDIUM/LARGE







Non-Rx

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Nose Pads

Button Temple Strap (4006E)

Zipper Case 2 Lens Pack (TS-235M)

ROMER 3 TACTICAL SERIES





F: MATTE BLACK

L: SMOKE GREY / CLEAR





F: MATTE BLACK

L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC



FEATURES

Interchangeable Lenses

Dual-Injected Rubber Temples

ALSO INCLUDES

Cleaning Cloth with Wiley X Logo (A428)

MEDIUM/LARGE









FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Foil™ Anti-Fog Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Dual-Injected Rubber Nose Pads

ALSO INCLUDES

WX Hard Shell Case (DN750) Cleaning Cloth with Wiley X Logo (A428)

SABER ADVANCED TACTICAL SERIES







F: MATTE BLACK

L: SMOKE GREY

MIL-SPEC



F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC

F: MATTE BLACK L: SMOKE GREY / CLEAR







308T

L: SMOKE GREY / CLEAR /

MIL-SPEC



F: 2 MATTE BLACK FRAMES L: SMOKE GREY / CLEAR

MIL-SPEC



F: MATTE BLACK
L: SMOKE GREY / LIGHT RUST / VERMILLION

MIL-SPEC

FIT UNIVERSAL



FEATURES

Rx Insert* - Size 44 / 25 (TLRX)

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Adjustable Nose Piece

Saber Advanced Adjustable Strap (306E) Converts Glasses to Goggle

ALSO INCLUDES

Zipper Case (TS-235M) Styles: 308, 309, 315 Microfiber Drawstring Bag (DN900) Styles: 300, 302, 303

Cleaning Cloth with Wiley X Logo (A428) Black Zippered Clamshell Case (DN610A)

*Requires Rx Insert for all Prescription



→ 18 TACTICAL SERIES

TACTICAL SERIES 19 ⊢

WX SAINT TACTICAL SERIES





CHSAI07

F: MATTE BLACK L: SMOKE GREY / CLEAR



CHSAI08

F: MATTE BLACK I · SMOKEGREY

BLACK OPS MIL-SPEC

SMALL/MEDIUM







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Dual-Injected Rubber Nose Pads

Dual-Injected Rubber Temples

ALSO INCLUDES

Black Zippered Case (DN800) Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

Alternative Fit Models Available

WX VAPOR TACTICAL SERIES





L: SMOKE GREY / CLEAR MIL-SPEC





3502

L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC



3552

F: MATTE BLACK COMM TEMPLES

L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC COMM TEMPLES

UNIVERSAL



FEATURES

Rx Insert

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Foil™ Anti-Fog Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Adjustable Nose Piece

Dual-Injected Rubber Temples

ALSO INCLUDES

Zipper Case 2 and 3 Lens Pack (TS-235M)

Cleaning Cloth with Wiley X Logo (A428)

**WX Vapor Comm has Thin Temples Compatible with Hearing Protection

WX VALOR TACTICAL SERIES



CHVAL06

F: MATTE BLACK

L: SMOKE GREY / CLEAR /

BLACK OPS MIL-SPEC



CHVAL01

F: MATTE BLACK L: SMOKE GREY

BLACK OPS MIL-SPEC



CHVAL07

F: MATTE BLACK L: SMOKE GREY / CLEAR BLACK OPS





CHVAL08

L: POLARIZED SMOKE GREY BLACK OPS MIL-SPEC







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

MIL-SPEC

CHVAL06T

F: MATTETAN

LIGHT RUST

L: SMOKE GREY / CLEAR /

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Zippered Case 2 and 3 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

XL-1 ADVANCED TACTICAL SERIES







F: MATTE BLACK L: SMOKE GREY / CLEAR



MEDIUM/LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Foil™ Anti-Fog Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Removable Facial Cavity™ Seal (XLG)

T-Peg Strap (XLE)

Dual-Injected Rubber Nose Pads

Dual-Injected Rubber Temples

ALSO INCLUDES

WX Tactical Case (DN750)

Cleaning Cloth with Wiley X Logo (A428)

20 TACTICAL SERIES TACTICAL SERIES 21 ⊢

SG-1 TACTICAL SERIES



FIT ADJUSTABLE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses

Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses

Replaceable Gaskets

ALSO INCLUDES

WX Hard Shell Case (DN700S) Removable Temples (SG-1T) SG-1 Elastic Strap (SG-1E) SG-1 Beaded Tactical Strap (258A)

Alternative Fit Models Available

SPEAR TACTICAL SERIES



SP293T

F: TAN 499

L: SMOKE GREY /

CLEAR / LIGHT RUST



SP293B

F: MATTE BLACK L: SMOKE GREY /

MIL-SPEC





SP29T





Rx Insert Twistlock TLRX* — Size 42/24 ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Foil™ Anti-Fog Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Universal Prescription Lens Compatible (UPLC)

ALSO INCLUDES


L: SMOKE GREY /

MIL-SPEC

Spear Goggle Sleeve (SP29SLB) Black Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29EB) Black, (SP29ET) Tan

*Requires Rx Insert for all Prescription Orders

Spear Facial Cavity™ Seal (SP29FCS)





BLACK OPS

SERIES

THE BLACK OPS COLLECTION IS DEVELOPED FROM OUR TOP EYEWEAR MODELS. FEATURING ALL-BLACK LOGOS, FRAMES, AND LENSES, THEY ARE DESIGNED TO KEEP YOU PROTECTED AND HIDDEN IN THE SHADOWS DURING COVERT OPERATIONS.

FEATURES







LIGHTWEIGHT













24 BLACK OPS SERIES BLACK OPS SERIES 25

WX AXE ACTIVE 6 SERIES





F: MATTE BLACK L: CAPTIVATE™ POLARIZED GREY (GREY BASE)

EAPTIVATE BLACK OPS

FIT SMALL/MEDIUM



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Precision-cut stainless-steel temples

Overmolded rubber temple tips

Dual-injected rubber nose pads

Removable and Permanent Side Shields Included (AC6AXESS, AC6AXEPSS)**

Assembled in America

ALSO INCLUDES

Microfiber Drawstring Bag (DN900) Black Zippered Case (DN800L)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX FOUNDER ACTIVE 6 SERIES






F: MATTE BLACK L: CAPTIVATE™ GREY (NON-POLARIZED)

EARTIVATE BLACK OPS

FIT MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Dual-Injected Rubber Temples

Side Shields can be set as Removable or Permanent (AC6FNDSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX ALFA ACTIVE 6 SERIES





ACGALF02 F: MATTE BLACK L: SMOKE GREY BLACK OPS



MEDIUM/LARGE









FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Wire Core Adjustable Temple Tips

Clear ANSI Z87.1+ Removable Side Shields (AC6ALFSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6ALFPSS)**


ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



26 BLACK OPS SERIES

WX RECON ACTIVE 6 SERIES





- F: MATTE BLACK
- L: CAPTIVATE™ GREY (NON-POLARIZED)

EAPTIVATE BLACK OPS

MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Dual-Injected Rubber Temples

Side Shields can be set as Removable or Permanent (ACRCNDSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX TREK ACTIVE 6 SERIES





SHIELDS

MEDIUM/LARGE



BLACK OPS SERIES 27 -

FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Clear ANSI Z87.1+ Removable

Side Shields (AC6TRKSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6TRKPSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX SIERRA ACTIVE 6 SERIES





AC6SRA01

- F: MATTE BLACK
- L: CAPTIVATE™ GREY (NON-POLARIZED)

EARTIVATE BLACK OPS



MEDIUM/LARGE











FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Lens Ventilation to Increase Airflow

Dual-Injected Rubber Temples

Side Shields Can be Set as Removable or Permanent (AC6SRASS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX OMEGA ACTIVE 8 SERIES





ACOME01 F: MATTE BLACK L: SMOKE GREY BLACK OPS

AC6TRK02

F: MATTE BLACK

L: SMOKE GREY

BLACK OPS



ACOME08 F: MATTE BLACK

L: CAPTIVATE™ POLARIZED

BLACK OPS MIL-SPEC EARTIVATE

MEDIUM/LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

28 BLACK OPS SERIES BLACK OPS SERIES 29 -

P-17 ACTIVE 8 SERIES





F: MATTE BLACK

L: SMOKE GREY BLACK OPS MIL-SPEC

SMALL/MEDIUM





FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

T-Peg Strap (EH409-4)

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX TWISTED ACTIVE 8 SERIES





SSTWI01

F: MATTE BLACK

L: SMOKE GREY BLACK OPS MIL-SPEC



F: MATTE BLACK

L: CAPTIVATE™ POLARIZED

EAPTIVATE BLACK OPS MIL-SPEC

MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Cleaning Cloth with Wiley X Logo (A427) CAPTIVATE™ Microfiber Bag (DN550)

Alternative Fit Models Available

SLAY ACTIVE 8 SERIES





ACSLA01 F: MATTE BLACK

L: SMOKE GREY

BLACK OPS MIL-SPEC

FIT LARGE









FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Cleaning Cloth with Wiley X Logo (A427) CAPTIVATE™ Microfiber Bag (DN550)

AIRRAGE PERFORMANCE SERIES





F: MATTE BLACK

L: SMOKE GREY

BLACK OPS

FIT SMALL







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (695G2)

T-Peg Elastic Strap (EH409-4)

Dual-Injected Rubber Temples

Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800)

Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (695G2T)

── 30 BLACK OPS SERIES BLACK OPS SERIES 31 ⊢

WX BREACH PERFORMANCE SERIES





DYNAMIC VENTING



F: MATTE BLACK

L: SMOKE GREY

BLACK OPS MIL-SPEC

FIT MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CCBRHG2)

Dynamic Ventilation System

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800L)

Cleaning Cloth with Wiley X Logo (A428)

WX GRID PERFORMANCE SERIES





CCGRD01

F: MATTE BLACK L: SMOKE GREY

BLACK OPS MIL-SPEC

LARGE





FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CCGRDG2)

T-Peg Elastic Strap (EH409-4)

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800L)


Cleaning Cloth with Wiley X Logo (A428)

WX GRAVITY PERFORMANCE SERIES











CCGRA01D F: MATTE BLACK

L: SMOKE GREY WITH RX RIM

RX RIM AVAILABLE FOR HIGHER RXS (SIZE: 59 / 23)

FIT MEDIUM/LARGE











FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CCGRAG2)

T-Peg Strap (EH409-4)

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800L)

Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (CCGRAG2T)

WX JAKL TACTICAL SERIES





CHJKL02 F: MATTE BLACK

L: CAPTIVATE™ SMOKE GREY BLACK OPS MIL-SPEC

CAPTIVATE:

MEDIUM/LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard (Non-polarized models only)

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Dual-Injected rubber nose pads and temple tips

Assembled in America

ALSO INCLUDES

Black Zippered Case (DN800L)

WX Hard Case 2 and 3 Lens Pack (DN770S3)

Microfiber Bag (DN900)

32 BLACK OPS SERIES BLACK OPS SERIES 33 ⊢

WX SAINT TACTICAL SERIES





F: MATTE BLACK L: SMOKE GREY

BLACK OPS MIL-SPEC

FIT SMALL/MEDIUM







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

Interchangeable Lenses

ALSO INCLUDES

Black Zippered Case (DN800) Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

Alternative Fit Models Available

WX VALOR TACTICAL SERIES





CHVAL01 F: MATTE BLACK L: SMOKE GREY



CHVAL06 F: MATTE BLACK L: SMOKE GREY / CLEAR /

BLACK OPS MIL-SPEC



CHVAL07 F: MATTE BLACK L: SMOKE GREY / CLEAR


















FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical

Standards MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Zippered Case 2 and 3 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)









F: MATTE BLACK L: POLARIZED SMOKE GREY BLACK OPS MIL-SPEC



APEL

AUTHORIZED PROTECTIVE EYEWEAR LIST*

ALL OF OUR APEL-APPROVED EYEWEAR MEETS THE OPTICAL, ENVIRONMENTAL, AND VO BALLISTIC IMPACT REQUIREMENTS OF THE MIL-PRF-32432A PERFORMANCE SPECIFICATION: MILITARY COMBAT EYE PROTECTION SYSTEM (MCEPS). PRODUCTS TESTED TO THESE REQUIREMENTS ENSURE THEY WILL PROTECT AGAINST THE HARSHEST OF ENVIRONMENTS AND SHRAPNEL ENCOUNTERED ON THE BATTLEFIELD.

FEATURES



HIGH-VELOCITY IMPACT PROTECTION



UVA/UVB BLOCKING



SUPER-TOUGH FRAMES



IMPACT PROTECTION



INTERCHANGEABLE





VENTILATION*



REMOVABLE GASKET*



SHATTERPROOF LENSES

*AVAILABLE ON SELECT MODELS †U.S. DEPARTMENT OF DEFENSE

WX GRAVITY APEL





F: MATTE BLACK

L: SMOKE GREY / CLEAR

MIL-SPEC



FIT MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

8-Base Lenses, High-wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CH52G)

T-Peg Strap (EH409-4)

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

ALSO INCLUDES

WX Hard Shell Case (DN750G)

Cleaning Cloth with Wiley X Logo (A425)

WX VAPOR APEL





CH3401 - SMALL FRAME

F: MATTE BLACK

L: SMOKE GREY / CLEAR

MIL-SPEC



CH3501 - REGULAR FRAME F: MATTE BLACK L: SMOKE GREY / CLEAR

MIL-SPEC



CH3601 - LARGE FRAME

F: MATTE BLACK

L: SMOKE GREY / CLEAR MIL-SPEC

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

SMALL - REGULAR - LARGE

Rx Insert - Universal Prescription Lens

ANSI Z87.1+ Impact Protection/Optical

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

FEATURES

Standards

Compatible (UPLC)

125 | 133 | 125

ALSO INCLUDES

APEL Case (DN700) CH3401, CH3501 and (DN700L) CH3601

Cleaning Cloth with Wiley X Logo (A425) Fogtech Anti-Fog Reapplication Wipe (FOG)

SOLD SEPARATELY

Vapor Gasket (CH35G)

Leash Cord with Rubber Grips (A492B)

WX VALOR APEL





CH4701

F: MATTE BLACK

L: SMOKE GREY / CLEAR

FIT MEDIUM









FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

APEL Case (DN750)

Cleaning Cloth with Wiley X Logo (A425) Fogtech Anti-Fog Reapplication Wipe (FOG)



SPEAR APEL





SP30T

F: TAN 499 L: SMOKE GREY/CLEAR

MIL-SPEC



FIT Adjusting

FEATURES

Rx Insert - Universal Prescription Lens Compatible (UPLC)

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

Top Down™ Ventilation

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS) Fogtech Anti-Fog Reapplication Wipe (FOG)







SP30DLT

F: TAN 499 L: SMOKE GREY/CLEAR

MIL-SPEC



FIT ADJUSTING

FEATURES

Rx Insert - Universal Prescription Lens Compatible (UPLC)

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

Dual Lens

Top Down™ Ventilation

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS) Fogtech Anti-Fog Reapplication Wipe (FOG)





TACTICAL GLOVES

WILEY X TACTICAL SERIES GLOVES ARE DESIGNED FOR SUPERIOR

PROTECTION AND PERFORMANCE. WE OFFER EQUIPMENT OPTIONS TO

MEET YOUR CRITICAL RESPONSE OBJECTIVES, FROM MILITARY COMBAT,

TACTICAL RESPONSE, FIELD OPERATIONS, OR EMERGENCY FIRST

RESPONDING. OUR GLOVES ARE DESIGNED TO MAINTAIN HIGH DEXTERITY

FOR QUICK, PRECISE RESPONSES, WITH EXTRA SUPPORT IN HIGH WEAR

AREAS FOR ADDED DURABILITY AND LONGEVITY. SELECT STYLES

FEATURE TOUCH SCREEN CAPABILITY, HARD KNUCKLE, CUT, ABRASION,

AND FR FLAME RESISTANCE.

APX TACTICAL GLOVE



FEATURES

Synthetic Leather Knuckle and Palm for Maximum Durability/Breathability

Reinforced Thumb and Palm Patch in High-Wear Areas

Moisture Wicking Heavy-Duty Lycra® Gussets

Ventilated Fingers for Increased Airflow and Breathability

Clip-Strap for Easy Storage and Portability

Removable Patent Pending Injected Molded Knuckle Protector

100% Nomex Knit

Flame Resistant

Adjustable Cuff for Custom Fit

Goatskin Leather Reinforced in High-Wear

Thermal and Cut Resistant





G450.SM G450.LA

BLACK







MADE IN U.S.A.

(U311SM-2X, U312SM-2X)

Wear Areas Custom Designed to Match US Military

FEATURES

100% Nomex Knit Flame Resistant

Uniforms

Sheepskin Leather Reinforced in High-

Outlasts Flyers Glove 4-6 Times

Adjustable Cuff for Custom Fit

Clip Strap for Easy Storage and Portability 3 Fingertips Removed for Added Dexterity/ Sensitivity

Navair Approved*

U.S. Air Force Safe To Fly (STF) Approved*

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.







ORION TACTICAL GLOVE





FOLIAGE GREEN MADE IN U302.SM.T *M00 - 500 Pair

U,S,A, G301.SM SM G301.ME MD G301.LA LG G301.XL XL G301.2X XXL

COYOTE BROWN

Outlasts Flyers Glove 4-6 Times

100% Nomex Knit

FEATURES

Flame Resistant

Adjustable Cuff for Custom Fit

Sheepskin Leather Reinforced in High-Wear Areas

Custom Designed to Match U.S. Military

Clip Strap for Easy Storage and Portability Navair Approved*

U.S. Army Aviation Approved*

U.S. Air Force Safe To Fly (STF) Approved* (USA Made Versions Only)

Touchtec Touchscreen Compatible

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.









U311.ME MD U311.LA LG U311.XL XL

U311.2X XXL *M00 - 500 Pair



*M00 - 500 Pair

U312.ME MD

U312.LA LG

U312.XL XL

FOLIAGE GREEN

G311.ME MD G311.LA LG G311.XL XL G311.2X XXL

G311.SM SM

COYOTE BROWN

G312.ME MD G312.LA LG G312.XL XL G312.2X XXL 44 APEL APPROVED ITEMS



APEL APPROVED ITEMS

60	-

	WX GRAV	ITY SF	ECTACLE KIT						
)	CH5201	NSN	4240-01-701-2897	Two Lens System - Smoke and Clear	•	CH52S	NSN	4240-01-701-2760	Smoke Grey Replacement Lens
)	DN750G	NSN	4240-01-701-3136	WX Hard Shell Case	•	CH52C10	NSN	4240-01-701-2890	Clear Replacement Lenses (Pack of 10)
)	CH520F	NSN	4240-01-701-3126	Frame	•	CH52S10	NSN	4240-01-701-2892	Smoke Grey Replacement Lenses (Pack of 10)
)	CH52C	NSN	4240-01-701-2758	Clear Replacement Lens	•	CH52G	NSN	4240-01-701-8176	Replacement Facial Cavity™ Seal



	WX VAPO	IR SPE	CTACLE KIT						
•	• CH3401	NSN	4240-01-665-0678	Small Two Lens System - Smoke Grey and Clear	•	CH35S10	NSN	4240-01-632-655	Regular Smoke Grey Replacement Lenses Replacement Lenses (Pack of 10)
	• CH34F	NSN	4240-01-664-9965	Small Frame	•	CH3601	NSN	4240-01-665-0701	Large Two Lens System – Smoke Grey and Clear
	• CH34C	NSN	4240-01-665-0374	Small Clear Replacement Lens	•	CH36F	NSN	4240-01-665-0708	Large Frame
	• CH34S	NSN	4240-01-665-0466	Small Smoke Grey Replacement Lens	•	CH36C	NSN	4240-01-665-0382	Large Clear Replacement Lens
	• CH34C10	NSN	4240-01-664-9978	Small Clear Replacement Lenses (Pack of 10)	•	CH36S	NSN	4240-01-665-0378	Large Smoke Grey Replacement Lens
	• CH34S10	NSN	4240-01-665-0024	Small Smoke Grey Replacement Lenses (Pack of 10)	•	CH36C10	NSN	4240-01-664-9957	Large Clear Replacement Lenses (Pack of 10)
	• CH3501	NSN	4240-01-630-7493	Regular Two Lens System – Smoke Grey and Clear	•	CH36S10	NSN	4240-01-665-0474	Large Smoke Grey Replacement Lenses (Pack of 10)
	• CH35F	NSN	4240-01-632-8165	Regular Frame	•	DN600	NSN	4240-01-633-3559	WX Hard Shell Case
	• CH35C	NSN	4240-01-632-5246	Regular Clear Replacement Lens	•	A492B	NSN	4240-01-633-4322	Retention Strap
	• CH35G	NSN	5330-01-686-6116	Vapor Facial Cavity™ Seal	•	CH35NP	NSN	4240-01-633-4209	UPLC Compatible Nose Piece
	CH35S	NSN	4240-01-632-5253	Regular Smoke Grey Replacement Lens	•	A425	NSN	4240-01-633-2474	Cleaning Cloth
	• CH35C10	NSN	4240-01-632-6549	Regular Clear Replacement					



1	WX VALO	R SPE	CTACLE KIT						
١.	CH4701	NSN	4240-01-630-7802	Two Lens System – Smoke Grey and Clear	•	CH47S10	NSN	4240-01-632-6551	Smoke Grey Replacement Lenses (Pack of 10)
•	CH47F	NSN	4240-01-632-8161	Frame	•	DN650	NSN	4240-01-633-3557	WX Hard Shell Case
•	CH47C	NSN	4240-01-632-5260	Clear Replacement Lenses	•	A492B	NSN	4240-01-633-4322	Retention Strap
	CH47S	NSN	4240-01-632-5243	Smoke Grey Replacement Lenses	•	A425	NSN	4240-01-633-2474	Cleaning Cloth
	CH47C10	NSN	4240-01-632-6539	Clear Replacement Lenses (Pack of 10)					



• SP30T NSN 4240-01-630-6712 lens, Smoke Grey lens, goggle strap, removable facial seal, Rx adapter, storage case, instruc-	SN 4240-0 SN 4240-0
tion card, lens cleaning cloth	SN 4240-0
	2 10 0
 SP30TF NSN 4240-01-633-2229 Tan 499 Frame SP29DS10 N 	SN 4240-0
 SP30ET NSN 4240-01-641-1982 Tan 499 Retention Strap SP29FCS N 	SN 4240-0
SP30SLT NSN 4240-01-633-3528 Protective Sleeve	
● DN650 NSN 4240-01-633-3571 Case	SN 4240-0
• R9101 NSN 4240-01-630-2588 UPLC Adapter	

	•	SP29C	NSN	4240-01-600-1736	Clear Replacement Lens
le -	•	SP29DS	NSN	4240-01-600-1737	Smoke Grey Replacement Dual Lens
	•	SP29DC10	NSN	4240-01-600-1733	Replacement ClearDual Lenses (Pack of 10)
	•	SP29DS10	NSN	4240-01-600-1734	Replacement Smoke Grey Dual Lenses (Pack of 10)

01 200010		12 10 01 000 170 1	nopiacomoni cinicio croj badi zeneci
SP29FCS	NSN	4240-01-600-1741	Replacement Facial Cavity™ Seal
A425	NSN	4240-01-633-2474	Cleaning Cloth



				Kit includes Tan 499 goggle frame, Clear lens, Smoke Grey lens, Tan 499 goggle strap,	•	SP29DC	NSN	4240-01-679-3837	Clear Replacemen
•	SP30DLT	NSN	4240-01-678-6131	removable facial seal, Rx adapter, storage case, instruction card, lens	•	SP29DS	NSN	4240-01-679-3870	Smoke Grey Repla
				cleaning cloth	•	SP29DC10	NSN	4240-01-679-3880	Replacement Clea
•	SP30TF	NSN	4240-01-633-2229	Tan 499 Frame	•	SP29DS10	NSN	4240-01-679-3914	Replacement Smo
•	SP30ET	NSN	4240-01-641-1982	Tan 499 Retention Strap		SP29FCS	NSN	4240-01-600-1741	Replacement Fac
•	SP30SLT	NSN	4240-01-633-3528	Protective Sleeve					.,
	AN571T	NSN	4240-01-633-3571	Case	•	A425	NSN	4240-01-633-2474	Cleaning Cloth
•	R9101	NSN	4240-01-630-2588	UPLC Adapter					

•	SP29DC	NSN	4240-01-679-3837	Clear Replacement Dual Lens

SP29DS	NSN	4240-01-679-3870	Smoke Grey Replacement Dual Lens
SP29DC10	NSN	4240-01-679-3880	Replacement Clear Dual Lenses (Pack of 10)
SP29DS10	NSN	4240-01-679-3914	Replacement Smoke Grey Dual Lenses (Pack of 10)
SP29FCS	NSN	4240-01-600-1741	Replacement Facial Cavity™ Seal

NSN/NATO ITEMS



SABER A	DVANCE	D BALLISTIC EYE PR	ROTECTION
415	NSN	4240-01-510-7853	Two Lens System – Smoke and Clear
408	NSN	4240-01-510-7851	Three Lens System – Smoke, Clear, Light Rust
402	NSN	4240-01-510-7847	One Lens System – Smoke
403	NSN	4240-01-510-7848	One Lens System – Clear
401	NSN	4240-01-510-7845	One Lens System – Light Rust
406SD	NSN	4240-01-528-5901	Smoke Replacement Lenses (50 Pack)
406CD	NSN	4240-01-528-5900	Clear Replacement Lenses (50 Pack)
TS-235	NSN	4240-01-504-5797	Replacement WX Hard Shell Case



ROMER 3 BALLISTIC EYE PROTECTION						
1006	NSN	4240-01-510-7864	Three Lens System – Smoke, Clear, Light Rust			
1006C	NSN	4240-01-513-4543	Clear Replacement Lenses			
1006S	NSN	4240-01-513-4538	Smoke Grey Replacement Lenses			
1006L	NSN	4240-01-513-4541	Light Rust Replacement Lenses			
1006F	NSN	4240-01-513-4534	Replacement Frame			
TS-235	NSN	4240-01-504-5797	Replacement WX Hard Shell Case			



SG-1 BAL	LISTIC E	YE PROTECTION	
71	NSN	4240-01-504-0994	Two Lens System (Extra ventilated)
70	NSN	4240-01-510-7844	Two Lens System
SG-1C	NSN	4240-01-504-5326	Clear Replacement Lenses
SG-1S	NSN	4240-01-504-5312	Smoke Grey Replacement Lenses
70C	NSN	4240-01-513-4525	V-Cut Clear Replacement Lenses
708	NSN	4240-01-513-4519	V-Cut Smoke Replacement Lenses
SG-1E	NSN	4240-01-504-5754	Elastic Strap Replacement
SG-1F	NSN	4240-01-504-6524	Replacement Frame (Included temples and strap)
SG-1T	NSN	4240-01-504-6474	Replacement Temples
TS-235	NSN	4240-01-504-5797	Replacement WX Hard Shell Case
71	ΝΔΤΩ	4240-22-611-7464	Two Lens System (Extra ventilated)



XL-1 ADVAN	ICED BALL	ISTIC EYE PROTEC	TION
291	NSN	4240-01-504-1037	Two Lens System - Smoke Grey and Clear
XLC	NSN	4240-01-504-5303	Clear Replacement Lenses
XLS	NSN	4240-01-504-5308	Smoke Grey Replacement Lenses
XLE	NSN	4240-01-504-5770	Replacement Elastic Strap
XLF	NSN	4240-01-504-6528	Replacement Frame (Includes elastic strap)
TS-235	NSN	4240-01-504-5797	Replacement WX Hard Shell Case



CDEAD DALLIETID COCCLEC					
SPEAR BALLISTIC GOGGLES					
SP29B	NSN	4240-01-600-1785	Kit includes a Black goggle frame, Clear lens, Smoke Grey lens, black goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth		
SP29G	NSN	4240-01-600-1791	Kit includes Foliage Green goggle frame, Clear lens, Smoke Grey lens, Foliage Green goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth		
SP29T	NSN	4240-01-600-1793	Kit includes Tan 499 goggle frame, Clear lens, Smoke Grey lens, Tan 499 goggle strap, removable facial seal, Rx adapt- er, storage case, instruction card, lens cleaning cloth		
SP29BF	NSN	4240-01-600-1751	Black frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter		
SP29GF	NSN	4240-01-600-1761	Foliage Green frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter		
SP29TF	NSN	4240-01-600-1770	Tan 499 frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter		
SP29EB	NSN	4240-01-600-1771	Replacement elastic strap – Black		
SP29EG	NSN	4240-01-600-1775	Replacement elastic strap – Foliage Green		
SP29ET	NSN	4240-01-600-1784	Replacement elastic strap - Tan 499		
SP29FCS10	NSN	4240-01-600-1739	10-Pack Replacement Facial Cavity™ Seal		

→ 46 PRODUCT DISPLAYS

CAPACITY: 75-100 PAIRS DIMENSIONS: 40"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER XL DISPLAY



PREMIER*

CAPACITY: 60 PAIRS DIMENSIONS: 28"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER DISPLAY

RACK** 933624

CAPACITY: 35-45 UNITS DIMENSIONS: 16.25"W X 76"H X 9.625"D



**RACK DISPLAY CAN BE USED WITH OR WITHOUT BASE UNIT

PRODUCT WARRANTY

NON-PRESCRIPTION WILEY X, INC., EYEWEAR

A lifetime warranty covering all manufacturing defects in material and workmanship.

NON-PRESCRIPTION JOHN DEERE® AND DVX™ EYEWEAR

Warranted against defects in materials or workmanship for a maximum period of 1 year. (John Deere® warranty applies to USA and Canada only).

PHOTOCHROMIC (LIGHT ADJUSTING™) LENSES

Warranted against defects in materials or workmanship for a maximum period of 18 months (proof of purchase for Photochromic Light Adjusting™ lenses is required).

Warranted to be free of manufacturing defects in material or workmanship for a maximum period of 2 years.

SCOPE OF COVERAGE

Wiley X will replace covered items at the sole discretion of Wiley X, as needed and as available (identical or equivalent style) at no charge. Out of warranty items may be replaced, or destroyed, at the option and sole expense of the purchaser.

EXCLUSIONS

This product warranty and prescription warranty below does not extend to and excludes:

- a) All Wiley X products purchased through any nonauthorized 3rd party websites, dealers, or labs.
- b) Damage resulting from normal wear and tear (i.e., scratched lenses).
- c) Damage resulting from abuse, misuse, tampering, customer modification, exposure to harmful substances, elements, or conditions.
- d) Lost or stolen item.

WX PRESCRIPTION WARRANTY

RX WARRANTY

Prescription orders processed through Wiley X, Inc. will have a two (2) year warranty from the date of purchase on frames and lenses deemed by Wiley X, Inc. to have manufacturing defects. Prescriptions filled by outdoor labs will void all Wiley X, Inc. frame and lens warranties. Prescription frame and lens warranties must be handled through the local retailer / dispensing optician from which they were originally purchased.

CAPTIVATE™ RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo on CAPTIVATE lenses that covers against basic surface scratches due to normal wear, along with crazing and peeling for two (2) years from the date of purchases. Scratches caused by improper care or abuse are not covered by this warranty. The customer will receive evewear in the identical form (same frame, lenses, prescription, etc.)

SCRATCH/COATING RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo for lenses with frontal surface scratches due to normal wear for one (1) year from the date of purchase. If a coating was purchased (anti-reflective, anti-scratch, anti-fog, or a mirror) the warranty is extended to a one (1) time redo within two (2) years from the date of purchase. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

DOCTOR REMAKE

A one (1) time doctor remake on Wiley X, Inc. made prescription lenses is permitted within a forty-five (45) day period from the original order date. The dealer will be charged in full for the remake then will subsequently receive a credit when the original prescription glasses are returned to the Wiley X, Inc. Prescription Department. Original orders must be returned within thirty (30) days of the remake order. All doctor remakes will be billed a \$10.00 shipping fee.

RX CHANGES/CANCELED ORDERS

If the lenses are not in process, prescription changes and order cancellations will be accepted at no charge. Any requests made after a customer order has been put in process will be charged at 50% of the dealer cost.

NON-ADAPTS

Dealer will have forty-five (45) days to return a prescription order that is deemed "non-adapt" by their customer. In this instance, the dealer will receive a full refund on the frame and 50% credit on the RX lenses and coatings. No credit or refund will be issued for non-adapts submitted after forty-five (45) days.

LAB ERRORS

In the event of lab error, prescription lenses will be replaced at no cost within a forty-five (45) day period of the original order date. Redo will be credited upon receipt of original frame and lenses.

PATIENT OWNED FRAME (POF)

Wiley X, Inc. accepts POF orders, however, frames must pass Wiley X, Inc. quality inspection. Prior to sending the POF, please verify that the prescription and the measurements are within the tolerance of the Wiley X, Inc. RX Frame Parameters. Please remove any existing prescription or non-prescription lenses from the frame prior to shipping. Wiley X, Inc. will not provide any warranty or be held responsible for any lost or damaged lenses on previous prescriptions sent in with a frame.

WILEY X. USA

15755 PRESTON ROAD, FRISCO, TX 75033 USA TEL: 1.800.776.7842 // FAX: +1.925.455.8860 WILEYX.COM

WILEY X, EMEA

SONDERGADE 8-10, 7570 VEMB, DENMARK TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40 WILEYX.EU



