PROTECTION FOR LIFE

LXIILEYX

2024 PRODUCT CATALOG

TABLE OF CONTENTS

4

TECHNOLOGY

10

ACTIVE 6 SERIES

16

ACTIVE 8 SERIES

26

PERFORMANCE SERIES

34

TACTICAL SERIES

44

WORKSIGHT® SERIES

52

ACTIVE 6 WORKSIGHT® SERIES

56

YOUTH FORCE® SERIES

62

APEL

68

TACTICAL GLOVES

74

PRODUCT DISPLAYS



SINCE 1987 A LEGACY OF PROTECTION

Inspired by a singular purpose of "building the world's best protective eyewear", U.S. Army Veteran Myles Freeman Sr. founded Wiley X in 1987.

Over the years, we've become an iconic American brand and the most trusted name for protective eyewear. Brothers Dan and Myles Jr. continue to build on their father's legacy while leading the brand to innovate new eyewear products without compromising protection.

Today our company creates premium protective eyewear for a wide range of customers that serve, work and play in life's harshest environments.

LENS TECHNOLOGY

LENS ANATOMY



AMPLIFIED VISUAL PERFORMANCE

CAPTIVATE™ is a premium lens technology meticulously engineered to filter light and elevate visual performance through enhanced colors, superior contrast, and increased clarity. When combined with industry-leading protection and durability, CAPTIVATE allows you to perform with confidence in any environment.

CAPTIVATE™ LENS BENEFITS

SHARPER DETAIL

Reveals features in your environment normally missed by the naked eye.

INCREASED CONTRAST

Improves depth perception in conditions where light and shadows distort vision.

ENHANCED COLOR

Provides color separation to make surroundings appear more vivid and vibrant.



CAPTIVATE™ LENS OPTIONS

GREY BASE LENSES:



CAPTIVATE™ POLARIZED BLUE MIRROR Reduces bright glare on the water.

Light Transmission: 11%*



CAPTIVATE™

RED MIRROR / **POLARIZED RED MIRROR**

Improved depth perception in bright sun. Keeps colors true. Light Transmission: 15%*



CAPTIVATE™ GREY /

POLARIZED GREY

Even contrast for everyday Light Transmission: 13%*



CAPTIVATE™ BLACK MIRROR /

POLARIZED BLACK MIRROR Enhances detail with a natural

view of colors. Light Transmission: 11%*



CAPTIVATE™

TUNGSTEN MIRROR / **POLARIZED TUNGSTEN MIRROR** Provides optimal vision in all

lighting conditions. Light Transmission: 10%*

COPPER BASE LENSES:



CAPTIVATE™ POLARIZED BRONZE MIRROR

Provides tint for lowlight activities.

Light Transmission: 15%*



CAPTIVATE™ POLARIZED GREEN MIRROR

High-contrast for outdoors. Light Transmission: 12%*



CAPTIVATE™ POLARIZED COPPER

Vivid color for variable light conditions.

Light Transmission: 17%*

GREEN BASE LENSES:



CAPTIVATE™

POLARIZED ROSE GOLD MIRROR True color in bright sun and low-

Light Transmission: 13%*



CAPTIVATE™

POLARIZED PLATINUM FLASH

Cuts glare for land and water activities. Light Transmission: 13%*

Polarized and Non-Polarized Captivate™ Lens Options Available

STANDARD LENS OPTIONS





LA™ LIGHT ADJUSTING **SMOKE GREY**

LENS OPTIONS:

Photochromic lenses darken and lighten depending on brightness for maximum optical clarity. Light Transmission: 81% to 17% in sunlight*



SILVER FLASH

Reduces Glare across all environments. Excellent for bright sunny days. Light Transmission: 13%



Increased contrast in extremely low-light/hazy conditions. Light Transmission: 82%*



LIGHT RUST

Enhances contrast in medium to low-light conditions. Light Transmission: 52%*



VERMILLION

Best for medium to low-light conditions. Sharpens contrast and brightens targets. Light Transmission: 45%*



Maximum light transmission. See precise color values. Hazy or overcast, dusk/dawn conditions. Light Transmission: 89%*



PROTECTION

Protection is not just a feature of our products, it is what defines us and sets us apart from others in the industry. Our eyewear is tested to meet national and international standards, ensuring every pair of eyewear we produce surpasses the highest ratings possible for safety and optics.



ANSI HIGH-MASS IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a 1.1 lb projectile dropped from a height of 50" to ensure your eyes are protected from unexpected blunt force impacts.



ANSI HIGH-VELOCITY IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a .25" diameter steel ball. For spectacles, the projectile must be traveling 150-160 fps and for goggles, the projectile must be traveling at 250-260 fps.



VO BALLISTICS

All Tactical items meet the ballistic protection levels of MIL-PRF-32432A; .15 V0 700-725fps for spectacle and .22 580-590 for goggles. Wiley X tactical models that are part of the Authorized Protective Eyewear List (APEL) are tested to the Alpha version of the V0 ballistics standard with a spectacle frame and lens being impacted with a .15 caliber projectile traveling 700-725 fps, or a goggle frame and lens with a .22 caliber projectile traveling 580-590 fps. Both tests are meant to simulate shrapnel encountered on the battlefield.



YOUTH FORCE® ASTM F803 STANDARD

All Youth Force™ Sports Protective Eyewear models are tested to ensure that they meet the ASTM F803 standards. To pass the High-Velocity Impact Resistance Test, the eyewear must withstand projectiles sized from 40 mm to 65.1 mm fired at a 90mph. Youth Force™ styles are suitable for Soccer, Basketball, Racquetball, Squash, Badminton, Paddle Ball, Tennis and Handball.

ANSI FRAME AND LENS MARKINGS EXPLAINED

Our frames and lenses include several markings that indicate specific safety ratings as determined by the American National Standards Institute (ANSI). This guarantees your Wiley x eyewear has been put through rigorous testing to ensure they'll protect your eyes from a projectile or other foreign.



- **Z87** Designation of the standard.
- -2 The frames can be fitted with a prescription lens, which is the case with most Wiley X styles.
- The eyewear frame and lenses have been tested to the high-velocity and high-mass impact requirements of ANSI Z87.1+ safety standards.
- S The lens is a filter or a shaded lens (not clear).
- V The lens is variable-tint photochromic (light adjusting).


FRAME TECHNOLOGY

In order to meet the demands of harsh environments and ensure optimal performance, many of our products are designed with additional performance features. These features are specifically tailored to withstand extreme conditions and provide enhanced functionality in any environment.



CLICK A.I.R. (AIR INTAKE REGULATOR) GASKETS

CLICK A.I.R. Gaskets are designed to shield your eyes from harmful debris, while allowing you the freedom to customize airflow through the gasket to prevent fogging. Push down on the top of the gasket above the nose bridge to open and increase airflow. Click again to lock it down for activities where additional airflow isn't needed. Available with the WX Ozone.



DYNAMIC VENTILATION

Our Dynamic Ventilation system works with the Removable Facial Cavity $^{\text{TM}}$ seal, allowing you to control airflow and reduce fogging. Side vents open to allow air to flow in and behind the lenses to clear condensation. Close the side vents to stop airflow. This technology is currently available with the WX Breach.



REMOVABLE FACIAL CAVITY™ SEALS

Fine dust and pollen, as well as wind, can cause long-term eye irritation, such as Dry Eye Syndrome. Peripheral light can also diminish optical clarity. Wiley X's removable soft foam Facial Cavity™ Seals block out even the finest irritants and peripheral light, protecting the eyes and allowing polarized lenses to perform at peak levels. Included with all Climate Control models.



ANSI Z87.1+ SIDE SHIELDS

All Active 6 and Worksight models come with removable and permanent side shield options to meet ANSI Z87.1+ compliance.



SUSTAINABLE FRAME MATERIALS

Our latest frame styles are made of bio-based raw materials that are lightweight, flexible, resistant to heat, UV resistant, and BPA-free. All performance characteristics make this material a superior, sustainable choice for fit, function, and performance while providing the impact protection we require for all of our products.

DIGIFORCE™ DIGITAL LENSES

As a company that specializes in high-wrap sport and safety eyewear, it's imperative that we provide the same clarity and protection to prescription-lens wearers as we do to those without prescription requirements. We've spent decades innovating and refining our technology to ensure that every pair of prescription glasses we build inspires confidence in everyone who wears them.

THE WILEY X DIFFERENCE

Through the Wiley X Authentic Prescription Program, we're able to provide our customers with:

- The highest Rx ranges in the industry for safety and sportwrapped frames (-10/+6 in our Active 6 series and up to -7/+5 in most wrapped styles).
- Precise prescriptions for high-wrap frames.
- CAPTIVATE™ color enhancing lens technology.
- A full service lab with an in-house coating facility.
- A dedicated Rx support team.



This is a side-by-side comparison of the same Wiley X frame with an authentic Wiley X prescription versus one without. You'll notice the other lab's frame has splayed-out temples and a thicker lens protruding out of both sides. Ours has a thinner lens and no frame distortion, providing a more comfortable and aesthetically pleasing pair of eyewear. ANDTHER LAB'S RX

WILEY X AUTHENTIC PRESCRIPTION

COMPARE THE DIFFERENCE

Digiforce[™] is Wiley X's proprietary technology which takes into account frame fitting position, prescription, vertex distance, pantoscopic tilt and eye movement patterns to create the most accurate prescription possible in our high wrap frames.

BENEFITS OF DIGIFORCE™ LENSES:

- 10 times more accurate than conventional surfacing.
- Provides the patient with an exact prescription, rather than rounding to the nearest setting in conventional lenses.
- · Maximizes field of view with edge-to-edge clarity.
- Wrap compensation allows us to customize a patient's prescription specific to their lifestyle and vision needs.
- · Easier patient adaptation to high-wrap frames.

LENS TREATMENTS:

- Anti-Scratch Coating
- Permanent Anti-Fog Coating
- Standard Anti-Fog Coating
 Anti-Reflective Coating
- WX Blue Anti-Reflective

LENS OPTIONS:

- Captivate[™] Polarized
- Polarized
- Non-Polarized
- Photochromic

DIGITAL EDGE THINNING

Our proprietary Digiforce Digital Edge Thinning technology is offered exclusively through Wiley X and allows for a high prescription with the thinnest lens necessary to still meet safety standards.

WHY WE USE IT

Digital Edge Thinning was created to accommodate high prescriptions in wrap around sport and safety glasses while still providing an aesthetically pleasing pair of eyewear with minimal distortion.

WHAT IT LOOKS LIKE

Digital Edge Thinning mirrors the frame shape by concentrating the optics centrally. This creates a slight plano area on the outer edge of each lens.





ACTIVE 6 SERIES

OUR ACTIVE 6 SUNGLASSES OFFER THE POWER OF PRECISION
WITH A FLATTER, 6-BASE LENS PROFILE THAT CAN ACCOMMODATE
PRESCRIPTIONS UP TO +6 AND -10. ACTIVE 6 MODELS COME WITH
PERMANENT AND REMOVABLE SIDE SHIELDS THAT EASILY SNAP INTO
PLACE TO MEET THE ANSI Z87.1+ SAFETY STANDARD.

FEATURES



HIGH-VELOCITY IMPACT PROTECTION



HIGH-MASS IMPACT PROTECTION



POLARIZED LENSES*











WX FOUNDER ACTIVE 6 SERIES





AC6FND02

- F: MATTE BLACK L: CAPTIVATE™ GREY (NON-POLARIZED)
- EAPTIVATE BLACK OPS



AC6FND07

- F: MATTE GRAPHITE
- L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) CV611/V1E



AC6FND04

- F: MATTE BLACK AND TAN L: CAPTIVATE™ TUNGSTEN MIRROR
- (GREY BASE) (NON-POLARIZED) EVB11/VIE.



AC6FND09

CAPTIVATE:

F: GLOSS CRYSTAL GREY L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)



AC6FND05

- F: MATTE BLACK
- L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE) EVB11/V1E.



AGOFND30

F: GLOSS CRYSTAL CLEAR / BLACK L: CLEAR

MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Dual-Injected Rubber Temples

Side Shields can be set as Removable or Permanent (AC6FNDSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX SIERRA ACTIVE 6 SERIES





AC6SRA01

- F: MATTE BLACK L: CAPTIVATE™ GREY
- (NON-POLARIZED) CAPTIVATE



AC6SRA07

- F: MATTE GRAPHITE
- L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) **CAPTIVATE**



AC6SRA05

- EVB11/VIE.



- BLUE MIRROR (GREY BASE) CV611/V1E.



- F: GLOSS BLACK



- (GREY BASE) (NON-POLARIZED)
- **With Side Shields Installed, Active

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

WX RECON ACTIVE 6 SERIES





ACGRCN02

- F: MATTE BLACK
- L: CAPTIVATE™ GREY (NON-POLARIZED)





AGORCN30

F: CRYSTAL CLEAR GLOSS L: CLEAR



F: MATTE BLACK

- L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE) EVBLIAVE.



L: CAPTIVATE™ POLARIZED

- F: MATTE GREY
- BLACK MIRROR (GREY BASE) **EVBLIAVE**

MEDIUM/LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Dual-Injected Rubber Temples

Side Shields can be set as Removable or Permanent (ACRCNDSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX ALFA ACTIVE 6 SERIES





AC6ALF02 F: MATTE BLACK

L: SMOKE GREY BLACK OPS

AC6ALF18

F: MATTEBLACK

CAPTIVATE

L: CAPTIVATE™ POLARIZED



F: GLOSS CRYSTAL LIGHT OLIVE

L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE) EVBLIAVE.



AC6ALF09

- EVB11/V1E



- F: GLOSS CLEAR CRYSTAL
- L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)



ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards





- F: MATTE BLACK
- L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)



AC6SRA09

- F: MATTE BLACK L: CAPTIVATE™ POLARIZED



AC6SRA06

- L: CAPTIVATE™ RED MIRROR ALSO INCLUDES
- CAPTIVATE:



MEDIUM/LARGE

ANSI Z87.1+ Impact Protection/Optical

FEATURES

Rx Ready

Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Clear ANSI Z87.1+ Removable

Clear ANSI Z87.1+ Permanent

Side Shields (AC6ALFPSS)**

Side Shields (AC6ALFSS)**

Wire Core Adjustable Temple Tips

MEDIUM/LARGE

FEATURES

ANSI Z87.1+ Impact Protection/Optical

Rx Ready

Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Dual-Injected Rubber Temples

Permanent (AC6SRASS)**

Lens Ventilation to Increase Airflow

Side Shields Can be Set as Removable or

14 ACTIVE 6 SERIES

F: MATTE BLACK

L: SMOKE GREY

AC60VN01

F: MATTE BLACK

L: SMOKE GREY

MEDIUM/LARGE

FEATURES

Rx Ready

Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Clear ANSI Z87.1+ Removable Side Shields (AC6TRKSS)**

Clear ANSI Z87.1+ Permanent

Side Shields (AC6TRKPSS)**







AC6HLX04

- F: GLOSS BLACK TO CRYSTAL
 - L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE) EVELIAVE.



AC6HLX07

- F: GLOSS DEMI
- L: CAPTIVATE™ POLARIZED

- GREEN MIRROR (COPPER BASE) EVB11/VLE.

WX TREK ACTIVE 6 SERIES SMALL/MEDIUM

AC6TRK02

F: MATTE BLACK

BLACK OPS

L: SMOKE GREY


AC6TRK09

CV611/V1E

F: GLOSS CRYSTAL DARK GREY

BLUE MIRROR (GREY BASE)

L: CAPTIVATE™ POLARIZED



Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Clear ANSI Z87.1+ Removable Side Shields (AC6HLXSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6HLXPSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



AC6TRK06

- F: MATTE HAVANA BROWN L: CAPTIVATE™ POLARIZED
- COPPER CAPTIVATE



ACGTRK18

- F: MATTE BLACK
- L: CAPTIVATE™ POLARIZED EVBLIAVE.



AC6TRK07

- F: GLOSS CRYSTAL LIGHT GREY L: CAPTIVATE™ POLARIZED
- GREEN MIRROR (COPPER BASE)



REMOVABLE SIDE

SHIELDS

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ANSI Z87.1+ Impact Protection/Optical

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX OVATION ACTIVE 6 SERIES







AC60VN07

- F: MATTE WOODGRAIN
- L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) CAPTIVATE



F: MATTE SLATE

- L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EVB11/VLE.

MEDIUM/LARGE





Standards

Side Shields(AC60VNSS)**

Side Shields (AC60VNPSS)**

Microfiber Drawstring Bag (DN900)











FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Clear ANSI Z87.1+ Removable


Clear ANSI Z87.1+ Permanent

ALSO INCLUDES

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



ACTIVE 8 SERIES

PUSHING BOUNDARIES AND SURPASSING LIMITS ARE WHAT OUR ACTIVE SERIES ARE BUILT FOR – PREMIUM PROTECTION FOR GETTING AFTER LIFE WITH CONVICTION.

FEATURES







POLARIZED LENSES*





GLARE CONTROL





FRAMES





LENSES

*AVAILABLE ON SELECT MODELS

WX PRIME ACTIVE 8 SERIES





ACPRM01

- F: MATTE BLACK
- L: CAPTIVATE™ GREY (NON-POLARIZED) EVELIAVE.



ACPRM05

- F: MATTE BLACK
- L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE) EVB11/VIE.



ACPRM09

- F: GLOSS CRYSTAL GREY L: CAPTIVATE™ POLARIZED
- BLUE MIRROR (GREY BASE) EVB11/VLE.

MEDIUM/LARGE



FEATURES

Non-Rx

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses

High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Nose Pads

Adjustable Nose-Pads

Dual-Injected Rubber Temples

ALSO INCLUDES

Button Temple Strap (A493)

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX ASPECT ACTIVE 8 SERIES





ACASP01

L: SMOKE GREY

ACASP17 F: MATTE BLACK

- F: MATTE BLACK
- L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) EVB11/VIE.



ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

ANSI Z87.1+ Impact Protection/Optical

8-Base Lenses, High-Wrap Frames

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

UVA/UVB Light Blocking

Black Zippered Case (DN800)

MEDIUM/LARGE

FEATURES

Rx Ready

Standards

Spring Hinges

SPRING 2024

WX PRIME XL ACTIVE 8 SERIES





ACPRM04XL

- F: MATTE BLACK
- L: CAPTIVATE™ POLARIZED TUNGSTEN MIRROR (GREY BASE) CAPTIVATE

EXTRA LARGE







FEATURES

Non-Rx

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses

High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

Adiustable Nose-Pads

Dual-Injected Rubber Temples

ALSO INCLUDES

Button Temple Strap (A493)

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX CENSOR ACTIVE 8 SERIES





- F: MATTE BLACK
- L: POLARIZED SMOKE GREY

BLACK OPS MIL-SPEC

SMALL/MEDIUM







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX CLIMB ACTIVE 8 SERIES





ACCLM09

- F: MATTE GREY
- L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EVELIAVE.

MEDIUM/LARGE





FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX KINGPIN ACTIVE 8 SERIES





GREEN MIRROR (COPPER BASE)

ACKNG07

F: MATTE GRAPHITE

CAPTIVATE

L: CAPTIVATE™ POLARIZED

ACKNG14

F: MATTE BLACK

L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE)



ACKNG19

F: MATTE GRAPHITE L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)

SMALL/MEDIUM



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame Spring Hinges

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX CONTEND ACTIVE 8 SERIES





ACCNT01

F: MATTE BLACK L: SMOKE GREY

BLACK OPS MIL-SPEC



F: MATTE DEMI

L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) EVBLIAVE.



ACCNT09

F: MATTE GRAPHITE

L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EVB11/VIE.

MEDIUM/LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX NASH ACTIVE 8 SERIES





ACNASO1

F: MATTE BLACK

L: SMOKE GREY

BLACK OPS MIL-SPEC

MEDIUM/LARGE





FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX OMEGA ACTIVE 8 SERIES





ACOME01

F: MATTE BLACK L: SMOKE GREY

BLACK OPS



ACOME13

F: KRYPTEK® NEPTUNE

L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) CAPTIVATE: #KRYPTEK



ACOME04

F: MATTE BLACK

L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE) CAPTIVATE.



F: MATTE BLACK

L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) EVB11/VIE.



ACOME08

F: MATTE BLACK

L: CAPTIVATE™ POLARIZED

BLACK OPS MIL-SPEC EARTIVATE



MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**Jacob Wheeler Branded Frame



WX PEAK ACTIVE 8 SERIES





ACPEA02

F: MATTE BLACK

L: CAPTIVATE™ POLARIZED COPPER CAPTIVATE



F: MATTE BLACK

L: SILVER FLASH (GREY BASE)



F: MATTE BLACK

L: CAPTIVATE™ POLARIZED

ACPEA19

BLUE MIRROR (GREY BASE) EVB11/VLE.

MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

P-17 ACTIVE 8 SERIES





P-17CGM

F: GLOSS BLACK

L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) EVBLIAVE.



P-17R

F: BLACK CRYSTAL

L: CAPTIVATE™ POLARIZED RED MIRROR (GREY BASE) CVB11/V1E.



P-17M

F: MATTE BLACK

L: SMOKE GREY













FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

8-Base Lenses, High-Wrap Frames

T-Peg Strap (EH409-4) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

SPRING 2024

WX PEAK XL ACTIVE 8 SERIES





ACPEA19XL

F: MATTE BLACK

L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE

EXTRA LARGE





FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)





F: GLOSS DEMI L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE

WX REBEL ACTIVE 8 SERIES





F: MATTE BLACK L: SMOKE GREY

BLACK OPS MIL-SPEC

MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX TWISTED ACTIVE 8 SERIES





SSTWI01

F: MATTE BLACK L: SMOKE GREY

BLACK OPS MIL-SPEC



SSTWI09

F: MATTE GREY

L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EVB11/VIE.



SSTWI18

F: MATTE BLACK L: CAPTIVATE™ POLARIZED

EARTIVATE BLACK OPS

Alternative Fit Models Available

FIT MEDIUM/LARGE

FEATURES

ANSI Z87.1+ Impact Protection/Optical

8-Base Lenses, High-Wrap Frames

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Black Zippered Clamshell Case (DN300)

CAPTIVATE™ Microfiber Bag (DN550)

Cleaning Cloth with Wiley X Logo (A427) or

UVA/UVB Light Blocking

ALSO INCLUDES

Rx Ready

Standards

SLAY ACTIVE 8 SERIES





ACSLA01

F: MATTE BLACK

L: SMOKE GREY

BLACK OPS MIL-SPEC

LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Black Zippered Clamshell Case (DN300)

Cleaning Cloth with Wiley X Logo (A427) or CAPTIVATE™ Microfiber Bag (DN550)

WX WEEKENDER WOMEN'S ACTIVE 8 SERIES





ACWKN10

F: CRYSTAL BLUSH

L: CAPTIVATE™ POLARIZED ROSE GOLD MIRROR (GREEN BASE) EVB11/V1E.

SMALL/MEDIUM







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Women's Specific Fit

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)



PERFORMANCE SERIES

WITH EXCEPTIONAL PROTECTION AGAINST ALLERGENS, DANGEROUS
AIRBORNE PARTICLES, SWEAT, DEBRIS AND WEATHER, THERE ARE NO
LIMITS TO WHAT YOU CAN DO. OUR PERFORMANCE SERIES BLOCKS OUT
THE ELEMENTS SO YOU CAN FACE THEM WITH CONFIDENCE.

FEATURES



HIGH-VELOCITY
MPACT PROTECTION



HIGH-MASS



POLARIZED LENSES




UVA/UVB BLOCKING



PERIPHERAL GLARE CONTROL







SUPER-TOUGH



EIGHT



SHATTERPRO LENSES

*AVAILABLE ON SELECT MODELS

AIRRAGE PERFORMANCE SERIES





F: GLOSS BLACK L: CAPTIVATE™ POLARIZED

BLUE MIRROR (GREY BASE) CAPTIVATE



F: GLOSS BLACK L: CLEAR



F: MATTE BLACK L: SMOKE GREY

BLACK OPS

SMALL



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (695G2) T-Peg Elastic Strap (EH409-4)

Dual-Injected Rubber Temples

Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (695G2T)

WX BREACH PERFORMANCE SERIES



CCBRH03

L: CLEAR

F: MATTE BLACK





FEATURES

MEDIUM/LARGE

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CCBRHG2)

Dynamic Ventilation System

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

SMALL/MEDIUM

FEATURES

Rx Ready

Standards

Black Zippered Case (DN800L)

Cleaning Cloth with Wiley X Logo (A428)

WX BOSS PERFORMANCE SERIES









CCBOS03D F: MATTE BLACK L: SMOKE GREY WITH RX RIM

RX RIM AVAILABLE FOR HIGHER RXS (SIZE: 59 / 23)



F: MATTE BLACK

L: SILVER FLASH (GREY BASE)

LARGE/EXTRA LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CCBOSG2)

T-Peg Elastic Strap (EH409-4) Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800)

Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (695G2T)

BRICK PERFORMANCE SERIES





F: CRYSTAL METALLIC L: SILVER FLASH (GREY BASE)

CCBRH01

F: MATTE BLACK

BLACK OPS MIL-SPEC

L: SMOKE GREY







859

CCBRH04

CAPTIVATE

F: MATTE HICKORY BROWN

L: CAPTIVATE™ POLARIZED

BRONZE MIRROR (COPPER BASE)

F: MATTE BLACK

L: LIGHT ADJUSTING SMOKE GREY

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (855G2W)

8-Base Lenses, High-Wrap Frames

ANSI Z87.1+ Impact Protection/Optical

T-Peg Elastic Strap (EH409-4)

Dual-Injected Rubber Temples Anti-Fog

ALSO INCLUDES

Black Zippered Case (DN800)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (855G2T)



L: CLEAR

F: MATTE BLACK L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE



WX ENZO PERFORMANCE SERIES





CCENZ01

F: MATTE BLACK L: SMOKE GREY

BLACK OPS MIL-SPEC



CCENZ03 F: MATTE BLACK

L: CLEAR

CCENZ03D

F: MATTE BLACK

L: SMOKE GREY WITH RX RIM RX RIM AVAILABLE FOR HIGHER RXS (SIZE: 59 / 23)

MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CCENZG2) **Dual-Injected Rubber Temples**

Dual-Injected Rubber Nose Pads Anti-Fog

ALSO INCLUDES

Button Temple Tip Strap (A493) Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A427)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (CCENZG2T)

WX GRID PERFORMANCE SERIES





CCGRD01 F: MATTE BLACK L: GREY

CCGRD08

F: MATTE UTILITY GREEN

CAPTIVATE:

L: CAPTIVATE™ POLARIZED GREY



CCGRD03 F: MATTE BLACK L: CLEAR



CCGRD07 F: MATTE COOL GREY

L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) EVBLIAVE.

LARGE





FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CCGRDG2)

T-Peg Elastic Strap (EH409-4)

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES Black Zippered Case (DN800L)

Cleaning Cloth with Wiley X Logo (A428)

WX GRAVITY PERFORMANCE SERIES





CCGRA01

F: MATTE BLACK L: SMOKE GREY

BLACK OPS MIL-SPEC



CCGRA05

F: MATTE BLACK

L: LIGHT ADJUSTING SMOKE GREY BLACK OPS MIL-SPEC



CCGRA03

F: MATTE BLACK

L: CLEAR

BLACK OPS MIL-SPEC



CCGRA12

F: KRYPTEK® NEPTUNE

L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)



CCGRA19

F: BLACK CRYSTAL

L: CAPTIVATE™ POLARIZED CAPTIVATE



CCGRA01D

F: MATTE BLACK

L: SMOKE GREY WITH RX RIM


RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)


BLUE MIRROR (GREY BASE)

Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (CCGRAG2T)













FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CCGRAG2) T-Peg Strap (EH409-4)

Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Black Zippered Case (DN800L)

Anti-Fog (Non-Polarized Lenses Only)





CCOZN03





F: MATTE CHARCOAL TO GREY FADE L: SILVER FLASH (GREY BASE)



CCOZN08

F: MATTE BLACK L: CAPTIVATE™ POLARIZED

EAPTIVATE BLACK OPS

FIT MEDIUM/LARGE







FEATURES

ANSI Z87.1+ Impact Protection/Optical Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame CLICK A.I.R. Gasket (CCOZNCAG) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Button Temple Tip Strap (A493) Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A428)

Anti-Fog (Non-Polarized Lenses Only)



CCOZN09

F: MATTE GREY

L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)







CCSLE01

F: MATTE VIOLET L: SILVER FLASH (GREY BASE)



CCSLE02 F: MATTE BLACK L: SMOKE GREY



CCSLE03 F: MATTE BLACK L: CLEAR

FIT SMALL









FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards


8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (CCSLEG2) Anti-Fog


ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (CCSLEG2T)





TACTICAL SERIES

BUILT TO ADAPT TO YOUR EVER-CHANGING ENVIRONMENT, OUR CHANGEABLE SERIES PROVIDES EXCEPTIONAL PROTECTION AND VISIBILITY IN ANY CONDITION.

FEATURES



HIGH-VELOCITY IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



POLARIZED LENSES*



UVA/UVB BLOCKING



INTERCHANGEABLE LENSES



REMOVABLE GASKET*



SUPER-TOUGH Frames MIL-PRF 32432A

MILITARY COMBAT EYE PROTECTION



*AVAILABLE ON SELECT MODELS

36 TACTICAL SERIES

TACTICAL SERIES 37 ⊢

GUARD ADVANCED TACTICAL SERIES





L: SMOKE GREY / CLEAR

MIL-SPEC





L: SMOKE GREY / CLEAR /

LIGHT RUST MIL-SPEC

MEDIUM/LARGE







FEATURES

Non-Rx

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite[™] Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

ALSO INCLUDES

Button Temple Strap (4006E) Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

SABER ADVANCED TACTICAL SERIES





300

F: MATTE BLACK

L: YELLOW MIL-SPEC

307/307RX

MIL-SPEC



302/302RX F: MATTE BLACK

L: SMOKE GREY

MIL-SPEC



303/303RX

F: MATTE BLACK L: CLEAR

MIL-SPEC



308/308RX

F: MATTE BLACK SMOKE GREY / CLEAR /

LIGHT RUST MIL-SPEC



308T

F: MATTETAN

MIL-SPEC



L: SMOKE GREY / CLEAR / LIGHT RUST



UNIVERSAL

FEATURES

Standards

Rx Insert* - Size 44 / 25 (PTX)

ANSI Z87.1+ Impact Protection/Optical

MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Adjustable Nose Piece

Converts Glasses to Goggle

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame Interchangeable Lenses

Zipper Case (TS-235M) Styles: 308, 309, 315 Microfiber Drawstring Bag (DN900) Styles: 300, 302, 303

Saber Advanced Adjustable Strap (306E)

Cleaning Cloth with Wiley X Logo (A428) Black Zippered Clamshell Case (DN610A) Style: 307

*Requires Rx Insert for all Prescription

ROMER 3 TACTICAL SERIES





F: MATTE BLACK L: SMOKE GREY / CLEAR





F: MATTE BLACK

L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC



MEDIUM/LARGE



Rx Ready











FEATURES

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses

Foil™ Anti-Fog Lenses

Super-Tough Triloid Nylon Frame Interchangeable Lenses

Dual-Injected Rubber Nose Pads

ALSO INCLUDES WX Hard Shell Case (DN750)

Cleaning Cloth with Wiley X Logo (A428)



309/309RX

F: 2 MATTE BLACK FRAMES

L: SMOKE GREY / CLEAR

F: MATTE BLACK L: SMOKE GREY / LIGHT RUST / VERMILLION











WX SAINT TACTICAL SERIES





CHSAI07

F: MATTE BLACK





F: MATTE BLACK

I · SMOKEGREY BLACK OPS MIL-SPEC

SMALL/MEDIUM







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Dual-Injected Rubber Nose Pads

Dual-Injected Rubber Temples

ALSO INCLUDES

Black Zippered Case (DN800) Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

Alternative Fit Models Available

WX VAPOR TACTICAL SERIES





3501 / 3501RX F: MATTE BLACK

L: SMOKE GREY / CLEAR

MIL-SPEC





3502 / 3502RX

F: MATTE BLACK SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC



3552 / 3552RX COMM**

F: MATTE BLACK COMM TEMPLES

L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC COMM TEMPLES

UNIVERSAL



FEATURES

Rx Insert

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Foil™ Anti-Fog Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Adjustable Nose Piece

Dual-Injected Rubber Temples

ALSO INCLUDES

Zipper Case 2 and 3 Lens Pack (TS-235M)

Cleaning Cloth with Wiley X Logo (A428)

**WX Vapor Comm has Thin Temples Compatible with Hearing Protection

WX VALOR TACTICAL SERIES



CHVAL06T

F: MATTETAN

LIGHT RUST

MIL-SPEC

L: SMOKE GREY / CLEAR /



F: MATTE BLACK

L: SMOKE GREY

BLACK OPS MIL-SPEC



CHVAL07

F: MATTE BLACK L: SMOKE GREY / CLEAR

BLACK OPS

















CHVAL06

F: MATTE BLACK

LIGHT RUST

MIL-SPEC

L: SMOKE GREY / CLEAR /

L: POLARIZED SMOKE GREY BLACK OPS MIL-SPEC











FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Zippered Case 2 and 3 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

XL-1 ADVANCED TACTICAL SERIES





F: MATTE BLACK

L: SMOKE GREY / CLEAR



MEDIUM/LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard

8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Removable Facial Cavity™ Seal (XLG) T-Peg Strap (XLE)

Dual-Injected Rubber Nose Pads

Dual-Injected Rubber Temples

ALSO INCLUDES

WX Tactical Case (DN750)

Cleaning Cloth with Wiley X Logo (A428)

FALL 2024

WX CYBOR TACTICAL SERIES





7201

L: SMOKE GREY / CLEAR













MIL-SPEC



ALSO INCLUDES

2 Layer Foam Gasket (7201FCS) 25 mm Fire Resistant Strap (7201EB) Black, (7201ET) Tan

Rx Insert Twistlock TLRX* — Size 42/24 ANSI Z87.1+ Impact Protection/Optical

Cybor Goggle Sleeve

ADJUSTABLE **FEATURES**

Standards

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses

Interchangeable Lenses Interchangeable Face Gaskets Interchangeable Strap Configurations

Anti-Fog Lenses

FIT ADJUSTABLE

Rx Insert Twistlock TLRX* — Size 42/24

ANSI Z87.1+ Impact Protection/Optical

MIL-PRF-32432A Military/Tactical Standard

Super-Tough Alloy Polymer Frame Components

FEATURES

Standards

UVA/UVB Light Blocking

Anti-Fog Lenses

Shatterproof Selenite™ Lenses

Dynamic / Adjustable Vent Control

Interchangeable Ballistic Lenses

Interchangeable Strap Configurations

Interchangeable Face Gaskets

FALL 2024

WX LYNX TACTICAL SERIES





F: MATTE BLACK L: SMOKE GREY / CLEAR





F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC

FEATURES

Standards

FIT ADJUSTABLE

Non-Rx ANSI Z87.1+ Impact Protection/Optical

MIL-PRF-32432A Military/Tactical Standard

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Proprietary Channel Venting

Anti-Fog Lenses

Super-Tough Triloid Nylon Frame

Interchangeable Ballistic Lenses

Interchangeable Strap Configurations

Replaceable Gaskets

Lightweight Foldable Frame

ALSO INCLUDES

25mm Fire Resistant Strap (Velcro) 25mm Fire Resistant Strap (Dual Buckle)

Custom Case (DN150)

Cleaning Cloth (A428)

7102T

F: MATTE TAN L: SMOKE GREY / CLEAR / LIGHT RUST



WX CYBOR THERMAL TACTICAL SERIES





7201DL

F: MATTE BLACK L: SMOKE GREY /









CLEAR

MIL-SPEC





F: MATTE WHITE L: SMOKE GREY / CLEAR / CONTRAST MIL-SPEC





ALSO INCLUDES

Thermal/Cold Environment 3 Layer Foam Removable Gasket (7201FCSTH)

Dynamic / Adjustable Vent Control

40mm Fire Resistant Strap (7201EBL) Black, (7201ETL) Tan, (7202EWL) White





42 TACTICAL SERIES TACTICAL SERIES 43 ⊢

SG-1 TACTICAL SERIES



FIT ADJUSTABLE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses

Super-Tough Triloid Nylon Frame Interchangeable Lenses Replaceable Gaskets

ALSO INCLUDES

WX Hard Shell Case (DN700S) Removable Temples (SG-1T) SG-1 Elastic Strap (SG-1E) SG-1 Beaded Tactical Strap (258A)

Alternative Fit Models Available

SPEAR TACTICAL SERIES

MIL-SPEC





SP293B / SP293BRX

F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST



SP29T / SP29TRX

F: TAN 499 L: SMOKE GREY / CLEAR



F: TAN 499 L: SMOKE GREY / CLEAR / LIGHT RUST



SP29B / SP29BRX

F: MATTE BLACK L: SMOKE GREY /





FIT ADJUSTABLE

FEATURES

Rx Insert Twistlock TLRX* — Size 42/24 ANSI Z87.1+ Impact Protection/Optical Standards

MIL-PRF-32432A Safety Standard Anti-Fog

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame

Interchangeable Lenses

Universal Prescription Lens Compatible (UPLC)

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLB) Black Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29EB) Black, (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS)

*Requires Rx Insert for all Prescription Orders





WORKSIGHT SERIES

DESIGNED AND BUILT FOR VERSATILITY, OUR WORKSIGHT® FRAMES WITH REMOVABLE AND PERMANENT SIDE SHIELDS PROVIDE JOB SITE PROTECTION WITH EVERYDAY WEARABILITY.

FEATURES







FRAMES












FALL 2024

WX HARMONY WORKSIGHT®





REMOVABLE SIDE SHIELDS



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon and Metal

Removable Side Shields (WSHRMSS)**

Permanent Side Shields (WSHRMPSS)**

Models Meet ANSI Z87.1+ Safety Standards

WX AXIS WORKSIGHT®



WSAXI03

L: CLEAR

F: MATTE SILVER WITH GLOSS

BLACK TEMPLES



SHIELDS

MEDIUM



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon and Metal Frames

Removable Side Shields (WSAXISS)**

Permanent Side Shields (WSAXIPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WSHRM01

- F: MATTE NAVY BLUE W/ BLACK TEMPLES
- L: CLEAR





WSHRM02

- F: MATTE ACETATE W/ BLACK TEMPLES
- L: CLEAR

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight®

FALL 2024

WX TIG WORKSIGHT®







MEDIUM

FIT







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon and Metal

Removable Side Shields (WSTIGSS)** Permanent Side Shields (WSTIGPSS)**

ALSO INCLUDES

Black Zippered Case (DN800)

Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX CHASE WORKSIGHT®





WSCHS01

WSAXI01

L: CLEAR

F: DARK GUNMETAL WITH MATTE

UTILITY GREEN TEMPLES

- F: MATTE BLACK WITH MATTE BLACK TEMPLES
- L: CLEAR

WSCHS03

F: MATTE BLUE WITH GLOSS

DEMITEMPLES

L: CLEAR

REMOVABLE SIDE SHIELDS

FEATURES

MEDIUM/LARGE

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon and Metal Frames

Removable Side Shields (WSCHSSS)**

Permanent Side Shields (WSCHSPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards





W/ METAL FLAKE L: CLEAR







WX CONTOUR WORKSIGHT®





F: MATTE BLACK L: CLEAR



WSCON05

F: GLOSS BLACK TO BROWN STRIPE I: CIFAR

SMALL/MEDIUM



FEATURES

Rx Ready

REMOVABLE SIDE

SHIELDS

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames

Removable Side Shields (WSCONSS)**

Permanent Side Shields (WSCONPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX FUSION WORKSIGHT®







FEATURES

SMALL/MEDIUM

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon and Metal Frames

Removable Side Shields (WSFSNSS)**

Permanent Side Shields (WSFSNPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WSFSN01

- F: MATTE BLACK WITH
- GUNMETAL TEMPLES L: CLEAR





- F: MATTE SILVER / GLOSS CLEAR CRYSTAL
- L: CLEAR

WX EPIC WORKSIGHT®





WSEPC01

F: MATTE BLACK L: CLEAR



WSEPC03

F: MATTE CRYSTAL DARK GREY

L: CLEAR



WSEPC04

F: MATTE HICKORY BROWN L: CLEAR

FIT MEDIUM







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames

Side Shields Can be Set as Removable or Permanent (WSEPCSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX JUDGE WORKSIGHT®







WSJDG01

F: MATTE BLACK L: CLEAR



WSJDG03

F: GLOSS BLACK TO CLEAR FADE L: CLEAR



REMOVABLE SIDE

SHIELDS

WSJDG04

- F: GLOSS BROWN TO CLEAR FADE / BROWN DEMITEMPLE
- L: CLEAR

MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames

Removable Side Shields (WSJDGSS)**

Permanent Side Shields (WSJDGPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX PROFILE WORKSIGHT®







F: MATTE BLACK L: CLEAR



WSPRF06

F: GLOSS CRYSTAL LIGHT GREY I: CIFAR

SMALL/MEDIUM



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames

Removable Side Shields (WSPRFSS)**

Permanent Side Shields (WSPRFPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX SERENITY WORKSIGHT®







FEATURES

Rx Ready

SMALL

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon and Metal Frames

Removable Side Shields (WSSRNSS)**

Permanent Side Shields (WSSRNPSS)**

ALSO INCLUDES

Black Zippered Case (DN800)

Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX SPECTRE WORKSIGHT®



L: CLEAR



WSSPT01 F: MATTE BLACK L: CLEAR



FIT MEDIUM







FEATURES

Rx Ready

SHIELDS

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames

Removable Side Shields (WSPRFSS)**

Permanent Side Shields (WSPRFPSS)**

ALSO INCLUDES

Black Zippered Case (DN800)

Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX VIRTUE WORKSIGHT®





F: GLOSS MIDNIGHT BLUE /

LILAC DEMI TEMPLE INTERIOR

L: CLEAR

WSSRN04

L: CLEAR

F: GLOSS BROWN DEMI /

CHAMPAGNE TEMPLE INTERIOR

REMOVABLE SIDE SHIELDS

FEATURES





FIT

SMALL

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames

Removable Side Shields (WSVRTSS)**

Permanent Side Shields (WSVRTPSS)**

ALSO INCLUDES

Black Zippered Case (DN800)

Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards





ACTIVE 6 WORKSIGHT SERIES

ACTIVE 6 WORKSIGHT® MODELS OFFER A 6-BASE LENS PROFILE THAT IS BUILT TO ACCOMMODATE PRESCRIPTIONS UP TO +6 AND -10. EVERY MODEL COMES WITH PERMANENT AND REMOVABLE SIDE SHIELDS THAT EASILY SNAP INTO PLACE TO MEET ANSI Z87.1+ SAFETY STANDARDS.

FEATURES







HIGH-MASS
IMPACT PROTECTION











WX FOUNDER ACTIVE 6 WORKSIGHT® SERIES





AGDEND31

- F: POLISHED CRYSTAL CLEAR/
- POLISHED BLACK
- L: CLEAR

FIT MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Dual-Injected Rubber Temples

Side Shields Can be Set as Removable or Permanent (AC6FNDSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Active 6 Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX HELIX ACTIVE 6 WORKSIGHT® SERIES





AGOHLX31

F: GLOSS CRYSTAL LIGHT GREY
L: CLEAR



A60HLX32

F: MATTE HAVANA BROWN L: CLEAR



A60HLX33

- F: GLOSS CRYSTAL CLEAR
 W/ GLOSS BLACK TEMPLES
- L: CLEAR

FIT

SMALL/MEDIUM



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Clear ANSI Z87.1+ Removable

Side Shields (AC6HLXSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6HLXPSS)**

ALSO INCLUDES

Black Zippered Case (DN800)

Cleaning Cloth (A428)

**With Side Shields Installed, Active 6 Worksight® Models Meet ANSI Z87.1+ Safety Standards

NEW

WX RECON ACTIVE 6 WORKSIGHT® SERIES





A6ORCN30

F: CRYSTAL CLEAR L: CLEAR

FIT MEDIUM/LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Dual-Injected Rubber Temples

Side Shields Can be Set as Removable or Permanent (AC6RCNSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Active 6 Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX OVATION ACTIVE 6 WORKSIGHT® SERIES





A600VN31

F: GLOSS BLACK TO GREY FADE W/ GREY TEMPLES

L: CLEAR



A600VN32

F: GLOSS RICH TORTOISE
W/ GLOSS BLACK TEMPLES

L: CLEAR



A600VN33

F: GLOSS CRYSTAL GREY
W/ GLOSS BLUE TEMPLES

L: CLEAR

FIT MEDIUM/LARGE







FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame


Clear ANSI Z87.1+ Removable Side Shields (AC60VNSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC60VNPSS)**

Cleaning Cloth (A428)

ALSO INCLUDESBlack Zippered Case (DN800)

**With Side Shields Installed, Active 6 Worksight® Models Meet ANSI Z87.1+ Safety Standards



YOUTH FORCE SPORT SERIES

OUR YOUTH FORCE® SPORT SERIES MEETS THE HIGHEST ASTM F803
STANDARDS FOR SAFETY AND CLARITY, WITH THE FIT AND DURABILITY
TO WITHSTAND THE RIGORS OF YOUTH SPORTS.

FEATURES



JVA/UVB BLOCKING



LIGHTWEIGHT FRAMES



TOUGH SHATTERPIES LENSE







L: CLEAR

F: MATTE BLACK L: CLEAR



YFGIL03 F: MATTE NAVY BLUE

MEDIUM





FEATURES

Rx Ready

ASTM F803-Rated Protection

6-Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)

Youth Force® Goggle Strap Regular (YF2001)

Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Replaceable Nose Piece

Youth Force® Goggle Strap Small (YF2002) Youth Force® Drawstring Microfiber Bag

WX FLASH YOUTH FORCE® SPORT







F: ROCK CANDY PINK

YFFLA01


L: CLEAR

YFFLA04

F: MATTE BLACK AND ELECTRIC BLUE LIGHTNING L: CLEAR

GOGGLE STRAP

FIT SMALL



FEATURES

Rx Ready

ASTM F803-Rated Protection

6-Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames

Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)

Youth Force® Goggle Strap Regular (YF2001)

Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Smoke Grey Lenses (YFFLAS)

Youth Force® Goggle Strap Small (YF2002)

Youth Force® Button Strap Small (YF2060) Youth Force® Drawstring Microfiber Bag (YF2030)

WX FIERCE YOUTH FORCE® SPORT











YFFIE03 F: PLUM L: CLEAR





MEDIUM









FEATURES

Rx Ready

ASTM F803-Rated Protection

6-Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames

Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020)

Youth Force® Goggle Strap Regular (YF2001)

Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

(YF2030)

Smoke Grey Lenses (YFFIES)

Youth Force® Goggle Strap Small (YF2002) Youth Force® Button Strap Small (YF2060) Youth Force® Drawstring Microfiber Bag











FEATURES

Rx Ready

ASTM F803-Rated Protection

6-Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames Goggle Conversion Strap

ALSO INCLUDES

Youth Force® Hard Case (YF2020) Youth Force® Goggle Strap Regular (YF2001)

Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Smoke Grey Lenses (YFGAMS)

Youth Force® Goggle Strap Small (YF2002) Youth Force® Button Strap Small (YF2060) Youth Force® Drawstring Microfiber Bag

(YF2030)



YFGAM01

F: MATTE BLACK AND DARK SILVER L: CLEAR



YFGAM02

L: CLEAR

F: GLOSS BLACK AND METALLIC BLUE



YFGAM03 F: RED L: CLEAR



YFGAM04

F: MATTE GREY / GLOSS ORANGE

L: CLEAR



WX SWIFT YOUTH FORCE® SPORT





F: MATTE BLACK

L: SMOKE GREY







YFSWF05 F: GLOSS WHITE

L: RED MIRROR (BROWN BASE)

YFSWF09

F: MATTE GRAPHITE L: BLUE MIRROR (GREY BASE)

FIT SMALL









FEATURES

Rx Ready ASTM F803-Rated Protection

Light Weight

8-Base Lenses


Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames

ALSO INCLUDES

Youth Force® Hard Case (YF2020) Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Youth Force® Drawstring Microfiber Bag (YF2030)





APEL

AUTHORIZED PROTECTIVE EYEWEAR LIST[†]

ALL OF OUR APEL-APPROVED EYEWEAR MEETS THE OPTICAL,
ENVIRONMENTAL, AND VO BALLISTIC IMPACT REQUIREMENTS OF THE
MIL-PRF-32432A PERFORMANCE SPECIFICATION: MILITARY COMBAT
EYE PROTECTION SYSTEM (MCEPS). PRODUCTS TESTED TO THESE
REQUIREMENTS ENSURE THEY WILL PROTECT AGAINST THE HARSHEST OF
ENVIRONMENTS AND SHRAPNEL ENCOUNTERED ON THE BATTLEFIELD.

FEATURES



HIGH-VELOCITY IMPACT PROTECTION



HIGH-MASS
MPACT PROTECTION



VENTILATION*



UVA/UVB BLOCKING



INTERCHANGEABLE



REMOVABLE GASKET*



SUPER-TOUGH Frames MIL-PRF 32432A

MILITARY COMBAT

EYE PROTECTION



*AVAILABLE ON SELECT MODELS †U.S. DEPARTMENT OF DEFENSE 64 APEL

WX GRAVITY APEL





F: MATTE BLACK

L: SMOKE GREY / CLEAR

MIL-SPEC



FIT MEDIUM/LARGE



FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

8-Base Lenses, High-wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CH52G)

T-Peg Strap (EH409-4)

Dual-Injected Rubber Temples

Dual-Injected Rubber Nose Pads

ALSO INCLUDES

WX Hard Shell Case (DN750G)

Cleaning Cloth with Wiley X Logo (A425)

WX VAPOR APEL





CH3401 - SMALL FRAME

F: MATTE BLACK

L: SMOKE GREY / CLEAR

MIL-SPEC





CH3501 - REGULAR FRAME F: MATTE BLACK

L: SMOKE GREY / CLEAR

MIL-SPEC





CH3601 - LARGE FRAME

F: MATTE BLACK

L: SMOKE GREY / CLEAR

MIL-SPEC



SMALL - REGULAR - LARGE



FEATURES

Rx Insert - Universal Prescription Lens Compatible (UPLC)

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

APEL Case (DN700) CH3401, CH3501 and (DN700L) CH3601

Cleaning Cloth with Wiley X Logo (A425) Fogtech Anti-Fog Reapplication Wipe (FOG)

SOLD SEPARATELY

Vapor Gasket (CH35G)

Leash Cord with Rubber Grips (A492B)

WX VALOR APEL





CH4701

F: MATTE BLACK

L: SMOKE GREY / CLEAR

FIT MEDIUM











FEATURES

Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses Super-Tough Triloid Nylon Frame

ALSO INCLUDES

APEL Case (DN750)

Cleaning Cloth with Wiley X Logo (A425) Fogtech Anti-Fog Reapplication Wipe (FOG)





── 66 APEL

SPEAR APEL





SP30T F: TAN 499 L: SMOKE GREY/CLEAR

MIL-SPEC



FIT ADJUSTING

FEATURES

Rx Insert - Universal Prescription Lens Compatible (UPLC)

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

Top Down™ Ventilation

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS) Fogtech Anti-Fog Reapplication Wipe (FOG)







SP30DLT

F: TAN 499 L: SMOKE GREY/CLEAR

MIL-SPEC





FIT Adjusting

FEATURES

Rx Insert - Universal Prescription Lens Compatible (UPLC)

ANSI Z87.1+ Impact Protection/Optical Standards

Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection

Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses Super-Tough Triloid Nylon Frame

Dual Lens

Top Down™ Ventilation

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS) Fogtech Anti-Fog Reapplication Wipe (FOG)





TACTICAL GLOVES

WILEY X TACTICAL SERIES GLOVES ARE DESIGNED FOR SUPERIOR

PROTECTION AND PERFORMANCE. WE OFFER EQUIPMENT OPTIONS TO

MEET YOUR CRITICAL RESPONSE OBJECTIVES, FROM MILITARY COMBAT,

TACTICAL RESPONSE, FIELD OPERATIONS, OR EMERGENCY FIRST

RESPONDING. OUR GLOVES ARE DESIGNED TO MAINTAIN HIGH DEXTERITY

FOR QUICK, PRECISE RESPONSES, WITH EXTRA SUPPORT IN HIGH WEAR

AREAS FOR ADDED DURABILITY AND LONGEVITY. SELECT STYLES

FEATURE TOUCH SCREEN CAPABILITY, HARD KNUCKLE, CUT, ABRASION,

AND FR FLAME RESISTANCE.

APX TACTICAL GLOVE BLACK C450.SM G450.ME MD G450.LA LG

G450.XL XL

G450.2X XXL

U311.SM SM

U311.ME MD

U311.LA LG

U311.XL XL

U311.2X XXL

*M00 - 500 Pair

FEATURES

Synthetic Leather Knuckle and Palm for Maximum Durability/Breathability

Reinforced Thumb and Palm Patch in High-Wear Areas

Moisture Wicking Heavy-Duty Lycra® Gussets

Ventilated Fingers for Increased Airflow and Breathability

Clip-Strap for Easy Storage and Portability

CAG-1 TACTICAL GLOVE MADE IN U.S.A. (U230SM-2X, U231SM-2X, U232SM-2X)

FEATURES

Treated Goatskin Leather for Durability
Injection Molded Knuckle Protector

TACTICAL GLOVES 71 ⊢

100% Nomex Knit

Flame and Abrasion Resistant

Leather Reinforced in High-Wear Areas Custom Designed to Match U.S. Military Uniforms

Meets Military Flame Resistance Requirement

Thermal and Cut Resistant

*Touchtec Touchscreen Compatible





U312.SM SM

U312.ME MD

U312.LA LG

U312.XL XL

*M00 - 500 Pair

G311.SM SM

G311.ME MD

G311.LA LG

G311.2X XXL

U.S.A.



FEATURES

100% Nomex Knit

Outlasts Flyers Glove 4-6 Times

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.







72 TACTICAL GLOVES TACTICAL GLOVES 73 ├──

DURTAC TACTICAL GLOVE



BLACK G400.SM G400.ME MD G400.LA LG G400.XL G400.2X XXL

FEATURES

Injection Molded Thermoplastic Knuckle and Finger Protectors

Ventilated Fingers and Mesh Back for Airflow/Breathability

Synthetic Leather Palm for Maximum Durability/Breathability

Moisture Wicking Heavy-Duty Lycra® Gussets

Neoprene Cuff for Custom Fit Molded TPR Closure for Easy Grip

Reinforced Thumb and Palm Patch In High-

ORION TACTICAL GLOVE NAVWAIR **MADE IN** U.S.A. (U301SM.T-2X.T, U302SM.T-2X.T)







U.S.A.

COYOTE BROWN G301.SM SM G301.ME MD G301.LA LG G301.XL XL G301.2X XXL

FEATURES

Outlasts Flyers Glove 4-6 Times

100% Nomex Knit

Flame Resistant

Adjustable Cuff for Custom Fit

Sheepskin Leather Reinforced in High-Wear Areas

Custom Designed to Match U.S. Military Uniforms

Clip Strap for Easy Storage and Portability Navair Approved*


U.S. Army Aviation Approved*

U.S. Air Force Safe To Fly (STF) Approved* (USA Made Versions Only)

Touchtec Touchscreen Compatible

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.

FOLIAGE GREEN









G241.2X XXL

FOLIAGE GREEN G242.ME MD

G242.LA LG G242.XL XL

FEATURES

Removable Patent Pending Injected Molded Knuckle Protector

100% Nomex Knit

Flame Resistant

Adjustable Cuff for Custom Fit

Goatskin Leather Reinforced in High-Wear

Thermal and Cut Resistant



CAPACITY: 75-100 PAIRS DIMENSIONS: 40"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER XL DISPLAY



PREMIER*

CAPACITY: 60 PAIRS DIMENSIONS: 28"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER DISPLAY



CAPACITY: 35-45 UNITS DIMENSIONS: 16.25"W X 76"H X 9.625"D



**RACK DISPLAY CAN BE USED WITH OR WITHOUT BASE UNIT

PRODUCT WARRANTY

NON-PRESCRIPTION WILEY X, INC., EYEWEAR

A lifetime warranty covering all manufacturing defects in material and workmanship.

NON-PRESCRIPTION JOHN DEERE® AND DVX™ EYEWEAR

Warranted against defects in materials or workmanship for a maximum period of 1 year. (John Deere® warranty applies to USA and Canada only).

PHOTOCHROMIC (LIGHT ADJUSTING™) LENSES

Warranted against defects in materials or workmanship for a maximum period of 18 months (proof of purchase for Photochromic Light Adjusting™ lenses is required).

GLOVES

Warranted to be free of manufacturing defects in material or workmanship for a maximum period of 2 years.

SCOPE OF COVERAGE

Wiley X will replace covered items at the sole discretion of Wiley X, as needed and as available (identical or equivalent style) at no charge. Out of warranty items may be replaced, or destroyed, at the option and sole expense of the purchaser.

EXCLUSIONS

This product warranty and prescription warranty below does not extend to and excludes:

- a) All Wiley X products purchased through any nonauthorized 3rd party websites, dealers, or labs.
- b) Damage resulting from normal wear and tear (i.e., scratched lenses).
- c) Damage resulting from abuse, misuse, tampering, customer modification, exposure to harmful substances, elements, or conditions.
- d) Lost or stolen item.

WX PRESCRIPTION WARRANTY

The following prescription (RX) warranty extends to Wiley X, Inc. and DVX $^{\text{TM}}$ eyewear.

RX WARRANTY

Prescription orders processed through Wiley X, Inc. will have a two (2) year warranty from the date of purchase on frames and lenses deemed by Wiley X, Inc. to have manufacturing defects. Prescriptions filled by outside labs will void all Wiley X, Inc. frame and lens warranties. Prescription frame and lens warranties must be handled through the local retailer / dispensing optician from which they were originally purchased.

CAPTIVATE™ RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo on CAPTIVATE lenses that covers against basic surface scratches due to normal wear, along with crazing and peeling for two (2) years from the date of purchases. Scratches caused by improper care or abuse are not covered by this warranty. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

SCRATCH/COATING RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo for lenses with frontal surface scratches due to normal wear for one (1) year from the date of purchase. If a coating was purchased (anti-reflective, anti-scratch, anti-fog, or a mirror) the warranty is extended to a one (1) time redo within two (2) years from the date of purchase. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

DOCTOR REMAKE

A one (1) time doctor remake on Wiley X, Inc. made prescription lenses is permitted within a forty-five (45) day period from the original order date. The dealer will be charged in full for the remake then will subsequently receive a credit when the original prescription glasses are returned to the Wiley X, Inc. Prescription Department. Original orders must be returned within thirty (30) days of the remake order. All doctor remakes will be billed a \$10.00 shipping fee.

RX CHANGES/CANCELED ORDERS

If the lenses are not in process, prescription changes and order cancellations will be accepted at no charge. Any requests made after a customer order has been put in process will be charged at 50% of the dealer cost.

NON-ADAPTS

Dealer will have forty-five (45) days to return a prescription order that is deemed "non-adapt" by their customer. In this instance, the dealer will receive a full refund on the frame and 50% credit on the RX lenses and coatings. No credit or refund will be issued for non-adapts submitted after forty-five (45) days.

LAB ERRORS

In the event of lab error, prescription lenses will be replaced at no cost within a forty-five (45) day period of the original order date. Redo will be credited upon receipt of original frame and lenses.

PATIENT OWNED FRAME (POF)

Wiley X, Inc. accepts POF orders, however, frames must pass Wiley X, Inc. quality inspection. Prior to sending the POF, please verify that the prescription and the measurements are within the tolerance of the Wiley X, Inc. RX Frame Parameters. Please remove any existing prescription or non-prescription lenses from the frame prior to shipping. Wiley X, Inc. will not provide any warranty or be held responsible for any lost or damaged lenses on previous prescriptions sent in with a frame.

WILEY X, USA

15755 PRESTON ROAD, FRISCO, TX 75033 USA TEL: 1.800.776.7842 // FAX: +1.925.455.8860 WILEYX.COM

WILEY X, EMEA

SONDERGADE 8-10, 7570 VEMB, DENMARK TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40 WILEYX.EU

WILEУX

WILEY X, USA

15755 PRESTON ROAD, FRISCO, TX 75033 USA TEL: 1.800.776.7842 // FAX: +1.925.455.8860 WILEYX.COM

WILEY X, EMEA

SONDERGADE 8-10, 7570 VEMB, DENMARK TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40 WILEYX.EU