PROTECTION FOR LIFE

2024 TACTICAL CATALOG

Inspired by a singular purpose of "building the world's best protective eyewear", U.S. Army Veteran Myles Freeman Sr. founded Wiley X in 1987. Over the years, we've become an iconic American brand and the most trusted name for protective eyewear. Brothers Dan and Myles Jr. continue to build on their father's legacy while leading the brand to innovate new eyewear products without compromising protection.

Today our company creates premium protective eyewear for a wide range of customers that serve, work and play in life's harshest environments.

TABLE OF CONTENTS

4 TECHNOLOGY

12 TACTICAL SERIES

22 **BLACK OPS SERIES**

> 36 APEL

42 TACTICAL GLOVES

48 APEL APPROVED LIST

> 49 NSN/NATO LIST

50 PRODUCT DISPLAYS

> 51 WARRANTY

LENS TECHNOLOGY

AMPLIFIED VISUAL PERFORMANCE

CAPTIVATE™ is a premium lens technology meticulously engineered to filter light and elevate visual performance through enhanced colors, superior contrast, and increased clarity. When combined with industry-leading protection and durability, CAPTIVATE allows you to perform with confidence in any environment.

CAPTIVATE™ LENS BENEFITS

SHARPER DETAIL

Reveals features in your environment normally missed by the naked eye.

INCREASED CONTRAST

Improves depth perception in conditions where light and shadows distort vision.

ENHANCED COLOR

Provides color separation to make surroundings appear more vivid and vibrant.

WITH CAPTIVATE™ LENSES WITHOUT CAPTIVATE™ LENSES

| CAPTIVATE™ LENS OF | TIONS |
|--|---|
| GREY BASE LENSES: | COPPER B |
| CAPTIVATE™ POLARIZED BLUE MIRROR Reduces bright glare on the water. Light Transmission: 11%* | CAPTIVATE™ POLARIZED BI Provides tint f activities. Light Transmi |
| CAPTIVATE™ RED MIRROR / POLARIZED RED MIRROR Improved depth perception in bright sun. Keeps colors true. Light Transmission: 15%* | CAPTIVATE™ POLARIZED GI High-contrasi Light Transmi |
| CAPTIVATE [™] GREY / POLARIZED GREY Even contrast for everyday activities. Light Transmission: 13%* | CAPTIVATE™ POLARIZED CI Vivid color for conditions. Light Transmi |
| CAPTIVATE™ BLACK MIRROR / POLARIZED BLACK MIRROR Enhances detail with a natural view of colors. Light Transmission: 11%* | GREEN BA CAPTIVATE™ POLARIZED RU True color in b light. Light Transmit |
| CAPTIVATE™ TUNGSTEN MIRROR / POLARIZED TUNGSTEN MIRROR Provides optimal vision in all | CAPTIVATE™ POLARIZED PI Cuts glare for activities. |

0

lighting conditions.

Light Transmission: 10%*

Polarized and Non-Polarized Captivate[™] Lens Options Available

LENS ANATOMY

BASE LENSES:

BRONZE MIRROR t for lowlight nission: 15%*

GREEN MIRROR st for outdoors. nission: 12%*

COPPER or variable light nission: 17%*

ASE LENSES:

ROSE GOLD MIRROR bright sun and low-

nission: 13%*

PLATINUM FLASH r land and water activities. Light Transmission: 13%*

STANDARD LENS OPTIONS

LENS OPTIONS:



LA™ LIGHT ADJUSTING SMOKE GREY

Photochromic lenses darken and lighten depending on brightness for maximum optical clarity. Light Transmission: 81% to 17% in sunlight*



SILVER FLASH

Reduces Glare across all environments. Excellent for bright sunny days. Light Transmission: 13%



YELLOW

Increased contrast in extremely low-light/hazy conditions. Light Transmission: 82%*



LIGHT RUST

Enhances contrast in medium to low-light conditions. Light Transmission: 52%*



VERMILLION

Best for medium to low-light conditions. Sharpens contrast and brightens targets. Light Transmission: 45%*



CLEAR

Maximum light transmission. See precise color values. Hazy or overcast, dusk/dawn conditions. Light Transmission: 89%*

PROTECTION

Protection is not just a feature of our products, it is what defines us and sets us apart from others in the industry. Our eyewear is tested to meet national and international standards, ensuring every pair of eyewear we produce surpasses the highest ratings possible for safety and optics.



ANSI HIGH-MASS IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a 1.1 lb projectile dropped from a height of 50" to ensure your eyes are protected from unexpected blunt force impacts.



ANSI HIGH-VELOCITY IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a .25" diameter steel ball. For spectacles, the projectile must be traveling 150-160 fps and for goggles, the projectile must be traveling at 250-260 fps.



VO BALLISTICS

All Tactical items meet the ballistic protection levels of MIL-PRF-32432A; .15 V0 700-725 fps for spectacle and .22 580-590 for goggles. Wiley X tactical models that are part of the Authorized Protective Eyewear List (APEL) are tested to the Alpha version of the V0 ballistics standard with a spectacle frame and lens being impacted with a .15 caliber projectile traveling 700-725 fps, or a goggle frame and lens with a .22 caliber projectile traveling 580-590 fps. Both tests are meant to simulate shrapnel encountered on the battlefield.



YOUTH FORCE® ASTM F803 STANDARD

All Youth Force™ Sports Protective Eyewear models are tested to ensure that they meet the ASTM F803 standards. To pass the High-Velocity Impact Resistance Test, the eyewear must withstand projectiles sized from 40 mm to 65.1 mm fired at a 90mph. Youth Force[™] styles are suitable for Soccer, Basketball, Racquetball, Squash, Badminton, Paddle Ball, Tennis and Handball,

ANSI FRAME AND LENS MARKINGS EXPLAINED

Our frames and lenses include several markings that indicate specific safety ratings as determined by the American National Standards Institute (ANSI). This guarantees your Wiley x eyewear has been put through rigorous testing to ensure they'll protect your eyes from a projectile or other foreign.



- **Z87** Designation of the standard.
- The frames can be fitted with a prescription lens, which is the case with most Wiley X styles.
- The eyewear frame and lenses have been tested to the high-velocity and high-mass impact requirements of ANSI Z87.1+ safety standards.
- The lens is a filter or a shaded lens (not clear).
- The lens is variable-tint photochromic (light adjusting).



In order to meet the demands of harsh environments and ensure optimal performance, many of our products are designed with additional performance features. These features are specifically tailored to withstand extreme conditions and provide enhanced functionality in any environment.



CLICK A.I.R. (AIR INTAKE REGULATOR) GASKETS

CLICK A.I.R. Gaskets are designed to shield your eyes from harmful debris, while allowing you the freedom to customize airflow through the gasket to prevent fogging. Push down on the top of the gasket above the nose bridge to open and increase airflow. Click again to lock it down for activities where additional airflow isn't needed. Available with the WX Ozone.

DYNAMIC VENTILATION

Our Dynamic Ventilation system works with the Removable Facial Cavity™ seal, allowing you to control airflow and reduce fogging. Side vents open to allow air to flow in and behind the lenses to clear condensation. Close the side vents to stop airflow. This technology is currently available with the WX Breach.



REMOVABLE FACIAL CAVITY[™] SEALS

Fine dust and pollen, as well as wind, can cause long-term eye irritation, such as Dry Eye Syndrome. Peripheral light can also diminish optical clarity. Wiley X's removable soft foam Facial Cavity™ Seals block out even the finest irritants and peripheral light, protecting the eyes and allowing polarized lenses to perform at peak levels. Included with all Climate Control models.

ANSI Z87.1+ SIDE SHIELDS

All Active 6 and Worksight models come with removable and permanent side shield options to meet ANSI Z87.1+ compliance.

SUSTAINABLE FRAME MATERIALS



Our latest frame styles are made of bio-based raw materials that are lightweight, flexible, resistant to heat, UV resistant, and BPA-free. All performance characteristics make this material a superior, sustainable choice for fit, function, and performance while providing the impact protection we require for all of our products.



FRAME TECHNOLOGY

WILEY X AUTHENTIC PRESCRIPTIONS

DIGIFORCE™ DIGITAL LENSES

As a company that specializes in high-wrap sport and safety eyewear, it's imperative that we provide the same clarity and protection to prescription-lens wearers as we do to those without prescription requirements. We've spent decades innovating and refining our technology to ensure that every pair of prescription glasses we build inspires confidence in everyone who wears them.

Digiforce[™] is Wiley X's proprietary technology which takes into account frame fitting position, prescription, vertex distance, pantoscopic tilt and eye movement patterns to create the most accurate prescription possible in our high wrap frames.

THE WILEY X DIFFERENCE

Through the Wiley X Authentic Prescription Program, we're able to provide our customers with:

- The highest Rx ranges in the industry for safety and sportwrapped frames (-10/+6 in our Active 6 series and up to -7/+5 in most wrapped styles).
- Precise prescriptions for high-wrap frames.
- CAPTIVATE[™] color enhancing lens technology.
- A full service lab with an in-house coating facility.
- A dedicated Rx support team.



COMPARE THE DIFFERENCE

This is a side-by-side comparison of the same Wiley X frame with an authentic Wiley X prescription versus one without. You'll notice the other lab's frame has splayed-out temples and a thicker lens protruding out of both sides. Ours has a thinner lens and no frame distortion, providing a more comfortable and aesthetically pleasing pair of eyewear.



BENEFITS OF DIGIFORCE™ LENSES:

- 10 times more accurate than conventional surfacing.
- Provides the patient with an exact prescription, rather than rounding to the nearest setting in conventional lenses.
- Maximizes field of view with edge-to-edge clarity.
- Wrap compensation allows us to customize a patient's prescription specific to their lifestyle and vision needs.
- Easier patient adaptation to high-wrap frames.

DIGITAL EDGE THINNING

Our proprietary Digiforce Digital Edge Thinning technology is offered exclusively through Wiley X and allows for a high prescription with the thinnest lens necessary to still meet safety standards.

WHY WE USE IT

Digital Edge Thinning was created to accommodate high prescriptions in wrap around sport and safety glasses while still providing an aesthetically pleasing pair of eyewear with minimal distortion.

WHAT IT LOOKS LIKE

Digital Edge Thinning mirrors the frame shape by concentrating the optics centrally. This creates a slight plano area on the outer edge of each lens.

LENS TREATMENTS:

- Anti-Scratch Coating
- Permanent Anti-Fog Coating
- Standard Anti-Fog Coating
- Anti-Reflective Coating
- WX Blue Anti-Reflective

LENS OPTIONS:

- Captivate[™] Polarized
- Polarized
- Non-Polarized
- Photochromic



| | FLIGHT DECK APPROVED | APEL APPROVED | U.S. AIR FORCE SAFE-TO-FLY | NAVAIR APPROVED | NSN / NATD LIST | GSA LIST | MIL-PRF-32432A | MIL-PRF-32432(GL) | ANSI Z87.1+ IMPACT (HIGH-VELOCITY AND HIGH-MASS) | U.S. FEDERAL OSHA 1910.133(B)(1)(1) | FOIL" ANTI-FOG LENSES | T-SHELL" SCRATCH RESISTANCE | 100% UVA/UVB PROTECTION | FACIAL CAVITY" SEALS / REMOVABLE FDAM BRDWBAR | TOP DOWN" VENTILATION | RX INSERT / RX READY | LASER PROTECTION | ASTM D 6413 - FLAME RETARDANT | ASTM F 1790 - CUT RESISTANCE | NFPA 1971-07 - THERMAL RESISTANCE | LEATHER REINFORCED FINGERTIPS | SVNTHETIC LEATHER | THERMOPLASTIC KNUCKLE | REMOVABLE THERMOPLASTIC KNUCKLE |
|------------------------|----------------------|---------------|----------------------------|-----------------|-----------------|----------|----------------|-------------------|--|-------------------------------------|-----------------------|-----------------------------|-------------------------|---|-----------------------|----------------------|------------------|-------------------------------|------------------------------|-----------------------------------|-------------------------------|-------------------|-----------------------|---------------------------------|
| PRODUCTS | A | PPR | OVE | D | | | | EYEV Fani | | | | | | | TURE)LOG | | | | ilov NDA | | | VE FI KEY | | |
| WX GRAVITY (APEL ONLY) | | • | | | • | • | • | | • | • | • | • | • | • | | • | | | | | | | | |
| WX LYNX | | | | | | | • | | • | | • | • | • | • | • | | • | | | | | | | |
| WX CYBOR | | | | | | | • | | • | | ٠ | • | • | • | • | • | • | | | | | | | |
| WX CYBOR THERMAL | | | | | | | ٠ | | • | | • | • | • | • | • | • | • | | | | | | | |
| SPEAR | ٠ | • | | | ٠ | • | ٠ | | • | | ٠ | • | • | • | • | • | • | | | | | | | |
| SPEAR THERMAL | | • | | | ٠ | • | ٠ | | • | • | ٠ | • | • | • | • | • | • | | | | | | | |
| SG-1 | ٠ | | | | ٠ | • | | • | • | • | ٠ | • | • | • | • | • | • | | | | | | | |
| WX VAPOR | | • | | | ٠ | • | ٠ | | • | • | • | • | • | | | • | • | | | | | | | |
| WX VALOR | | • | | | ٠ | ٠ | • | | • | • | ٠ | ٠ | • | | | • | • | | | | | | | |
| GUARD | | | | | | • | | ٠ | • | • | | ٠ | ٠ | • | | • | • | | | | | | | |
| SABER ADVANCED | | | | | ٠ | • | | • | • | • | | ٠ | • | | | • | • | | | | | | | |
| WX SAINT | | | | | | • | | • | • | • | ٠ | ٠ | • | | | • | • | | | | | | | |
| ROMER 3 | | | | | ٠ | • | ٠ | | • | • | ٠ | • | • | | | • | • | | | | | | | |
| XL-1 ADVANCED | | | | | ٠ | • | ٠ | | • | • | ٠ | • | • | • | | • | • | | | | | | | |
| CAG-1 | | | | | | • | | | | | | | | | | | | • | • | • | • | | • | |
| ORION | | | • | • | | • | | | | | | | | | | | | • | • | • | • | | | |
| ARIES | | | • | • | | • | | | | | | | | | | | | • | • | • | ٠ | | | |
| HYBRID | | | | | | • | | | | | | | | | | | | ٠ | • | • | ٠ | | • | • |
| DURTAC | | | | | | • | | | | | | | | | | | | | | | | • | • | |
| APX | | | | | | • | | | | | | | | | | | | | | | | • | | |

700-725 FPS MIL-PRF-32432A SPECTACLE STANDARD

► 640-660 FPS MIL-PRF-32432(GL) SPECTACLE STANDARD

580-590 FPS MIL-PRF-32432A GOGGLE STANDARD

550-560 FPS MIL-PRF-32432(GL) GOGGLE STANDARD

250-260 FPS ANSI Z87.1+ HIGH-VELOCITY GOGGLE STANDARD

■ 150-160 FPS ANSI Z87.1+ HIGH-VELOCITY SPECTACLE STANDARD





TACTICAL SERIES

BUILT TO ADAPT TO YOUR EVER-CHANGING ENVIRONMENT, OUR TACTICAL SERIES PROVIDES EXCEPTIONAL PROTECTION AND VISIBILITY IN ANY CONDITION.



HIGH-VELOCITY IMPACT PROTECTION



UVA/UVB BLOCKING



FEATURES



HIGH-MASS IMPACT PROTECTION



POLARIZED LENSES*



INTERCHANGEABLE LENSES



REMOVABLE GASKET*



SHATTERPROOF LENSES

*AVAILABLE ON SELECT MODELS

GUARD ADVANCED TACTICAL SERIES





MIL-SPEC



MIL-SPEC

ROMER 3 TACTICAL SERIES





1004

F: MATTE BLACK


MIL-SPEC

L: SMOKE GREY / CLEAR



1006 F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST MIL-SPEC

FIT MEDIUM/LARGE



FEATURES Non-Rx

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite[™] Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

ALSO INCLUDES

Button Temple Strap (4006E) Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)




FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Dual-Injected Rubber Nose Pads

ALSO INCLUDES WX Hard Shell Case (DN750)

Cleaning Cloth with Wiley X Logo (A428)





WX SAINT TACTICAL SERIES







CHSAI07 F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC

CHSA108 F: MATTE BLACK I · SMOKE GREY BLACK OPS MIL-SPEC

FIT SMALL/MEDIUM



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite[™] Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

ALSO INCLUDES Black Zippered Case (DN800)

Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

Alternative Fit Models Available

70

ANSI Z87.1+ Impact Protection/Optical

MIL-PRF-32432A Safety Standard

8-Base Lenses, High-Wrap Frames

Shatterproof Selenite[™] Lenses

Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Nose Pads

Dual-Injected Rubber Temples

UVA/UVB Light Blocking

Foil™ Anti-Fog Lenses

Interchangeable Lenses

120

FIT

MEDIUM

19

FEATURES

Rx Ready

Standards

WX VAPOR TACTICAL SERIES









WX VALOR TACTICAL SERIES





CHVAL01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC



CHVAL07 F: MATTE BLACK L: SMOKE GREY / CLEAR BLACK OPS



CHVALO6 F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST BLACK OPS MIL-SPEC



CHVAL08 F: MATTE BLACK L: POLARIZED SMOKE GREY BLACK OPS MIL-SPEC



CHVALOGT F: MATTETAN L: SMOKE GREY / CLEAR / LIGHT RUST MIL-SPEC

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Zippered Case 2 and 3 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

XL-1 ADVANCED TACTICAL SERIES





F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC









FEATURES Rx Insert

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Adjustable Nose Piece Dual-Injected Rubber Temples

ALSO INCLUDES

Zipper Case 2 and 3 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

**WX Vapor Comm has Thin Temples Compatible with Hearing Protection

FIT MEDIUM/LARGE



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Removable Facial Cavity™ Seal (XLG) T-Peg Strap (XLE) Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

ALSO INCLUDES

WX Tactical Case (DN750) Cleaning Cloth with Wiley X Logo (A428)

FALL 2024 WX CYBOR TACTICAL SERIES







F: MATTE BLACK

L: SMOKE GREY /

MIL-SPEC

. CLEAR / LIGHT RUST

7201 F: MATTE BLACK L: SMOKE GREY / CLEAR



7102T

MIL-SPEC



FALL 2024

WX CYBOR THERMAL TACTICAL SERIES





7201DL F: MATTE BLACK L: SMOKE GREY / CLEAR





7102DLT F: MATTETAN L: SMOKE GREY / CLEAR MIL-SPEC



7101T

F: MATTE TAN

CLEAR

L: SMOKE GREY /

MIL-SPEC

~



FIT Adjustable

FEATURES

Rx Insert Twistlock TLRX* – Size 42/24 ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Military/Tactical Standard UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Anti-Fog Lenses Dynamic / Adjustable Vent Control Super-Tough Alloy Polymer Frame Components Interchangeable Ballistic Lenses Interchangeable Face Gaskets Interchangeable Strap Configurations

ALSO INCLUDES

2 Layer Foam Gasket (7201FCS) 25 mm Fire Resistant Strap (7201EB) Black, (7201ET) Tan Cybor Goggle Sleeve

FALL 2024 **WX LYNX** TACTICAL SERIES








L: SMOKE GREY / CLEAR / LIGHT RUST MIL-SPEC

FIT ADJUSTABLE

FEATURES

Rx Insert Twistlock TLRX* – Size 42/24 ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Military/Tactical Standard UVA/UVB Light Blocking Shatterproof Selenite[™] Lenses Anti-Fog Lenses Dynamic / Adjustable Vent Control Super-Tough Alloy Polymer Frame Components Interchangeable Lenses Interchangeable Face Gaskets Interchangeable Strap Configurations ALSO INCLUDES

Thermal/Cold Environment 3 Layer Foam Removable Gasket (7201FCSTH) 40mm Fire Resistant Strap (7201EBL) Black, (7201ETL) Tan, (7202EWL) White





FIT Adjustable

FEATURES

Non-Rx ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Military/Tactical Standard UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Proprietary Channel Venting Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Ballistic Lenses Interchangeable Strap Configurations Replaceable Gaskets Lightweight Foldable Frame

ALSO INCLUDES

25mm Fire Resistant Strap (Velcro) 25mm Fire Resistant Strap (Dual Buckle) Custom Case (DN150) Cleaning Cloth (A428)

SG-1 TACTICAL SERIES



SPEAR TACTICAL SERIES





SP293B / SP293BRX F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST HIL-SPEC



SP29T / SP29TRX F: TAN 499 L: SMOKE GREY / CLEAR




SP293T / SP293TRX F: TAN 499 L: SMOKE GREY / CLEAR / LIGHT RUST HIL-SPEC



F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC

FIT Adjustable



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Replaceable Gaskets

ALSO INCLUDES

WX Hard Shell Case (DN700S) Removable Temples (SG-1T) SG-1 Elastic Strap (SG-1E) SG-1 Beaded Tactical Strap (258A)

Alternative Fit Models Available

FIT Adjustable

FEATURES Rx Insert Twistlock TLRX* – Size 42/24 ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Safety Standard Anti-Fog UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Universal Prescription Lens Compatible (UPLC)

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLB) Black Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29EB) Black, (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS)

*Requires Rx Insert for all Prescription Orders





THE BLACK OPS COLLECTION IS DEVELOPED FROM OUR TOP EYEWEAR MODELS. FEATURING ALL-BLACK LOGOS, FRAMES, AND LENSES, THEY ARE DESIGNED TO KEEP YOU PROTECTED AND HIDDEN IN THE SHADOWS DURING COVERT OPERATIONS.

HIGH-VELOCITY IMPACT PROTECTION

UVA/UVB BLOCKING

5 SUPER-TOUGH

FRAMES

BLACK OPS SERIES

FEATURES





REMOVABLE GASKET*





PERIPHERAL **GLARE CONTROL**



SHATTERPROOF LENSES

NEW WX FOUNDER ACTIVE 6 SERIES





AC6FND02 F: MATTE BLACK L: CAPTIVATE™ GREY (NON-POLARIZED)

EAPTIVATE BLACK OPS

REMOVABLE SIDE

SHIELDS



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 6-Base Lenses UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Dual-Injected Rubber Temples Side Shields can be set as Removable or Permanent (AC6FNDSS)**

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

SPRING 2024 WX SIERRA ACTIVE 6 SERIES





AC6SRA01 F: MATTE BLACK L: CAPTIVATE™ GREY (NON-POLARIZED) EAPTIVATE BLACK OPS

NEW WX RECON ACTIVE 6 SERIES





AC6RCN02 F: MATTE BLACK L: CAPTIVATE™ GREY (NON-POLARIZED)

EAPTIVATE BLACK OPS



SHIELDS

FIT MEDIUM/LARGE

17

FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 6-Base Lenses

135

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Dual-Injected Rubber Temples

Side Shields can be set as Removable or Permanent (ACRCNDSS)**

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX ALFA ACTIVE 6 SERIES





AC6ALF02 F: MATTE BLACK L: SMOKE GREY BLACK OPS



FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Lens Ventilation to Increase Airflow

Dual-Injected Rubber Temples

Side Shields Can be Set as Removable or Permanent (AC6SRASS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



REMOVABLE SIDE SHIELDS

FIT MEDIUM/LARGE



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Wire Core Adjustable Temple Tips

Clear ANSI Z87.1+ Removable Side Shields (AC6ALFSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6ALFPSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX TREK ACTIVE 6 SERIES





WX CENSOR ACTIVE 8 SERIES











FEATURES Rx Ready

FIT

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Clear ANSI Z87.1+ Removable Side Shields (AC6TRKSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6TRKPSS)**

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards WX CONTEND ACTIVE 8 SERIES





ACCNT01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC

FIT SMALL/MEDIUM



FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

WX NASH ACTIVE 8 SERIES





F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC



FIT MEDIUM/LARGE



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses


Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

FIT MEDIUM/LARGE



FEATURES

15

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

WX OMEGA ACTIVE 8 SERIES








ACOME01 F: MATTE BLACK L: SMOKE GREY BLACK OPS

ACOME08 F: MATTE BLACK L: CAPTIVATE[™] POLARIZED GREY BLACK OPS MIL-SPEC CAPTIVATE

MEDIUM/LARGE

FIT



FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

WX REBEL ACTIVE 8 SERIES







P-17 ACTIVE 8 SERIES





P-17M F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC

FIT SMALL/MEDIUM



FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame T-Peg Strap (EH409-4) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

SLAY ACTIVE 8 SERIES





F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standards

8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

16 65 120

FEATURES

FIT LARGE

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Cleaning Cloth with Wiley X Logo (A427) CAPTIVATE™ Microfiber Bag (DN550)

WX TWISTED ACTIVE 8 SERIES







SSTWI01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC

SSTW118 F: MATTEBLACK L: CAPTIVATE™ POLARIZED GREY CAPTIVATE BLACK OPS MIL-SPEC

FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Cleaning Cloth with Wiley X Logo (A427) CAPTIVATE™ Microfiber Bag (DN550)

Alternative Fit Models Available

WX BREACH PERFORMANCE SERIES







AIRRAGE PERFORMANCE SERIES





F: MATTE BLACK L: SMOKE GREY BLACK OPS





Dual-Injected Rubber Temples Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY Facial Cavity™ Seal Thicker Version (695G2T)

BRICK PERFORMANCE SERIES





859 F: MATTE BLACK L: LIGHT ADJUSTING SMOKE GREY





FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (CCBRHG2) Dynamic Ventilation System Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800L) Cleaning Cloth with Wiley X Logo (A428)



FIT SMALL/MEDIUM



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (855G2W) T-Peg Elastic Strap (EH409-4) Dual-Injected Rubber Temples Anti-Fog

ALSO INCLUDES

Black Zippered Case (DN800)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (855G2T)

WX ENZO PERFORMANCE SERIES







CCENZO1 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC

CCENZO3D F: MATTE BLACK L: SMOKE GREY WITH RX RIM RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)

WX GRAVITY PERFORMANCE SERIES





CCGRA01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC



CCGRAD5 F: MATTE BLACK L: LIGHT ADJUSTING SMOKE GREY BLACKOPS MIL-SPEC



CCGRA01D F: MATTE BLACK L: SMOKE GREY WITH RX RIM RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)

FIT MEDIUM/LARGE 15 64 125



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (CCENZG2) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads Anti-Fog

ALSO INCLUDES

Button Temple Tip Strap (A493) Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A427)

SOLD SEPARATELY Facial Cavity™ Seal Thicker Version (CCENZG2T)

FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (CCGRAG2) T-Peg Strap (EH409-4) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES Black Zippered Case (DN800L) Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY Facial Cavity™ Seal Thicker Version (CCGRAG2T)

WX GRID PERFORMANCE SERIES





CCGRD01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC

WX OZONE PERFORMANCE SERIES





F: MATTE BLACK L: CAPTIVATE™ POLARIZED GREY CAPTIVATE BLACK OPS MIL-SPEC



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (CCGRDG2) T-Peg Elastic Strap (EH409-4) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800L) Cleaning Cloth with Wiley X Logo (A428)



FIT MEDIUM/LARGE



FEATURES

18

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame CLICK A.I.R. Gasket (CCOZNCAG) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads Anti-Fog (Non-Polarized Lenses Only)

63

ALSO INCLUDES

Button Temple Tip Strap (A493) Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A428)

WX SAINT TACTICAL SERIES





CHSAIDB F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC

WX VALOR TACTICAL SERIES





CHVALO1 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC

CHVALO8 F: MATTE BLACK L: POLARIZED SMOKE GREY BLACKOPS MIL-SPEC



F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST BLACK OPS MIL-SPEC



F: MATTE BLACK L: SMOKE GREY / CLEAR BLACK OPS MIL-SPEC

ALSO INCLUDES

FIT Small/medium

68

ANSI Z87.1+ Impact Protection/Optical

MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames

Dual-Injected Rubber Nose Pads

Dual-Injected Rubber Temples

Alternative Fit Models Available

ANSI Z87.1+ Impact Protection/Optical

MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames

Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Nose Pads

Dual-Injected Rubber Temples

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses

Interchangeable Lenses

ALSO INCLUDES Black Zippered Case (DN800) Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

FIT Medium

19

FEATURES Rx Ready

Standards

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses

114

16

FEATURES Rx Ready

Standards

Black Zippered Clamshell Case (DN300) Zippered Case 2 and 3 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)





E LEUPOLO

APEL AUTHORIZED PROTECTIVE EYEWEAR LIST⁺

ALL OF OUR APEL-APPROVED EYEWEAR MEETS THE OPTICAL, ENVIRONMENTAL, AND VO BALLISTIC IMPACT REQUIREMENTS OF THE MIL-PRF-32432A PERFORMANCE SPECIFICATION: MILITARY COMBAT EYE PROTECTION SYSTEM (MCEPS). PRODUCTS TESTED TO THESE REQUIREMENTS ENSURE THEY WILL PROTECT AGAINST THE HARSHEST OF ENVIRONMENTS AND SHRAPNEL ENCOUNTERED ON THE BATTLEFIELD.



HIGH-VELOCITY IMPACT PROTECTION

HIGH-MASS IMPACT PROTECTION



UVA/UVB BLOCKING

INTERCHANGEABLE LENSES

6

MIL-PRF 32432A MILITARY COMBAT **EYE PROTECTION**

*AVAILABLE ON SELECT MODELS †U.S. DEPARTMENT OF DEFENSE



FRAMES

FEATURES





VENTILATION*

 $\mathcal{O}\mathcal{O}$

REMOVABLE GASKET*



SHATTERPROOF LENSES

WX GRAVITY APEL





CH5201 F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC



WX VALOR APEL






CH4701 F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC



FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards Meets MIL-PRF-32432A Specification: Military Combat Eye Protection APEL-Approved Protection Interchangeable Lenses Foil™ Anti-Fog Lenses 8-Base Lenses, High-wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (CH52G) T-Peg Strap (EH409-4) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES WX Hard Shell Case (DN750G) Cleaning Cloth with Wiley X Logo (A425) WX VAPOR APEL





MIL-SPEC



F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC



FIT Medium 18 120

FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards Meets MIL-PRF-32432A Specification: Military Combat Eye Protection APEL-Approved Protection Interchangeable Lenses Foil™ Anti-Fog Lenses UVA/UVB Light Blocking Shatterproof Selenite Lenses Super-Tough Triloid Nylon Frame

ALSO INCLUDES

APEL Case (DN750) Cleaning Cloth with Wiley X Logo (A425) Fogtech Anti-Fog Reapplication Wipe (FOG)



CH3601 - LARGE FRAME F: MATTE BLACK L: SMOKE GREY / CLEAR



FIT SMALL - REGULAR - LARGE



125 | 133 | 125 51

FEATURES

Rx Insert – Universal Prescription Lens Compatible (UPLC) ANSI Z87.1+ Impact Protection/Optical Standards Meets MIL-PRF-32432A Specification: Military Combat Eye Protection APEL-Approved Protection Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

APEL Case (DN700) CH3401, CH3501 and (DN700L) CH3601 Cleaning Cloth with Wiley X Logo (A425) Fogtech Anti-Fog Reapplication Wipe (FOG)

SOLD SEPARATELY

Vapor Gasket (CH35G) Leash Cord with Rubber Grips (A492B)

SPEAR APEL





SP30T F: TAN 499 L: SMOKE GREY / CLEAR MIL-SPEC



SPEAR THERMAL APEL





SP30DLT F: TAN 499 L: SMOKE GREY / CLEAR MIL-SPEC





FEATURES

Rx Insert – Universal Prescription Lens Compatible (UPLC) ANSI Z87.1+ Impact Protection/Optical Standards Meets MIL-PRF-32432A Specification: Military Combat Eye Protection

APEL-Approved Protection Interchangeable Lenses Foil™ Anti-Fog Lenses UVA/UVB Light Blocking Shatterproof Selenite Lenses Super-Tough Triloid Nylon Frame Top Down™ Ventilation

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS) Fogtech Anti-Fog Reapplication Wipe (FOG)



FIT Adjusting

FEATURES Rx Insert – Universal Prescription Lens Compatible (UPLC) ANSI Z87.1+ Impact Protection/Optical Standards Meets MIL-PRF-32432A Specification: Military Combat Eye Protection APEL-Approved Protection Interchangeable Lenses Foil™ Anti-Fog Lenses UVA/UVB Light Blocking Shatterproof Selenite Lenses Super-Tough Triloid Nylon Frame Dual Lens Top Down™ Ventilation

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS) Fogtech Anti-Fog Reapplication Wipe (FOG)





TACTICAL GLOVES

WILEY X TACTICAL SERIES GLOVES ARE DESIGNED FOR SUPERIOR PROTECTION AND PERFORMANCE. WE OFFER EQUIPMENT OPTIONS TO MEET YOUR CRITICAL RESPONSE OBJECTIVES, FROM MILITARY COMBAT, TACTICAL RESPONSE, FIELD OPERATIONS, OR EMERGENCY FIRST RESPONDING. OUR GLOVES ARE DESIGNED TO MAINTAIN HIGH DEXTERITY FOR QUICK, PRECISE RESPONSES, WITH EXTRA SUPPORT IN HIGH WEAR AREAS FOR ADDED DURABILITY AND LONGEVITY. SELECT STYLES FEATURE TOUCH SCREEN CAPABILITY, HARD KNUCKLE, CUT, ABRASION, AND FR FLAME RESISTANCE.



ARIES TACTICAL GLOVE



FEATURES

Synthetic Leather Knuckle and Palm for Maximum Durability/Breathability Reinforced Thumb and Palm Patch in High-

Wear Areas Moisture Wicking Heavy-Duty Lycra® Gussets

Ventilated Fingers for Increased Airflow and Breathability

Clip-Strap for Easy Storage and Portability

CAG-1 TACTICAL GLOVE



| *TOUCHT | EC BLACK | MADE IN | COYOTE BROWN | | | | |
|------------|----------|---------|--------------|------|--|--|--|
| U230.SM | SM | U.S.A. | U231.SM | SM | | | |
| U230.ME | мп | | U231.ME | мо 🌍 | | | |
| U230.LA | LG | | U231.LA | LG | | | |
| U230.XL | XL | | U231.XL | XL 🌹 | | | |
| U230.2X | XXL | 11 | U231.2X | XXL | | | |
| *MOQ - 500 | Pair 🚺 | | *MOQ - 500 | Pair | | | |

BLACK G230.SM SM G230.ME МП G230.LA LG G230.XL XL

G230.2X XXL



COYOTE BROWN

Outlasts Flyers Glove 4-6 Times 100% Nomex Knit Flame Resistant Adjustable Cuff for Custom Fit Sheepskin Leather Reinforced in High-Wear Areas Custom Designed to Match US Military Uniforms Clip Strap for Easy Storage and Portability 3 Fingertips Removed for Added Dexterity/ Sensitivity

Navair Approved*

FEATURES

NAV

U.S. Air Force Safe To Fly (STF) Approved* (USA Made versions only)

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.





FEATURES

Treated Goatskin Leather for Durability Injection Molded Knuckle Protector 100% Nomex Knit

Flame and Abrasion Resistant

Leather Reinforced in High-Wear Areas Custom Designed to Match U.S. Military Uniforms

Meets Military Flame Resistance Requirement

Thermal and Cut Resistant

*Touchtec Touchscreen Compatible







FOLIAGE GREEN





DURTAC TACTICAL GLOVE



BLACK G400.SM SM G400.ME MD G400.LA LG G400.XL XL G400.2X XXL



FEATURES

Injection Molded Thermoplastic Knuckle and Finger Protectors

Ventilated Fingers and Mesh Back for Airflow/Breathability Synthetic Leather Palm for Maximum Durability/Breathability

Moisture Wicking Heavy-Duty Lycra® Gussets

Neoprene Cuff for Custom Fit

FEATURES

Areas

Knuckle Protector 100% Nomex Knit Flame Resistant

Adjustable Cuff for Custom Fit

Thermal and Cut Resistant

Removable Patent Pending Injected Molded

Goatskin Leather Reinforced in High-Wear

Molded TPR Closure for Easy Grip Reinforced Thumb and Palm Patch In High-Wear Areas

ORION TACTICAL GLOVE



COYOTE BROWN U301.SM.T SM U301.ME.T MD U301.LA .T LG U301.XL.T XL U301.2X.T XXL *MOQ - 500 Pair

MADE IN FOLIAGE GREEN U.S.A. U302.SM.T SM U302.ME.T MD U302.LA.T U302.XL.T XL *MOQ - 500 Pair

U.S.A. U302.2X.T XXL

MADE IN



MADE IN U.S.A. (U301SM.T-2X.T, U302SM.T-2X.T)

COYOTE BROWN

G301.SM SM

G301.ME MD

G301.LA LG

G301.XL XL

G301.2X XXL

FEATURES

Outlasts Flyers Glove 4-6 Times 100% Nomex Knit

Flame Resistant

Adjustable Cuff for Custom Fit

Sheepskin Leather Reinforced in High-Wear Areas

Custom Designed to Match U.S. Military Uniforms

Clip Strap for Easy Storage and Portability Navair Approved*

U.S. Army Aviation Approved*

U.S. Air Force Safe To Fly (STF) Approved* (USA Made Versions Only)

Touchtec Touchscreen Compatible

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.

FOLIAGE GREEN

G302.SM G302.ME MD G302.LA LG G302.XL XL G302.2X XXL





AD



APEL APPROVED ITEMS

| | WX GRAV | ITY SF | PECTACLE KIT | | | | | | | |
|---|-----------------|--------|------------------|---|---|---------|-----|------------------|--|--|
| | • CH5201 | NSN | 4240-01-701-2897 | Two Lens System - Smoke and Clear | • | CH52S | NSN | 4240-01-701-2760 | Smoke Grey Replacement Lens | |
| | • DN750G | NSN | 4240-01-701-3136 | WX Hard Shell Case | • | CH52C10 | NSN | 4240-01-701-2890 | Clear Replacement Lenses (Pack of 10) | |
| | • CH520F | NSN | 4240-01-701-3126 | Frame | • | CH52S10 | NSN | 4240-01-701-2892 | Smoke Grey Replacement Lenses (Pack of 10) | |
| | • CH52C | NSN | 4240-01-701-2758 | Clear Replacement Lens | • | CH52G | NSN | 4240-01-701-8176 | Replacement Facial Cavity™ Seal | |
| _ | WX VAP Π | R SPF | CTACLE KIT | | | | | | | |
| | • CH3401 | NSN | 4240-01-665-0678 | Small Two Lens System – Smoke Grey and Clear | • | CH35S10 | NSN | 4240-01-632-655 | Regular Smoke Grey Replacement Lenses Replacement Lenses (Pack of 10) | |
| | • CH34F | NSN | 4240-01-664-9965 | Small Frame | • | CH3601 | NSN | 4240-01-665-0701 | Large Two Lens System – Smoke Grey and Clear | |
| | • CH34C | NSN | 4240-01-665-0374 | Small Clear Replacement Lens | • | CH36F | NSN | 4240-01-665-0708 | Large Frame | |
| | • CH34S | NSN | 4240-01-665-0466 | Small Smoke Grey Replacement Lens | • | CH36C | NSN | 4240-01-665-0382 | Large Clear Replacement Lens | |
| | • CH34C10 | NSN | 4240-01-664-9978 | Small Clear Replacement Lenses (Pack of 10) | • | CH36S | NSN | 4240-01-665-0378 | Large Smoke Grey Replacement Lens | |
| | • CH34S10 | NSN | 4240-01-665-0024 | Small Smoke Grey Replacement Lenses (Pack of 10) | • | CH36C10 | NSN | 4240-01-664-9957 | Large Clear Replacement Lenses (Pack of 10) | |
| | • CH3501 | NSN | 4240-01-630-7493 | Regular Two Lens System – Smoke Grey and Clear | • | CH36S10 | NSN | 4240-01-665-0474 | Large Smoke Grey Replacement Lenses (Pack of 10) | |
| | • CH35F | NSN | 4240-01-632-8165 | Regular Frame | • | DN600 | NSN | 4240-01-633-3559 | WX Hard Shell Case | |
| | • CH35C | NSN | 4240-01-632-5246 | Regular Clear Replacement Lens | • | A492B | NSN | 4240-01-633-4322 | Retention Strap | |
| | • CH35G | NSN | 5330-01-686-6116 | Vapor Facial Cavity™ Seal | • | CH35NP | NSN | 4240-01-633-4209 | UPLC Compatible Nose Piece | |
| | • CH35S | NSN | 4240-01-632-5253 | Regular Smoke Grey Replacement Lens | • | A425 | NSN | 4240-01-633-2474 | Cleaning Cloth | |
| | • CH35S10 | NSN | 4240-01-632-6549 | Regular Clear Replacement Lenses (Pack of 10) | | | | | | |

WX VALOR SPECTACLE KIT

| • | CH4701 | NSN | 4240-01-630-7802 | Two Lens System – Smoke Grey and Clear | • | CH47S10 | NSN | 4240-01-632-6551 | Smoke Grey Replacement Lenses (Pack of 10) |
|---|---------|-----|------------------|---|---|---------|-----|------------------|--|
| • | CH47F | NSN | 4240-01-632-8161 | Frame | • | DN650 | NSN | 4240-01-633-3557 | WX Hard Shell Case |
| • | CH47C | NSN | 4240-01-632-5260 | Clear Replacement Lenses | • | A492B | NSN | 4240-01-633-4322 | Retention Strap |
| • | CH47S | NSN | 4240-01-632-5243 | Smoke Grey Replacement Lenses | • | A425 | NSN | 4240-01-633-2474 | Cleaning Cloth |
| • | CH47C10 | NSN | 4240-01-632-6539 | Clear Replacement Lenses (Pack of 10) | | | | | |

SPEAR GOGGLE KIT

| | OI LANCO | SOULD | | | | | | | |
|---|-----------|---------------------|--|---|---------|---------|------------------|---------------------------------------|--|
| 5 | | | | Kit includes goggle frame, Clear | • | SP29C | NSN | 4240-01-600-1736 | Clear Replacement Lens |
| | • SP3OT | NSN | 4240-01-630-6712 | lens, Smoke Grey lens, goggle strap, remov- able facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth | | SP29S | NSN | 4240-01-600-1737 | Smoke Grey Replacement Lens |
| | | Instruction card, I | nisti uction caru, iens cleaning cioth | • | SP29C10 | NSN | 4240-01-600-1733 | Replacement Clear Lenses (Pack of 10) | |
| | SP30TF | NSN | 4240-01-633-2229 | Tan 499 Frame | • | SP29S10 | NSN | 4240-01-600-1734 | Replacement Smoke Grey Lenses (Pack of 10) |
| | SP30ET | NSN | 4240-01-641-1982 | Tan 499 Retention Strap | | SP29FCS | NSN | 4240-01-600-1741 | Replacement Facial Cavity™ Seal |
| | • SP30SLT | NSN | 4240-01-633-3528 | Protective Sleeve | | | | | |
| | • DN650 | NSN | 4240-01-633-3571 | Case | • | A425 | NSN | 4240-01-633-2474 | Cleaning Cloth |
| | | | | | | | | | |

• R9101 NSN 4240-01-630-2588 UPLC Adapter

• R9101 NSN 4240-01-630-2588 UPLC Adapter

| -1 | SPEAR TH | SPEAR THERMAL COLD WEATHER GOGGLE KIT | | | | | | | | | | | | |
|----|----------|---------------------------------------|------------------|--|---|---------|-----|------------------|--|--|--|--|--|--|
| 2 | | | | Kit includes Tan 499 goggle frame, Clear Iens, Smoke Grey Iens, Tan 499 goggle strap, | • | SP29C | NSN | 4240-01-679-3837 | Clear Replacement Lens | | | | | |
| • | SP30DLT | NSN | 4240-01-678-6131 | removable facial seal, Rx adapter, storage case, instruction card, | • | SP29S | NSN | 4240-01-679-3870 | Smoke Grey Replacement Lens | | | | | |
| | | | | lens cleaning cloth | • | SP29C10 | NSN | 4240-01-679-3880 | Replacement Clear Lenses (Pack of 10) | | | | | |
| • | SP30TF | NSN | 4240-01-633-2229 | Tan 499 Frame | | SP29S10 | NSN | 4240-01-679-3914 | Replacement Smoke Grey Lenses (Pack of 10) | | | | | |
| • | SP30ET | NSN | 4240-01-641-1982 | Tan 499 Retention Strap | | SP29FCS | NSN | 4240-01-600-1741 | Replacement Facial Cavity™ Seal | | | | | |
| • | SP30SLT | NSN | 4240-01-633-3528 | Protective Sleeve | | | | | | | | | | |
| • | AN571T | NSN | 4240-01-633-3571 | Case | • | A425 | NSN | 4240-01-633-2474 | Cleaning Cloth | | | | | |



| PT-1 BALLI | STIC E | E PROTECTION | |
|------------|--------|------------------|--|
| PT-1SC | NSN | 4240-01-510-7853 | Two Lens System – Smoke and Clear |
| PT-1SCL | NSN | 4240-01-510-7851 | Three Lens System – Smoke, Clear, Light Rust |
| PT-1S | NSN | 4240-01-510-7847 | One Lens System – Smoke |
| PT-1C | NSN | 4240-01-510-7848 | One Lens System – Clear |
| PT-1L | NSN | 4240-01-510-7845 | One Lens System – Light Rust |
| ISD | NSN | 4240-01-528-5901 | Smoke Replacement Lenses (50 Pack) |
| ICD | NSN | 4240-01-528-5900 | Clear Replacement Lenses (50 Pack) |
| TS-235 | NSN | 4240-01-504-5797 | Replacement Hard Case |



| ROMER 3 | BALLIS | TIC EYE PROTECTION | |
|---------|--------|--------------------|--|
| 006 | NSN | 4240-01-510-7864 | Three Lens System – Smoke, Clear, Light Rust |
| 006C | NSN | 4240-01-513-4543 | Clear Replacement Lenses |
| 006S | NSN | 4240-01-513-4538 | Smoke Grey Replacement Lenses |
| 006L | NSN | 4240-01-513-4541 | Light Rust Replacement Lenses |
| 006F | NSN | 4240-01-513-4534 | Replacement Frame |
| FS-235 | NSN | 4240-01-504-5797 | WX Hard Shell Case |



| SABER AI | SABER ADVANCED BALLISTIC EYE PROTECTION | | | | | | | | | |
|----------|---|------------------|--|--|--|--|--|--|--|--|
| 300 | NSN | 5120-01-598-6695 | One Lens System – Pale Yellow | | | | | | | |
| 301 | NSN | 5120-01-598-6699 | One Lens System – Light Rust | | | | | | | |
| 302 | NSN | 5120-01-598-6702 | One Lens System – Grey | | | | | | | |
| 303 | NSN | 5120-01-598-6706 | One Lens System – Clear | | | | | | | |
| 308 | NATO | 4240-17-122-8985 | Three Lens System – Smoke, Clear, Light Rust | | | | | | | |



| SG-1 BAL | LISTIC E | YE PROTECTION | |
|----------|----------|------------------|--|
| 71 | NSN | 4240-01-504-0994 | Two Lens System (Extra ventilated) |
| 70 | NSN | 4240-01-510-7844 | Two Lens System |
| SG-1C | NSN | 4240-01-504-5326 | Clear Replacement Lenses |
| SG-1S | NSN | 4240-01-504-5312 | Smoke Grey Replacement Lenses |
| 70C | NSN | 4240-01-513-4525 | V-Cut Clear Replacement Lenses |
| 70S | NSN | 4240-01-513-4519 | V-Cut Smoke Replacement Lenses |
| SG-1E | NSN | 4240-01-504-5754 | Elastic Strap Replacement |
| SG-1F | NSN | 4240-01-504-6524 | Replacement Frame (Included temples and strap) |
| SG-1T | NSN | 4240-01-504-6474 | Replacement Temples |
| TS-235 | NSN | 4240-01-504-5797 | Hard Case w/Lens Storage |
| 71 | NATO | 4240-22-611-7464 | Two Lens System (Extra ventilated) |

NSN/NATO ITEMS



SPEAR BALLISTIC GOGGLES

| SP29B | NSN | 4240-01-600-1785 | Kit includes a Black goggle frame, Clear lens, Smoke Grey lens, black goggle strap, removable facial seal, Rx adapt- er, storage case, instruction card, lens cleaning cloth |
|-----------|-----|------------------|--|
| SP29G | NSN | 4240-01-600-1791 | Kit includes Foliage Green goggle frame, Clear Iens, Smoke Grey Iens, Foliage Green goggle strap, removable facial seal, Rx adapter, storage case, instruction card, Iens cleaning cloth |
| SP29T | NSN | 4240-01-600-1793 | Kit includes Tan 499 goggle frame, Clear lens, Smoke Grey lens, Tan 499 goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth |
| SP29BF | NSN | 4240-01-600-1751 | Black frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter |
| SP29GF | NSN | 4240-01-600-1761 | Foliage Green frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter |
| SP29TF | NSN | 4240-01-600-1770 | Tan 499 frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter |
| SP29EB | NSN | 4240-01-600-1771 | Replacement elastic strap – Black |
| SP29EG | NSN | 4240-01-600-1775 | Replacement elastic strap – Foliage Green |
| SP29ET | NSN | 4240-01-600-1784 | Replacement elastic strap – Tan 499 |
| SP29FCS10 | NSN | 4240-01-600-1739 | 10-Pack Replacement Facial Cavity™ Seal |
| | | | |



| 291 NSN 4240-01-504-1037 Two Lens System - Smoke Grey and Clear XLC NSN 4240-01-504-5303 Clear Replacement Lenses |
|---|
| XLC NSN 4240-01-504-5303 Clear Replacement Lenses |
| |
| XLS NSN 4240-01-504-5308 Smoke Grey Replacement Lenses |
| XLE NSN 4240-01-504-5770 Replacement Elastic Strap |
| XLF NSN 4240-01-504-6528 Replacement Frame (Includes elastic strap) |
| TS-235 NSN 4240-01-504-5797 WX Hard Shell Case |



CAPACITY: 75-100 PAIRS DIMENSIONS: 40"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER XL DISPLAY



PREMIER* 933024 CAPACITY: 60 PAIRS DIMENSIONS: 28"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER DISPLAY

RACK** 933624

CAPACITY: 35-45 UNITS DIMENSIONS: 16.25"W X 76"H X 9.625"D



PRODUCT WARRANTY

NON-PRESCRIPTION WILEY X, INC., EYEWEAR

A lifetime warranty covering all manufacturing defects in material and workmanship.

NON-PRESCRIPTION JOHN DEERE[®] AND DVX[™] EYEWEAR

Warranted against defects in materials or workmanship for a maximum period of 1 year. (John Deere[®] warranty applies to USA and Canada only).

PHOTOCHROMIC (LIGHT ADJUSTING™) LENSES

Warranted against defects in materials or workmanship for a maximum period of 18 months (proof of purchase for Photochromic Light Adjusting™ lenses is required).

GLOVES

Warranted to be free of manufacturing defects in material or workmanship for a maximum period of 2 years.

SCOPE OF COVERAGE

Wiley X will replace covered items at the sole discretion of Wiley X, as needed and as available (identical or equivalent style) at no charge. Out of warranty items may be replaced, or destroyed, at the option and sole expense of the purchaser.

EXCLUSIONS

This product warranty and prescription warranty below does not extend to and excludes:

- a) All Wiley X products purchased through any nonauthorized 3rd party websites, dealers, or labs.
- b) Damage resulting from normal wear and tear (i.e., scratched lenses).
- c) Damage resulting from abuse, misuse, tampering, customer modification, exposure to harmful substances, elements, or conditions.
- d) Lost or stolen item.

WX PRESCRIPTION WARRANTY

RX WARRANTY

Prescription orders processed through Wiley X, Inc. will have a two (2) year warranty from the date of purchase on frames and lenses deemed by Wiley X, Inc. to have manufacturing defects. Prescriptions filled by outdoor labs will void all Wiley X, Inc. frame and lens warranties. Prescription frame and lens warranties must be handled through the local retailer / dispensing optician from which they were originally purchased.

CAPTIVATE™ RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo on CAPTIVATE lenses that covers against basic surface scratches due to normal wear, along with crazing and peeling for two (2) years from the date of purchases. Scratches caused by improper care or abuse are not covered by this warranty. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

SCRATCH/COATING RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo for lenses with frontal surface scratches due to normal wear for one (1) year from the date of purchase. If a coating was purchased (anti-reflective, anti-scratch, anti-fog, or a mirror) the warranty is extended to a one (1) time redo within two (2) years from the date of purchase. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

DOCTOR REMAKE

A one (1) time doctor remake on Wiley X, Inc. made prescription lenses is permitted within a forty-five (45) day period from the original order date. The dealer will be charged in full for the remake then will subsequently receive a credit when the original prescription glasses are returned to the Wiley X, Inc. Prescription Department. Original orders must be returned within thirty (30) days of the remake order. All doctor remakes will be billed a \$10.00 shipping fee.

RX CHANGES/CANCELED ORDERS

If the lenses are not in process, prescription changes and order cancellations will be accepted at no charge. Any requests made after a customer order has been put in process will be charged at 50% of the dealer cost.

NON-ADAPTS

Dealer will have forty-five (45) days to return a prescription order that is deemed "non-adapt" by their customer. In this instance, the dealer will receive a full refund on the frame and 50% credit on the RX lenses and coatings. No credit or refund will be issued for non-adapts submitted after forty-five (45) days.

LAB ERRORS

In the event of lab error, prescription lenses will be replaced at no cost within a forty-five (45) day period of the original order date. Redo will be credited upon receipt of original frame and lenses.

PATIENT OWNED FRAME (POF)

Wiley X, Inc. accepts POF orders, however, frames must pass Wiley X, Inc. quality inspection. Prior to sending the POF, please verify that the prescription and the measurements are within the tolerance of the Wiley X, Inc. RX Frame Parameters. Please remove any existing prescription or non-prescription lenses from the frame prior to shipping. Wiley X, Inc. will not provide any warranty or be held responsible for any lost or damaged lenses on previous prescriptions sent in with a frame.

WILEY X, USA

15755 PRESTON ROAD, FRISCO, TX 75033 USA TEL: 1.800.776.7842 // FAX: +1.925.455.8860 WILEYX.COM

WILEY X, EMEA

SONDERGADE 8-10, 7570 VEMB, DENMARK TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40 WILEYX.EU

WILEYX

WILEY X, USA 15755 PRESTON ROAD, FRISCO, TX 75033 USA TEL: 1.800.776.7842 // FAX: +1.925.455.8860 WILEYX.COM

WILEY X, EMEA SONDERGADE 8-10, 7570 VEMB, DENMARK TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40 WILEYX.EU