
PROTECTION FOR LIFE



WILEY X

**2024
TACTICAL CATALOG**

TABLE OF CONTENTS

4
TECHNOLOGY

12
TACTICAL SERIES

22
BLACK OPS SERIES

36
APEL

42
TACTICAL GLOVES

48
APEL APPROVED LIST

49
NSN/NATO LIST

50
PRODUCT DISPLAYS

51
WARRANTY



SINCE 1987

A LEGACY OF PROTECTION

Inspired by a singular purpose of “building the world’s best protective eyewear”, U.S. Army Veteran Myles Freeman Sr. founded Wiley X in 1987.

Over the years, we’ve become an iconic American brand and the most trusted name for protective eyewear. Brothers Dan and Myles Jr. continue to build on their father’s legacy while leading the brand to innovate new eyewear products without compromising protection.

Today our company creates premium protective eyewear for a wide range of customers that serve, work and play in life’s harshest environments.



LENS TECHNOLOGY

LENS ANATOMY



AMPLIFIED VISUAL PERFORMANCE

CAPTIVATE™ is a premium lens technology meticulously engineered to filter light and elevate visual performance through enhanced colors, superior contrast, and increased clarity. When combined with industry-leading protection and durability, CAPTIVATE allows you to perform with confidence in any environment.

CAPTIVATE™ LENS BENEFITS

SHARPER DETAIL


Reveals features in your environment normally missed by the naked eye.

INCREASED CONTRAST

Improves depth perception in conditions where light and shadows distort vision.

ENHANCED COLOR

Provides color separation to make surroundings appear more vivid and vibrant.



CAPTIVATE™ LENS OPTIONS

GREY BASE LENSES:



CAPTIVATE™ POLARIZED BLUE MIRROR
Reduces bright glare on the water.
*Light Transmission: 11%**



CAPTIVATE™ RED MIRROR / POLARIZED RED MIRROR
Improved depth perception in bright sun. Keeps colors true.
*Light Transmission: 15%**



CAPTIVATE™ GREY / POLARIZED GREY
Even contrast for everyday activities.
*Light Transmission: 13%**



CAPTIVATE™ BLACK MIRROR / POLARIZED BLACK MIRROR
Enhances detail with a natural view of colors.
*Light Transmission: 11%**



CAPTIVATE™ TUNGSTEN MIRROR / POLARIZED TUNGSTEN MIRROR
Provides optimal vision in all lighting conditions.
*Light Transmission: 10%**

COPPER BASE LENSES:



CAPTIVATE™ POLARIZED BRONZE MIRROR
Provides tint for lowlight activities.
*Light Transmission: 15%**



CAPTIVATE™ POLARIZED GREEN MIRROR
High-contrast for outdoors.
*Light Transmission: 12%**



CAPTIVATE™ POLARIZED COPPER
Vivid color for variable light conditions.
*Light Transmission: 17%**

GREEN BASE LENSES:



CAPTIVATE™ POLARIZED ROSE GOLD MIRROR
True color in bright sun and low-light.
*Light Transmission: 13%**



CAPTIVATE™ POLARIZED PLATINUM FLASH
Cuts glare for land and water activities.
*Light Transmission: 13%**

STANDARD LENS OPTIONS

LENS OPTIONS:



LA™ LIGHT ADJUSTING SMOKE GREY
Photochromic lenses darken and lighten depending on brightness for maximum optical clarity.
*Light Transmission: 81% to 17% in sunlight**



SILVER FLASH
Reduces Glare across all environments. Excellent for bright sunny days.
Light Transmission: 13%



YELLOW
Increased contrast in extremely low-light/hazy conditions.
*Light Transmission: 82%**



LIGHT RUST
Enhances contrast in medium to low-light conditions.
*Light Transmission: 52%**



VERMILLION
Best for medium to low-light conditions. Sharpens contrast and brightens targets.
*Light Transmission: 45%**



CLEAR
Maximum light transmission. See precise color values. Hazy or overcast, dusk/dawn conditions.
*Light Transmission: 89%**

Polarized and Non-Polarized Captivate™ Lens Options Available

*Transmittance values are approximate within +1-3%

PROTECTION

Protection is not just a feature of our products, it is what defines us and sets us apart from others in the industry. Our eyewear is tested to meet national and international standards, ensuring every pair of eyewear we produce surpasses the highest ratings possible for safety and optics.



ANSI HIGH-MASS IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a 1.1 lb projectile dropped from a height of 50" to ensure your eyes are protected from unexpected blunt force impacts.



ANSI HIGH-VELOCITY IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a .25" diameter steel ball. For spectacles, the projectile must be traveling 150-160 fps and for goggles, the projectile must be traveling at 250-260 fps.



V0 BALLISTICS

All Tactical items meet the ballistic protection levels of MIL-PRF-32432A; .15 V0 700-725fps for spectacle and .22 580-590 for goggles. Wiley X tactical models that are part of the Authorized Protective Eyewear List (APEL) are tested to the Alpha version of the V0 ballistics standard with a spectacle frame and lens being impacted with a .15 caliber projectile traveling 700-725 fps, or a goggle frame and lens with a .22 caliber projectile traveling 580-590 fps. Both tests are meant to simulate shrapnel encountered on the battlefield.



YOUTH FORCE® ASTM F803 STANDARD

All Youth Force™ Sports Protective Eyewear models are tested to ensure that they meet the ASTM F803 standards. To pass the High-Velocity Impact Resistance Test, the eyewear must withstand projectiles sized from 40 mm to 65.1 mm fired at a 90mph. Youth Force™ styles are suitable for Soccer, Basketball, Racquetball, Squash, Badminton, Paddle Ball, Tennis and Handball.

ANSI FRAME AND LENS MARKINGS EXPLAINED

Our frames and lenses include several markings that indicate specific safety ratings as determined by the American National Standards Institute (ANSI). This guarantees your Wiley X eyewear has been put through rigorous testing to ensure they'll protect your eyes from a projectile or other foreign.



- Z87** Designation of the standard.
- 2** The frames can be fitted with a prescription lens, which is the case with most Wiley X styles.
- +** The eyewear frame and lenses have been tested to the high-velocity and high-mass impact requirements of ANSI Z87.1+ safety standards.
- S** The lens is a filter or a shaded lens (not clear).
- V** The lens is variable-tint photochromic (light adjusting).

FRAME TECHNOLOGY

In order to meet the demands of harsh environments and ensure optimal performance, many of our products are designed with additional performance features. These features are specifically tailored to withstand extreme conditions and provide enhanced functionality in any environment.




CLICK A.I.R. (AIR INTAKE REGULATOR) GASKETS

CLICK A.I.R. Gaskets are designed to shield your eyes from harmful debris, while allowing you the freedom to customize airflow through the gasket to prevent fogging. Push down on the top of the gasket above the nose bridge to open and increase airflow. Click again to lock it down for activities where additional airflow isn't needed. Available with the WX Ozone.



DYNAMIC VENTILATION

Our Dynamic Ventilation system works with the Removable Facial Cavity™ seal, allowing you to control airflow and reduce fogging. Side vents open to allow air to flow in and behind the lenses to clear condensation. Close the side vents to stop airflow. This technology is currently available with the WX Breach.



REMOVABLE FACIAL CAVITY™ SEALS

Fine dust and pollen, as well as wind, can cause long-term eye irritation, such as Dry Eye Syndrome. Peripheral light can also diminish optical clarity. Wiley X's removable soft foam Facial Cavity™ Seals block out even the finest irritants and peripheral light, protecting the eyes and allowing polarized lenses to perform at peak levels. Included with all Climate Control models.



ANSI Z87.1+ SIDE SHIELDS

All Active 6 and Worksight models come with removable and permanent side shield options to meet ANSI Z87.1+ compliance.



SUSTAINABLE FRAME MATERIALS

Our latest frame styles are made of bio-based raw materials that are lightweight, flexible, resistant to heat, UV resistant, and BPA-free. All performance characteristics make this material a superior, sustainable choice for fit, function, and performance while providing the impact protection we require for all of our products.

WILEY X AUTHENTIC PRESCRIPTIONS

As a company that specializes in high-wrap sport and safety eyewear, it's imperative that we provide the same clarity and protection to prescription-lens wearers as we do to those without prescription requirements. We've spent decades innovating and refining our technology to ensure that every pair of prescription glasses we build inspires confidence in everyone who wears them.

THE WILEY X DIFFERENCE

Through the Wiley X Authentic Prescription Program, we're able to provide our customers with:

- The highest Rx ranges in the industry for safety and sport-wrapped frames (-10/+6 in our Active 6 series and up to -7/+5 in most wrapped styles).
- Precise prescriptions for high-wrap frames.
- CAPTIVATE™ color enhancing lens technology.
- A full service lab with an in-house coating facility.
- A dedicated Rx support team.



COMPARE THE DIFFERENCE

This is a side-by-side comparison of the same Wiley X frame with an authentic Wiley X prescription versus one without. You'll notice the other lab's frame has splayed-out temples and a thicker lens protruding out of both sides. Ours has a thinner lens and no frame distortion, providing a more comfortable and aesthetically pleasing pair of eyewear.



DIGIFORCE™ DIGITAL LENSES

Digiforce™ is Wiley X's proprietary technology which takes into account frame fitting position, prescription, vertex distance, pantoscopic tilt and eye movement patterns to create the most accurate prescription possible in our high wrap frames.

BENEFITS OF DIGIFORCE™ LENSES:

- 10 times more accurate than conventional surfacing.
- Provides the patient with an exact prescription, rather than rounding to the nearest setting in conventional lenses.
- Maximizes field of view with edge-to-edge clarity.
- Wrap compensation allows us to customize a patient's prescription specific to their lifestyle and vision needs.
- Easier patient adaptation to high-wrap frames.

LENS TREATMENTS:

- Anti-Scratch Coating
- Permanent Anti-Fog Coating
- Standard Anti-Fog Coating
- Anti-Reflective Coating
- WX Blue Anti-Reflective

LENS OPTIONS:

- Captivate™ Polarized
- Polarized
- Non-Polarized
- Photochromic

DIGITAL EDGE THINNING

Our proprietary Digiforce Digital Edge Thinning technology is offered exclusively through Wiley X and allows for a high prescription with the thinnest lens necessary to still meet safety standards.

WHY WE USE IT

Digital Edge Thinning was created to accommodate high prescriptions in wrap around sport and safety glasses while still providing an aesthetically pleasing pair of eyewear with minimal distortion.

WHAT IT LOOKS LIKE

Digital Edge Thinning mirrors the frame shape by concentrating the optics centrally. This creates a slight plano area on the outer edge of each lens.



TECHNICAL SPECIFICATIONS

PRODUCTS	APPROVED			EYEWEAR STANDARDS			LENS FEATURES & TECHNOLOGY						GLOVE STANDARDS			GLOVE FEATURES & KEY SPECS				
	FLIGHT DECK APPROVED	APEL APPROVED	U.S. AIR FORCE SAFE-TO-FLY	MIL-PRF-32432A	MIL-PRF-32432(GL)	ANSI Z87.1+ IMPACT (HIGH-VELOCITY AND HIGH-MASS)	FOIL* ANTI-FOG LENSES	T-SHELL™ SCRATCH RESISTANCE	100% UVA / UVB PROTECTION	FACIAL CAVITY™ SEALS / REMOVABLE FOAM BROWBAR	TOP DOWN™ VENTILATION	RX INSERT / RX READY	LASER PROTECTION	ASTM D 6413 - FLAME RETARDANT	ASTM F 1790 - CUT RESISTANCE	NFPA 1971-07 - THERMAL RESISTANCE	LEATHER REINFORCED FINGERTIPS	SYNTHETIC LEATHER	THERMOPLASTIC KNUCKLE	REMOVABLE THERMOPLASTIC KNUCKLE
WX GRAVITY (APEL ONLY)	•			•	•	•	•	•	•	•	•	•								
WX LYNX				•	•	•	•	•	•	•	•	•								
WX CYBOR				•	•	•	•	•	•	•	•	•								
WX CYBOR THERMAL				•	•	•	•	•	•	•	•	•								
SPEAR	•	•		•	•	•	•	•	•	•	•	•								
SPEAR THERMAL		•		•	•	•	•	•	•	•	•	•								
S6-1	•			•	•	•	•	•	•	•	•	•								
WX VAPOR		•		•	•	•	•	•	•	•	•	•								
WX VALOR		•		•	•	•	•	•	•	•	•	•								
GUARD				•	•	•	•	•	•	•	•	•								
SABER ADVANCED				•	•	•	•	•	•	•	•	•								
WX SAINT				•	•	•	•	•	•	•	•	•								
ROMER 3				•	•	•	•	•	•	•	•	•								
XL-1 ADVANCED				•	•	•	•	•	•	•	•	•								
CAG-1					•	•	•	•	•	•	•	•	•	•	•		•			
ORION			•	•	•	•	•	•	•	•	•	•		•	•	•				
ARIES			•	•	•	•	•	•	•	•	•	•		•	•	•				
HYBRID					•	•	•	•	•	•	•	•		•	•	•				•
DURTAC					•	•	•	•	•	•	•	•								•
APX					•	•	•	•	•	•	•	•								•

- 700-725 FPS MIL-PRF-32432A SPECTACLE STANDARD
- 640-660 FPS MIL-PRF-32432(GL) SPECTACLE STANDARD
- 580-590 FPS MIL-PRF-32432A GOGGLE STANDARD
- 550-560 FPS MIL-PRF-32432(GL) GOGGLE STANDARD
- 250-260 FPS ANSI Z87.1+ HIGH-VELOCITY GOGGLE STANDARD
- 150-160 FPS ANSI Z87.1+ HIGH-VELOCITY SPECTACLE STANDARD






TACTICAL SERIES

BUILT TO ADAPT TO YOUR EVER-CHANGING ENVIRONMENT, OUR
TACTICAL SERIES PROVIDES EXCEPTIONAL PROTECTION AND VISIBILITY
IN ANY CONDITION.

FEATURES


HIGH-VELOCITY
IMPACT PROTECTION


HIGH-MASS
IMPACT PROTECTION


POLARIZED LENSES*


UVA/UVB BLOCKING


INTERCHANGEABLE
LENSES


REMOVABLE GASKET*


SUPER-TOUGH
FRAMES


SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

GUARD ADVANCED TACTICAL SERIES




4004
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



4006
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Non-Rx
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Button Temple Strap (4006E)
- Zipper Case 2 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

ROMER 3 TACTICAL SERIES




1004
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



1006
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

- WX Hard Shell Case (DN750)
- Cleaning Cloth with Wiley X Logo (A428)

SABER ADVANCED TACTICAL SERIES



300
F: MATTE BLACK
L: YELLOW
MIL-SPEC



302/302RX
F: MATTE BLACK
L: SMOKE GREY
MIL-SPEC



303/303RX
F: MATTE BLACK
L: CLEAR
MIL-SPEC



307/307RX
F: 2 MATTE BLACK FRAMES
L: SMOKE GREY / CLEAR
MIL-SPEC



308/308RX
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



308T
F: MATTE TAN
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC




309/309RX
F: MATTE BLACK
L: SMOKE GREY / LIGHT RUST / VERMILLION
MIL-SPEC



315/315RX
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

FIT
UNIVERSAL



FEATURES

- Rx Insert* – Size 44 / 25 (PTX)
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Adjustable Nose Piece
- Saber Advanced Adjustable Strap (306E)
- Converts Glasses to Goggle

ALSO INCLUDES

- Zipper Case (TS-235M) Styles: 308, 309, 315
- Microfiber Drawstring Bag (DN900) Styles: 300, 302, 303
- Cleaning Cloth with Wiley X Logo (A428)
- Black Zippered Clamshell Case (DN610A) Style: 307

*Requires Rx Insert for all Prescription Orders



WX SAINT TACTICAL SERIES




CHSAI07
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC



CHSAI08
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Black Zippered Case (DN800)
- Zipper Case 2 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

Alternative Fit Models Available

WX VAPOR TACTICAL SERIES



3501 / 3501RX
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC




3502 / 3502RX
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



3552 / 3552RX COMM**
F: MATTE BLACK COMM
TEMPLES
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC COMM TEMPLES

FIT
UNIVERSAL



FEATURES

- Rx Insert
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Adjustable Nose Piece
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Zipper Case 2 and 3 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

**WX Vapor Comm has Thin Temples
Compatible with Hearing Protection

WX VALOR TACTICAL SERIES



CHVAL01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC



CHVAL06
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST
BLACK OPS MIL-SPEC



CHVAL06T
F: MATTE TAN
L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC




CHVAL07
F: MATTE BLACK
L: SMOKE GREY / CLEAR
BLACK OPS



CHVAL08
F: MATTE BLACK
L: POLARIZED SMOKE GREY
BLACK OPS MIL-SPEC

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES


- Black Zippered Clamshell Case (DN300)
- Zippered Case 2 and 3 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

XL-1 ADVANCED TACTICAL SERIES



291
F: MATTE BLACK
L: SMOKE GREY / CLEAR
MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Removable Facial Cavity™ Seal (XLG)
- T-Peg Strap (XLE)
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- WX Tactical Case (DN750)
- Cleaning Cloth with Wiley X Logo (A428)

FALL 2024

WX CYBOR TACTICAL SERIES



7201
F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC



7202
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC



7101T
F: MATTE TAN
L: SMOKE GREY / CLEAR

MIL-SPEC



7102T
F: MATTE TAN
L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC

FIT
ADJUSTABLE

FEATURES
Rx Insert Twistlock TLRX* – Size 42/24
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Military/Tactical Standard
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Anti-Fog Lenses
Dynamic / Adjustable Vent Control
Super-Tough Alloy Polymer Frame Components
Interchangeable Ballistic Lenses
Interchangeable Face Gaskets
Interchangeable Strap Configurations

ALSO INCLUDES
2 Layer Foam Gasket (7201FCS)
25 mm Fire Resistant Strap (7201EB) Black, (7201ET) Tan
Cybor Goggle Sleeve

FALL 2024

WX LYNX TACTICAL SERIES



1501
F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC



1502
F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST

MIL-SPEC

FIT
ADJUSTABLE

FEATURES
Non-Rx
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Military/Tactical Standard
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Proprietary Channel Venting
Anti-Fog Lenses
Super-Tough Triloid Nylon Frame
Interchangeable Ballistic Lenses
Interchangeable Strap Configurations
Replaceable Gaskets
Lightweight Foldable Frame

ALSO INCLUDES
25mm Fire Resistant Strap (Velcro)
25mm Fire Resistant Strap (Dual Buckle)
Custom Case (DN150)
Cleaning Cloth (A428)

FALL 2024

WX CYBOR THERMAL TACTICAL SERIES



7201DL
F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC



7102DLT
F: MATTE TAN
L: SMOKE GREY / CLEAR

MIL-SPEC



7202DLW
F: MATTE WHITE
L: SMOKE GREY / CLEAR / CONTRAST

MIL-SPEC

FIT
ADJUSTABLE

FEATURES
Rx Insert Twistlock TLRX* – Size 42/24
ANSI Z87.1+ Impact Protection/Optical Standards
MIL-PRF-32432A Military/Tactical Standard
UVA/UVB Light Blocking
Shatterproof Selenite™ Lenses
Anti-Fog Lenses
Dynamic / Adjustable Vent Control
Super-Tough Alloy Polymer Frame Components
Interchangeable Lenses
Interchangeable Face Gaskets
Interchangeable Strap Configurations

ALSO INCLUDES
Thermal/Cold Environment 3 Layer Foam Removable Gasket (7201FCSTH)
40mm Fire Resistant Strap (7201EBL) Black, (7201ETL) Tan, (7202EWL) White




SG-1 TACTICAL SERIES



71
 F: MATTE BLACK
 L: SMOKE GREY / CLEAR
MIL-SPEC

SG-1 WITH TEMPLES

FIT
 ADJUSTABLE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Replaceable Gaskets

ALSO INCLUDES

- WX Hard Shell Case (DN700S)
- Removable Temples (SG-1T)
- SG-1 Elastic Strap (SG-1E)
- SG-1 Beaded Tactical Strap (258A)

Alternative Fit Models Available

SPEAR TACTICAL SERIES



SP293B / SP293BRX
 F: MATTE BLACK
 L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



SP293T / SP293TRX
 F: TAN 499
 L: SMOKE GREY / CLEAR / LIGHT RUST
MIL-SPEC



SP29B / SP29BRX
 F: MATTE BLACK
 L: SMOKE GREY / CLEAR
MIL-SPEC



SP29T / SP29TRX
 F: TAN 499
 L: SMOKE GREY / CLEAR
MIL-SPEC

FIT
 ADJUSTABLE

FEATURES

- Rx Insert Twistlock TLRX* – Size 42/24
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- Anti-Fog
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Universal Prescription Lens Compatible (UPLC)

ALSO INCLUDES

- Spear Goggle Sleeve (SP29SLB) Black
- Spear Goggle Sleeve (SP29SLT) Tan
- Spear Goggle Bag (AN571) Black
- Spear Goggle Strap (SP29EB) Black, (SP29ET) Tan
- Spear Facial Cavity™ Seal (SP29FCS)

*Requires Rx Insert for all Prescription Orders





BLACK OPS SERIES

THE BLACK OPS COLLECTION IS DEVELOPED FROM OUR TOP EYEWEAR MODELS. FEATURING ALL-BLACK LOGOS, FRAMES, AND LENSES, THEY ARE DESIGNED TO KEEP YOU PROTECTED AND HIDDEN IN THE SHADOWS DURING COVERT OPERATIONS.

FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



LIGHTWEIGHT
FRAMES



UVA/UVB BLOCKING



REMOVABLE GASKET*



PERIPHERAL
GLARE CONTROL



SUPER-TOUGH
FRAMES



SIDE SHIELDS*




SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS

NEW
WX FOUNDER ACTIVE 6 SERIES



FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Dual-Injected Rubber Temples
- Side Shields can be set as Removable or Permanent (AC6FNDSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards




AC6FND02

F: MATTE BLACK
L: CAPTIVATE™ GREY (NON-POLARIZED)
CAPTIVATE BLACK OPS

SPRING 2024
WX SIERRA ACTIVE 6 SERIES



FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Lens Ventilation to Increase Airflow
- Dual-Injected Rubber Temples
- Side Shields Can be Set as Removable or Permanent (AC6SRASS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards




AC6SRA01

F: MATTE BLACK
L: CAPTIVATE™ GREY (NON-POLARIZED)
CAPTIVATE BLACK OPS

NEW
WX RECON ACTIVE 6 SERIES



FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Dual-Injected Rubber Temples
- Side Shields can be set as Removable or Permanent (ACRCNDSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards




AC6RCN02

F: MATTE BLACK
L: CAPTIVATE™ GREY (NON-POLARIZED)
CAPTIVATE BLACK OPS

WX ALFA ACTIVE 6 SERIES



FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Wire Core Adjustable Temple Tips
- Clear ANSI Z87.1+ Removable Side Shields (AC6ALFSS)**
- Clear ANSI Z87.1+ Permanent Side Shields (AC6ALFPSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards




AC6ALF02

F: MATTE BLACK
L: SMOKE GREY
BLACK OPS

WX TREK ACTIVE 6 SERIES



FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 6-Base Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Clear ANSI Z87.1+ Removable Side Shields (AC6TRKSS)**
- Clear ANSI Z87.1+ Permanent Side Shields (AC6TRKPSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards




AC6TRK02
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS

WX CONTEND ACTIVE 8 SERIES



ACCNT01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES


Black Zippered Case (DN800)

WX CENSOR ACTIVE 8 SERIES



SSCEN08
F: MATTE BLACK
L: POLARIZED SMOKE GREY
BLACK OPS MIL-SPEC

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES


Black Zippered Case (DN800)

WX NASH ACTIVE 8 SERIES



ACNAS01
F: MATTE BLACK
L: SMOKE GREY
BLACK OPS MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

WX OMEGA ACTIVE 8 SERIES



ACOME01
F: MATTE BLACK
L: SMOKE GREY


BLACK OPS



ACOME08
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREY

BLACK OPS MIL-SPEC CAPTIVATE

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)


WX REBEL ACTIVE 8 SERIES



ACREB01
F: MATTE BLACK
L: SMOKE GREY

BLACK OPS MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)


P-17 ACTIVE 8 SERIES



P-17M
F: MATTE BLACK
L: SMOKE GREY

BLACK OPS MIL-SPEC

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- T-Peg Strap (EH409-4)
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)


SLAY ACTIVE 8 SERIES



ACSLA01
F: MATTE BLACK
L: SMOKE GREY

BLACK OPS MIL-SPEC

FIT
LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Black Zippered Clamshell Case (DN300)
Cleaning Cloth with Wiley X Logo (A427)
CAPTIVATE™ Microfiber Bag (DN550)

WX TWISTED ACTIVE 8 SERIES



SSTWI01
F: MATTE BLACK
L: SMOKE GREY


BLACK OPS MIL-SPEC



SSTWI18
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREY

CAPTIVATE BLACK OPS MIL-SPEC

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame

ALSO INCLUDES

- Black Zippered Clamshell Case (DN300)
- Cleaning Cloth with Wiley X Logo (A427)
- CAPTIVATE™ Microfiber Bag (DN550)

Alternative Fit Models Available

WX BREACH PERFORMANCE SERIES



CCBRH01
F: MATTE BLACK
L: SMOKE GREY

BLACK OPS MIL-SPEC



DYNAMIC VENTING

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (CCBRHG2)
- Dynamic Ventilation System
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads
- Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

- Black Zippered Case (DN800L)
- Cleaning Cloth with Wiley X Logo (A428)


AIRRAGE PERFORMANCE SERIES



694
F: MATTE BLACK
L: SMOKE GREY

BLACK OPS

FIT
SMALL



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (695G2)
- T-Peg Elastic Strap (EH409-4)
- Dual-Injected Rubber Temples
- Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

- Black Zippered Case (DN800)
- Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

- Facial Cavity™ Seal Thicker Version (695G2T)

BRICK PERFORMANCE SERIES



859
F: MATTE BLACK
L: LIGHT ADJUSTING SMOKE GREY

BLACK OPS

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (855G2W)
- T-Peg Elastic Strap (EH409-4)
- Dual-Injected Rubber Temples
- Anti-Fog

ALSO INCLUDES

- Black Zippered Case (DN800)

SOLD SEPARATELY

- Facial Cavity™ Seal Thicker Version (855G2T)

WX ENZO PERFORMANCE SERIES



CCENZ01
F: MATTE BLACK
L: SMOKE GREY


BLACK OPS MIL-SPEC



CCENZ030
F: MATTE BLACK
L: SMOKE GREY WITH RX RIM

RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (CCENZG2)
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads
- Anti-Fog

ALSO INCLUDES

- Button Temple Tip Strap (A493)
- Black Zippered Case (DN800)
- Cleaning Cloth with Wiley X Logo (A427)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (CCENZG2T)

WX GRID PERFORMANCE SERIES



CCGRD01
F: MATTE BLACK
L: SMOKE GREY

BLACK OPS MIL-SPEC

FIT
LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (CCGRDG2)
- T-Peg Elastic Strap (EH409-4)
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads
- Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

- Black Zippered Case (DN800L)
- Cleaning Cloth with Wiley X Logo (A428)

WX GRAVITY PERFORMANCE SERIES



CCGRA01
F: MATTE BLACK
L: SMOKE GREY

BLACK OPS MIL-SPEC



CCGRA05
F: MATTE BLACK
L: LIGHT ADJUSTING SMOKE GREY


BLACK OPS MIL-SPEC



CCGRA010
F: MATTE BLACK
L: SMOKE GREY WITH RX RIM

RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (CCGRAG2)
- T-Peg Strap (EH409-4)
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads
- Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

- Black Zippered Case (DN800L)
- Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (CCGRAG2T)

WX OZONE PERFORMANCE SERIES



CCOZN08
F: MATTE BLACK
L: CAPTIVATE™ POLARIZED GREY

CAPTIVATE BLACK OPS MIL-SPEC



FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- CLICK A.I.R. Gasket (CCOZNCAG)
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads
- Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

- Button Temple Tip Strap (A493)
- Black Zippered Case (DN800)
- Cleaning Cloth with Wiley X Logo (A428)

WX SAINT TACTICAL SERIES




CHSA108

F: MATTE BLACK
L: SMOKE GREY

BLACK OPS MIL-SPEC

FIT
SMALL/MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432(GL) Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Black Zippered Case (DN800)
- Zipper Case 2 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)

Alternative Fit Models Available

WX VALOR TACTICAL SERIES



CHVAL01

F: MATTE BLACK
L: SMOKE GREY

BLACK OPS MIL-SPEC



CHVAL06

F: MATTE BLACK
L: SMOKE GREY / CLEAR / LIGHT RUST

BLACK OPS MIL-SPEC



CHVAL07

F: MATTE BLACK
L: SMOKE GREY / CLEAR

BLACK OPS MIL-SPEC



CHVAL08

F: MATTE BLACK
L: POLARIZED SMOKE GREY

BLACK OPS MIL-SPEC

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- MIL-PRF-32432A Safety Standard
- 8-Base Lenses, High-Wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Foil™ Anti-Fog Lenses
- Super-Tough Triloid Nylon Frame
- Interchangeable Lenses
- Dual-Injected Rubber Nose Pads
- Dual-Injected Rubber Temples

ALSO INCLUDES

- Black Zippered Clamshell Case (DN300)
- Zippered Case 2 and 3 Lens Pack (TS-235M)
- Cleaning Cloth with Wiley X Logo (A428)





APEL

AUTHORIZED PROTECTIVE EYEWEAR LIST†

ALL OF OUR APEL-APPROVED EYEWEAR MEETS THE OPTICAL, ENVIRONMENTAL, AND VO BALLISTIC IMPACT REQUIREMENTS OF THE MIL-PRF-32432A PERFORMANCE SPECIFICATION: MILITARY COMBAT EYE PROTECTION SYSTEM (MCEPS). PRODUCTS TESTED TO THESE REQUIREMENTS ENSURE THEY WILL PROTECT AGAINST THE HARSHTEST OF ENVIRONMENTS AND SHRAPNEL ENCOUNTERED ON THE BATTLEFIELD.

FEATURES



HIGH-VELOCITY
IMPACT PROTECTION



HIGH-MASS
IMPACT PROTECTION



VENTILATION*



UVA/UVB BLOCKING



INTERCHANGEABLE
LENSES



REMOVABLE GASKET*



SUPER-TOUGH
FRAMES

MIL-PRF 32432A
MILITARY COMBAT
EYE PROTECTION



SHATTERPROOF
LENSES

*AVAILABLE ON SELECT MODELS
†U.S. DEPARTMENT OF DEFENSE

WX GRAVITY APEL




CH5201

F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED

FIT
MEDIUM/LARGE



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
- APEL-Approved Protection
- Interchangeable Lenses
- Foil™ Anti-Fog Lenses
- 8-Base Lenses, High-wrap Frames
- UVA/UVB Light Blocking
- Shatterproof Selenite™ Lenses
- Super-Tough Triloid Nylon Frame
- Removable Facial Cavity™ Seal (CH526)
- T-Peg Strap (EH409-4)
- Dual-Injected Rubber Temples
- Dual-Injected Rubber Nose Pads

ALSO INCLUDES

- WX Hard Shell Case (DN7506)
- Cleaning Cloth with Wiley X Logo (A425)

WX VAPOR APEL



CH3401 - SMALL FRAME

F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



CH3501 - REGULAR FRAME

F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



CH3601 - LARGE FRAME


F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED



FIT
SMALL - REGULAR - LARGE



FEATURES

- Rx Insert - Universal Prescription Lens Compatible (UPLC)
- ANSI Z87.1+ Impact Protection/Optical Standards
- Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
- APEL-Approved Protection
- Interchangeable Lenses
- Foil™ Anti-Fog Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite Lenses
- Super-Tough Triloid Nylon Frame

ALSO INCLUDES

- APEL Case (DN700) CH3401, CH3501 and (DN700L) CH3601
- Cleaning Cloth with Wiley X Logo (A425)
- Fogtech Anti-Fog Reapplication Wipe (FOG)

SOLD SEPARATELY

- Vapor Gasket (CH356)
- Leash Cord with Rubber Grips (A492B)

WX VALOR APEL



CH4701

F: MATTE BLACK
L: SMOKE GREY / CLEAR

MIL-SPEC

AUTHORIZED
PROTECTIVE
EYEWEAR
LIST (APEL)
APPROVED

FIT
MEDIUM



FEATURES

- Rx Ready
- ANSI Z87.1+ Impact Protection/Optical Standards
- Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
- APEL-Approved Protection
- Interchangeable Lenses
- Foil™ Anti-Fog Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite Lenses
- Super-Tough Triloid Nylon Frame

ALSO INCLUDES

- APEL Case (DN750)
- Cleaning Cloth with Wiley X Logo (A425)
- Fogtech Anti-Fog Reapplication Wipe (FOG)



SPEAR APEL



SP30T

F: TAN 499
L: SMOKE GREY / CLEAR

MIL-SPEC



FIT ADJUSTING

FEATURES

- Rx Insert - Universal Prescription Lens Compatible (UPLC)
- ANSI Z87.1+ Impact Protection/Optical Standards
- Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
- APEL-Approved Protection
- Interchangeable Lenses
- Foil™ Anti-Fog Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite Lenses
- Super-Tough Triloid Nylon Frame
- Top Down™ Ventilation

ALSO INCLUDES

- Spear Goggle Sleeve (SP29SLT) Tan
- Spear Goggle Bag (AN571) Black
- Spear Goggle Strap (SP29ET) Tan
- Spear Facial Cavity™ Seal (SP29FCS)
- Fogtech Anti-Fog Reapplication Wipe (FOG)

SPEAR THERMAL APEL



SP30DLT

F: TAN 499
L: SMOKE GREY / CLEAR

MIL-SPEC



FIT ADJUSTING

FEATURES

- Rx Insert - Universal Prescription Lens Compatible (UPLC)
- ANSI Z87.1+ Impact Protection/Optical Standards
- Meets MIL-PRF-32432A Specification: Military Combat Eye Protection
- APEL-Approved Protection
- Interchangeable Lenses
- Foil™ Anti-Fog Lenses
- UVA/UVB Light Blocking
- Shatterproof Selenite Lenses
- Super-Tough Triloid Nylon Frame
- Dual Lens
- Top Down™ Ventilation

ALSO INCLUDES

- Spear Goggle Sleeve (SP29SLT) Tan
- Spear Goggle Bag (AN571) Black
- Spear Goggle Strap (SP29ET) Tan
- Spear Facial Cavity™ Seal (SP29FCS)
- Fogtech Anti-Fog Reapplication Wipe (FOG)





TACTICAL GLOVES

WILEY X TACTICAL SERIES GLOVES ARE DESIGNED FOR SUPERIOR PROTECTION AND PERFORMANCE. WE OFFER EQUIPMENT OPTIONS TO MEET YOUR CRITICAL RESPONSE OBJECTIVES, FROM MILITARY COMBAT, TACTICAL RESPONSE, FIELD OPERATIONS, OR EMERGENCY FIRST RESPONDING. OUR GLOVES ARE DESIGNED TO MAINTAIN HIGH DEXTERITY FOR QUICK, PRECISE RESPONSES, WITH EXTRA SUPPORT IN HIGH WEAR AREAS FOR ADDED DURABILITY AND LONGEVITY. SELECT STYLES FEATURE TOUCH SCREEN CAPABILITY, HARD KNUCKLE, CUT, ABRASION, AND FR FLAME RESISTANCE.

APX TACTICAL GLOVE



BLACK

- G450.SM SM
- G450.ME MD
- G450.LA LG
- G450.XL XL
- G450.2X XXL



FEATURES

- Synthetic Leather Knuckle and Palm for Maximum Durability/Breathability
- Reinforced Thumb and Palm Patch in High-Wear Areas
- Moisture Wicking Heavy-Duty Lycra® Gussets
- Ventilated Fingers for Increased Airflow and Breathability
- Clip-Strap for Easy Storage and Portability

CAG-1 TACTICAL GLOVE

MADE IN U.S.A.

(U230SM-2X, U231SM-2X, U232SM-2X)



***TOUCHTEC BLACK**

MADE IN U.S.A.

- U230.SM SM
- U230.ME MD
- U230.LA LG
- U230.XL XL
- U230.2X XXL



*MOQ - 500 Pair

COYOTE BROWN

MADE IN U.S.A.

- U231.SM SM
- U231.ME MD
- U231.LA LG
- U231.XL XL
- U231.2X XXL



*MOQ - 500 Pair

FOLIAGE GREEN

MADE IN U.S.A.

- U232.SM SM
- U232.ME MD
- U232.LA LG
- U232.XL XL
- U232.2X XXL



ARIES TACTICAL GLOVE

NAVY AIR

MADE IN U.S.A.

(U311SM-2X, U312SM-2X)



COYOTE BROWN

MADE IN U.S.A.

- U311.SM SM
- U311.ME MD
- U311.LA LG
- U311.XL XL
- U311.2X XXL



*MOQ - 500 Pair

FOLIAGE GREEN

MADE IN U.S.A.

- U312.SM SM
- U312.ME MD
- U312.LA LG
- U312.XL XL
- U312.2X XXL



*MOQ - 500 Pair

COYOTE BROWN

MADE IN U.S.A.

- G311.SM SM
- G311.ME MD
- G311.LA LG
- G311.XL XL
- G311.2X XXL



FOLIAGE GREEN

MADE IN U.S.A.

- G312.SM SM
- G312.ME MD
- G312.LA LG
- G312.XL XL
- G312.2X XXL



FEATURES

- Outlasts Flyers Glove 4-6 Times
- 100% Nomex Knit
- Flame Resistant
- Adjustable Cuff for Custom Fit
- Sheepskin Leather Reinforced in High-Wear Areas
- Custom Designed to Match US Military Uniforms
- Clip Strap for Easy Storage and Portability
- 3 Fingertips Removed for Added Dexterity/Sensitivity
- Navair Approved*
- U.S. Air Force Safe To Fly (STF) Approved* (USA Made versions only)

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.

DURTAC TACTICAL GLOVE



BLACK

- G400.SM SM
- G400.ME MD
- G400.LA LG
- G400.XL XL
- G400.2X XXL



FEATURES

- Injection Molded Thermoplastic Knuckle and Finger Protectors
- Ventilated Fingers and Mesh Back for Airflow/Breathability
- Synthetic Leather Palm for Maximum Durability/Breathability
- Moisture Wicking Heavy-Duty Lycra® Gussets
- Neoprene Cuff for Custom Fit
- Molded TPR Closure for Easy Grip
- Reinforced Thumb and Palm Patch In High-Wear Areas

HYBRID TACTICAL GLOVE



REMOVABLE INJECTED MOLDED KNUCKLE PROTECTOR

COYOTE BROWN

- G241.SM SM
- G241.ME MD
- G241.LA LG
- G241.XL XL
- G241.2X XXL



FOLIAGE GREEN

- G242.SM SM
- G242.ME MD
- G242.LA LG
- G242.XL XL
- G242.2X XXL



FEATURES

- Removable Patent Pending Injected Molded Knuckle Protector
- 100% Nomex Knit
- Flame Resistant
- Adjustable Cuff for Custom Fit
- Goatskin Leather Reinforced in High-Wear Areas
- Thermal and Cut Resistant

ORION TACTICAL GLOVE



MADE IN U.S.A.

(U301SM.T-2X.T, U302SM.T-2X.T)

FEATURES

- Outlasts Flyers Glove 4-6 Times
- 100% Nomex Knit
- Flame Resistant
- Adjustable Cuff for Custom Fit
- Sheepskin Leather Reinforced in High-Wear Areas
- Custom Designed to Match U.S. Military Uniforms
- Clip Strap for Easy Storage and Portability
- Navair Approved*
- U.S. Army Aviation Approved*
- U.S. Air Force Safe To Fly (STF) Approved* (USA Made Versions Only)
- Touchtec Touchscreen Compatible

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.

COYOTE BROWN

- U301.SM.T SM
- U301.ME.T MD
- U301.LA.T LG
- U301.XL.T XL
- U301.2X.T XXL



MADE IN U.S.A.

FOLIAGE GREEN

- U302.SM.T SM
- U302.ME.T MD
- U302.LA.T LG
- U302.XL.T XL
- U302.2X.T XXL



MADE IN U.S.A.

COYOTE BROWN

- G301.SM SM
- G301.ME MD
- G301.LA LG
- G301.XL XL
- G301.2X XXL



FOLIAGE GREEN

- G302.SM SM
- G302.ME MD
- G302.LA LG
- G302.XL XL
- G302.2X XXL



*MOQ - 500 Pair

*MOQ - 500 Pair



AUTHORIZED PROTECTIVE EYEWEAR LIST (APEL) APPROVED

APEL APPROVED ITEMS



WX GRAVITY SPECTACLE KIT						
● CH5201	NSN	4240-01-701-2897	Two Lens System - Smoke and Clear	● CH52S	NSN 4240-01-701-2760	Smoke Grey Replacement Lens
● DN750G	NSN	4240-01-701-3136	WX Hard Shell Case	● CH52C10	NSN 4240-01-701-2890	Clear Replacement Lenses (Pack of 10)
● CH520F	NSN	4240-01-701-3126	Frame	● CH52S10	NSN 4240-01-701-2892	Smoke Grey Replacement Lenses (Pack of 10)
● CH52C	NSN	4240-01-701-2758	Clear Replacement Lens	● CH52G	NSN 4240-01-701-8176	Replacement Facial Cavity™ Seal



WX VAPOR SPECTACLE KIT						
● CH3401	NSN	4240-01-665-0678	Small Two Lens System - Smoke Grey and Clear	● CH35S10	NSN 4240-01-632-655	Regular Smoke Grey Replacement Lenses Replacement Lenses (Pack of 10)
● CH34F	NSN	4240-01-664-9965	Small Frame	● CH3601	NSN 4240-01-665-0701	Large Two Lens System - Smoke Grey and Clear
● CH34C	NSN	4240-01-665-0374	Small Clear Replacement Lens	● CH36F	NSN 4240-01-665-0708	Large Frame
● CH34S	NSN	4240-01-665-0466	Small Smoke Grey Replacement Lens	● CH36C	NSN 4240-01-665-0382	Large Clear Replacement Lens
● CH34C10	NSN	4240-01-664-9978	Small Clear Replacement Lenses (Pack of 10)	● CH36S	NSN 4240-01-665-0378	Large Smoke Grey Replacement Lens
● CH34S10	NSN	4240-01-665-0024	Small Smoke Grey Replacement Lenses (Pack of 10)	● CH36C10	NSN 4240-01-664-9957	Large Clear Replacement Lenses (Pack of 10)
● CH3501	NSN	4240-01-630-7493	Regular Two Lens System - Smoke Grey and Clear	● CH36S10	NSN 4240-01-665-0474	Large Smoke Grey Replacement Lenses (Pack of 10)
● CH35F	NSN	4240-01-632-8165	Regular Frame	● DN600	NSN 4240-01-633-3559	WX Hard Shell Case
● CH35C	NSN	4240-01-632-5246	Regular Clear Replacement Lens	● A492B	NSN 4240-01-633-4322	Retention Strap
● CH35G	NSN	5330-01-686-6116	Vapor Facial Cavity™ Seal	● CH35NP	NSN 4240-01-633-4209	UPLC Compatible Nose Piece
● CH35S	NSN	4240-01-632-5253	Regular Smoke Grey Replacement Lens	● A425	NSN 4240-01-633-2474	Cleaning Cloth
● CH35S10	NSN	4240-01-632-6549	Regular Clear Replacement Lenses (Pack of 10)			



WX VALOR SPECTACLE KIT						
● CH4701	NSN	4240-01-630-7802	Two Lens System - Smoke Grey and Clear	● CH47S10	NSN 4240-01-632-6551	Smoke Grey Replacement Lenses (Pack of 10)
● CH47F	NSN	4240-01-632-8161	Frame	● DN650	NSN 4240-01-633-3557	WX Hard Shell Case
● CH47C	NSN	4240-01-632-5260	Clear Replacement Lenses	● A492B	NSN 4240-01-633-4322	Retention Strap
● CH47S	NSN	4240-01-632-5243	Smoke Grey Replacement Lenses	● A425	NSN 4240-01-633-2474	Cleaning Cloth
● CH47C10	NSN	4240-01-632-6539	Clear Replacement Lenses (Pack of 10)			



SPEAR GOGGLE KIT						
● SP30T	NSN	4240-01-630-6712	Kit includes goggle frame, Clear lens, Smoke Grey lens, goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth	● SP29C	NSN 4240-01-600-1736	Clear Replacement Lens
● SP30TF	NSN	4240-01-633-2229	Tan 499 Frame	● SP29S	NSN 4240-01-600-1737	Smoke Grey Replacement Lens
● SP30ET	NSN	4240-01-641-1982	Tan 499 Retention Strap	● SP29C10	NSN 4240-01-600-1733	Replacement Clear Lenses (Pack of 10)
● SP30SLT	NSN	4240-01-633-3528	Protective Sleeve	● SP29S10	NSN 4240-01-600-1734	Replacement Smoke Grey Lenses (Pack of 10)
● DN650	NSN	4240-01-633-3571	Case	● SP29FCS	NSN 4240-01-600-1741	Replacement Facial Cavity™ Seal
● R9101	NSN	4240-01-630-2588	UPLC Adapter	● A425	NSN 4240-01-633-2474	Cleaning Cloth



SPEAR THERMAL COLD WEATHER GOGGLE KIT						
● SP30DLT	NSN	4240-01-678-6131	Kit includes Tan 499 goggle frame, Clear lens, Smoke Grey lens, Tan 499 goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth	● SP29C	NSN 4240-01-679-3837	Clear Replacement Lens
● SP30TF	NSN	4240-01-633-2229	Tan 499 Frame	● SP29S	NSN 4240-01-679-3870	Smoke Grey Replacement Lens
● SP30ET	NSN	4240-01-641-1982	Tan 499 Retention Strap	● SP29C10	NSN 4240-01-679-3880	Replacement Clear Lenses (Pack of 10)
● SP30SLT	NSN	4240-01-633-3528	Protective Sleeve	● SP29S10	NSN 4240-01-679-3914	Replacement Smoke Grey Lenses (Pack of 10)
● AN57IT	NSN	4240-01-633-3571	Case	● SP29FCS	NSN 4240-01-600-1741	Replacement Facial Cavity™ Seal
● R9101	NSN	4240-01-630-2588	UPLC Adapter	● A425	NSN 4240-01-633-2474	Cleaning Cloth

NSN/NATO ITEMS



PT-1 BALLISTIC EYE PROTECTION					
PT-1SC	NSN	4240-01-510-7853	Two Lens System - Smoke and Clear		
PT-1SCL	NSN	4240-01-510-7851	Three Lens System - Smoke, Clear, Light Rust		
PT-1S	NSN	4240-01-510-7847	One Lens System - Smoke		
PT-1C	NSN	4240-01-510-7848	One Lens System - Clear		
PT-1L	NSN	4240-01-510-7845	One Lens System - Light Rust		
1SD	NSN	4240-01-528-5901	Smoke Replacement Lenses (50 Pack)		
1CD	NSN	4240-01-528-5900	Clear Replacement Lenses (50 Pack)		
TS-235	NSN	4240-01-504-5797	Replacement Hard Case		



ROMER 3 BALLISTIC EYE PROTECTION					
1006	NSN	4240-01-510-7864	Three Lens System - Smoke, Clear, Light Rust		
1006C	NSN	4240-01-513-4543	Clear Replacement Lenses		
1006S	NSN	4240-01-513-4538	Smoke Grey Replacement Lenses		
1006L	NSN	4240-01-513-4541	Light Rust Replacement Lenses		
1006F	NSN	4240-01-513-4534	Replacement Frame		
TS-235	NSN	4240-01-504-5797	WX Hard Shell Case		



SABER ADVANCED BALLISTIC EYE PROTECTION					
300	NSN	5120-01-598-6695	One Lens System - Pale Yellow		
301	NSN	5120-01-598-6699	One Lens System - Light Rust		
302	NSN	5120-01-598-6702	One Lens System - Grey		
303	NSN	5120-01-598-6706	One Lens System - Clear		
308	NATO	4240-17-122-8985	Three Lens System - Smoke, Clear, Light Rust		



SG-1 BALLISTIC EYE PROTECTION					
71	NSN	4240-01-504-0994	Two Lens System (Extra ventilated)		
70	NSN	4240-01-510-7844	Two Lens System		
SG-1C	NSN	4240-01-504-5326	Clear Replacement Lenses		
SG-1S	NSN	4240-01-504-5312	Smoke Grey Replacement Lenses		
70C	NSN	4240-01-513-4525	V-Cut Clear Replacement Lenses		
70S	NSN	4240-01-513-4519	V-Cut Smoke Replacement Lenses		
SG-1E	NSN	4240-01-504-5754	Elastic Strap Replacement		
SG-1F	NSN	4240-01-504-6524	Replacement Frame (Included temples and strap)		
SG-1T	NSN	4240-01-504-6474	Replacement Temples		
TS-235	NSN	4240-01-504-5797	Hard Case w/Lens Storage		
71	NATO	4240-22-611-7464	Two Lens System (Extra ventilated)		



SPEAR BALLISTIC GOGGLES					
SP29B	NSN	4240-01-600-1785	Kit includes a Black goggle frame, Clear lens, Smoke Grey lens, black goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth		
SP29G	NSN	4240-01-600-1791	Kit includes Foliage Green goggle frame, Clear lens, Smoke Grey lens, Foliage Green goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth		
SP29T	NSN	4240-01-600-1793	Kit includes Tan 499 goggle frame, Clear lens, Smoke Grey lens, Tan 499 goggle strap, removable facial seal, Rx adapter, storage case, instruction card, lens cleaning cloth		
SP29BF	NSN	4240-01-600-1751	Black frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter		
SP29GF	NSN	4240-01-600-1761	Foliage Green frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter		
SP29TF	NSN	4240-01-600-1770	Tan 499 frame only (no lenses), includes goggle strap, removable facial seal, Rx adapter		
SP29EB	NSN	4240-01-600-1771	Replacement elastic strap - Black		
SP29EG	NSN	4240-01-600-1775	Replacement elastic strap - Foliage Green		
SP29ET	NSN	4240-01-600-1784	Replacement elastic strap - Tan 499		
SP29FCS10	NSN	4240-01-600-1739	10-Pack Replacement Facial Cavity™ Seal		



XL-1 ADVANCED BALLISTIC EYE PROTECTION					
291	NSN	4240-01-504-1037	Two Lens System - Smoke Grey and Clear		
XLC	NSN	4240-01-504-5303	Clear Replacement Lenses		
XLS	NSN	4240-01-504-5308	Smoke Grey Replacement Lenses		
XLE	NSN	4240-01-504-5770	Replacement Elastic Strap		
XLF	NSN	4240-01-504-6528	Replacement Frame (Includes elastic strap)		
TS-235	NSN	4240-01-504-5797	WX Hard Shell Case		

PREMIER XL*CAPACITY: 75-100 PAIRS
DIMENSIONS: 40"W X 78"H X 16.125"D

934024



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER XL DISPLAY

PREMIER*CAPACITY: 60 PAIRS
DIMENSIONS: 28"W X 78"H X 16.125"D

933024



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER DISPLAY

RACK**CAPACITY: 35-45 UNITS
DIMENSIONS: 16.25"W X 76"H X 9.625"D

933624



**RACK DISPLAY CAN BE USED WITH OR WITHOUT BASE UNIT

PRODUCT WARRANTY**NON-PRESCRIPTION WILEY X, INC., EYEWEAR**

A lifetime warranty covering all manufacturing defects in material and workmanship.

NON-PRESCRIPTION JOHN DEERE® AND DVX™ EYEWEAR

Warranted against defects in materials or workmanship for a maximum period of 1 year. (John Deere® warranty applies to USA and Canada only).

PHOTOCHROMIC (LIGHT ADJUSTING™) LENSES

Warranted against defects in materials or workmanship for a maximum period of 18 months (proof of purchase for Photochromic Light Adjusting™ lenses is required).

GLOVES

Warranted to be free of manufacturing defects in material or workmanship for a maximum period of 2 years.

SCOPE OF COVERAGE

Wiley X will replace covered items at the sole discretion of Wiley X, as needed and as available (identical or equivalent style) at no charge. Out of warranty items may be replaced, or destroyed, at the option and sole expense of the purchaser.

EXCLUSIONS

This product warranty and prescription warranty below does not extend to and excludes:

- All Wiley X products purchased through any non-authorized 3rd party websites, dealers, or labs.
- Damage resulting from normal wear and tear (i.e., scratched lenses).
- Damage resulting from abuse, misuse, tampering, customer modification, exposure to harmful substances, elements, or conditions.
- Lost or stolen item.

WX PRESCRIPTION WARRANTY**RX WARRANTY**

Prescription orders processed through Wiley X, Inc. will have a two (2) year warranty from the date of purchase on frames and lenses deemed by Wiley X, Inc. to have manufacturing defects. Prescriptions filled by outdoor labs will void all Wiley X, Inc. frame and lens warranties. Prescription frame and lens warranties must be handled through the local retailer / dispensing optician from which they were originally purchased.

CAPTIVATE™ RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo on CAPTIVATE lenses that covers against basic surface scratches due to normal wear, along with crazing and peeling for two (2) years from the date of purchases. Scratches caused by improper care or abuse are not covered by this warranty. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

SCRATCH/COATING RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo for lenses with frontal surface scratches due to normal wear for one (1) year from the date of purchase. If a coating was purchased (anti-reflective, anti-scratch, anti-fog, or a mirror) the warranty is extended to a one (1) time redo within two (2) years from the date of purchase. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

DOCTOR REMAKE

A one (1) time doctor remake on Wiley X, Inc. made prescription lenses is permitted within a forty-five (45) day period from the original order date. The dealer will be charged in full for the remake then will subsequently receive a credit when the original prescription glasses are returned to the Wiley X, Inc. Prescription Department. Original orders must be returned within thirty (30) days of the remake order. All doctor remakes will be billed a \$10.00 shipping fee.

RX CHANGES/CANCELED ORDERS

If the lenses are not in process, prescription changes and order cancellations will be accepted at no charge. Any requests made after a customer order has been put in process will be charged at 50% of the dealer cost.

NON-ADAPTS

Dealer will have forty-five (45) days to return a prescription order that is deemed "non-adapt" by their customer. In this instance, the dealer will receive a full refund on the frame and 50% credit on the RX lenses and coatings. No credit or refund will be issued for non-adapts submitted after forty-five (45) days.

LAB ERRORS

In the event of lab error, prescription lenses will be replaced at no cost within a forty-five (45) day period of the original order date. Redo will be credited upon receipt of original frame and lenses.

PATIENT OWNED FRAME (POF)

Wiley X, Inc. accepts POF orders, however, frames must pass Wiley X, Inc. quality inspection. Prior to sending the POF, please verify that the prescription and the measurements are within the tolerance of the Wiley X, Inc. RX Frame Parameters. Please remove any existing prescription or non-prescription lenses from the frame prior to shipping. Wiley X, Inc. will not provide any warranty or be held responsible for any lost or damaged lenses on previous prescriptions sent in with a frame.

WILEY X, USA15755 PRESTON ROAD, FRISCO, TX 75033 USA
TEL: 1.800.776.7842 // FAX: +1.925.455.8860
WILEYX.COM**WILEY X, EMEA**SONDERGADE 8-10, 7570 VEMB, DENMARK
TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40
WILEYX.EU

VIEW WX PDP

WILEY X

WILEY X, USA

15755 PRESTON ROAD, FRISCO, TX 75033 USA

TEL: 1.800.776.7842 // FAX: +1.925.455.8860

WILEYX.COM

WILEY X, EMEA

SONDERGADE 8-10, 7570 VEMB, DENMARK

TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40

WILEYX.EU