Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) PRO Iridium 1250 Polishing Compound



Date	printed 10.01.2023, Revision 10.01.20	23 Version 2.0. Supersedes version: 1.0 Page 1 / 1
SEC	TION 1: Identification of the sub	stance/mixture and of the company/undertaking
.1	Product identifier	
		PRO Iridium 1250 Polishing Compound
1.2	Relevant identified uses of the	substance or mixture and uses advised against
1.2.1	I Relevant uses	
		Polishing agent
1.2.2	2 Uses advised against	
		For all uses not specified in SECTION 1.2.1
.3	Details of the supplier of the sa	fety data sheet
	Company	Mirka Ltd Pensalavägen 210 66850 Jeppo / FINLAND Phone +358 20 760 2111 Homepage www.mirka.com E-mail sales@mirka.com
	Address enquiries to	
	Technical information	sales@mirka.com
	Safety Data Sheet	sdb@chemiebuero.de (No dispatch of safety data sheets)
		Safety data sheets are available from the supplier.
.4	Emergency telephone number	
	Advisory body	For Chemical Emergency: spill, leak, fire, exposure or accident call CHEMTREC day or night: Within USA and Canada: +1 800 424 9300 Outside USA and Canada: +1 703 527 3887 (collect calls accepted) Multilingual response for emergency calls only. Non-emergency calls cannot be serviced at these numbers.

2.1	2.1 Classification of the substance or mixture		
		Flam. Liq. 4: H227 Combustible Liquid.	
2.2	Label elements		
		The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)	
	Hazard pictograms		
	Signal word	WARNING	
	Hazard statements	H227 Combustible Liquid.	
	Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P210 Keep away from flames and hot surfaces. No smoking. P264 Wash hands thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P370+P378 In case of fire: Use Water spray, Carbon dioxide, Foam, Dry chemical to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to in accordance with local/regional/national/international regulation. 	



Date printed 10.01.2023, Revision 10.01.2023 Version	2.0. Supersedes version: 1.0 Page 2 / 14
--	--

2.3 Other hazards

Other hazards TION 3: Composition / Inforr	Further hazards were not determined with the current level of knowledge.
Environmental hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at leve of 0.1% or higher. Contains no ingredients with endocrine-disrupting properties (≥ 0,1%).
Human health dangers	Has a degreasing effect on the skin. Frequent persistent contact with the skin can cause skin irritation. Contains no ingredients with endocrine-disrupting properties (≥ 0,1%).

3.1 Substances

Not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
15 - < 20	Aluminium oxide
	CAS: 1344-28-1
15 - < 20	Distillates (petroleum), hydrotreated light
	CAS: 64742-47-8
10 - < 15	White mineral oil (petroleum)
	CAS: 8042-47-5

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

SECTION 4: First aid measures

4.1	Description of first aid measures General information	Take off contaminated clothing and wash before reuse.
	Inhalation	Ensure supply of fresh air.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing mediaFoamExtinguishing media that must notFull wbe usedFull w

Foam, dry powder, water spray jet, carbon dioxide Full water jet.



Date printed 10.01.2023, Revision 10.01.2023 Version 2.0. Supersedes version: 1.0 Page 3 / 1		
.2	Special hazards arising from the	substance or mixture
		Risk of formation of toxic pyrolysis products. Not combusted hydrocarbons.
.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measu	res
5.1	Personal precautions, protective	equipment and emergency procedures
		Ensure adequate ventilation.
		High risk of slipping due to leakage/spillage of product. Wear suitable protective equipment. For personal protection see SECTION 8.
5.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
.3	Methods and material for contain	ment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
. 1	Precautions for safe handling	
		Use only in well-ventilated areas.
		Avoid spilling in enclosed areas.
		Use solvent-resistant equipment.
		During mechanical processing vacuuming at processing machines is necessary. Avoid contact with eyes and skin. Use personal protective equipment.
		Keep away from all sources of ignition - Refrain from smoking.
		Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
		Use barrier skin cream.
		Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace.
.2	Conditions for safe storage, inclu	ding any incompatibilities
		Provide solvent-resistant and impermeable floor. Prevent penetration into the ground. Keep only in original container.
		Do not store together with oxidizing agents.
		Protect from heat/overheating. Keep container in a well-ventilated place. Keep container tightly closed. Keep away from frost.
7.3	Specific end use(s)	
.3	Specific end use(s)	See product use, SECTION 1.2

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) PRO Iridium 1250 Polishing Compound



Mirka Ltd

66850 Jeppo

Date printed 10.01.2023, Revision 10.01.2023

Version 2.0. Supersedes version: 1.0 Page 4 / 14

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance
Distillates (petroleum), hydrotreated light
CAS: 64742-47-8
Long-term exposure: 184 ppm, 1200 mg/m ³ , Vapor, Total Hydrocarbons, RCP - Reciprocal calculation procedure (Supplier)
Aluminium oxide
CAS: 1344-28-1
Long-term exposure: 15 mg/m³, Total dust
White mineral oil (petroleum)
CAS: 8042-47-5
Long-term exposure: 5 mg/m³, TWA (as mist)

DNEL

Substance	
Aluminium oxide, CAS: 1344-28-1	
Industrial, inhalative, Long-term - local effects, 15.63 mg/m ³	
Industrial, inhalative, Long-term - systemic effects, 15.63 mg/m ³	
general population, oral, Long-term - systemic effects, 3.29 mg/kg bw/day	
White mineral oil (petroleum), CAS: 8042-47-5	
Industrial, inhalative, Long-term - systemic effects, 164.56 mg/m ³	
Industrial, dermal, Long-term - systemic effects, 217.05 mg/kg bw/day	
general population, oral, Long-term - systemic effects, 25 mg/kg bw/day	
general population, dermal, Long-term - systemic effects, 93.02 mg/kg bw/day	
general population, inhalative, Long-term - systemic effects, 34.78 mg/m ³	

PNEC

Substance	
Aluminium oxide, CAS: 1344-28-1	
sewage treatment plants (STP), 20 mg/l	



Date printed 10.01.2023, Revision 10.01.2023	Version 2.0. Supersedes version: 1.0	Page 5 / 14
--	--------------------------------------	-------------

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0.4 mm: Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: > 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
	Do not inhale gases/vapors/aerosols. Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 10.01.2023, Revision 10.01.2023

Version 2.0. Supersedes version: 1.0

Page 6 / 14

).1	Information on basic physical and	chemical properties
	Physical state	Liquid
	Form	pasty
	Color	white
	Odor	odorless
	Odor threshold	No information available.
	pH-value	7-9
	pH-value [1%]	No information available.
	Boiling point [°C]	No information available.
	Flash point [°C]	> 60°C
	Flammability [°C]	Not applicable
	Lower explosion limit	No information available.
	Upper explosion limit	No information available.
	Oxidizing properties	No
	Vapor pressure/gas pressure [kPa]	No information available.
	Density [g/cm³]	1.0 - 1.1
	Relative density	No information available.
	Bulk density [kg/m³]	Not applicable
	Solubility in water	Miscible
	Solubility other solvents	No information available.
	Partition coefficient [n-octanol/water]	Not applicable
	Kinematic viscosity	>20.5 mm²/s (40°C/ 104°F)
	Relative vapour density	No information available.
	Evaporation speed	No information available.
	Melting point [°C]	No information available.
	Auto-ignition temperature	No information available.
	Decomposition temperature [°C]	No information available.
	Particle characteristics	No information available.
	Other information	
		None

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

See SECTION 10.3.



Date printed 10.01.2023, Revision 10.01.2023

Version 2.0. Supersedes version: 1.0 Page 7 / 14

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) **PRO Iridium 1250 Polishing Compound**



Mirka Ltd

66850 Jeppo

Date printed 10.01.2023, Revision 10.01.2023

Version 2.0. Supersedes version: 1.0

Page 8 / 14

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity

Based on the information available, the classification criteria have not been fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
LD50, oral, Rat, >15900 mg/kg bw (OECD 401)
White mineral oil (petroleum), CAS: 8042-47-5
LD50, oral, Rat, > 5000 mg/kg
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8
LD50, oral, Rat, > 5000 mg/kg

Acute dermal toxicity

Product

Based on the information available, the classification criteria have not been fulfilled.

Substance	
-----------	--

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LD50, dermal, Rabbit, > 2000 mg/kg
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8
LD50, dermal, Rabbit, > 5000 mg/kg

Acute inhalational toxicity

Product

Based on the information available, the classification criteria have not been fulfilled.

Substance	
Aluminium oxide, CAS: 1344-28-1	
LC50, inhalative, Rat, >0.888 mg/l air (OECD 403)	
White mineral oil (petroleum), CAS: 8042-47-5	
LC50, inhalative, Rat, 5 mg/L/4h	
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8	
LC50, inhalative, Rat, > 5000 mg/m ³	

Serious eye damage/irritation

Based on the information available, the classification criteria have not been fulfilled.

Substance
White mineral oil (petroleum), CAS: 8042-47-5

no adverse effect observed

Skin corrosion/irritation

Based on the information available, the classification criteria have not been fulfilled.

Substance	
White mineral oil (petroleum), CAS: 8042-47-5	
no adverse effect observed	

Respiratory or skin sensitisation

Based on the information available, the classification criteria have not been fulfilled.



te printed 10.01.2023, Revision 10.01.2023	Version 2.0. Supersedes version: 1.0 Page 9 / 14
Substance	
White mineral oil (p	etroleum), CAS: 8042-47-5
no adverse effect o	oserved
Specific target organ toxicity — single exposure	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — repeated exposure	Based on the information available, the classification criteria have not been fulfilled.
Mutagenicity	Based on the information available, the classification criteria have not been fulfilled.
Reproduction toxicity	Based on the information available, the classification criteria have not been fulfilled.
Substance	
White mineral oil (p	etroleum), CAS: 8042-47-5
NOAEL, oral, Rat, 1	000 mg/kg bw/d (Effect on fertility), no adverse effect observed
Carcinogenicity	Based on the information available, the classification criteria have not been fulfilled.
Substance	
White mineral oil (p	etroleum), CAS: 8042-47-5
NOAEL, oral, Rat, 1	200 mg/kg bw/day, no adverse effect observed
Aspiration hazard	Based on the information available, the classification criteria have not been fulfilled.
General remarks	Frequent persistent contact with the skin can cause skin irritation.
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials
CTION 12: Ecological information	

12.1 Toxicity

Substance
Aluminium oxide, CAS: 1344-28-1
LC50, (48h), Ceriodaphnia dubia, 0.72 mg/l (EPA/600/4-85/013)
LC50, (96h), Pimephales promelas, 1.16 mg/l (EPA/600/4-85/013)
NOEC, (72h), Pseudokirchneriella subcapitata, >0.044 mg/l (OECD 201)
NOEC, (6d), Ceriodaphnia dubia, 1.02 mg/l (EPA/600/4-89/001)
NOEC, (8d), Pimephales promelas, 0.63 mg/l (EPA/600/4-89/001)
White mineral oil (petroleum), CAS: 8042-47-5
LL50, (48h), Daphnia magna, 100 mg/L
LL50, (96h), fish, 100 - 10000 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	EG Nr.: 918-481-9: >= 60%. 28d The product is readily biodegradable. CAS 8042-47-5 The product is not readily biodegradable.

12.3 Bioaccumulative potential

No information available.



Date printed 10.01.2023, Revision 10.01.2023

Version 2.0. Supersedes version: 1.0 Page 10 / 14

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties ($\geq 0, 1\%$).

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of as hazardous waste.
Coordinate disposal with the authorities if necessary.
Dispose of contents/container in accordance with local/national regulation.
Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.
51)
Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.
5

SECTION 14: Transport

14.1	UN number Transport by land according to ADR/RID	Not applicable
	Inland navigation (ADN)	Not applicable
	Marine transport in accordance with IMDG	Not applicable
	Air transport in accordance with IATA	Not applicable

DOT Road Shipment Information (49 NA1993 CFR)



Date	Date printed 10.01.2023, Revision 10.01.2023 Version 2.0. Supersedes version: 1.0 Page 11 / 1				
14.2	UN proper shipping name				
	Transport by land according to ADR/RID	NO DANGEROUS GOODS			
	Inland navigation (ADN)	NO DANGEROUS GOODS			
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"			
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"			
	DOT Road Shipment Information (49 CFR)	UN/NA NA1993 Combustible liquid, n.o.s. Footnote: This material is not regulated under 49 CFR in a container of 119 gallon capacity or less when transported soleley by land. Comb liq III			
14.3	Transport hazard class(es)				
	Transport by land according to ADR/RID	Not applicable			
	Inland navigation (ADN)	Not applicable			
	Marine transport in accordance with IMDG	Not applicable			
	Air transport in accordance with IATA	Not applicable			
	DOT Road Shipment Information (49 CFR)	Comb liq			
14.4	Packing group				
	Transport by land according to ADR/RID	Not applicable			
	Inland navigation (ADN)	Not applicable			
	Marine transport in accordance with IMDG	Not applicable			
	Air transport in accordance with IATA	Not applicable			
	DOT Road Shipment Information (49 CFR)	III			



Date printed 10.01.2023, Revision 10.01.2023	Version 2.0. Supersedes version: 1.0	Page 12 / 14

14.5 E	invironmental hazards
--------	-----------------------

Transport by land according to
ADR/RIDNoInland navigation (ADN)NoMarine transport in accordance with
IMDGNo

Air transport in accordance with IATA No

DOT Road Shipment Information (49 No CFR)

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Notional regulations	
National regulations	29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65
- SARA, 302	This product is not classified as hazardous under SARA 302.
- SARA, 311	This product is classified as hazardous under SARA 311.
- SARA, 313	This product contain one ingredient regulated under this list(40 CFR part 372.65): Aluminum oxide (CAS 1344-28-1).
- CA Proposition 65	No chemical substances in this material are named on the California P65 list.
- TSCA	All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.
- FDA	No information available.
American Conference of Governmental Industrial Hygienists - ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino-gen by ACGIH.
International Agency for Research on Cancer IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
National Toxicology Program - NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
HAP-VOC	16 %
Transport-regulations	DOT-Classification, ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)
Chemical safety assessment	
	For this product a chemical safety assessment has not been carried out.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) PRO Iridium 1250 Polishing Compound



Mirka Ltd

66850 Jeppo

Date printed 10.01.2023, Revision 10.01.2023

Version 2.0. Supersedes version: 1.0

Page 13 / 14

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists; ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route: RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses; ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure; CAS = Chemical Abstracts Service; CERCLA = Comprehensive Environmental Response, Compensation and Liability Act; CFR = Code of Federal Regulations; CPR = Controlled Products Regulations; DMEL = Derived Minimum Effect Level; DNEL = Derived No Effect Level; DOT = Department of Transportation; EC50 = Median effective concentration; EPA = Environmental Protection Agency; GHS = Globally Harmonized System of Classification and Labelling of Chemicals; IATA = International Air Transport Association; IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 = Inhibition concentration, 50%; IMDG = International Maritime Code for Dangerous Goods; IARC = International Agency of Research on Cancer; IATA = International Air Transport Association; TSCA = Toxic Substance Control Act; HMIS = Hazardous Materials Identification System: NFPA = National Fire Protection Association; NIOSH = National Institute for Occupational Safety and Health; OSHA = Occupational Safety and Health Administration; LC50 = Lethal concentration, 50%; LD50 = Median lethal dose, 50%; MARPOL = International Convention for the Prevention of Marine Pollution from Ships; PBT = Persistent, Bioaccumulative and Toxic substance; PNEC = Predicted No-Effect Concentration; REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals; SARA = Superfund Amendments and Reauthorization Act; TLV®/TWA = Threshold limit value - time-weighted average; TLV®STEL = Threshold limit value - short-time exposure limit; VOC = Volatile Organic Compounds; vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings



Date printed 10.01.2023, Revision 10.01.2023

Version 2.0. Supersedes version: 1.0 Page 14 / 14

NFPA Ratings



HMIS Ratings

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	Х

TOP, FLAMMABILITY: 2 - Moderate Hazard LEFT, HEALTH: 1 - Slight Hazard RIGHT, REACTIVITY: 0 - Minimal Hazard BOTTOM, SPECIAL NOTICE: -

- 1 Slight Hazard
- 2 Moderate Hazard
- 0 Minimal Hazard
- X Personal protection rating to be supplied by user depending on use conditions

PERSONAL PROTECTION:

- A Safety Glasses
- B Safety Glasses and Gloves
- C Safety Glasses, Gloves and Protection Apron
- D Face Shield, Gloves and Protection Apron
- E Safety Glasses, Gloves and Dust Respirator
- F Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G Safety Glasses, Gloves and Vapor Respirator.
- H Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K Airline Mask or Hood, Gloves, Full Suit and Boots.
- X Personal protection rating to be supplied by user depending on use conditions

Modified position

None

Copyright: Chemiebüro®

