

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Polarshine Polishing Compound VF5

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Polishing agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Mirka Canada Inc.
2755 Boulevard Pitfield
H4S 1T2 Saint-Laurent, Quebec / CANADA
Phone 1 855 234 NET5 (6385) / 1 514 400 3783
Homepage www.mirka.com/en-CA/ca/
E-mail custserv.ca@mirka.com

Address enquiries to

Technical information

sales@mirka.com

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

For Chemical Emergency: spill, leak, fire, exposure or accident call CHEMTREC
day or night:
Within USA and Canada: +1 800 424 9300
Outside USA and Canada: +1 703 527 3887 (collect calls accepted)
Multilingual response for emergency calls only. Non-emergency calls cannot be serviced at these numbers.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with GHS/HPR-directives (WHMIS 2015).

Hazard pictograms

none

Signal word

none

Hazard statements

none

Precautionary statements

none

2.3 Other hazards

Human health dangers

Has a degreasing effect on the skin.
Contains no ingredients with endocrine-disrupting properties ($\geq 0,1\%$).

Environmental hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Contains no ingredients with endocrine-disrupting properties ($\geq 0,1\%$).

Other hazards

Further hazards were not determined with the current level of knowledge.

Polarshine Polishing Compound VF5

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 2 / 10

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
10 - 25	Aluminium oxide CAS: 1344-28-1
10 - 25	White mineral oil (petroleum) CAS: 8042-47-5
10 - 25	Naphtha (petroleum), hydrotreated heavy CAS: 64742-48-9

Comment on component parts

All chemical substances in this material are included on or exempted from listing on the DSL Inventory.
Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.
Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.
Nitrogen oxides (NOx).

Polarshine Polishing Compound VF5

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 3 / 10

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Collect contaminated firefighting water separately, must not be discharged into the drains.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 7+8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Avoid spilling in enclosed areas.

During mechanical processing vacuuming at processing machines is necessary.

Avoid contact with eyes and skin. Use personal protective equipment.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Provide solvent-resistant and impermeable floor.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.

Keep container tightly closed.

Protect from heat/overheating.

Recommended storage temperature: 5 - 30 °C

7.3 Specific end use(s)

See product use, SECTION 1.2

Polarshine Polishing Compound VF5

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 4 / 10

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (CA)

Substance
Aluminium oxide
CAS: 1344-28-1
Long-term exposure: 10 mg/m ³

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. ≥ 0.45 mm. Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Polarshine Polishing Compound VF5

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 5 / 10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Form	viscous
Color	grey
Odor	characteristic
Odour threshold	No information available.
pH-value	7-10 (20°C; 68°F)
pH-value [1%]	No information available.
Boiling point [°C]	> 100 (> 212°F)
Flash point [°C]	> 100 (> 212 °F) (DIN EN ISO 3680)
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidizing properties	none
Vapour pressure/gas pressure [kPa]	2.3 (20°C; 68°F)
Density [g/cm³]	1.1 (20°C; 68°F)
Relative density	No information available.
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not applicable
Kinematic viscosity	> 20.5 mm²/s (40°C/ 104°F)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent

Polarshine Polishing Compound VF5

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 6 / 10

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LD50, oral, Rat, > 5000 mg/kg
Naphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9
LD50, oral, Rat, > 5000 mg/kg bw (OECD 401)

Acute dermal toxicity

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LD50, dermal, Rabbit, > 2000 mg/kg
Naphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9
LD50, dermal, Rabbit, > 3000 mg/kg bw (OECD 402)

Acute inhalational toxicity

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LC50, inhalative, Rat, > 5 mg/l/4h

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	Frequent persistent contact with the skin can cause skin irritation. Has a degreasing effect on the skin. Toxicological data of complete product are not available.

Polarshine Polishing Compound VF5

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 7 / 10

SECTION 12: Ecological information

12.1 Toxicity

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LC50, (72h), Pseudokirchneriella subcapitata, ≥ 100 mg/l
LC50, (96h), Oncorhynchus mykiss, > 100 mg/l
Naphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9
EL0, (72h), Pseudokirchneriella subcapitata, 1000 mg/l (Lit.)
EL0, (48h), Daphnia magna, 1000 mg/l (Lit.)
LL0, (96h), Oncorhynchus mykiss, 1000 mg/l (Lit.)

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

not applicable

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties ($\geq 0,1\%$).

12.7 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with national and local regulations.

Product

Dispose of as hazardous waste.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Polarshine Polishing Compound VF5

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 8 / 10

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Canadian Code for the Transportation of Dangerous Goods (TDG) not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Canadian Code for the Transportation of Dangerous Goods (TDG) NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Canadian Code for the Transportation of Dangerous Goods (TDG) not applicable

Polarshine Polishing Compound VF5

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 9 / 10

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Canadian Code for the Transportation of Dangerous Goods (TDG) not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

Canadian Code for the Transportation of Dangerous Goods (TDG) no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

TRANSPORT-REGULATIONS TDG-Regulations; ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)

NATIONAL REGULATIONS (CA): HPR-Hazardous Products Regulations (SOR/2015-17); WHMIS 2015;

- Observe employment restrictions for people not applicable

- VOC - Volatile Organic Compounds 12,4 %
136.4 g/l / 1.14 lb/gl

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Mirka Ltd
66850 Jeppo

Date printed 12.12.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 10 / 10

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure

Modified position

none



Copyright: Chemiebüro®

