

Reference / Product name: Mirka Multi Putty 1,8 kg

Version/Revision (date): 4/02.05.2023 page 1 of 2

## **TECHNICAL DATA SHEET**

## Identification of the product and of the company/undertaking

#### **Product identifier**

9190180004 Mirka Multi Putty 1,8 kg

## **Details of the supplier:**

Company: Mirka Ltd

Address: Pensalavägen 210

FI-66850 Jeppo, Finland

Phone: +358 20 760 2111 National contact: sales@mirka.com

## **Description**

Easy to apply multi-purpose filler with long working times, maintaining its properties even in lower temperatures. High adhesion performance, high quality finish thanks to extra fine grain and excellent hardness. Faster drying times get you to the sanding process quicker.

### **Physical characteristics**

Nature: Unsaturated polyester

Colour: Cream

Specific weight: 1,7 kg/l at 20°C

VOC: 18 g/l Mixing Application 2004/42/EC - IIB(b)(250) 18g/l

## **Auxiliary products**

Mirka hardener red, 35 g.

## **Suitable surfaces**

It may be applied on steel, aluminium, electrozinc-coated, galvanised and polyester surfaces. When maximum protection is required apply on epoxy primer.

Do not apply on thermoplastic finishes and Wash Primers.

# **Application**



2-3 % HARDENER



4-5 MIN / 20°



IR IR

20 MIN / 20° 5 MIN / max 80°





## Reference / Product name: Mirka Multi Putty 1,8 kg

Version/Revision (date): 4/02.05.2023 page 2 of 2

### **Remarks**

Do not add more hardener than specified. Mix thoroughly. It must be isolated before applying finish coating. Polyester putties will not harden at temperatures under +5°C.

# **Equipment cleaning**

Clean putty knifes with a cleaning thinner before the product hardens.

### **Safety**

Follow instructions of product label. For more information check the Safety Data Sheets. Compliant with the National Statutory Regulation for Health and Safety at Work and Waste Disposal.

## **Storage**

Store the product in a ventilated place far from direct exposure to sunlight. Keep between  $+5^{\circ}\text{C}$  and  $+30^{\circ}\text{C}$ .

### Guarantee

In unopened original packaging, one year from manufacturing date.

