Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) Polarshine Polishing Compound VF5



Mirka Ltd 66850 Jeppo Date printed 29.11.2022, Revision 29.11.2022 Version 04. Supersedes version: 03 Page 1 / 12 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier **Polarshine Polishing Compound VF5** Relevant identified uses of the substance or mixture and uses advised against 1.2 1.2.1 Relevant uses Polishing agent 1.2.2 Uses advised against None known. 1.3 Details of the supplier of the safety data sheet Company Mirka Ltd Pensalavägen 210 66850 Jeppo / FINLAND Phone +358 20 760 2111 Homepage www.mirka.com E-mail sales@mirka.com Address enquiries to **Technical information** sales@mirka.com Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets) Safety data sheets are available from the supplier. 1.4 Emergency telephone number Advisory body For Chemical Emergency: spill, leak, fire, exposure or accident call CHEMTREC day or night: Within USA and Canada: +1 800 424 9300 Outside USA and Canada: +1 703 527 3887 (collect calls accepted) Multilingual response for emergency calls only. Non-emergency calls cannot be serviced at these numbers. SECTION 2: Hazards identification Classification of the substance or mixture 2.1 No classification. 2.2 Label elements The product does not require a hazard in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)

Hazard pictograms None Signal word None Hazard statements None **Precautionary statements** None Other hazards 2.3 Human health dangers Has a degreasing effect on the skin. Contains no ingredients with endocrine-disrupting properties (≥ 0,1%). **Environmental hazards** This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Contains no ingredients with endocrine-disrupting properties ($\geq 0, 1\%$). Other hazards Further hazards were not determined with the current level of knowledge.



66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022

Version 04. Supersedes version: 03 Page

Page 2 / 12

SECTION 3: Composition / Information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
10 - 25	Aluminium oxide
	CAS: 1344-28-1
10 - 25	White mineral oil (petroleum)
	CAS: 8042-47-5
10 - 25	Naphtha (petroleum), hydrotreated heavy
	CAS: 64742-48-9

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

SECTION 4: First aid measures

4.1	Description of first aid measures General information	Take off contaminated clothing and wash before reuse.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Seek medical advice.
4.2	Most important symptoms and effects, both acute and delayed	
		No information available.
4.3	Indication of any immediate medical attention and special treatment needed	
		Treat symptomatically.

Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media Suitable extinguishing media Extinguishing media that must not be used Suitable extinguishing media that must not be used

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons. Risk of formation of toxic pyrolysis products. Nitrogen oxides (NOx).



Mirka Ltd 66850 Jeppo Date printed 29.11.2022, Revision 29.11.2022 Version 04. Supersedes version: 03 Page 3 / 12 5.3 Advice for firefighters Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus. Cool containers at risk with water spray jet. Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product. Wear suitable protective equipment. For personal protection see SECTION 8. **Environmental precautions** 6.2 Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Methods and material for containment and cleaning up 6.3 Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations. Reference to other sections 6.4 See SECTION 7+8+13 SECTION 7: Handling and storage 7.1 Precautions for safe handling Use only in well-ventilated areas. Avoid spilling in enclosed areas. During mechanical processing vacuuming at processing machines is necessary. Avoid contact with eyes and skin. Use personal protective equipment. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Use barrier skin cream. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. 7.2 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Provide solvent-resistant and impermeable floor. Do not store together with oxidizing agents. Keep container in a well-ventilated place. Keep container tightly closed. Protect from heat/overheating. Recommended storage temperature: 5 - 30 °C 7.3 Specific end use(s) See product use, SECTION 1.2



66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022

Version 04. Supersedes version: 03 Pag

Page 4 / 12

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance	
White mineral oil (petroleum)	
CAS: 8042-47-5	
Long-term exposure: 5 mg/m ³ , TWA (as mist)	
Aluminium oxide	
CAS: 1344-28-1	
Long-term exposure: 15 mg/m ³ , total dust (5 mg/m ³ Respirable fraction)	
Glycerol	
CAS: 56-81-5	
Long-term exposure: 15 mg/m ³ , (mist) total dust	
2,2',2"-Nitrilotriethanol	
CAS: 102-71-6	
Long-term exposure: 5 mg/m ³ , ACGIH (TWA)	

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. ≥ 0.45 mm. Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
	Do not inhale gases/vapors/aerosols. Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	Not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.



66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022

Version 04. Supersedes version: 03 P

Page 5 / 12

SEC	SECTION 9: Physical and chemical properties		
9.1	Information on basic physical and chemical properties		
	Physical state	Liquid	
	Form	viscous	
	Color	grey	
	Odor	characteristic	
	Odor threshold	No information available.	
	pH-value	7-10 (20°C; 68°F)	
	pH-value [1%]	No information available.	
	Boiling point [°C]	> 100 (> 212°F)	
	Flash point [°C]	> 100 (> 212 °F) (DIN EN ISO 3680)	
	Flammability [°C]	Not applicable	
	Lower explosion limit	No information available.	
	Upper explosion limit	No information available.	
	Oxidizing properties	None	
	Vapor pressure/gas pressure [kPa]	2.3 (20°C; 68°F)	
	Density [g/cm³]	1.1 (20°C; 68°F)	
	Relative density	No information available.	
	Bulk density [kg/m ³]	Not applicable	
	Solubility in water	Miscible	
	Solubility other solvents	No information available.	
	Partition coefficient [n-octanol/water]	Not applicable	
	Kinematic viscosity	> 20.5 mm²/s (40°C/ 104°F)	
	Relative vapour density	No information available.	
	Evaporation speed	No information available.	
	Melting point [°C]	No information available.	
	Auto-ignition temperature	No information available.	
	Decomposition temperature [°C]	No information available.	
	Particle characteristics	No information available.	
9.2	Other information		
		None	

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent



Mirka Ltd 66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022

Version 04. Supersedes version: 03 Page 6 / 12

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Su	ubstance
W	/hite mineral oil (petroleum), CAS: 8042-47-5
LD	D50, oral, Rat, > 5000 mg/kg
Na	aphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9
LD	D50, oral, Rat, > 5000 mg/kg bw (OECD 401)

Acute dermal toxicity

Substance	
White mineral oil (petroleum), CAS: 8042-47-5	
LD50, dermal, Rabbit, > 2000 mg/kg	
Naphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9	
LD50, dermal, Rabbit, > 3000 mg/kg bw (OECD 402)	

Acute inhalational toxicity

Substance	
White mineral of	pil (petroleum), CAS: 8042-47-5
LC50, inhalativ	e, Rat, > 5 mg/l/4h

Serious eye damage/irritation	Based on the information available, the classification criteria have not been fulfilled.
Skin corrosion/irritation	Based on the information available, the classification criteria have not been fulfilled.
Respiratory or skin sensitisation	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — single exposure	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — repeated exposure	Based on the information available, the classification criteria have not been fulfilled.
Mutagenicity	Based on the information available, the classification criteria have not been fulfilled.
Reproduction toxicity	Based on the information available, the classification criteria have not been fulfilled.
Carcinogenicity	Based on the information available, the classification criteria have not been fulfilled.
Aspiration hazard	Based on the information available, the classification criteria have not been fulfilled.
General remarks	Frequent persistent contact with the skin can cause skin irritation. Has a degreasing effect on the skin.
	Toxicological data of complete product are not available.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) Polarshine Polishing Compound VF5



Mirka Ltd

66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 7 / 12

SECTION 12: Ecological information

12.1 Toxicity

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LC50, (72h), Pseudokirchneriella subcapitata, >= 100 mg/l
LC50, (96h), Oncorhynchus mykiss, > 100 mg/l
Naphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9
EL0, (72h), Pseudokirchneriella subcapitata, 1000 mg/l (Lit.)
EL0, (48h), Daphnia magna, 1000 mg/l (Lit.)
LL0, (96h), Oncorhynchus mykiss, 1000 mg/l (Lit.)

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Not applicable

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties ($\geq 0, 1\%$).

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	
	Dispose of as hazardous waste.
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling.
	Packaging that cannot be cleaned should be disposed of as for product.
RCRA Hazard Class (40CFR 261)	
	Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) **Polarshine Polishing Compound VF5**



Mirka Ltd

66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022

Date	printed 29.11.2022, Revision 29.11.2022		Version 04.	Supersedes version: 03	Page 8 / 12
SEC	TION 14: Transport				
14.1	UN number				
	Transport by land according to ADR/RID	Not applicable			
	Inland navigation (ADN)	Not applicable			
	Marine transport in accordance with IMDG	Not applicable			
	Air transport in accordance with IATA	Not applicable			
	DOT Road Shipment Information (49 CFR)	Not applicable			
14.2	UN proper shipping name				
	Transport by land according to ADR/RID	NO DANGEROUS GOODS			
	Inland navigation (ADN)	NO DANGEROUS GOODS			
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS (GOODS"		
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS (GOODS"		
	DOT Road Shipment Information (49 CFR)	NOT CLASSIFIED AS "DANGEROUS (GOODS"		
14.3	Transport hazard class(es)				
	Transport by land according to ADR/RID	Not applicable			
	Inland navigation (ADN)	Not applicable			
	Marine transport in accordance with IMDG	Not applicable			
	Air transport in accordance with IATA	Not applicable			
	DOT Road Shipment Information (49 CFR)	Not applicable			



Mirka Ltd 66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022 Version 04. Supersedes version: 03 Page 9 / 12

14.4	Packing group	
	Transport by land according to ADR/RID	Not applicable
	Inland navigation (ADN)	Not applicable
	Marine transport in accordance with IMDG	Not applicable
	Air transport in accordance with IATA	Not applicable
	DOT Road Shipment Information (49 CFR)	Not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	No
	Inland navigation (ADN)	No
	Marine transport in accordance with IMDG	No
	Air transport in accordance with IATA	No
	DOT Road Shipment Information (49 CFR)	No
44.0	On a sist was southern frances	

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available.



66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 10 / 12

SECTION 15: Regulatory information

	Safety, health and environmental regulations/legislation specific for the substance or mixture			
	US Regulations			
	National regulations	29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65		
	- SARA, 302	This product is not classified as hazardous under SARA 302.		
	- SARA, 311	This product is not classified as hazardous under SARA 311.		
	- SARA, 313	CAS: 52-51-7		
	- CA Proposition 65	No chemical substances in this material are named on the California P65 list.		
	- TSCA	All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.		
	- FDA	Not determined		
	American Conference of Governmental Industrial Hygienists - ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino-gen by ACGIH.		
	International Agency for Research on Cancer IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.		
	National Toxicology Program - NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
	HAP-VOC	VOC-content: 12.4 % / 136.4 g/l / 1.14 lb/gl HAP's-content: None of the ingredients is listed.		
	Transport-regulations	DOT-Classification, ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)		
15.2	Chemical safety assessment			

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) Polarshine Polishing Compound VF5



Mirka Ltd

66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022

Version 04. Supersedes version: 03

Page 11 / 12

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists; ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route: RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses; ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure; CAS = Chemical Abstracts Service; CERCLA = Comprehensive Environmental Response, Compensation and Liability Act; CFR = Code of Federal Regulations; CPR = Controlled Products Regulations; DMEL = Derived Minimum Effect Level; DNEL = Derived No Effect Level; DOT = Department of Transportation; EC50 = Median effective concentration; EPA = Environmental Protection Agency; GHS = Globally Harmonized System of Classification and Labelling of Chemicals; IATA = International Air Transport Association; IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 = Inhibition concentration, 50%; IMDG = International Maritime Code for Dangerous Goods; IARC = International Agency of Research on Cancer; IATA = International Air Transport Association; TSCA = Toxic Substance Control Act; HMIS = Hazardous Materials Identification System: NFPA = National Fire Protection Association; NIOSH = National Institute for Occupational Safety and Health; OSHA = Occupational Safety and Health Administration; LC50 = Lethal concentration, 50%; LD50 = Median lethal dose, 50%; MARPOL = International Convention for the Prevention of Marine Pollution from Ships; PBT = Persistent, Bioaccumulative and Toxic substance; PNEC = Predicted No-Effect Concentration; REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals; SARA = Superfund Amendments and Reauthorization Act; TLV®/TWA = Threshold limit value - time-weighted average; TLV®STEL = Threshold limit value - short-time exposure limit; VOC = Volatile Organic Compounds; vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings



Mirka Ltd 66850 Jeppo

Date printed 29.11.2022, Revision 29.11.2022

Version 04. Supersedes version: 03 Page 12 / 12

NFPA Ratings



HMIS Ratings

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	Х

TOP, FLAMMABILITY: 1 - Slight Hazard LEFT, HEALTH: 0 - Minimal Hazard RIGHT, REACTIVITY: 0 - Minimal Hazard BOTTOM, SPECIAL NOTICE: -

0 - Minimal Hazard

- 1 Slight Hazard
- 0 Minimal Hazard

X - Personal protection rating to be supplied by user depending on use conditions

PERSONAL PROTECTION:

- A Safety Glasses
- B Safety Glasses and Gloves
- C Safety Glasses, Gloves and Protection Apron
- D Face Shield, Gloves and Protection Apron
- E Safety Glasses, Gloves and Dust Respirator
- F Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G Safety Glasses, Gloves and Vapor Respirator.
- H Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K Airline Mask or Hood, Gloves, Full Suit and Boots.
- X Personal protection rating to be supplied by user depending on use conditions

Modified position

None

Copyright: Chemiebüro®

