
Acoustic Ceiling Baffle

Reveal

Seamless and striking

Style Reveal's layered baffles in the shape of your dreams. Integrate them fluidly for a quiet effect (in every sense) or dial up the drama, making a statement on any ceiling.



Photograph by Kendall McCaugherty, Hall+Merrick+McCaugherty

How To Specify

Key Information Reveal baffle can take shape

in your space in a variety of ways. Consider these questions as you design

your layout.

Baffle Type


Reveal Geometric & Organic profiles are specified by the client. See "Custom Surface" page for more information.


Spacers & End Caps


Turf supplies Spacers & End Caps for baffle orders that require P1000T unistrut.


Follow the link below for more detailed information.


Spacers & End Caps Guide














Dimensions

Baffle Type Classic, Geometric, Organic

See "Baffle Types and Elevations" page for details.

Variable Length 12"L Min - 119"L Max

Small Range 12" ≤ L < 36"

Medium Range 36" ≤ L < 72"

Large Range 72" ≤ L ≤ 119"

Variable Depth 4"D Min - 23.5"D Max

Reveal Baffle can have any depth within the above range.

Standard Depths 7.5"D, 9.375"D, 11.5"D

Recommended Connection Options

P1000T Unistrut FeltLock

Cable Hung Cable To Deck

See our "Recommended & Alternative Connections" pages for more options.

Color

9mm Palette Reveal Baffle can be specified


in any of our 9mm felt colors

or textures.


Color Match Have another color in mind?

Our UV printing process can match almost any hue.

Note: cut edges will show the baffle's base felt color.



BAFFLE EDGE DETAIL



ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Baffle Types and Elevations

Connection Spacing

60" OC Max

Spacing varies per project.

Baffles require a minimum of two connection points.

Reveal Classic

The Classic layout uses clean lines to create a consistent

look.

Reveal Geometric

Geometric uses sharp angles to create a rhythmic wave across the ceiling.


Please note, Geometric profiles are specified by the client. See "Custom Surface" page for more information.


Reveal Organic


Organic layouts ebb and flows around the space.

Please note, Organic profiles are specified by the client. See "Custom Surface" page for more information.

BAFFLE TYPES







ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

27mm

 \vdash 23.5" MAX DEPTH \dashv

Custom Surface

Geometric & Organic Organic flows or geometric forms, sculpt Reveal to fit

your space and vision.

Client Surface Have a custom surface you'd

like to use Reveal with? Send us a model and we'll take it


from there.


Turf Design Team Send us a description of

what you're looking for.
Our designers will create
something uniquely tailored


to you.


EXAMPLE SURFACE





REVEAL BAFFLE GENERATION





Recommended Connections

FeltLock Products with Turf's patented

FeltLock flex and compress to insert into Unistrut.

P1000T Unistrut, raw galvanized finish or powder-coated, hardware is

required.


Painted unistrut may damage FeltLock installations and will void the product warranty.


Cable To Deck

Baffles with embedded cable grippers snap into deck-mounted aircraft cables.

10' aircraft cable supplied by Turf should be trimmed in the field as needed.

CONNECTION OPTIONS





ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Alternative Connections

Additional Options Beyond our standard

connections, we offer the following connection options

for Reveal Baffle too.

P1000T Unistrut Cable to Unistrut

Threaded Rod to Unistrut

Rotated FeltLock

9/16" or 15/16" Tee Grid Cable to Tee Grid


Embedded Nut to Bolt-Slot


Grid Clip

Miscellaneous Embedded Nut


Threaded Rod


ALTERNATIVE UNISTRUT CONNECTIONS







ALTERNATIVE TEE GRID CONNECTIONS





ALTERNATIVE MISCELLANEOUS CONNECTIONS





Layout Considerations

Wall Clearance Turf recommends a 4"

clearance from the wall to

our baffles.


Adjacent Baffle Clearance Turf recommends a 1" gap


between all rows of baffles. This clearance supports a uniform look and build.

Trim in Field Reveal Baffle cannot be

trimmed in field, baffles are

hollow inside.





REVEAL BAFFLE - EXAMPLE RCP

Tech

Acoustics ASTM C 423-17: Type J

Fire Rating ASTM E-84 - Class A

VOC ASTM D5116 Compliant

Acoustic Rating

Reveal Baffle NRC			
Depth	6" OC	8" OC	12" OC
11.375"	1.35	1.10	0.90

The table displays information for an array of sound absorbing baffles suspended by cables, evenly distributed in four rows of four units.

Test results are based on similar construction to Datum baffles.

Details

Lead Time Check the Turf website for

current lead times.

Warranty Five (5) years

Maintenance Vacuum to remove any

particulate matter and air-borne debris or dust.
Compressed air can be used to dust the material in difficult to reach areas for large assemblies. Contact us for more information relative to

spot cleaning.

Weight Turf products cannot support

the weight of any other items


in field.

Certifications











Photograph by Kendall McCaugherty, Hall+Merrick+McCaugherty

9mm Colors

Introducing Hues, our new 9mm color palette designed for the senses.

The 9mm PET felt board is used as our primary construction material. Select one of our coordinating neutrals to blend in, or go for a contrasting element with one of our hues.

The process used to create PET felt often results in a heathered effect where multiple tones are present. Slight variations in color should be expected when using this sustainable material.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.



turf.design Reveal | 04.09.2025 1

07 BLACK

06 CHARCOAL

9mm Wood Textures

Invite nature into your space with our wood-inspired textures. Digital printing on felt ensures a unique and realistic grain with virtually no repeats.

There is an additional product cost for Wood Textures.

Please note there is additional lead time for custom matching. Texture and customization will incur additional costs beyond our standard 9mm options.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.



D01 WHITE ASH



D03 CLEAR MAPLE



D05 MEDIUM OAK



D07 DARK WALNUT



D02 SILVER TEAK



D04 WASHED ASH



D06 PLANKED OAK



D08 BLACK PEAR

9mm Stone **Textures**


Inspired by nature, designed for felt. Our digitally printed Stone Textures capture the character and nuance of stone on top of a curated color collection from our Hues palette with virtually no repeats. The three patterns in this family each capture unique elements from the stones for which they are named.

There is an additional product cost for Stone Textures.

Turf has curated this collection to include only the best pattern and color combinations.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.



Texture Edge Detail

Please note, all cut edges will reveal the base color of the felt if using a 9mm Stone Texture.

ST34 Granite used as an example above.



ST05 MARBLE

ST50 MARBLE



ST01 MARBLE

ST83 MARBLE



ST33 MARBLE



ST64 MARBLE



ST66 MARBLE



ST26 MARBLE



ST05 TRAVERTINE



ST01 TRAVERTINE



ST50 TRAVERTINE



ST64 TRAVERTINE



ST17 TRAVERTINE



ST83 TRAVERTINE



ST66 TRAVERTINE



ST63 TRAVERTINE



ST18 TRAVERTINE



ST34 TRAVERTINE



ST11 TRAVERTINE



ST26 TRAVERTINE



ST17 GRANITE



ST34 GRANITE



ST11 GRANITE



ST63 GRANITE



ST18 GRANITE



ST35 GRANITE



ST10 GRANITE



ST28 GRANITE



ST41 GRANITE



Reveal | 04.09.2025 turf.design