Carved Wall Tile

Labyrinth

Noise gets lost

Patterned passageways make walls Labyrinths. Create maze-like squares or stacks; or mix tiles to craft complex networks — whatever the layout, noise gets lost.



Image by Blaque

TURF

How To Specify

Key Information

Labyrinth can coil through your space in a variety of ways. Consider these questions as you design your layout.

If shop drawings are required for your project, please follow steps 1 - 5.


Quick Ship


If you're looking to expedite your project, this product is available as Turf Quick Ship!


Using Quick Ship, our standard lead time for shop drawings is eliminated allowing the project to move directly into production.


Please note, installation and seaming drawings are not included in this process.


Turf recommends 10-15% additional tiles to cover overage / attic stock.













- 1. 9mm or 18mm depth?
- 2. 12" x 12", 24" x 24" tiles or both?
- 3. Do you need Corner tiles, Straight tiles or both?
- 4. Do you want adhesive backing by Turf, or construction adhesive by others?
- 5. What is the color of the tiles?
- 6. How many tiles do you need?
- 7. Do you want to include any additional product for overage or attic stock?

Dimensions

Standard Tiles 12"W x 12"L, 24"W x 24"L

Standard Depths 9mm, 18mm

Tile Types Corner, Straight

See our Typical Layouts pages for more information

on tiles.

Connection Options

Standard Connection Adhesive backing by Turf

Connection By Others Construction adhesive

Tiles can be installed with construction grade adhesive specified by the contractor.


Color


9mm PaletteLabyrinth can be specified in

any of our 9mm felt colors.


See Section Details on this page for more information.


9MM CORNER






9MM STRAIGHT







9MM SECTION DETAIL





18MM CORNER






18MM STRAIGHT





18MM SECTION DETAIL





Typical Layouts - 12" Tiles


12" Corner Tile - Square

Symmetrical quadrilaterals span Labyrinth's Square layout. Using only the 12" corner tile, build a series of contained micro-mazes.

SEAMS AT TILE BREAKS ⊢ 12" TILE ⊣


12" Straight Tile - Stack

Rectangular sets of three alternate direction in Labyrinth's Stack layout. Using only the 12" straight tile, create a series of linear stacked shapes.



12" Mix

A web of pathways intersect in Labyrinth's 12" Mix layout. Combine 12" straight and corner tiles in different orientations to create a maze-like effect.



ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Typical Layouts - 24" Tiles

24" Corner Tile - Zig-Zag


Angular lines cut through Labyrinth's Zig-Zag layout. Using only the 24" corner tile, create a sense of motion through a series of zigs and zags.

24" Straight Tile -Crosshatch

A patchwork of parallel lines take shape in Labyrinth's Crosshatch layout. Using only the 24" straight tile, vertical and horizontal strokes create a series of squares.

24" Mix

Zoom in on a network of passages in Labyrinth's 24" Mix layout. Combine 24" straight and corner tiles for a large-scale version of the 12" Mix's maze-like effect.




ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Typical Layout - All Tiles

All Tiles - Mix

The maze gets most complex in Labyrinth's All Tiles Mix layout. Combine 12" and 24" straight and corner tiles in different orientations to create a network that draws in eyes and traps noise.



ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE


Installation & Field Trim Guide


Labyrinth is designed for a quick and easily install, and can accommodate trimming in field — just follow this simple guide.


This guide shows Labyrinth with Turf applied adhesive backing. Alternatively tiles can be installed with construction grade adhesive specified by the contractor.


Please note, prep the wall surface before application. Clean the surface of any dust or loose debris, making sure the surface is dry before application.


Tools Required











Tech

Acoustics ASTM C 423-17: Type A

Fire Rating ASTM E-84 - Class A

VOC ASTM D5116 Compliant

Acoustic Rating

9mm Tile NRC = 0.25

18mm Tile NRC = 0.40

Carved wall tile NRC varies depending on field conditions and arrangement. Contact Turf for testing details.

Details

Lead Time Check the Turf website for

current lead times.

Warranty Five (5) years

Maintenance Vacuum to remove any

particulate matter and air-borne debris or dust.
Compressed air can be used to dust the material in difficult to reach areas for large assemblies. Contact us for more information relative to

spot cleaning.

Attachments Turf products are not

designed to support the weight of other objects or

fixtures.

Certifications










Image by CATK

9mm Colors


Introducing Hues, our new 9mm color palette designed for the senses.

The 9mm PET felt board is used as our primary construction material. Select one of our coordinating neutrals to blend in, or go for a contrasting element with one of our hues.

The process used to create PET felt often results in a heathered effect where multiple tones are present. Slight variations in color should be expected when using this sustainable material.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.



turf.design Labyrinth | 09.28.2023 9

07 BLACK

06 CHARCOAL