

Carved Wall Tile

Petal

Sound-balancing blossoms

Flowery forms make walls lush and spaces still. Create flowing pods or perfected florets, planting the seed for a symbiotic look and feel.



Image by Blaque

How To Specify

Key Information

Petal can bloom in your space in a variety of ways. Consider these questions as you design your layout.

If shop drawings are required for your project, please follow steps 1 - 5.

Quick Ship


If you're looking to expedite your project, this product is available as Turf Quick Ship!

Using Quick Ship, our standard lead time for shop drawings is eliminated allowing the project to move directly into production.

Please note, installation and seaming drawings are not included in this process.

Turf recommends 10-15% additional tiles to cover overage / attic stock.

1




SPACE SIZE

What are the dimensions of the space?

PAGE 4-6

2




DEPTH

9mm or 18mm depth?

PAGE 3

3




CONNECTION

Will Petal need adhesive backing or non-adhesive?

PAGE 3

4

LAYOUT




LAYOUT

What is the proposed layout?

PAGE 4-6


5



COLOR

What is the color?

PAGE 9



QUICK SHIP

1. 9mm or 18mm depth?
2. 12" x 12", 24" x 24" tiles or both?
3. Do you want adhesive backing by Turf, or construction adhesive by others?
4. What is the color of the tiles?
5. How many tiles do you need?
6. Do you want to include any additional product for overage or attic stock?



Dimensions

Standard Tiles	12"W x 12"L, 24"W x 24"L
	See our Typical Layouts pages for more information on tiles.
Standard Depths	9mm, 18mm


Connection Options

Standard Connection	Adhesive backing by Turf
Connection By Others	Construction adhesive
	Tiles can be installed with construction grade adhesive specified by the contractor.


Color

9mm Palette	Petal can be specified in any of our 9mm felt colors.
	See Section Details on this page for more information.


9MM PETAL




18MM PETAL



9MM SECTION DETAIL



18MM SECTION DETAIL




ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE



Typical Layouts - 12" Tiles


12" Tile - Wave

Pods undulate in Petal's 12" Wave layout. Lining tiles in the same direction, form a diagonal flow.





12" Tile - Floral

Walls blossom in Petal's 12" Floral layout. Rotating adjacent tiles 180 degrees, quadrants become a floral plot.



12" Tile - Leaf

Flower profiles inspire Petal's 12" Left layout. Alternate and rotate tiles 180 degrees to create dynamic v-shapes.




ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Typical Layouts - 24" Tiles


24" Tile - Wave

Undulating pods go large-scale in Petal's 24" Wave layout. Lining tiles in the same direction, zoom in on the diagonal flow.




24" Tile - Floral

Blossoms grow bigger in Petal's 24" Floral layout. Rotating adjacent tiles 180 degrees, floral quadrants get a close-up.



24" Tile - Leaf

Flowers get abstracted in Petal's 24" Leaf layout. Alternate and rotate tiles 180 degrees, creating larger zagging v-shapes.





ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE



Typical Layout - All Tiles

All Tiles Mix

The flower arrangement peaks in Petal's All Tiles Mix layout. Combine 12" and 24" tiles in different orientations, planting a fecund mosaic.



ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE




Installation & Field Trim Guide

Petal is designed for a quick and easily install, and can accommodate trimming in field — just follow this simple guide.


This guide shows Petal with Turf applied adhesive backing. Alternatively tiles can be installed with construction grade adhesive specified by the contractor.

Please note, prep the wall surface before application. Clean the surface of any dust or loose debris, making sure the surface is dry before application.


Tools Required




SHARP BLADE



STRAIGHT
EDGE




DRILL




HOLE SAW


1 - ADHESIVE BACKING BY TURF




2 - MOUNT PETAL TO WALL



3 - TRIM AS REQUIRED



4 - TRIM CIRCULAR HOLES




Tech	
Acoustics	ASTM C 423-17: Type A
Fire Rating	ASTM E-84 – Class A
VOC	ASTM D5116 Compliant


Details	
Lead Time	Check the Turf website for current lead times.
Warranty	Five (5) years
Maintenance	Vacuum to remove any particulate matter and air-borne debris or dust. Compressed air can be used to dust the material in difficult to reach areas for large assemblies. Contact us for more information relative to spot cleaning.
Attachments	Turf products are not designed to support the weight of other objects or fixtures.

Acoustic Rating	
9mm Tile	NRC = 0.25
18mm Tile	NRC = 0.40
	Carved wall tile NRC varies depending on field conditions and arrangement. Contact Turf for testing details.

Certifications

Declare.





9mm Colors

Introducing Hues, our new 9mm color palette designed for the senses.

The 9mm PET felt board is used as our primary construction material. Select one of our coordinating neutrals to blend in, or go for a contrasting element with one of our hues.

The process used to create PET felt often results in a heathered effect where multiple tones are present. Slight variations in color should be expected when using this sustainable material.

Felt Thickness
9mm +/-0.5 mm

Monitors and printers vary.
Please request a material sample to verify felt colors.



10 TOPO GREEN



12 GRASSHOPPER



11 CELADON



63 SAFFLOWER



64 PLANTAIN



43 ORANGE CRUSH



18 ULTISOL



17 BLUSH



23 RED



15 MERLOT



50 IVORY



33 LUMINARY



83 HOLLAND OATS



82 BARLEY



34 TONAL TAUPE



35 BARK



28 INDIGO



30 CYAN



24 ROYAL BLUE



31 AZURE



27 JEAN JACKET



26 FADED DENIM



40 MAGENTA



41 DRIED LAVENDER



66 PEWTER



05 WHITE



01 CREAM



04 LIGHT GREY



98 STORM



09 DAMASCUS



06 CHARCOAL



07 BLACK

