Carved Wall Tile

# Petal

Sound-balancing blossoms

Flowery forms make walls lush and spaces still. Create flowing pods or perfected florets, planting the seed for a symbiotic look and feel.



Image by Blaque

TURF

## How To Specify

Key Information

Petal can bloom in your space in a variety of ways.
Consider these questions as you design your layout.

If shop drawings are required for your project, please follow steps 1 - 5.


Fast Track


If you're looking to expedite your project, this product is available as Turf Fast Track!


Using Fast Track, our standard lead time for shop drawings is eliminated allowing the project to move directly into production.


Please note, installation and seaming drawings are not included in this process.


Turf recommends 10-15% additional tiles to cover overage / attic stock.













- 1. 9mm or 18mm depth?
- 2. 12" x 12", 24" x 24" tiles or both?
- 3. Do you want adhesive backing by Turf, or construction adhesive by others?
- 4. What is the color of the tiles?
- 5. How many tiles do you need?
- 6. Do you want to include any additional product for overage or attic stock?

## **Dimensions**

Standard Tiles 12"W x 12"L, 24"W x 24"L

See our Typical Layouts pages for more information

on tiles.

Standard Depths 9mm, 18mm


## **Connection Options**


Standard Connection Adhesive backing by Turf

Connection By Others Construction adhesive

Tiles can be installed with construction grade adhesive specified by the contractor.

#### **18MM PETAL**





## Color


9mm Palette Petal can be specified in any of our 9mm felt colors or

Stone Textures.


See Section Details on this page for more information.

#### 9MM SECTION DETAIL

9MM PETAL



#### 18MM SECTION DETAIL



## Typical Layouts - 12" Tiles

12" Tile - Wave


Pods undulate in Petal's 12" Wave layout. Lining tiles in the same direction, form a diagonal flow.


#### 12" Tile - Floral


Walls blossom in Petal's 12" Floral layout. Rotating adjacent tiles 180 degrees, quadrants become a floral plot.

#### 12" Tile - Leaf

Flower profiles inspire Petal's 12" Left layout. Alternate and rotate tiles 180 degrees to create dynamic v-shapes.







## Typical Layouts - 24" Tiles

#### 24" Tile - Wave


Undulating pods go large-scale in Petal's 24" Wave layout. Lining tiles in the same direction, zoom in on the diagonal flow.


#### 24" Tile - Floral


Blossoms grow bigger in Petal's 24" Floral layout. Rotating adjacent tiles 180 degrees, floral quadrants get a close-up.


#### 24" Tile - Leaf

Flowers get abstracted in Petal's 24" Leaf layout. Alternate and rotate tiles 180 degrees, creating larger zagging v-shapes.










## Typical Layout - All Tiles

#### All Tiles Mix

The flower arrangement peaks in Petal's All Tiles Mix layout. Combine 12" and 24" tiles in different orientations, planting a fecund mosaic.



### Installation & Field Trim Guide

Petal is designed for a quick and easily install, and can accommodate trimming in field — just follow this simple guide.


This guide shows Petal with Turf applied adhesive backing. Alternatively tiles can be installed with construction grade adhesive specified by the contractor.


Please note, prep the wall surface before application. Clean the surface of any dust or loose debris, making sure the surface is dry before application.


Follow the link below for more detailed information on adhering Turf products to walls.


Turf Adhesives Guide


## **Tools Required**











turf.design Petal | 04.07.2025

### Tech

Acoustics ASTM C 423-17: Type A

Fire Rating ASTM E-84 – Class A

VOC ASTM D5116 Compliant

## **Acoustic Rating**

9mm Tile NRC = 0.25

18mm Tile NRC = 0.40

Carved wall tile NRC varies depending on field conditions and arrangement. Contact Turf for testing details.

## **Details**

Lead Time Check the Turf website for

current lead times.

Warranty Five (5) years

Maintenance Vacuum to remove any

particulate matter and air-borne debris or dust.
Compressed air can be used to dust the material in difficult to reach areas for large assemblies. Contact us for more information relative to

spot cleaning.

**Attachments** Turf products are not

designed to support the weight of other objects or

fixtures.

## Certifications









Image by CATK

turf.design Petal | 04.07.2025

## 9mm Colors


Introducing Hues, our new 9mm color palette designed for the senses.

The 9mm PET felt board is used as our primary construction material. Select one of our coordinating neutrals to blend in, or go for a contrasting element with one of our hues.

The process used to create PET felt often results in a heathered effect where multiple tones are present. Slight variations in color should be expected when using this sustainable material.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.



07 BLACK

06 CHARCOAL

## 9mm Stone **Textures**


Inspired by nature, designed for felt. Our digitally printed Stone Textures capture the character and nuance of stone on top of a curated color collection from our Hues palette with virtually no repeats. The three patterns in this family each capture unique elements from the stones for which they are named.

There is an additional product cost for Stone Textures.

Turf has curated this collection to include only the best pattern and color combinations.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.



#### Texture Edge Detail

Please note, all cut edges will reveal the base color of the felt if using a 9mm Stone Texture.

ST34 Granite used as an example above.



ST05 MARBLE

ST50 MARBLE

ST05 TRAVERTINE

ST17 TRAVERTINE





ST83 MARBLE



ST01 TRAVERTINE

ST83 TRAVERTINE



ST33 MARBLE



ST26 MARBLE



ST50 TRAVERTINE ST64 TRAVERTINE





ST66 TRAVERTINE



ST63 TRAVERTINE



ST18 TRAVERTINE



ST34 TRAVERTINE





ST11 TRAVERTINE



ST26 TRAVERTINE



ST17 GRANITE

ST15 GRANITE



ST34 GRANITE





ST11 GRANITE



ST63 GRANITE



ST10 GRANITE



ST28 GRANITE





ST41 GRANITE



ST40 GRANITE

