Carved Wall Tile

Plank

Out of the box

Foundational form, out-of-the-box
design. From classic herringbones to
dotted and dashing patterns, Plank tiles
bring walls to life in refreshing ways,
with a rectangular base that never goes
overboard.

Image by The Right Exposure

How To Specify

Key Information

Plank can shape your space in a variety of ways. Consider these questions as you design your layout.

1

SPACE SIZE

What are the dimensions of the space?

2

CONNECTION

Will Plank need adhesive backing or non-adhesive?

PAGE 3

3

DIRECTION

Is the layout vertical or horizontal?

PAGE 5

4

LAYOUT

What is the proposed layout type?

PAGE 6

5

COLOR

What is the color or texture?

PAGE 9-10

Dimensions

|	
Standard Widths	3"W, 4.5"W, 6"W
Standard Lengths	11.75"L, 23.5"L, 47"L
Variable Sizing	3" Min - 47" Max
	Plank is available in sizes up to a 47" square.
Standard Depth	9mm
Plank Layouts	With just a few pieces of information, the Turf team can generate your layout. See the Design Guide page for more information.

Connection Options

|	
Standard Connection	Adhesive backing by Turf
Connection By Others	Construction adhesive
	Tiles can be installed with construction grade adhesive specified by the contractor.

Color

9mm Palette	Plank can be specified in any of our 9mm felt colors or Stone Textures.
	See Section Detail on this page for more information.
Multicolor Layouts	All Plank layouts are available in multiple colors or Stone Textures.

STANDARD TILE TYPES

3"
11.75"

3"
23.5"

3"
47"

4.5"
11.75"

4.5"
23.5"

4.5"
47"

6"
11.75"

6"
23.5"

6"
47"

9MM SECTION DETAIL

45° CARVES

PRIMARY COLOR
9MM PANEL

ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Design Guide

Turf Team

Our team can generate layouts quickly and easily with only a few pieces of information. No need to painstakingly layout your wall tile-by-tile, just follow the simple guide below.

Space Size

How big is the wall? Width, height and any large obstructions that the tiles need to work around.

Layout Direction

Do you want the tiles to run horizontally or vertically? See Layout Direction page for more information.

Layout Type

Semi-Stacked, Herringbone or Running Bond? Plank tiles are trimmable in field. See Typical Layouts page for more information.

Color or Stone Texture

What color, colors or Stone Texture do you want?

Plank supports single or multicolor layouts. Multicolor layouts can be broken down as a percentage for more control. For instance, the layout shown has 70% of color 1 & 30% of color 2.


EXAMPLE SPACE

LAYOUT DIRECTION

PLANK TILES ARE TRIMMABLE IN FIELD TO FIT YOUR SPACE, SEE "INSTALLATION AND FIELD TRIM GUIDE" FOR MORE DETAILS


LAYOUT TYPE

COLOR

Layout Direction

Vertical Layout

Plank tiles can be arranged running floor to ceiling in a Vertical Layout. Choose from any of our Typical Layouts, or let our team know you're looking for something unique.

Horizontal Layout

Expand your space by running Plank horizontally. Choose from any of our Typical Layouts, or let our team know you're looking for something unique.

PLANK TILES ARE TRIMMABLE IN FIELD TO FIT YOUR SPACE, SEE "INSTALLATION AND FIELD TRIM GUIDE" FOR MORE DETAILS

ALL PLANK LAYOUTS ARE AVAILABLE AS MULTICOLOR OPTIONS

Typical Layouts

Semi-Stacked

Using all nine standard tile types the Semi-Stacked pattern will create a unique look for any room. Give us the bounds of your space, and the Turf design team will take it from there.

Herringbone

Choose any one of the nine standard tile sizes to create this dynamic pattern, elevate your space with this timeless design.

Running Bond

Choose any two of our nine standard tile sizes to create this look, tile choices must be the same height. Transform your environment with the classic simplicity of our Running Bond

PLANK TILES ARE TRIMMABLE IN FIELD TO FIT YOUR SPACE, SEE "INSTALLATION AND FIELD TRIM GUIDE" FOR MORE DETAILS

B1 & B2 TILES USED AS AN EXAMPLE, ANY TWO STANDARD TILES WITH THE SAME HEIGHT WILL CREATE A FUNCTIONAL RUNNING BOND PATTERN.

Installation & Field Trim Guide

Plank is designed for a quick and easily install, and can accommodate trimming in field — just follow this simple guide.

This guide shows Plank with Turf applied adhesive backing. Alternatively tiles can be installed with construction grade adhesive specified by the contractor.

Please note, prep the wall surface before application. Clean the surface of any dust or loose debris, making sure the surface is dry before application.

Follow the link below for more detailed information on adhering Turf products to walls.

Turf Adhesives Guide

Tools Required

SHARP BLADE

STRAIGHT EDGE

DRILL

HOLE SAW

1 - ADHESIVE BACKING BY TURF

PEEL OFF ADHESIVE BACKING

ADHESIVE BACKING BY TURF

2 - MOUNT PLANK TO WALL

CHECK ALIGNMENT OF PATTERN BEFORE APPLICATION

APPLY GENEROUS PRESSURE ACROSS THE ENTIRE TILE TO ENSURE COMPLETE ADHESION TO THE SURFACE

3 - TRIM AS REQUIRED

TRIM TILES AS REQUIRED TO FIT SPACE

4 - TRIM CIRCULAR HOLES

TO CUT CIRCULAR HOLES, TURF RECOMMENDS USING A HOLE SAW IN REVERSE FOR A CLEANER EDGE

Tech

Acoustics	ASTM C423-17: Type A
Fire Rating	ASTM E-84 – Class A
VOC	ASTM D5116 Compliant

Acoustic Rating

NRC = 0.25

Carved wall tile NRC varies depending on field conditions and arrangement. Contact TURF for testing details.

Details

|	
Lead Time	Check the Turf website for current lead times.
Warranty	Five (5) years
Maintenance	Vacuum to remove any particulate matter and air-borne debris or dust. Compressed air can be used to dust the material in difficult to reach areas for large assemblies. Contact us for more information relative to spot cleaning.
Weight	Turf products cannot support the weight of any other items in field.

Certifications

Declare.

INTERTEK SUSTAINABILITY

hpd Health Product DECLARATION

Image by CATK

9mm Colors

Introducing Hues, our new 9mm color palette designed for the senses.

The 9mm PET felt board is used as our primary construction material. Select one of our coordinating neutrals to blend in, or go for a contrasting element with one of our hues.

The process used to create PET felt often results in a heathered effect where multiple tones are present. Slight variations in color should be expected when using this sustainable material.

Felt Thickness
9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.

|					
10 TOPO GREEN	12 GRASSHOPPER	11 CELADON	63 SAFFLOWER	64 PLANTAIN	43 ORANGE CRUSH
18 ULTISOL	17 BLUSH	23 RED	15 MERLOT	50 IVORY	33 LUMINARY
83 HOLLAND OATS	82 BARLEY	34 TONAL TAUPE	35 BARK	28 INDIGO	30 CYAN
24 ROYAL BLUE	31 AZURE	27 JEAN JACKET	26 FADED DENIM	40 MAGENTA	41 DRIED LAVENDER
66 PEWTER	05 WHITE	01 CREAM	04 LIGHT GREY	98 STORM	09 DAMASCUS
06 CHARCOAL	07 BLACK				

9mm Stone Textures

Inspired by nature, designed for felt. Our digitally printed Stone Textures capture the character and nuance of stone on top of a curated color collection from our Hues palette with virtually no repeats. The three patterns in this family each capture unique elements from the stones for which they are named.

There is an additional product cost for Stone Textures.

Turf has curated this collection to include only the best pattern and color combinations.

Felt Thickness
9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.

Texture Edge Detail

Please note, all cut edges will reveal the base color of the felt if using a 9mm Stone Texture.

ST34 Granite used as an example above.

ST05 MARBLE

ST01 MARBLE

ST33 MARBLE

ST64 MARBLE

ST50 MARBLE

ST83 MARBLE

ST66 MARBLE

ST26 MARBLE

ST05 TRAVERTINE

ST01 TRAVERTINE

ST50 TRAVERTINE

ST64 TRAVERTINE

ST17 TRAVERTINE

ST83 TRAVERTINE

ST66 TRAVERTINE

ST63 TRAVERTINE

ST18 TRAVERTINE

ST34 TRAVERTINE

ST11 TRAVERTINE

ST26 TRAVERTINE

ST17 GRANITE

ST34 GRANITE

ST11 GRANITE

ST63 GRANITE

ST18 GRANITE

ST35 GRANITE

ST10 GRANITE

ST28 GRANITE

ST15 GRANITE

ST41 GRANITE

ST40 GRANITE