Ceiling Scape

Metro

Patterned panels, perfected

Minimalist panels, perfected in Metro. Fitting snugly in ceiling recesses, this system offers a variety of city skyline-inspired patterns to play with. Large-scale shallow channels wrap around architectural elements for a subdued, yet stunning visual effect.




Image by The Right Exposure


Patented


How To Specify


Key Information


Metro is a series of modules that can be patterned in different ways. Consider these questions as you design your layout.











Dimensions

Variable Length 12"L Min - 119"L Max

Standard Width 20"W

Standard Depth 2"D

Profile Types A, B, C & D

Metro is available in four different profile types. See our "Typical Pattern Options" page for more details.

Connection Options

9/16" or 15/16" Tee Grid GridLock

P1000 Unistrut FeltLock

See our "Connections" page

for more details.

Color


9mm Palette Metro can be specified in

any of our 9mm felt colors or

textures.

Color Match Have another color in mind?

Our UV printing process can match almost any hue.



ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Typical Pattern Options

A pattern composed of all Chicago

"A" profiles creates a uniform

look across your ceiling.

New York A pattern that alternates

> between "C", "D", and "A" profiles creates a subtle

undulation.

A pattern that alternates Houston

> between "D" and "B" profiles spreads across your ceiling.

A pattern that incorporates Los Angeles

all profiles creates a varied


ceiling scape.


Use the profile types as **Custom Pattern**


building blocks to create your


own pattern.

PROFILE TYPES












CHICAGO




NEW YORK



HOUSTON



LOS ANGELES



ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Metro | 04.08.2025 turf.design

Connections

Connection Spacing

48" OC Max

24" OC Max Seismic Zones

Spacing varies by project. Baffles require a minimum of two connection points.

FeltLock

Products with Turf's patented FeltLock flex and compress to insert into Unistrut.

P1000T Unistrut, raw galvanized finish or powder-coated, hardware is

required.

Painted unistrut may damage FeltLock installations and will


void the product warranty.

GridLock


The GridLock attachment flexes to grasp the tee grid.

9/16" or 15/16" flat tee grid is required.


CONNECTION SPACING



FELTLOCK



GRIDLOCK



ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Layout Considerations

Wall Clearance Turf recommends a 4" clearance from the wall to a

Metro module.

Adjacent Metro Clearance

Although vertical runs of Metro do not require a gap, Turf recommends a 1" gap between adjacent horizontal runs of Metro. This clearance supports a uniform look and build.

Trim in Field


Metro can be field trimmed in the shallow portion of the module.


Please do not trim deep portions of Metro, it is hollow on the inside. Do not trim tabs or connections as it will

compromise Metro stability.


See the guide on the following page for more details.

TURF RECOMMENDS
4" CLEARANCE FROM
WALLS TO EDGE OF
METRO MODULE






SEE THE GUIDE ON FOLLOWING PAGE FOR TRIM IN FIELD REQUIREMENTS





METRO - EXAMPLE RCP


Field Trim Guide


Metro can accommodate trimming in field — just follow this simple guide.














Tech

Acoustics ASTM E795: E400 Mounting

Fire Rating ASTM E-84 - Class A

VOC ASTM D5116 Compliant

Acoustic Rating

NRC = 0.90

An array of 4 sound absorbing panels, modules were arranged as a single cloud with no space between panels.

Details

Lead Time Check the Turf website for

current lead times.

Warranty Five (5) years

Maintenance Vacuum to remove any

particulate matter and air-borne debris or dust.
Compressed air can be used to dust the material in difficult to reach areas for large assemblies. Contact us for more information relative to

spot cleaning.

Attachments Turf products are not

designed to support the weight of other objects or

fixtures.

Certifications









Image by The Right Exposure



Photograph by Monica Slaney

9mm Colors

Introducing Hues, our new 9mm color palette designed for the senses.

The 9mm PET felt board is used as our primary construction material. Select one of our coordinating neutrals to blend in, or go for a contrasting element with one of our hues.

The process used to create PET felt often results in a heathered effect where multiple tones are present. Slight variations in color should be expected when using this sustainable material.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.



turf.design Metro | 04.08.2025 9

07 BLACK

06 CHARCOAL

9mm Wood Textures

Invite nature into your space with our wood-inspired textures. Digital printing on felt ensures a unique and realistic grain with virtually no repeats.

There is an additional product cost for Wood Textures.

Please note there is additional lead time for custom matching. Texture and customization will incur additional costs beyond our standard 9mm options.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.



D01 WHITE ASH



D03 CLEAR MAPLE



D05 MEDIUM OAK



D07 DARK WALNUT



D02 SILVER TEAK



D04 WASHED ASH



D06 PLANKED OAK



D08 BLACK PEAR

9mm Stone **Textures**

Inspired by nature, designed for felt. Our digitally printed Stone Textures capture the character and nuance of stone on top of a curated color collection from our Hues palette with virtually no repeats. The three patterns in this family each capture unique elements from the stones for which they are named.

There is an additional product cost for Stone Textures.


Turf has curated this collection to include only the best pattern and color combinations.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.







ST33 MARBLE

ST66 MARBLE

ST50 TRAVERTINE



ST26 MARBLE

ST50 MARBLE



ST83 MARBLE



ST05 TRAVERTINE



ST01 TRAVERTINE





ST17 TRAVERTINE



ST83 TRAVERTINE







ST18 TRAVERTINE



ST34 TRAVERTINE



ST11 TRAVERTINE





ST63 TRAVERTINE



ST17 GRANITE






ST34 GRANITE



ST11 GRANITE



ST63 GRANITE



ST18 GRANITE



ST35 GRANITE



ST10 GRANITE



ST28 GRANITE

ST41 GRANITE ST40 GRANITE ST15 GRANITE