Peak

Sonic valleys

With sound breaking peaks, see the forest for the trees. Linear, carved details change in scale, painting a dynamic crest-and-valley scene.



Photo by Kendall McCaugherty, Hall+Merrick+McCaugherty

How To Specify

Key Information

Peak's two-panel system can elevate your space in a variety of ways. Consider these questions as you design your layout.

If shop drawings are required for your project, please follow steps 1 - 4.


Quick Ship


If you're looking to expedite your project, this product is available as Turf Quick Ship!


Using Quick Ship, our standard lead time for shop drawings is eliminated allowing the project to move directly into production.

Please note, installation and seaming drawings are not included in this process.

Panel sizes are not customizable for Quick Ship.











- 1. What is the color of the panels?
- 2. Is the back panel color different from the front panel color?
- 3. How many panels do you need?
 The total quantity of panels will be half as panel A1 and half as panel B1.
- 4. Do you want to include any additional product for overage or attic stock?

turf.design Peak | 10.24.2023

Dimensions

Standard Panel Size

48"W x 120"L x 18mm D

Connection Options

Connection By Others

Construction adhesive

Panels should be installed with construction grade adhesive specified by the

contractor.

Color

9mm Palette

Any of our 9mm felt colors can be used for Peak.


See Elevation & Section Details on this page for more information.

ADHESIVE

Tools Required



SHARP BLADE




DRILL




STRAIGHT


CONSTRUCTION




ELEVATION DETAIL



SECTION DETAIL



FIELD TRIM DETAIL




ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Peak | 10.24.2023 turf.design

Typical Layouts

Panel Types

Inspired by crests and valleys, Peak offers two distinct panels. Combined, they create a unique look using the same pattern with a seamless layout in any space.




ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Layout Considerations

Mirrored Pattern

For a seamless end-to-end layout, Peak's panels must be mirrored. Be mindful of wall size and the pattern you want to achieve.



ALL DIMENSIONS NOMINAL UNLESS NOTED OTHERWISE

Tech

ASTM C423-17: Type A Acoustics

ASTM E-84 - Class A Fire Rating

VOC ASTM D5116 Compliant

Acoustic Rating

NRC = 0.55

The NRC value was tested with a 12' x 10' array of sound absorbing panels. 3 full size panels aligned side-by-side, directly mounted to the wall.

Details

Check the Turf website for Lead Time current lead times.

Warranty Five (5) years

Vacuum to remove any Maintenance

particulate matter and air-borne debris or dust. Compressed air can be used to dust the material in difficult to reach areas for large assemblies. Contact us for more information relative to

spot cleaning.

Turf products cannot Weight

> support the weight of any other items in field.

Certifications
















Photo by Kendall McCaugherty, Hall+Merrick+McCaugherty



9mm Colors

Introducing Hues, our new 9mm color palette designed for the senses.

The 9mm PET felt board is used as our primary construction material. Select one of our coordinating neutrals to blend in, or go for a contrasting element with one of our hues.

The process used to create PET felt often results in a heathered effect where multiple tones are present. Slight variations in color should be expected when using this sustainable material.

Felt Thickness 9mm +/-0.5 mm

Monitors and printers vary. Please request a material sample to verify felt colors.



turf.design Peak | 10.24.2023

07 BLACK

06 CHARCOAL