West Africa

r

Operator saves 42 hours of rig time and \$USD 0.5M during subsea completion

eMotion®-LV barrier valve eliminates intervention in highly deviated well to improve completion efficiency and reduce operational and environmental risks

CHALLENGE

- Eliminate intervention to set the production packer in a highly deviated deepwater subsea well
- Install and test completion with TCP gun string in a single run
- Reduce rig time and risk during completion operations

SOLUTION

eMotion®-LV remotely operated barrier valve

- Used as packer setting device and to facilitate fluid displacement
- Unique programming to reduce risk of prematurely firing TCP guns

RESULT

- Reduced rig time by 42 hours
- Saved operator \$USD 0.5M
- Recognized as an optimal solution for future operations in the remaining fields
- Successfully completed second installation

Overview


An operator wanted to increase efficiency and reduce operational risk during completion operations in single-zone subsea wells.

To achieve the operations objectives, the completion design included a combined tubing-conveyed perforating (TCP) gun string below the completion string. The operator also wanted to eliminate the intervention

required to hydraulically set the production packer.

The operator performed a risk assessment of several techniques to determine the packer setting method that best met the completion design and ultimately selected the eMotion®-LV valve. Using multiple unique close and open commands, specifically programmed to fit the completion design, the eMotion-LV valve enabled completion deployment, packer setting without intervention, fluids displacement and TCP gun activation in a single run.

Compared to traditional plug methods, the eMotion-LV valve saved the operator





L117063

Challenge

Because well trajectory was 77° at packer depth, the operator wanted to eliminate intervention to set a hydraulic production packer because of the additional rig time, cost, and risk associated with intervention in highly deviated, deepwater subsea wells. In addition, the capability to install, test, and perforate the combined completion string with TCP guns in a single run and allow fluid displacement required methodical planning and adoption of new technology to maximize efficiency and reduce operational challenges.

Solution


Halliburton proposed the eMotion®-LV remotely operated barrier valve to set the production packer and install the combined completion with TCP guns in a single trip during the safe and efficient facilitation of the planned operational steps.

The eMotion-LV valve was run in hole in the open position and programmed to close via hydrostatic pressure, which initiated a closing timer and allowed sufficient time to deploy the completion to final target depth before closing. Once the tubing hanger was landed, locked and tested, surface-applied pressure re-opened the eMotion-LV valve for a specified time to displace the packer fluid and base oil. With the eMotion-LV valve re-closed via the timer and the TCP gun string isolated below,

surface-applied pressure set the production packer without risk of prematurely firing the TCP guns. Next, the tubing and annulus were both tested before the eMotion-LV valve was locked open via surface-applied pressure. Finally, the TCP guns were fired to perforate the well and perform injectivity tests.

Result

The eMotion-LV valve helped eliminate four wireline runs and 42 hours of rig time, which significantly reduced safety and environmental risks in this highly deviated, deepwater, subsea single-zone gas injector well and saved the operator \$USD 0.5M to maximize asset value. Using eMotion-LV valve technology vs. conventional plug methods also helped reduce emissions for this operation.



eMotion®-LV remotely operated barrier valve

For more information, contact your local Halliburton representative or visit us on the web at www.halliburton.com

Sales of Halliburton products and services will be in accord solely with the terms and conditions contained in the contract between Halliburton and the customer that is applicable to the sale.

H014208 07/24 © 2025 Halliburton. All Rights Reserved.