



Intercept[®] Retrievable Bridge Plug Provides V0 Barrier on Two Batch Wells with Zero NPT

HALLIBURTON RETRIEVABLE BRIDGE PLUG HELPS ENSURE STABILITY AND SAFETY

NORWAY

CHALLENGE

- » Achieve gas-tight V0 barriers during batch drilling and completions

SOLUTION

- » Intercept[®] retrievable bridge plug, which complies with ISO 14310 and API 11D1 V0 standards

RESULTS

- » Achieved successful installation and retrieval
- » Avoided NPT



OVERVIEW

Halliburton was working with a major operator in Norway on its drilling operations in a mature field in the North Sea. While discussing upcoming well challenges with the customer, Halliburton recognized an opportunity to introduce the newly released Intercept[®] retrievable bridge plug, which would offer the customer a gas-tight V0 barrier during batch drilling and completions.

Two jobs were successfully completed with no issues or non-productive time (NPT), solving the customer’s challenge to have V0 barriers in place while temporarily abandoning the wells.

CHALLENGE

This operator needed to rent barrier plugs in order to temporarily abandon its wells to drill and run batch completions. Normally, the operator rented bridge plugs from another service company. Halliburton had to convince the operator that the Intercept retrievable bridge plug would lower risks and save time since it did not require left-hand rotations and hang-weight below to operate down hole.

SOLUTION

Halliburton provided specific tool data as it related to the well conditions, sizing, and temperatures in order to help ensure that the Intercept retrievable bridge plug would perform well in the environment. Halliburton also explained that the plug is versatile since it does not require hang-weight below to set, which saves rig time. Should well operations require it, however, the plug can handle significant pipe weight below, saving trip time and reducing cost. Since the plug does not require left-hand rotation, it reduces the risk of accidental disconnection of the workstring or workstring components.

A Global Critical Well Review for these specific jobs was executed in order to prove Halliburton commitment to the operation.

RESULTS

One 9 5/8-in. Intercept bridge plug was installed in Well No. 1 to cover the shallow barrier. Two 9 5/8-in. Intercept bridge plugs were installed in Well No. 2 in order to cover the deep and shallow barriers. All three Intercept bridge plugs were installed successfully, incurring zero NPT. The operator was pleased with the service and performance of the Intercept retrievable bride plug and has continued to use these plugs in three other wells.

www.halliburton.com

Sales of Halliburton products and services will be in accord solely with the terms and conditions contained in the contract between Halliburton and the customer that is applicable to the sale.

H012927 04/18 © 2018 Halliburton. All Rights Reserved.

HALLIBURTON