

FEATURES

- Temporary plug may be installed at top of packer
- Holds in both directions with opposing slip design
- Pressure ratings to 10,000 psi (68.9 MPa)
- Mechanically re-settable with simple, 1/4 turn operation
- High-performance triple seal multidurometer element package
- Internal bypass
- Emergency shear release

BENEFITS

- Easily converts to wirelineset or mechanical-set in the field
- Can be lubricated into well under pressure thereby minimizing damage to sensitive formations
- Helps provide both the accuracy of wireline setting and the capability of a mechanical-set retrievable packer
- Provides the versatility to run the packer either on wireline, slickline (with Halliburton DPU® downhole power unit), or tubing

COMPLETION SOLUTION | PRODUCTION PACKERS

Versa-Set® retrievable packers

Overview

The Halliburton Versa-Set® wireline or tubing-set packer is a single-bore retrievable packer that is ideal for medium-to high-pressure environments. The Versa-Set packer uses a modular design concept to combine the best high-performance features of a mechanical-set retrievable packer with the ability to set on wireline. Three setting modules are available for a wide variety of applications.

The Versa-Set packer can be set on wireline using the WLS module. The packer can also easily be converted at the wellsite to run mechanically on tubing.

Applications

- Production, testing, injection, stimulation, tubing conveyed perforating and temporary plugging
- Any application requiring packer to be lubricated into well under pressure with plug in place



Versa-Set® retrievable packer with clutch (Wireline operation)




Wireline operation

- Set with a standard wireline setting tool or Downhole Power Unit (DPU®) with wireline adapter kit
- Uses a standard on-off tool
- May be run and set with plug installed in on-off tool gudgeon (top of packer)
- Once set on wireline, operates as a standard mechanical double-grip with on-off tool
- One-quarter turn right-hand releaseOperation

Mechanical operation

- May be converted to run and set on tubing
- One-quarter turn right-hand set
- Can be packed off in either tension or compression
- Can be left in tension, compression, or neutral position
- One-quarter turn right-hand release
- Emergency straight-pull release



Versa-Set® packer with three setting modules

Versa-Set® packers

CASING SIZE (IN.)	CASING WEIGHT (LB/FT)	MAXIMUM OD (IN.)	MINIMUM ID (IN.)	TUBING SIZE (IN.)
4 1/2	9.5-11.6	3.82	1.923	2 3/8
	11.6-13.5	3.76		
	15.1	3.66		
9 5/8	11.5-15	4.22	1.923	2 3/8
	15-18	4.10	1.020	2 0/0
5 1/2	13-15.5	4.77	1.985	2 3/8
			2.36	2 7/8
	15.5-20	4.61	1.985	2 3/8
			2.36	2 7/8
	20-23	4.50	1.985	2 3/8
			2.36	2 7/8
7	17-23	6.18	1.975	2 3/8
			2.423	2 7/8
			2.853	3 1/2
	23-29	6.00	1.975	2 3/8
			2.423	2 7/8
			2.853	3 1/2
	29-32	5.91	1.975	2 3/8
			2.423	2 7/8
			2.853	3 1/2
	32-35	5.80	1.975	2 3/8
			2.423	2 7/8
			2.853	3 1/2
7 5/8	24-29.7	6.70	2.423	2 7/8
			2.853	3 1/2
	33.7-39	6.45	2.423	2 7/8
			2.853	3 1/2

For more information, contact your local Halliburton representative or visit us on the web at www.halliburton.com

Sales of Halliburton products and services will be in accord solely with the terms and conditions contained in the contract between Halliburton and the customer that is applicable to the sale.

H03065 11/24 © 2024 Halliburton. All Rights Reserved.

