

INDOOR FIXTURES



eiko.com

INDOOR LIGHTING, SIMPLIFIED.




Lower energy bills. Reduced maintenance time and cost. Enhanced lighting control. Increased productivity and comfort. These are a few of the benefits of switching from conventional lighting systems to LED.

EiKO carries a broad range of indoor LED lighting fixtures. Whether replacing traditional lighting or installing in a new facility, EiKO provides the solutions for your indoor lighting needs with slim panels, volumetric troffers, linear strips, commercial downlight retrofits and more.

Find out more at EIKO.COM!

INDOOR LIGHTING SOLUTIONS



SLM
Slim Panel



VOL
Volumetric Troffer



STR
Linear Strip



CDR
Commercial Downlight



LLH
Linear Highbay



BAY
Round Highbay



LLW
Linear Wrap



SLM : SLIM PANEL

SLM Slim Panels are ultra-slim, modern LED panels featuring edge-lit design for uniform illumination - available in 1'x4', 2'x2', and 2'x4' configurations.



VOL : VOLUMETRIC TROFFER

VOL Volumetric Troffers are architectural recessed luminaires that provide both direct and indirect illumination, for visual comfort with minimal glare.




STR : LINEAR STRIP

STR Linear Strips are compact, efficient strip lights whose narrow width and low profile make them an ideal choice for size-restricted applications.




CDR : COMMERCIAL DOWNLIGHT RETROFIT

CDR Commercial Downlights replace legacy downlights in many existing architectural and commercial housings. Available in 6" and 8" options.




LLH : LINEAR HIGHBAY

LLH Linear Highbays are solid state LED solutions for highbay and lowbay applications, replacing high watt HID fixtures and multi-lamp fluorescent luminaires.



BAY : ROUND HIGHBAY

BAY Round Highbays are energy-efficient alternatives to traditional highbay lighting, providing one-for-one replacement of high watt HID fixtures.



LLW : LINEAR WRAP

LLW Linear Wraps are cost-effective 4' utility wrap fixtures, featuring a full-length wrap-around U-shaped prismatic acrylic lens.



ORDERING INFORMATION

SLM : SLIM PANEL

EXAMPLE: **SLM22-4CB-35K-U**

SLM : LED Slim Panel	14 - 1'x4'	38 - 3,800 lm	A0 - 100 lpw C5 - 125 lpw	835 - 80CRI; 3500K	U - 120-277V H - 120-347V	D - 0-10V Dimming
	22 - 2'x2'	40 - 4,000 lm		840 - 80CRI; 4000K		
	24 - 2'x4'	50 - 5,000 lm 62 - 6,200 lm		850 - 80CRI; 5000K		

VOL : VOLUMETRIC TROFFER

EXAMPLE: **VOL22-3CP-40K-U**

VOL : Volumetric LED Troffer	22 - 2'x2'	3C - 26W; 3,100/3,275 lm	35K - 3500K 40K - 4000K 50K - 5000K	U - 120-277V
	24 - 2'x4'	3CP - 26W; 3,250 lm 5C - 48W; 5,620/5,970/6,115 lm 5CP - 46W; 5,796 lm		

STR : LINEAR STRIP

EXAMPLE: **STR8-60/D0/850-U-D**

STR : LED Linear Strip, 4' STR8 : LED Linear Strip, 8'	2C - 23W; 3,000/3,013 lm	D0 - 130 lpw	40K - 4000K 50K - 5000K	U - 100-277V H - 347V	D - 0-10V Dimming
	3C - 32W; 4,000/4,224 lm 4C - 46W; 6,000/6,026 lm 60 - 46W; 6,000 lm 85 - 65W; 8,500 lm 97 - 75W; 9,750 lm 117 - 90W; 11,700 lm				

CDR : COMMERCIAL DOWNLIGHT RETROFIT

EXAMPLE: **CDR-6-15/85/840-SSW-DIM-U**

CDR : Commercial Downlight Retrofit	6 - 6"	10 - 1,000 lm 15 - 1,500 lm 23 - 2,300 lm	85 - 85 lpw	840 - 80 CRI; 4000K	SSW - Silver satin finish with white trim	DIM - 0-10V dimming	U - 100-277VAC
	8 - 8"	10 - 1,000 lm 15 - 1,500 lm 20 - 2,000 lm 33 - 3,300 lm					

LLH : LINEAR HIGHBAY

EXAMPLE: **LLH-2C-50K-U-1S**

LLH : LED Linear Highbay	1C - 110W; 14,000 lm	40K - 4000K 50K - 5000K	U - 120-277V V - 347-480V 347 - 347V	1S - Occupancy Sensor (Blank) - No sensor
	2C - 162W; 21,000 lm 3C - 223W; 29,000 lm 4C - 265W; 35,000 lm 5C - 321W; 42,000 lm			

BAY : ROUND HIGHBAY

EXAMPLE: **BAY-4C-50K-U**

BAY : LED Bay Light Round	3C - 100W; 12,500 lm	40K - 4000K 50K - 5000K	U - 100-277V V - 200-480V
	4C - 150W; 18,750 lm 5C - 200W; 25,000 lm		

LLW : LINEAR WRAP

EXAMPLE: **LLW-4CP-40K-U**

LLW : LED Linear Wrap	3C - 32W; 4,160 lm	40K - 4000K	U - 100-277V
	4C - 36W; 4,608 lm 4CP - 34W; 4,420 lm 5C - 42W; 5,334 lm 5CP - 40W; 5,200 lm		

