

LED FIXTURES



solutions. service. simplicity. eiko.com

CONTENTS

VERT : SITE LIGHTING PLATFORM	4
SIGNAL : FLOODLIGHT & HIGHBAY	5
FLJ : UTILITY FLOOD LIGHT	5
DTD : DUSK TO DAWN.....	6
BAY : ROUND BAY LIGHT.....	6
LLH : LINEAR HIGHBAY	7
LLW : LINEAR WRAP	9
STR : LINEAR STRIP	9
VTS : VAPOR TIGHT SURFACE	10
TRS : TUBE READY STRIPS	10
VOL : VOLUMETRIC TROFFER.....	11
SLM : SLIM PANEL.....	12
DKDS : DOWNLIGHT DISK SURFACE KIT - TITLE 24.....	13
AK : ADJUSTABLE NECK DOWNLIGHT	13
CDR : COMMERCIAL DOWNLIGHT RETROFIT KIT.....	13
DSK : SLIM DISK DOWNLIGHT - TITLE 24.....	13
4" DOWNLIGHT KIT - TITLE 20/24	14
4" DOWNLIGHT KIT	14
4" ROTATABLE DOWNLIGHT	14
6" DOWNLIGHT KIT - TITLE 20/24	14
6" DOWNLIGHT KIT	15
SCRG : SURFACE CANOPY ROUND GARAGE	16
SCST : SLIM CANOPY	16
SCSS : SURFACE CANOPY SQUARE.....	16
VTU : VAPOR TIGHT UTILITY	17
WMC : WALLPACK CUBE	17
WMG : WALLPACK, GLASS.....	17
WPT : WALLPACK, TRAPEZOID	17
OCCUPANCY SENSORS	19
PHOTOCELLS	19
BATTERIES	19

OUTDOOR FIXTURES



- Cost-effective, solid-state LED solutions for site, area, high mast, highbay, and flood lighting
- IP65 Rated
- Wet location rated
- Instant-on with no warmup
- 5 year system warranty
- Long 50K+ hour life reduces maintenance costs
- Flexible mounting options for a variety of applications

VERT : SITE LIGHTING PLATFORM

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Dim	Optics	DLC Premium
10526	VRT1-125/C5/740-V-D-T3-BZ	13,000	100W	4000K	70+	200-480V	50,000	0-10V	Type 3	✓✓
10528	VRT1-125/C5/750-V-D-T3-BZ	13,000	100W	5000K	70+	200-480V	50,000	0-10V	Type 3	✓✓
10527	VRT1-125/C5/740-V-D-T5-BZ	13,000	100W	4000K	70+	200-480V	50,000	0-10V	Type 5	✓✓
10529	VRT1-125/C5/750-V-D-T5-BZ	13,000	100W	5000K	70+	200-480V	50,000	0-10V	Type 5	✓✓
10137	VRT1-130/C5/740-U-D-T3-BZ	13,000	100W	4000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10150	VRT1-130/C5/740-U-D-T5-BZ	13,000	100W	4000K	70+	100-277V	50,000	0-10V	Type 5	✓✓
10138	VRT1-130/C5/750-U-D-T3-BZ	13,000	100W	5000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10151	VRT1-130/C5/750-U-D-T5-BZ	13,000	100W	5000K	70+	100-277V	50,000	0-10V	Type 5	✓✓
10139	VRT1-195/C5/740-U-D-T3-BZ	19,500	150W	4000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10152	VRT1-195/C5/740-U-D-T5-BZ	19,500	150W	4000K	70+	100-277V	50,000	0-10V	Type 5	✓✓
10141	VRT1-195/C5/740-V-D-T3-BZ	19,500	150W	4000K	70+	200-480V	50,000	0-10V	Type 3	✓✓
10154	VRT1-195/C5/740-V-D-T5-BZ	19,500	150W	4000K	70+	200-480V	50,000	0-10V	Type 5	✓✓
10140	VRT1-195/C5/750-U-D-T3-BZ	19,500	150W	5000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10153	VRT1-195/C5/750-U-D-T5-BZ	19,500	150W	5000K	70+	100-277V	50,000	0-10V	Type 5	✓✓
10142	VRT1-195/C5/750-V-D-T3-BZ	19,500	150W	5000K	70+	200-480V	50,000	0-10V	Type 3	✓✓
10155	VRT1-195/C5/750-V-D-T5-BZ	19,500	150W	5000K	70+	200-480V	50,000	0-10V	Type 5	✓✓
10143	VRT2-240/C5/740-U-D-T3-BZ	24,000	185W	4000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10156	VRT2-240/C5/740-U-D-T5-BZ	24,000	185W	4000K	70+	100-277V	50,000	0-10V	Type 5	✓✓
10144	VRT2-240/C5/750-U-D-T3-BZ	24,000	185W	5000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10157	VRT2-240/C5/750-U-D-T5-BZ	24,000	185W	5000K	70+	100-277V	50,000	0-10V	Type 5	✓✓
10516	VRT2-250/C5/740-V-D-T3-BZ	25,000	200W	4000K	70+	200-480V	50,000	0-10V	Type 3	✓✓
10518	VRT2-250/C5/750-V-D-T3-BZ	25,000	200W	5000K	70+	200-480V	50,000	0-10V	Type 3	✓✓
10517	VRT2-250/C5/740-V-D-T5-BZ	25,000	200W	4000K	70+	200-480V	50,000	0-10V	Type 5	✓✓
10519	VRT2-250/C5/750-V-D-T5-BZ	25,000	200W	5000K	70+	200-480V	50,000	0-10V	Type 5	✓✓
10145	VRT2-380/C5/740-U-D-T3-BZ	38,000	300W	4000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10158	VRT2-380/C5/740-U-D-T5-BZ	38,000	300W	4000K	70+	100-277V	50,000	0-10V	Type 5	✓✓
10148	VRT2-380/C5/740-V-D-T3-BZ	38,000	300W	4000K	70+	200-480V	50,000	0-10V	Type 3	✓✓
10160	VRT2-380/C5/740-V-D-T5-BZ	38,000	300W	4000K	70+	200-480V	50,000	0-10V	Type 5	✓✓
10147	VRT2-380/C5/750-U-D-T3-BZ	38,000	300W	5000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10159	VRT2-380/C5/750-U-D-T5-BZ	38,000	300W	5000K	70+	100-277V	50,000	0-10V	Type 5	✓✓
10149	VRT2-380/C5/750-V-D-T3-BZ	38,000	300W	5000K	70+	200-480V	50,000	0-10V	Type 3	✓✓
10161	VRT2-380/C5/750-V-D-T5-BZ	38,000	300W	5000K	70+	200-480V	50,000	0-10V	Type 5	✓✓
10520	VRT3-563/C5/740-U-D-T3-BZ	56,250	450W	4000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10524	VRT3-563/C5/750-U-D-T3-BZ	56,250	450W	5000K	70+	100-277V	50,000	0-10V	Type 3	✓✓
10521	VRT3-563/C5/740-V-D-T3-BZ	56,250	450W	4000K	70+	200-480V	50,000	0-10V	Type 3	✓✓
10525	VRT3-563/C5/750-V-D-T3-BZ	56,250	450W	5000K	70+	200-480V	50,000	0-10V	Type 3	✓✓

VERT : Mounting Options (Must be ordered with fixture)

Order Code	Item	Description	Order Code	Item	Description
10162	VRT-S-BZ	Slipfitter Mount for VERT, 2 3/8", Bronze	10134	VRT-Y-BZ	Yoke Mount for VERT, Bronze
10135	VRT-D-BZ	Direct Mount for VERT, Bronze			



SIGNAL : FLOODLIGHT & HIGHBAY

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Dim	DLC Premium
10290	SIG-720/G0/740-U-D-G-BK	72,000	450W	4000K	70+	120-277V	50,000	0-10V	✓✓
10294	SIG-720/G0/740-V-D-G-BK	72,000	450W	4000K	70+	277-480V	50,000	0-10V	✓✓
10291	SIG-720/G0/750-U-D-G-BK	72,000	450W	5000K	70+	120-277V	50,000	0-10V	✓✓
10295	SIG-720/G0/750-V-D-G-BK	72,000	450W	5000K	70+	277-480V	50,000	0-10V	✓✓
10292	SIG-960/G0/740-U-D-G-BK	96,000	600W	4000K	70+	120-277V	50,000	0-10V	✓✓
10296	SIG-960/G0/740-V-D-G-BK	96,000	600W	4000K	70+	277-480V	50,000	0-10V	✓✓
10293	SIG-960/G0/750-U-D-G-BK	96,000	600W	5000K	70+	120-277V	50,000	0-10V	✓✓
10297	SIG-960/G0/750-V-D-G-BK	96,000	600W	5000K	70+	277-480V	50,000	0-10V	✓✓

SIGNAL : Accessories

Order Code	Item	Description	Order Code	Item	Description
10188	SIG-LENS-PC30D	Signal Lens, 30°	10187	SIG-SMK-BK	Signal Surface Mount Kit, Black
10189	SIG-LENS-PC60D	Signal Lens, 60°	10185	SIG-VISOR-BK	Signal Visor, Black
10190	SIG-REFLECTOR-AL90D	Signal Refelctor, Aluminum, 90°	10186	SIG-Y-BK	Signal Yoke Mounting Bracket, Black
10298	SIG-S-BK	Signal Slipfitter for up to 2 3/8 Pipe			

FLJ : UTILITY FLOOD LIGHT

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Mount	Replaces HID	DLC
09619	FLJ-1C-30K-K-U	1,350	12W	3000K	80+	120-277V	50,000	Knuckle	150W	✓
09618	FLJ-1C-30K-Y-U	1,350	12W	3000K	80+	120-277V	50,000	Yoke	150W	✓
09612	FLJ-1C-50K-K-U	1,350	12W	5000K	80+	120-277V	50,000	Knuckle	150W	✓
09611	FLJ-1C-50K-Y-U	1,350	12W	5000K	80+	120-277V	50,000	Yoke	150W	✓
09614	FLJ-3C-30K-K-U	3,200	30W	3000K	80+	120-277V	50,000	Knuckle	300W	✓
09613	FLJ-3C-30K-Y-U	3,200	30W	3000K	80+	120-277V	50,000	Yoke	300W	✓
09623	FLJ-3C-50K-K-U	3,200	30W	5000K	80+	120-277V	50,000	Knuckle	300W	✓
09615	FLJ-3C-50K-Y-U	3,200	30W	5000K	80+	120-277V	50,000	Yoke	300W	✓
09621	FLJ-5C-30K-K-U	5,400	50W	3000K	80+	120-277V	50,000	Knuckle	300W	✓
09620	FLJ-5C-30K-Y-U	5,400	50W	3000K	80+	120-277V	50,000	Yoke	300W	✓
09617	FLJ-5C-50K-K-U	5,400	50W	5000K	80+	120-277V	50,000	Knuckle	300W	✓
09616	FLJ-5C-50K-Y-U	5,400	50W	5000K	80+	120-277V	50,000	Yoke	300W	✓
10304	FLJ-108/D5/740-U-D-S-BZ	10,800	80W	4000K	70+	100-277V	50,000	Slipfitter	350W	✓
10305	FLJ-108/D5/750-U-D-S-BZ	10,800	80W	5000K	70+	100-277V	50,000	Slipfitter	350W	✓
10306	FLJ-130/D0/740-U-D-S-BZ	13,000	100W	4000K	70+	100-277V	50,000	Slipfitter	350W	✓
10307	FLJ-130/D0/740-V-D-S-BZ	13,000	100W	4000K	70+	277-480V	50,000	Slipfitter	350W	✓
10308	FLJ-130/D0/750-U-D-S-BZ	13,000	100W	5000K	70+	100-277V	50,000	Slipfitter	350W	✓
10309	FLJ-130/D0/750-V-D-S-BZ	13,000	100W	5000K	70+	277-480V	50,000	Slipfitter	350W	✓
10310	FLJ-165/B0/840-U-D-S-BZ	16,500	150W	4000K	70+	100-277V	50,000	Slipfitter	400W	✓
10311	FLJ-165/B0/840-V-D-S-BZ	16,500	150W	4000K	70+	277-480V	50,000	Slipfitter	400W	✓
10312	FLJ-165/B0/850-U-D-S-BZ	16,500	150W	5000K	70+	100-277V	50,000	Slipfitter	400W	✓
10313	FLJ-165/B0/850-V-D-S-BZ	16,500	150W	5000K	70+	277-480V	50,000	Slipfitter	400W	✓

FLJ : Accessories

Order Code	Item	Description
10314	FLJ-YA-BZ	Mounting adaptor

*See page 19 for Photocells

OUTDOOR FIXTURES

DTD : DUSK TO DAWN

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces HID	DLC
10477	DTD-60/C0/850-GY-U	6,000	50W	5000K	70	120-277V	50,000	up to 250W	✓✓
09964	DTD-95/C0/850-DIM-GY-U	9,500	79W	5000K	70	120-277V	50,000	up to 250W	✓
09965	DTD-140/B5/850-DIM-GY-U	14,000	122W	5000K	70	120-277V	50,000	up to 320W	✓

HIGH BAY FIXTURES



- Cost-effective, solid-state solutions for highbay and lowbay applications
- Replaces high-watt HID fixtures and/or multi-lamp fluorescent luminaires
- Available in round and linear configurations
- Range of available accessories to customize fixtures to individual needs
- 5 year system warranty

BAY : ROUND BAY LIGHT

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Dim	Replaces Fluor.	DLC Premium
09796	BAY-3C-40K-U	13,600	100W	4000K	80+	100-277V	50,000	1-10V	150-175W	✓✓
09797	BAY-3C-40K-V	13,600	100W	4000K	80+	200-480V	50,000	1-10V	150-175W	✓✓
09582	BAY-3C-50K-U	13,600	100W	5000K	80+	100-277V	50,000	1-10V	150-175W	✓✓
09588	BAY-3C-50K-V	13,600	100W	5000K	80+	200-480V	50,000	1-10V	150-175W	✓✓
09798	BAY-4C-40K-U	20,400	150W	4000K	80+	100-277V	50,000	1-10V	250-320W	✓✓
09799	BAY-4C-40K-V	20,400	150W	4000K	80+	200-480V	50,000	1-10V	250-320W	✓✓
09583	BAY-4C-50K-U	20,400	150W	5000K	80+	100-277V	50,000	1-10V	250-320W	✓✓
09589	BAY-4C-50K-V	20,400	150W	5000K	80+	200-480V	50,000	1-10V	250-320W	✓✓
09800	BAY-5C-40K-U	27,200	200W	4000K	80+	100-277V	50,000	1-10V	320-400W	✓✓
09801	BAY-5C-40K-V	27,200	200W	4000K	80+	200-480V	50,000	1-10V	320-400W	✓✓
09584	BAY-5C-50K-U	27,200	200W	5000K	80+	100-277V	50,000	1-10V	320-400W	✓✓
09590	BAY-5C-50K-V	27,200	200W	5000K	80+	200-480V	50,000	1-10V	320-400W	✓✓

BAY : Accessories

Order Code	Item	Description	Order Code	Item	Description
09585	BAY-REFLECTOR BT-AL-60D	60° Aluminum Reflector	10386	BAY-CWB-16	16" Clear Wide Bay Lens Acrylic
09586	BAY-REFLECTOR BT-AL-90D	90° Aluminum Reflector	10380	BAY-BAND-16	Stainless Steel Clamp Band, 16" Reflectors
09587	BAY-REFLECTOR BT-PC-70D	70° Polycarbonate Reflector	10381	BAY-BAND-22	Stainless Steel Clamp Band, 22" Reflectors
09914	BAY-REFLECTOR-CV16	16" Cloudveil™ Reflector	09912	BAY-WG-AL	Wireguard, Aluminum Reflector
09915	BAY-REFLECTOR-CV22	22" Cloudveil™ Reflector	09913	BAY-WG-GL	Wireguard, Glass
10387	BAY-REFLECTOR-AC16	Light Reflector Clear Acrylic	09911	BAY-WG-PC	Wireguard, PC Reflector
10382	BAY-CCL-16	16" Clear Conic Lens Acrylic	09910	BAY-SEN-1A-KIT	Occupancy/Photocontrol Sensor w/ Remote
10384	BAY-CCL-22	22" Clear Conic Lens Acrylic	10378	BAY-PA-1/2NPS-W	Pipe Adaptor 1/2" NPS White
10383	BAY-CDL-16	16" Clear Drop Lens Acrylic	10379	BAY-PA-3/4NPS-W	Pipe Adaptor 3/4" NPS White
10385	BAY-CDL-22	22" Clear Drop Lens Acrylic			

LLH : LINEAR HIGHBAY

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Dim	Replaces Fluor.	DLC Premium
09703	LLH-1C-40K-U	14,300	110W	4000K	80+	120-277V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
09793	LLH-1C-40K-V	14,300	110W	4000K	80+	347V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
09538	LLH-1C-50K-U	14,410	107W	5000K	80+	120-277V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
09571	LLH-1C-50K-U-1S	14,410	110W	5000K	80+	120-277V	50,000	0-10V	HBF 6x T8/4x T5	
09741	LLH-1C-50K-V	14,300	110W	5000K	80+	347V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
09771	LLH-2C-40K-U	21,060	162W	4000K	80+	120-277V	50,000	0-10V	HBF 8x T8/6x T5 HO	✓✓
09794	LLH-2C-40K-V	21,060	162W	4000K	80+	347V	50,000	0-10V	HBF 8x T8/6x T5 HO	✓✓
09539	LLH-2C-50K-U	21,222	160W	5000K	80+	120-277V	50,000	0-10V	HBF 8x T8/6x T5 HO	✓✓
09572	LLH-2C-50K-U-1S	21,222	162W	5000K	80+	120-277V	50,000	0-10V	HBF 8x T8/6x T5 HO	
09742	LLH-2C-50K-V	21,060	162W	5000K	80+	347V	50,000	0-10V	HBF 8x T8/6x T5 HO	✓✓
09772	LLH-3C-40K-U	28,990	223W	4000K	80+	120-277V	50,000	0-10V	8x T5 HO	✓✓
09795	LLH-3C-40K-V	28,990	223W	4000K	80+	347-480V	50,000	0-10V	8x T5 HO	✓✓
09540	LLH-3C-50K-U	29,213	214W	5000K	80+	120-277V	50,000	0-10V	8x T5 HO	✓✓
09573	LLH-3C-50K-U-1S	29,213	223W	5000K	80+	120-277V	50,000	0-10V	8x T5 HO	
09591	LLH-3C-50K-V	28,990	223W	5000K	80+	347-480V	50,000	0-10V	8x T5 HO	✓✓
09773	LLH-4C-40K-U	34,450	265W	4000K	80+	120-277V	50,000	0-10V	10x T5 HO	✓✓
09541	LLH-4C-50K-U	34,715	265W	5000K	80+	120-277V	50,000	0-10V	10x T5 HO	✓✓
09774	LLH-5C-40K-U	41,920	321W	4000K	80+	120-277V	50,000	0-10V	1000W HID	✓✓
10265	LLH-5C-40K-V	42,000	321W	4000K	80+	347-480V	50,000	0-10V	1000W HID	✓✓
09542	LLH-5C-50K-U	41,920	314W	5000K	80+	120-277V	50,000	0-10V	1000W HID	✓✓
09592	LLH-5C-50K-V	41,920	320W	5000K	80+	347-480V	50,000	0-10V	1000W HID	✓✓
10568	LLH-06D-40K-U	8,450	65W	4000K	80+	120-277V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
10570	LLH-06D-50K-U	8,450	65W	5000K	80+	120-277V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
10571	LLH-1D-40K-U	14,400	110W	4000K	80+	120-277V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
10572	LLH-1D-50K-U	14,400	110W	5000K	80+	120-277V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
10573	LLH-1D-40K-V	14,400	110W	4000K	80+	347-480V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
10576	LLH-1D-50K-V	14,400	110W	5000K	80+	347-480V	50,000	0-10V	HBF 6x T8/4x T5	✓✓
10579	LLH-2D-40K-U	21,000	162W	4000K	80+	120-277V	50,000	0-10V	HBF 8x T8/6x T5 HO	✓✓
10582	LLH-2D-50K-U	21,000	162W	5000K	80+	120-277V	50,000	0-10V	HBF 8x T8/6x T5 HO	✓✓
10585	LLH-2D-40K-V	21,000	162W	4000K	80+	347-480V	50,000	0-10V	HBF 8x T8/6x T5 HO	✓✓
10588	LLH-2D-50K-V	21,000	162W	5000K	80+	347-480V	50,000	0-10V	HBF 8x T8/6x T5 HO	✓✓
10590	LLH-3D-40K-U	29,000	223W	4000K	80+	120-277V	50,000	0-10V	8x T5 HO	✓✓
10593	LLH-3D-50K-U	29,000	223W	5000K	80+	120-277V	50,000	0-10V	8x T5 HO	✓✓
10595	LLH-3D-40K-V	29,000	223W	4000K	80+	347-480V	50,000	0-10V	8x T5 HO	✓✓
10596	LLH-3D-50K-V	29,000	223W	5000K	80+	347-480V	50,000	0-10V	8x T5 HO	✓✓
10597	LLH-4D-40K-U	34,500	265W	4000K	80+	120-277V	50,000	0-10V	10x T5 HO	✓✓
10599	LLH-4D-50K-U	34,500	265W	5000K	80+	120-277V	50,000	0-10V	10x T5 HO	✓✓
10602	LLH-4D-40K-V	34,500	265W	4000K	80+	347-480V	50,000	0-10V	10x T5 HO	✓✓
10604	LLH-4D-50K-V	34,500	265W	5000K	80+	347-480V	50,000	0-10V	10x T5 HO	✓✓
10605	LLH-5D-40K-U	42,000	321W	4000K	80+	120-277V	50,000	0-10V	1000W HID	✓✓
10606	LLH-5D-50K-U	42,000	321W	5000K	80+	120-277V	50,000	0-10V	1000W HID	✓✓
10607	LLH-5D-40K-V	42,000	321W	4000K	80+	347-480V	50,000	0-10V	1000W HID	✓✓
10608	LLH-5D-50K-V	42,000	321W	5000K	80+	347-480V	50,000	0-10V	1000W HID	✓✓
10609	LLH-7D-40K-U	55,000	425W	4000K	80+	120-277V	50,000	0-10V	1000W HID	✓✓
10610	LLH-7D-50K-U	55,000	425W	5000K	80+	120-277V	50,000	0-10V	1000W HID	✓✓
10611	LLH-7D-40K-V	55,000	425W	4000K	80+	347-480V	50,000	0-10V	1000W HID	✓✓
10612	LLH-7D-50K-V	55,000	425W	5000K	80+	347-480V	50,000	0-10V	1000W HID	✓✓

HIGH BAY FIXTURES

LLH : Accessories

Order Code	Item	Description
09226	LLH-CHAIN	Mounting Chain, 1.05 meters (1 pair)
09336	LLH-CL-2x1	Clear Lens for LLH-1C-xxK-U
09337	LLH-CL-2x1.5	Clear Lens for LLH-2C-xxK-U
09338	LLH-CL-4x1	Clear Lens for LLH-3C-xxK-U
09700	LLH-CL-4x1.5	Replacement Clear Lens for 4C, 5C
09339	LLH-FL-2x1	Replacement Frosted Lens for 1C
09340	LLH-FL-2x1.5	Replacement Frosted Lens for 2C
09341	LLH-FL-4x1	Replacement Frosted Lens for 3C
09701	LLH-FL-4x1.5	Replacement Frosted Lens for 4C, 5C
09227	LLH-PENDANT BOX	Pendant Box for LLH, 3/4" NPT

Order Code	Item	Description
09818	LLH-SMK-1	Surface Mount Kit, 12.6"
09819	LLH-SMK-2	Surface Mount Kit, 17.3"
09230	LLH-V HOOK-1	V-Hook (1 pair) for 1C, 3C
09229	LLH-V HOOK-1.5	V-Hook (1 pair) for 2C, 4C, 5C
09222	LLH-WG-2x1	Wireguard for 1C
09223	LLH-WG-2x1.5	Wireguard for 2C
09224	LLH-WG-4x1	Wireguard for 3C
09702	LLH-WG-4x1.5	Wireguard for 4C, 5C
09906	LLH-PENDANT BOX-347/480	Pendant Box for 347/480V, 3/4" NPT

**See page 19 for Sensors and Batteries*



- Cost-effective, energy-efficient replacements for fluorescent linear fixtures
- Durable and stylish construction
- Available in 4000K and 5000K color temperature
- Dimmable
- 5 year system warranty

LLW : LINEAR WRAP

Order Code	Item	Size	Lm	W	CCT	CRI	V	Life/Hrs L70	Dim	DLC Premium
09704	LLW-4CP-40K-U	4'	4,420	34W	4000K	80+	120-277V	50,000	0-10V	✓✓
09705	LLW-5CP-40K-U	4'	5,200	40W	4000K	80+	120-277V	50,000	0-10V	✓✓

LLW : ACCESSORIES

Order Code	Item	Description
09844	LLW-LENS	Replacement Lens for LLW Fixtures

STR : LINEAR STRIP

Order Code	Item	Size	Lm	W	CCT	CRI	V	Life/Hrs L70	Dim	DLC Premium
09534	STR-2C-40K-U	4'	3,013	23W	4000K	80+	120-277	50,000	0-10V	✓✓
09820	STR-2C-50K-U	4'	3,013	23W	5000K	80+	120-277	50,000	0-10V	✓✓
09535	STR-3C-40K-U	4'	4,224	32W	4000K	80+	120-277	50,000	0-10V	✓✓
09821	STR-3C-50K-U	4'	4,224	32W	5000K	80+	120-277	50,000	0-10V	✓✓
09536	STR-4C-40K-U	4'	6,026	46W	4000K	80+	120-277	50,000	0-10V	✓✓
09822	STR-4C-50K-U	4'	6,026	46W	5000K	80+	120-277	50,000	0-10V	✓✓
10351	STR8-60/D0/840-U-D	8'	6,000	46W	4000K	80+	120-277V	50,000	0-10V	✓✓
10352	STR8-60/D0/850-U-D	8'	6,000	46W	5000K	80+	120-277V	50,000	0-10V	✓✓
10353	STR8-85/D0/840-U-D	8'	8,500	65W	4000K	80+	120-277V	50,000	0-10V	✓✓
10354	STR8-85/D0/850-U-D	8'	8,500	65W	5000K	80+	120-277V	50,000	0-10V	✓✓
10358	STR8-97/D0/840-H-D*	8'	9,750	75W	4000K	80+	347V	50,000	0-10V	
10359	STR8-97/D0/850-H-D*	8'	9,750	75W	5000K	80+	347V	50,000	0-10V	
10355	STR8-117/D0/840-U-D	8'	11,700	90W	4000K	80+	120-277V	50,000	0-10V	✓✓
10356	STR8-117/D0/850-U-D	8'	11,700	90W	5000K	80+	120-277V	50,000	0-10V	✓✓

STR : ACCESSORIES

Order Code	Item	Description	Order Code	Item	Description
09823	STR-LCK	LED Strip, Linear Connection Kit	10357	STR8-WG-W	Wire Guard 8' LED Strip White
09788	STR-4-WG-W	Wire Guard, 4 ft. LED Strip, White	09843	STR-LENS	Replacement Lens for STR fixtures

**See page 19 for Sensors and Batteries*




VTS : VAPOR TIGHT SURFACE

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	MOL	Dim	Replaces Fluor.	DLC/Premium
09979	VTS-4-45/B0/850-DIM-U	4,400	40W	5000K	80+	120	50,000	50.24"	0-10V	(2) F32T8	✓
09714	VTS-4CS-40K-U	4,400	40W	4000K	80+	120-277	50,000	50.24"	0-10V	(2) F32T8	✓
09712	VTS-5CP-40K-U	5,200	40W	4000K	80+	120-277	50,000	50.24"	0-10V	(2) F32T8	✓✓
09977	VTS-4-52/D0/850-DIM-U	5,240	40W	5000K	80+	120	50,000	50.24"	0-10V	(2) F32T8	✓✓
09713	VTS-7CP-40K-U	6,760	52W	4000K	80+	120-277	50,000	50.24"	0-10V	(2) F54T5HO	✓✓
09978	VTS-4-68/D0/850-DIM-U	6,812	52W	5000K	80+	120	50,000	50.24"	0-10V	(2) F32T8	✓✓
09980	VTS-4-75/B5/850-DIM-U	7,150	65W	5000K	80+	120	50,000	50.24"	0-10V	(2) F32T8	✓
09715	VTS-7CS-40K-U	7,150	65W	4000K	80+	120-277	50,000	50.24"	0-10V	(2) F54T5HO	✓

TRS : TUBE READY STRIPS

Order Code	Item	Length	# of Lamps	Max Wattage per Lamp
10580	TRS4-14DE	4'	1	22W
10587	TRS4-24DE	4'	2	22W
10592	TRS8-44DE	8'	4	22W

*See page 19 for Photocells



- Alternative LED solution to traditional fluorescent troffers
- Ultra-high-efficiency LEDs provide superior performance
- Choice of 3500K, 4000K, or 5000K
- Available in 2'x2' and 2'x4'
- Standard 0-10V dimming driver
- Universal input voltage (120-277V)
- 5 year system warranty


VOL : VOLUMETRIC TROFFER

Order Code	Item	Size	Lm	W	CCT	CRI	V	Life/Hrs L70	Dim	Replaces Fluorescent	DLC Premium
09469	VOL22-3C-35K-U	2'x2'	3,275	26W	3500K	80+	120-277	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
09470	VOL22-3C-40K-U	2'x2'	3,275	26W	4000K	80+	120-277	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
09491	VOL22-3C-50K-U	2'x2'	3,275	26W	5000K	80+	120-277	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
09706	VOL22-3CP-35K-U	2'x2'	3,224	26W	3500K	80+	120-277	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
09707	VOL22-3CP-40K-U	2'x2'	3,250	26W	4000K	80+	120-277	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
09708	VOL22-3CP-50K-U	2'x2'	3,276	26W	5000K	80+	120-277	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
09471	VOL24-5C-35K-U	2'x4'	5,620	48W	3500K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
09472	VOL24-5C-40K-U	2'x4'	5,970	48W	4000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
09492	VOL24-5C-50K-U	2'x4'	6,115	48W	5000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
09709	VOL24-5CP-35K-U	2'x4'	5,796	46W	3500K	80+	120-277	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
09710	VOL24-5CP-40K-U	2'x4'	5,796	46W	4000K	80+	120-277	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
09711	VOL24-5CP-50K-U	2'x4'	5,796	46W	5000K	80+	120-277	50,000	0-10V	2x 32T8, 3x 32T8	✓✓

VOL : Accessories

Order Code	Item	Description
09898	VOL22-SMK-W	2x2 Surface Mount Kit, White
09899	VOL24-SMK-W	2x4 Surface Mount Kit, White

*See page 19 for Sensors and Batteries



SLM : SLIM PANEL

Order Code	Item	Size	Lm	W	CCT	CRI	V	Life/Hrs L70	Dim	Replaces Fluorescent	DLC/Premium
10495	SLM22-40/A0/835-U-D-A	2'x2'	4,000	40W	3500K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓
10507	SLM22-40/A0/840-H-D-A*	2'x2'	4,000	40W	4000K	80+	120-347V	50,000	0-10V	3x 17WT8, 2U31T8	✓
10496	SLM22-40/A0/840-U-D-A	2'x2'	4,000	40W	4000K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓
10508	SLM22-40/A0/850-H-D-A*	2'x2'	4,000	40W	5000K	80+	120-347V	50,000	0-10V	3x 17WT8, 2U31T8	✓
10497	SLM22-40/A0/850-U-D-A	2'x2'	4,000	40W	5000K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓
10498	SLM24-40/A0/835-U-D-A	2'x4'	4,000	40W	3500K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10499	SLM24-40/A0/840-U-D-A	2'x4'	4,000	40W	4000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10500	SLM24-40/A0/850-U-D-A	2'x4'	4,000	40W	5000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10214	SLM24-50/A0/835-U-D	2'x4'	5,000	50W	3500K	80+	100-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10218	SLM24-50/A0/840-H-D*	2'x4'	5,000	50W	4000K	80+	120-347V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10215	SLM24-50/A0/840-U-D	2'x4'	5,000	50W	4000K	80+	100-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10219	SLM24-50/A0/850-H-D*	2'x4'	5,000	50W	5000K	80+	120-347V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10216	SLM24-50/A0/850-U-D	2'x4'	5,000	50W	5000K	80+	100-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10503	SLM24-50/A0/850-U-D-A	2'x4'	5,000	50W	5000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10501	SLM24-50/A0/835-U-D-A	2'x4'	5,000	50W	3500K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10509	SLM24-50/A0/840-H-D-A*	2'x4'	5,000	50W	4000K	80+	120-347V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10502	SLM24-50/A0/840-U-D-A	2'x4'	5,000	50W	4000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10510	SLM24-50/A0/850-H-D-A*	2'x4'	5,000	50W	5000K	80+	120-347V	50,000	0-10V	2x 32T8, 3x 32T8	✓
10394	SLM14-50/C5/835-U-D-A	1'x4'	5,000	40W	3500K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
10395	SLM14-50/C5/840-U-D-A	1'x4'	5,000	40W	4000K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
10396	SLM14-50/C5/850-U-D-A	1'x4'	5,000	40W	5000K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
10388	SLM22-38/C5/835-U-D-A	2'x2'	3,800	30W	3500K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
10389	SLM22-38/C5/840-U-D-A	2'x2'	3,800	30W	4000K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
10390	SLM22-38/C5/850-U-D-A	2'x2'	3,800	30W	5000K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
10391	SLM22-50/C5/835-U-D-A	2'x2'	5,000	40W	3500K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
10392	SLM22-50/C5/840-U-D-A	2'x2'	5,000	40W	4000K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
10393	SLM22-50/C5/850-U-D-A	2'x2'	5,000	40W	5000K	80+	120-277V	50,000	0-10V	3x 17WT8, 2U31T8	✓✓
10397	SLM24-50/C5/835-U-D-A	2'x4'	5,000	40W	3500K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
10398	SLM24-50/C5/840-U-D-A	2'x4'	5,000	40W	4000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
10399	SLM24-50/C5/850-U-D-A	2'x4'	5,000	40W	5000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
10400	SLM24-62/C5/835-U-D-A	2'x4'	6,200	50W	3500K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
10401	SLM24-62/C5/840-U-D-A	2'x4'	6,200	50W	4000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓✓
10402	SLM24-62/C5/850-U-D-A	2'x4'	6,200	50W	5000K	80+	120-277V	50,000	0-10V	2x 32T8, 3x 32T8	✓✓

SLM : Accessories

Order Code	Item	Description
10367	SLM14-RMK-A	SLM14 Recessed Mounting Kit
10364	SLM14-SMK-A	SLM14 Surface Mounting Kit
10366	SLM22-RMK-A	SLM22 Recessed Mounting Kit
10363	SLM22-SMK-A	SLM22 Surface Mounting Kit
10368	SLM24-RMK-A	SLM24 Recessed Mounting Kit
10365	SLM24-SMK-A	SLM24 Surface Mounting Kit

*See page 19 for Batteries



- Ultra-efficient LED downlight kits designed for both retrofitting into existing downlights and new installation
- Integrated LEDs reduce energy consumption up to 80%
- Retrofit kits fit in many popular recessed downlight fixtures
- Lasts up to 30x longer than incandescent
- Choice of soft white, warm white and cool white CCT
- Instant-on, no warmup time
- 90 CRI versions available

DKDS : DOWNLIGHT DISK SURFACE KIT - TITLE 24

Order Code	Item	Size	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces	ES
09916	DKDS-4-12W/6.5/927-DIM-120	4"	650	12W	2700K	90+	120	50,000	75W BR	★
09917	DKDS-4-12W/6.5/930-DIM-120	4"	650	12W	3000K	90+	120	50,000	75W BR	★
10299	DKDS-4-12W/7.5/940-DIM-120	4"	750	12W	4000K	90+	120	50,000	75W BR	★
10300	DKDS-4-12W/7.5/950-DIM-120	4"	750	12W	5000K	90+	120	50,000	75W BR	★
09920	DKDS-6-15W/9.5/927-DIM-120	6"	950	15W	2700K	90+	120	50,000	90W BR	★
09921	DKDS-6-15W/9.5/930-DIM-120	6"	950	15W	3000K	90+	120	50,000	90W BR	★
10301	DKDS-6-15W/10.5/940-DIM-120	6"	1050	15W	4000K	90+	120	50,000	90W BR	★
10302	DKDS-6-15W/10.5/950-DIM-120	6"	1050	15W	5000K	90+	120	50,000	90W BR	★

AK : ADJUSTABLE NECK DOWNLIGHT

Order Code	Item	Size	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces	ES
09524	AK4-8.5W827-DIM-G7 2PK	4"	500	9W	2700K	80+	120	25,000	50W BR	★
09525	AK6-12W827-DIM-G7 2PK	5/6"	800	12W	2700K	80+	120	25,000	65W BR	★

CDR : COMMERCIAL DOWNLIGHT RETROFIT KIT

Order Code	Item	Size	Lm	W	CCT	CRI	V	Life/Hrs L70
10121	CDR-6-10/85/840-SSW-DIM-U	6"	1,000	12W	4000K	80+	100-277	50,000
10115	CDR-6-15/85/840-SSW-DIM-U	6"	1,500	18W	4000K	80+	100-277	50,000
10116	CDR-6-23/85/840-SSW-DIM-U	6"	2,400	27W	4000K	80+	100-277	50,000
10117	CDR-8-10/85/840-SSW-DIM-U	8"	1,000	12W	4000K	80+	100-277	50,000
10118	CDR-8-15/85/840-SSW-DIM-U	8"	1,500	18W	4000K	80+	100-277	50,000
10119	CDR-8-20/85/840-SSW-DIM-U	8"	2,000	24W	4000K	80+	100-277	50,000
10120	CDR-8-33/85/840-SSW-DIM-U	8"	3,500	40W	4000K	80+	100-277	50,000

DSK : SLIM DISK DOWNLIGHT - TITLE 24

Order Code	Item	Size	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces	ES
09518	DSK-11W927-DIM-G7	5"	650	11W	2700K	90+	120	50,000	50W BR	★
09519	DSK-11W930-DIM-G7	5"	650	11W	3000K	90+	120	50,000	50W BR	★
09521	DSK-15W927-DIM-G7	7"	850	15W	2700K	90+	120	50,000	65W BR	★
09522	DSK-15W930-DIM-G7	7"	850	15W	3000K	90+	120	50,000	65W BR	★
09523	DSK-15W940-DIM-G7	7"	850	15W	4000K	90+	120	50,000	65W BR	★

DOWNLIGHT FIXTURES



4" DOWNLIGHT KIT - TITLE 20/24

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces	ES
10337	DK4-13W/9/927-D-120-W/B	900	13W	2700K	90+	120V	50,000	65W BR	★
10338	DK4-13W/9/930-D-120-W/B	900	13W	3000K	90+	120V	50,000	65W BR	★
10339	DK4-13W/9/940-D-120-W/B	900	13W	4000K	90+	120V	50,000	65W BR	★
10340	DK4-13W/9/950-D-120-W/B	900	13W	5000K	90+	120V	50,000	65W BR	★

4" DOWNLIGHT KIT

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces	ES
09677	LED-DK4-9W927-DIM-G7	600	9W	2700K	90+	120V	50,000	65W BR	★
09678	LED-DK4-9W930-DIM-G7	600	9W	3000K	90+	120V	50,000	65W BR	★
09679	LED-DK4-9W940-DIM-G7	600	9W	4000K	90+	120V	50,000	65W BR	★
09680	LED-DK4-9W950-DIM-G7	600	9W	5000K	90+	120V	50,000	65W BR	★
10315	DK4-10W/8/827-D-120-W/B	800	10W	2700K	80+	120V	50,000	65W BR	★
10316	DK4-10W/8/830-D-120-W/B	800	10W	3000K	80+	120V	50,000	65W BR	★
10317	DK4-10W/8/840-D-120-W/B	800	10W	4000K	80+	120V	50,000	65W BR	★
10318	DK4-10W/8/850-D-120-W/B	800	10W	5000K	80+	120V	50,000	65W BR	★
10319	DK4-13W/11/827-D-120-W/B	1,100	13W	2700K	80+	120V	50,000	65W BR	★
10320	DK4-13W/11/830-D-120-W/B	1,100	13W	3000K	80+	120V	50,000	65W BR	★
10321	DK4-13W/11/840-D-120-W/B	1,100	13W	4000K	80+	120V	50,000	65W BR	★
10322	DK4-13W/11/850-D-120-W/B	1,100	13W	5000K	80+	120V	50,000	65W BR	★

4" ROTATABLE DOWNLIGHT

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces	ES
09083	LED-DK4RT-11W830-DIM-G5	650	11W	3000K	80+	120	50,000	65W BR	★
09084	LED-DK4RT-11W840-DIM-G5	650	11W	4000K	80+	120	50,000	65W BR	★
09085	LED-DK6RT-11W830-DIM-G5	750	11W	3000K	80+	120	50,000	65W BR	★


6" DOWNLIGHT KIT - TITLE 20/24

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces	ES
10341	DK6-12W/8/927-D-120-W/B	800	12W	2700K	90+	120V	50,000	65W BR	★
10342	DK6-12W/8/930-D-120-W/B	800	12W	3000K	90+	120V	50,000	65W BR	★
10343	DK6-12W/8/940-D-120-W/B	800	12W	4000K	90+	120V	50,000	65W BR	★
10344	DK6-12W/8/950-D-120-W/B	800	12W	5000K	90+	120V	50,000	65W BR	★
10345	DK6-18W/12.5/927-D-120-W/B	1,250	18W	2700K	90+	120V	50,000	100W BR	★
10346	DK6-18W/12.5/930-D-120-W/B	1,250	18W	3000K	90+	120V	50,000	100W BR	★
10347	DK6-18W/12.5/940-D-120-W/B	1,250	18W	4000K	90+	120V	50,000	100W BR	★
10350	DK6-18W/12.5/950-D-120-W/B	1,250	18W	5000K	90+	120V	50,000	100W BR	★

6" DOWNLIGHT KIT

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces	ES
09681	LED-DK6-11W927-DIM-G7	700	11W	2700K	90+	120V	50,000	65W BR	★
09682	LED-DK6-11W930-DIM-G7	700	11W	3000K	90+	120V	50,000	65W BR	★
09683	LED-DK6-11W940-DIM-G7	700	11W	4000K	90+	120V	50,000	65W BR	★
09684	LED-DK6-11W950-DIM-G7	700	11W	5000K	90+	120V	50,000	65W BR	★
10323	DK6-12W/10/827-D-120-W/B	1,000	12W	2700K	80+	120V	50,000	65W BR	★
10324	DK6-12W/10/830-D-120-W/B	1,000	12W	3000K	80+	120V	50,000	65W BR	★
10325	DK6-12W/10/840-D-120-W/B	1,000	12W	4000K	80+	120V	50,000	65W BR	★
10326	DK6-12W/10/850-D-120-W/B	1,000	12W	5000K	80+	120V	50,000	65W BR	★
09685	LED-DK6-15W927-DIM-G7	1,100	15W	2700K	90+	120V	50,000	65W BR	★
09686	LED-DK6-15W930-DIM-G7	1,100	15W	3000K	90+	120V	50,000	65W BR	★
09687	LED-DK6-15W940-DIM-G7	1,100	15W	4000K	90+	120V	50,000	65W BR	★
09688	LED-DK6-15W950-DIM-G7	1,100	15W	5000K	90+	120V	50,000	65W BR	★
10327	DK6-15W/12.5/827-D-120-W/B	1,250	15W	2700K	80+	120V	50,000	65W BR	★
10328	DK6-15W/12.5/830-D-120-W/B	1,250	15W	3000K	80+	120V	50,000	65W BR	★
10331	DK6-15W/12.5/840-D-120-W/B	1,250	15W	4000K	80+	120V	50,000	65W BR	★
10332	DK6-15W/12.5/850-D-120-W/B	1,250	15W	5000K	80+	120V	50,000	65W BR	★
10333	DK6-18W/15/827-D-120-W/B	1,500	18W	2700K	80+	120V	50,000	100W BR	★
10334	DK6-18W/15/830-D-120-W/B	1,500	18W	3000K	80+	120V	50,000	100W BR	★
10335	DK6-18W/15/840-D-120-W/B	1,500	18W	4000K	80+	120V	50,000	100W BR	★
10336	DK6-18W/15/850-D-120-W/B	1,500	18W	5000K	80+	120V	50,000	100W BR	★

CANOPY FIXTURES



- Cost-effective, solid-state solutions for canopy applications
- Replaces high-watt HID fixtures and/or fluorescent luminaires
- Available in round and square configurations
- 5 year limited warranty

SCRG : SURFACE CANOPY ROUND GARAGE

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces HID	DLC Premium
09959	SCRG-50/D0/840-DIM-U-S1B-W‡	5,200	40W	4000K	80+	100-277	50,000	250W	✓✓
09955	SCRG-50/D0/840-DIM-U-W	5,200	40W	4000K	80+	100-277	50,000	250W	✓✓
09960	SCRG-50/D0/850-DIM-U-S1B-W‡	5,200	40W	5000K	80+	100-277	50,000	250W	✓✓
09956	SCRG-50/D0/850-DIM-U-W	5,200	40W	5000K	80+	100-277	50,000	250W	✓✓
09961	SCRG-75/D0/840-DIM-U-S1B-W‡	8,100	60W	4000K	80+	100-277	50,000	400W	✓✓
09957	SCRG-75/D0/840-DIM-U-W	8,100	60W	4000K	80+	100-277	50,000	400W	✓✓
09962	SCRG-75/D0/850-DIM-U-S1B-W‡	8,100	60W	5000K	80+	100-277	50,000	400W	✓✓
09958	SCRG-75/D0/850-DIM-U-W	8,100	60W	5000K	80+	100-277	50,000	400W	✓✓

‡Features integrated sensor

SCRG : Accessories

Order Code	Item	Description
09963	SCRG-3G-BRK	Quick Mount Bracket for 3G applications

SCST : SLIM CANOPY

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces HID	DLC
09952	SCST-140/B0/850-U-W	14,000	130W	5000K	70+	100-277	50,000	250-400W	✓
09953	SCST-140/B0/850-V-W	14,000	130W	5000K	70+	200-480	50,000	250-400W	✓
09954	SCST-160/B0/850-U-W	16,000	150W	5000K	70+	100-277	50,000	400-600W	✓

SCSS : SURFACE CANOPY SQUARE

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Replaces HID	DLC
10627	SCSS-1C-40K-U	4,800	40W	4000K	70+	120-277V	50,000		✓
09746	SCSS-1C-50K-U	4,800	40W	5000K	70+	120-277V	50,000		✓

*See page 19 for Sensors



- Economical and energy-efficient solutions for general purpose wall mount lighting
- Durable, impact-resistant construction
- Easy to install
- 5 year system warranty

VTU : VAPOR TIGHT UTILITY

Order Code	Item	W	Nominal Lumens	CCT	CRI	V	ES
10650	VTU-20/20W/830-U-GY	20W	2,000	3000K	80+	120-277V	★
10651	VTU-20/20W/840-U-GY	20W	2,000	4000K	80+	120-277V	★
10652	VTU-20/20W/850-U-GY	20W	2,000	5000K	80+	120-277V	★

WMC : WALLPACK CUBE

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Finish	DLC
09810	WMC-2C-40K-U	1,900	20W	4000K	80+	120-277	50,000	Bronze	✓
09580	WMC-2C-50K-U	1,900	20W	5000K	80+	120-277	50,000	Bronze	✓
09811	WMC-3C-40K-U	2,850	30W	4000K	80+	120-277	50,000	Bronze	✓
09581	WMC-3C-50K-U	2,850	30W	5000K	80+	120-277	50,000	Bronze	✓

WMG : WALLPACK, GLASS

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Finish	DLC
09802	WMG-1C-40K-U	3,200	30W	4000K	70+	100-277	50,000	Bronze	✓
09574	WMG-1C-50K-U	3,200	30W	5000K	70+	100-277	50,000	Bronze	✓
09807	WMG-2C-40K-V	4,600	40W	4000K	70+	347-480	50,000	Bronze	✓
09596	WMG-2C-50K-V	4,600	40W	5000K	70+	347-480	50,000	Bronze	✓
09803	WMG-2C-40K-U	5,800	50W	4000K	70+	100-277	50,000	Bronze	✓
09575	WMG-2C-50K-U	5,800	50W	5000K	70+	100-277	50,000	Bronze	✓
09804	WMG-3C-40K-U	7,000	60W	4000K	70+	100-277	50,000	Bronze	✓
09576	WMG-3C-50K-U	7,000	60W	5000K	70+	100-277	50,000	Bronze	✓
09805	WMG-4C-40K-U	9,800	80W	4000K	70+	100-277	50,000	Bronze	✓
09808	WMG-4C-40K-V	9,500	80W	4000K	70+	347-480	50,000	Bronze	✓
09577	WMG-4C-50K-U	9,800	80W	5000K	70+	100-277	50,000	Bronze	✓
09809	WMG-4C-50K-V	9,500	80W	5000K	70+	347-480	50,000	Bronze	✓
09806	WMG-5C-40K-U	13,000	120W	4000K	70+	100-277	50,000	Bronze	✓
09578	WMG-5C-50K-U	13,000	120W	5000K	70+	100-277	50,000	Bronze	✓

WPT : WALLPACK, TRAPEZOID

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Finish	DLC
09812	WPT1-55/840-BZ-U	5,500	50W	4000K	80+	120-277	50,000	Bronze	✓
09813	WPT1-55/850-BZ-U	5,500	50W	5000K	80+	120-277	50,000	Bronze	✓
09814	WPT1-88/840-BZ-U	8,800	80W	4000K	80+	120-277	50,000	Bronze	✓
09816	WPT1-88/840-BZ-V †	8,800	80W	4000K	80+	347-480	50,000	Bronze	✓
09815	WPT1-88/850-BZ-U	8,800	80W	5000K	80+	120-277	50,000	Bronze	✓
09817	WPT1-88/850-BZ-V †	8,800	80W	5000K	80+	347-480	50,000	Bronze	✓


LED FIXTURES

WPW : WALLPACK WEDGE

Order Code	Item	Lm	W	CCT	CRI	V	Life/Hrs L70	Finish
08589	WPW-1C-120	800	11W	5000K	70	120	50,000	Bronze

**See page 19 for Photocells*

OCCUPANCY SENSORS, PHOTOCELLS, AND BATTERIES



- Omni-directional quad-element sensors for energy-saving light control
- Available remote commissioning device
- Optional interchangeable lenses to adjust detection pattern; contact Eiko for more details
- 7 year limited warranty

OCCUPANCY SENSORS

Order Code	Item	Description
09908	SEN-S1A-KO	OCC/PC/RC, IP65, 1/2" Knock Out Mount, 120-277V, Remote Controllable - 5 Year Warranty
09890	SEN-3A-KO	PIR OCC/PC, On/Off, IP66, High Bay Lens, 1/2" Knock Out Mount - 7 Year Warranty
10476	SEN-3AA-KO	PIR OCC/PC, On/Off, High Bay Lens, 1/2" Knock Out Mount - 5 Year Warranty
10220	SEN-3B-KO	PIR OCC/PC-DDC, IP66, High Bay Lens, 1/2" Knock Out Mount, 120-277V - 5 Year Warranty
10221	SEN-3C-KO	PIR OCC/PC-DDC, IP66, High Bay Lens, 1/2" Knock Out Mount, 347/480V - 5 Year Warranty
09909	SEN-S1-RC	Remote Control for S1A Sensors - 5 Year Warranty
10113	SEN-S1-RC2	Remote Control for S1B Sensors - 5 Year Warranty
10226	SEN-3-RC	Remote Control for SEN-3B/3C - 5 Year Warranty
10222	SEN-EMA	Sensor Extension Mounting Adaptor - 5 Year Warranty

PHOTOCELLS

Order Code	Item	Description
09966	PC1-4036-U	Photocell, Flush Mount, 120-277V
09967	PC1-4136-U	Photocell, Stem Mount, Side Lens, 120-277V
09968	PC1-4236-U	Photocell, Stem Swivel Mount, Side Lens, 120-277V
09969	PC1-4736-U	Photocell, Stem Swivel Mount, Top Lens, 120-277V

BATTERIES

Order Code	Item	Description
09850	FHSCP-UNV-10.7WL	10.7W Emergency Battery Backup
09852	FHSCP-UNV-13.7WL	13.7W Emergency Battery Backup
09854	FHSCP-UNV-17WL	17W Emergency Battery Backup
09849	FHSCP-UNV-5WL	5W Emergency Battery Backup
09851	FHSCP-UNV-7.8WL	7.8W Emergency Battery Backup

EIKO USA: SHIPPING TERMS, CONDITIONS, & PROCEDURES

EFFECTIVE: February 4, 2019.

Supersedes all past terms and conditions of Price books and Sales Supplements.

PRICES: As Shown and subject to change without notice.

DISTRIBUTOR STATUS: Distributors must purchase a minimum of \$5,000 annually in order to maintain distributor status.

SMALL ORDER CHARGE: Orders under \$250 will be assessed a \$25 small order charge.

PAYMENT TERMS: Net 30 days, from date of shipment as it appears on invoice. Postmark date on envelope will determine if payment has been made within terms. All orders received are subject to review and approval by our credit department. Orders received from customers with delinquent accounts may be subject to shipping delays, so please keep your account current.

FREIGHT: NOTE: Eiko products may be combined to meet prepaid freight requirements. Eiko Global, LLC will select the carrier of its choice.

1. All orders of fixtures/fixtures and lamps of \$1,500 or more, and all orders of lamps only of \$1,000 or more, will be shipped FREE FREIGHT F.O.B. destination via regular ground UPS within the continental United States. Orders less than \$1,000 will be shipped F.O.B. origin.
2. UPS Second Day Air Blue – At the request of the distributor, orders will be billed at the UPS Second Day Air Rate.
3. UPS Next Day Air Red Label – At the request of the distributors, orders will be billed at the UPS Red Label Air rate.
4. Shipments made at the choice of the distributors, other than above, will be shipped F.O.B. shipping point.
5. Additional charges will apply for residential delivery.
6. Alaska, Hawaii and Puerto Rico – Orders of fixtures/fixtures and lamps of \$1,500 or more, and all orders of lamps only of \$1,000 or more, will be shipped free freight F.O.B. to a freight forwarder.

RETURN AUTHORIZATION:

1. Contact Eiko Global, LLC for authorization.
2. Return authorization will not be issued unless the distributor provides a valid invoice number. A copy of this invoice must be included with the return.
3. Goods must be active items and less than one year old. Clearance and closeout items are not eligible for return.
4. A restocking charge of 20% will be charged on all authorized and acceptable goods. If goods are not returned in resalable condition they will not be accepted.

NOTE: All returns must have a return number on the outside of the box.

SHIPMENT DISCREPANCIES: All shipment discrepancies, damage, etc, must be reported within 10 days of the shipment date shown on the invoice.

GENERAL: We reserve the right to, at any time and without notice, discontinue or substitute brands.

EIKO GLOBAL LLC:

23220 W. 84th St, Shawnee, KS 66227 • Ph: 1.800.852.2217 • F: 1.800.492.8975 • Email: eiko@eiko.com

EIKO CANADA: SHIPPING TERMS, CONDITIONS, & PROCEDURES

Effective: May 1, 2018.

Supersedes all previously issued copies.

Ordering: All orders should be emailed to orderdesk@eiko.com or faxed to EIKO at 1-888-705-1335.

All orders received are subject to review and approval by our credit department.

Distributor Status: Distributors must purchase a minimum of \$2500.00 annually to maintain distributor status.

Prices: All prices are payable in Canadian funds. Prices are subject to change without notice and do not include applicable taxes. Any applicable taxes will be added to the invoice.

Minimum Order: \$75.00 minimum order requirement.

Payment Terms: Net 30 Days, from date of shipment as it appears on the invoice. Postmark date on envelope will determine if payment has been made within terms. All payments must be made in Canadian funds and mailed to below. EFT is available upon request.

EiKO Global, LLC (Canada)
81 King Street
Barrie, Ontario, L4N 6B5

Freight Terms: All pre-paid orders will be shipped F.O.B. destination via ground service and the carrier will be determined by EIKO. Orders that do not meet the pre-paid amount will be shipped at customer's expense. At the request and expense of customer, orders can be shipped via air service. At the request of customer, orders can be drop shipped and pre-paid amounts will apply to shipping destination.

F.O.B Destination, pre-paid as follows (before taxes):

British Columbia \$500.00	New Brunswick \$1,000.00
Alberta \$500.00	Nova Scotia \$1,000.00
Saskatchewan \$500.00	Prince Edward Island \$1,000.00
Manitoba \$750.00	Newfoundland and Labrador \$1,500.00
Ontario \$500.00	Yukon \$1,500.00
Montreal (Metropolitan Area) \$500.00	Northwest Territories \$1,500.00
All other points in Quebec \$750.00	Nunavut \$1,500.00

NOTE: - Pre-paid freight is \$1,000.00 in Alberta, British Columbia, Manitoba, Ontario, Quebec, and Saskatchewan when ordering product in length of 4 feet or longer.
- Expedited ground freight is available upon request for Western Canada when shipping out of Ontario. Pre-paid freight is \$2000.00.

Shipment Discrepancies/Damages: EIKO will credit or replace product found to arrive in damaged or broken condition on all pre-paid freight orders. All shipment discrepancies, damage, etc., must be reported within 10 days of the shipment date shown on the invoice.

Return Authorizations: You must contact EIKO within 90 days of delivery for a Return Authorization number. An RA number will only be provided if the customer has a valid invoice showing when the goods were purchased from EIKO. Goods must be less than one year old to be eligible for return. All returns must be shipped pre-paid with a copy of the invoice and RA included. A restocking charge of 25% will be charged on all authorized and acceptable goods. An order of 2 times the return value will be accepted as an offset to the restocking charge. Goods returned not in original packaging and not in resalable condition will be returned to sender, at the expense of the sender, and no credit will be issued.

General: EIKO Canada Limited reserves the right to discontinue and substitute brands at any time without notice.

EIKO GLOBAL CANADA, LLC:

81 King St, Barrie, ON L4N 6B5 • Ph: 1.705.721.5189 • F: 1.705.721.7855 • Email: orderdesk@eiko.com

EIKO LED FIXTURE LIMITED WARRANTY

EiKO branded LED Fixtures are warranted to be free of defective materials and workmanship for a period of not less than five years. EiKO LED Fixtures covered by this Limited Warranty shall be installed in accordance with the provided installation instructions as well as local and national codes and standards and utilized under normal operating conditions.

For any EiKO LED Fixture that fails to operate as indicated in the performance specifications defined in the documentation accompanying the EiKO LED Fixture or on published EiKO Specification sheets, and at EiKO's discretion, EiKO will replace, in part or whole, the EiKO LED Fixture or issue a credit to the distributor only for the cost of a Fixture due to defective materials or workmanship.

This warranty is limited to the replacement or credit of the fixture itself. This is buyer's exclusive remedy. Any other warranty, express or implied, including any warranty of merchantability or fitness for a particular purpose, is excluded and disclaimed. EiKO shall not be liable for any special, incidental or consequential damage including labor, loss of use, lost profits or injury to persons or property. Should EiKO provide replacement fixtures or component, EiKO will, at its option, repair or replace the EiKO LED Fixture with the same or functionally equivalent product or component part(s). If EiKO chooses to replace the EiKO LED Fixture and is not able to do so because it has been discontinued or is not available, EiKO may replace the product with a comparable product. Furnishing of a replacement EiKO LED Fixture or a replacement part under the terms of this Limited Warranty shall not begin a new warranty period related to such replacement EiKO LED Fixture or part but rather shall be limited to the original warranty period associated with the warranted product.

EiKO reserves the right to examine all fixtures prior to the determination of warranty status. All fixtures must be retained for warranty claims until such time that EiKO determines the final disposition of the product. The warranty period starts on the date of installation. If the date of installation is unknown or undetermined the warranty period will start at the wholesale purchase date.

Credit is calculated as follows: $\text{Credit (\$)} = \text{Invoiced Purchase Price (\$)} \times \frac{\text{Unexpired Original Warranty Period (months)}}{\text{Warranty Period}}$



WORLD HQ: 23220 W. 84th St, Shawnee, KS 66227 · (P) 1.800.852.2217 · (F) 1.800.492.8975
CANADA: 81 King St, Barrie, ON L4N 6B5 · (P) 1.888.410.8151 · (F) 1.888.705.1335

LEDFIXCAT08/2019