DRY. STORE. ALL IN ONE.







- Drying Rack shelving units combine the corrosion free and the strength of Camshelving and Elements with the convenience of easy drying.
- 7-Slot Rack securely holds trays, cutting boards, lids, baking sheet pans (full and half size) and plates 203 to 343 mm diameter during drying process.
- Provides convenient, sanitary storage, maximizes holding space and easy access.
- Tray drying racks alone can be used on CS Camshelving, MS Metric Camshelving, Camshelving Elements and Camshelving Basics Series.
- Made from high impact ABS.











www.cambro.com

Camshelving® Drying Rack System

- Easy to install, sits on shelving traverses.
- Convert existing shelf units by removing shelf plates and replacing with drying racks.
- Drying Racks are dishwasher safe.
- Lifetime warranty against rust and corrosion on Drying Rack Posts and Traverses.
- Promotes safety by eliminating moisture.
- Offers an efficient, organized drying area.
- Allows sufficient air circulation [Maximum product width 33 mm]
- Mobile unit allows for easy floor clean-up and transportability.
- Drying Rack Material: High Impact ABS.
- Tray Drying Racks fit all 610 mm wide CS Camshelving, Camshelving Elements, Mobile or Stationary 610 to 1830 mm in length and Camshelving Basics stationary 760 to 1530 mm in length. Fits all 600 mm wide MS Camshelving Mobile or Stationary 600 to 1700 mm in length.









Drying Rack Carts:

CODE	DIMENSIONS	CASE KG (CUBE M³)		
CS Camshelving® Drying Rack Carts - Mobile				
CSDRC244875PKG	610 x 1220 x 1910 mm	47,31 (0,31)		
CSDRC246075PKG	610 x 1530 x 1910 mm	55,96 (0,31)		

Color: Speckled Gray (480).

Package Includes: Drying Racks for three levels, six traverses, two mobile post kits, premium (2 swivel, no brake, 2 swivel with brake) casters and instruction manual. No Shelf Plates are included.

Camshelving® Elements Rack Carts - Mobile

EDRC244878PKG	610 x 1220 x 1910 mm	39,16 (0,31)
EDRC246078PKG	610 x 1530 x 1910 mm	44,51 (0,31)

Color: Brushed Graphite (580).

Package Includes: Drying Racks for three levels, six mobile traverses, two mobile post kits, premium (2 swivel, no brake, 2 swivel with brake) casters and instruction manual. No Shelf Plates are included.

CODE	DIMENSIONS	CASE KG (CUBE M³)
MS Camshelving® Drying Rack Carts – Mobile		
MSDRC601117PKG	600 x 1100 x 1770 mm	-
MSDRC601317PKG	600 x 1300 x 1770 mm	-

Color: Speckled White (490). Shelf Plates not Included.

Package Includes: Drying Racks for three levels, six traverses, two mobile post kits, 4 swivel with brake casters and instruction manual. No Shelf Plates are included.

Drying Racks Only - Fit perfect on CS and MS Camshelving, Camshelving Elements and Camshelving Basics Series:

CODE	DIMENSIONS H x L x W	CASE KG (CUBE M³)
CSDR7	240 x 594 x 96,52 mm	1,47 (0,01)
CSDR73	240 x 594 x 96,52 mm	3,85 (0,03)

Color: Soft Gray (151).











Lids




Cutting Boards

Chart for CS and MS Camshelving, Camshelving Elements, Camshelving Basics Series - Drying Rack

Group A - CS Camshelving, Camshelving Elements, Camshelving Basics Series

Broup B - MS Camshelving





CAMBRO U.S.A. TEL: (714) 848-1555 FAX: (714) 230-4375 international@cambro.com

126 Pieces Total

CAMBRO EUROPEAN LOGISTICS TEL: (49) 7022 90 100 0 FAX: (49) 7022 90100 19 cambroeurope@cambro.com CAMBRO NORTH IRELAND & UK TEL: 0800 587 0057 Toll Free FAX: 0845 280 3411 cambrouk@cambro.com

126 Pieces Total

CAMBRO IRELAND
TEL: 1800 509 046 Toll Free
FAX: 01 633 55 76
cambroireland@cambro.com





or the Cambro Customer

Service Department.



