CAMB BROWN

Product Catalog




CAMBRO® CATALOG TABLE OF CONTENTS

Equipment



FOOD HOLDING & TRANSPORTATION





WAREWASHING, HANDLING & STORAGE

Camrack® 4-in-1 System	73
Personalization	84
Camdollies®	86
Tray & Dish/Silver Cart	89
S-Series Adjustable	
Dish Caddies	90
Cambox® Bus Boxes	95
Service Cart Pro	96
KD Service Cart & KD Utility Cart	97
Service Carts	98
Sizing & Reference Guide	288



CAMSHELVING® ELEMENTS & BASICS **PLUS SERIES**

Camshelving Elements Series 120 Weight Bearing Chart 121 **Elements Series Configurations** 122 **Elements Series Accessories** 126 Camshelving Basics Plus Series 128 Weight Bearing Chart 129 Basics Plus Series Configurations 130 Basics Plus Series Accessories 134 **Camshelving Accessories** 135



PREMIUM SERIES



2111	The same of	-	
A.	Harry .	0115	
100	Total Division of the Control of the	1	-//
	The second		
3			
-	- A-A-A	(F)	,

UTILITY SHELVING

Versa Food Service System	51
Food Bar Accessories	54
Table Top Food Bars	55
CamKiosk® System	56
Hand Sink Cart	58
Camcruiser® Vending Carts	59
Flex Station	61
Versa Organizers	62
Portable CamBars®	64
Ice Caddies	71

Key Features	102
Buyer Guide	104
Free Camshelving Design Service	105
Overall Length —	
Quick Reference Guide	106
Camshelving Premium Series	108
Weight Bearing Chart	109
Premium Series Configurations	111
Premium Series Accessories	114
High Density Storage	
Floor Track System	116

Camshelving Ultimate	
#10 Can Rack System	139
Ultimate Sheet Pan Rack	142
Premium Series Full-Wrap	
Security Cage	145
Drying and Storage Rack	145
Elements Series 2-Shelf Vented	
Undercounter Units	147
Premium Series Flex Station	147
Wall Shelving and	
Shelf Extrenders	148
Dunnage Racks	149
Camlink®	140

Supplies



FOOD STORAGE AND PREPARATION



Healthcare



HEALTHCARE

Food Storage Containers	151	Deli Crocks & Platters	196
Food Storage Boxes & Lids	159	ShowFest® Display Bowls & Trays	197
StoreSafe® Labels	163	Serving Bowls	198
Camwear® Food Pans & Lids	164	Display Covers & Trays	201
H-Pans [™]	168	Crocks & Ladles	202
Translucent Food Pans	173	Serving Spoons, Camtensils®	
ColdFest®	176	& Turners	203
Pizza Dough Boxes	177	Tongs	204
Ingredient Bins &		Shakers/Dredges &	
Camwear Dry Scoops	178	Condiment Jars	205
Soak And Brine Tank &			
Camcrisper®	179		
High Heat Measuring Cups &			
Camwear Measuring Cups	180		

Camduction®	
Complete Heat System	248
Meal Delivery Ware	251
Reusable CamLids®	
for Meal Delivery Systems	254
Camrack® Wash	
and Store Rack	254
Healthcare Tumbler, Swirl Bowl	
and Disposable Camlids	255
Camshelving®	
Hygienic Drying Racks	256
Tablotherm	258
Versa Trays	262
Non-Slip Versa Trays	263
Camtrays® with Handles &	
Camwear Non-Slip Tray	265
Meal Delivery Carts	267

GENERAL INFORMATION

Icon Directory	
Alpha Numeric Listing	27
Warranty	28
Roto Color Chart	28

PERSONALIZATION

CamKiosk®	56
Camcruisers®	59
Camracks®	84
Table Service/Storage	185
Trays	208



TABLE SERVICE



TRAYS

Dinnerware	182	Choose the right tray	207
Camcovers®	184	Personalization	208
Personalization	185	Tray Product Guide	210
Pitchers	186	Century™ Trays	215
Aliso® Barware	187	Polyester Versa Trays	217
Cambro® Tumblers &		Versa Lite Trays	220
Disposable CamLids®	188	Camtrays®	222
Camliter®	192	EpicTread™ Trays	228
Beverage Dispenser,	102	Dietary & Camlite® Trays	229
Pail With Bail & Swirl Bowls®	193	Camwear® Trays	230
Wine Buckets, Punch Bowls		Camtread® Trays	232
& Bud Vase	194	Treadlite™ & Polytread Trays®	233
		Wood Trays	234
		Corfu, Capri, Mykonos,	
		& Madeira Trays	235
		Fast Food Trays	240
		Compartment Trays	245
		Market Trays & Pans	245

www.cambro.com

Visit www.cambro.com for a wide variety of information about our products including new product updates, an interactive Camrack Glass to Rack Guide, consultant cut sheets and CAD drawings, care and maintenance product guides and more.

The Trademarks of Cambro and product images are the property of Cambro and are subject to the control and ownership of Cambro. Any use thereof is only granted for the promotion and sales of Cambro products and subject to the control of Cambro **Manufacturing Company.**

the **cambro**[®] story

When William and Argyle Campbell first opened the doors at Cambro Manufacturing in 1951, their goal was to make a hospital meal tray of the highest quality possible. Named the Camtray®, it demonstrated that they were as committed to excellence in the food service industry as they were to the quality of their own products. As 2016 marks the company's 65th year of leadership in quality, innovation and customer service, today Cambro serves the world with the industry's most complete selection of products for widely diverse segments of the food service business.

The future is certain to bring great changes to our industry. Yet one thing that will remain a constant is Cambro's tradition of continually developing new products that help food service operators save time and money, increase sales, reduce labor and improve service. In the years ahead, guided by the commitment of its founders to innovation, quality, and value, Cambro Manufacturing will still be the leader in serving the food service industry and you, our valued customer.

ICON DIRECTORY

Throughout the Cambro catalog, find the following easy to identify icons to help explain Cambro product features or services.



Food Safety Matters

For 65+ years, Cambro foodservice equipment and supplies have earned the trust and loyalty of customers and public health professionals alike because our products are designed with Food Safety in mind. At Cambro, every product design is based upon the core principle of food safety.

Look for the Cambro StoreSafe mark throughout the Cambro catalog to identify Cambro storage and transportation products that support safe food handling.

You can learn more about Cambro's Food Safety initiatives at www.cambro.com/storesafe



Many Cambro products may be recycled. For further information, please contact your Cambro representative.



Listed by NSF International, an independent, not-for-profit organization which certifies products that meet their criteria for sanitation and cleanability.



Foam Insulation



Cambro "Storage Select" BPA-Free (Bisphenol-A Free) products are available for customers who are interested in products deemed BPA-Free.

Please contact your sales representative for more information.



Not For Use In Heated Carts







Prorated Warranty



Certifies products by Technischer Überwachungs-Verein. (Technical Inspection Association)



Fit for Food Products



Personalization Available Non-Food Contact Areas Only



Dishwasher Safe



One carton of product is within the weight and cube requirements to be shipped by parcel carrier.





FOOD HOLDING AND TRANSPORTATION







Ready to Deliver

Cambro offers the widest variety of delivery equipment options in the industry. We'll help you design the optimal system to grow your delivery business while maintaining the food safety, flavors and textures that built your loyal following.

Food Safety and Quality

From the time the food is prepped to the moment it reaches the customer's doorstep, every second counts. Keep food safely hot or cold every step of the way.

- At-counter holding for pick-up or takeout.
- Curbside pick-up.
- · Delivery.

Employee Safety

High-tech materials and ergonomic design reduce the load for employees.

- · Lightweight options.
- Secure carrying straps.
- Dollies for large catering orders.

Icon Directory



Lightweight — Made of EPP (Expanded Polypropylene) an eco friendly high performance insulation material.



Chemically Inert unaffected by oil, grease and most chemicals.



Excellent Energy
Absorption —
can withstand
substantial impact
without damage.



Great Structural
Strength — capable of
handling significant
loads while
maintaining its
shape and form.



Dishwasher safe.



Safe for food contact.



100% Recyclable.

Lightweight GoBags are great for single-stop deliveries of hot and cold menu items, especially pizza.

- Sturdy nylon fabric.
- High-density insulation.
- Designed to protect food quality.
- Sewn-in carrying straps.
- Minimal storage space.





CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS



Made of Expanded Polypropylene (EPP), an eco-friendly, high performance insulation material, Cam GoBoxes are incredibly lightweight, making delivery easy.

- Hold safe temperatures over four hours.
- Great for holding for pick-up.
- Good for multiple stops or large events.
- Stackable.
- Most economical option.





GN Top Loaders

A BUILT-IN LABEL AREA

Keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.



LINE YOUR CAM GOBOX

With a Cambro GN Food Pan and Seal Cover for the ultimate food safety solution. Cambro GN pans protect food and carrier to support HACCP compliance.

GN Top Loader – Large Handles

OPTIONAL INSERT KIT

For an additional cold boost, use with optional Camchiller® Insert Kit EPPCTLPKG. Built-in cut-outs support cold transfer while protecting food from condensation.



Comfortable handles allow easy and safe lifting of the EPP180LH GoBox.

EASY LOADING AND UNLOADING

Interior wall recesses make loading and unloading easy for both GN 1/1 as well as GN 1/2 Food Pans. Straight interior walls allow room for stacking pans inside carrier.



TEMPERATURE RETENTION

4+ hours

















Warms to 75°C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.

CAM GOBOX® PROFESSIONAL GRADE **INSULATED CARRIERS**— GN TOP LOADERS

For Half-Size (GN 1/2) Food Pans



EPP260

Holds 1 each 15 cm deep food pan*

EXTERIOR: L 39 x **W** 33 x **H** 25.7 cm INTERIOR: L 33 x W 27 x H 19,3 cm

UNIT WEIGHT: 0,62 kg

VOLUME: 16,9 L

Case Pack: 1 Color: Black (110).



EPP280 without Strap

Holds 1 each 20 cm deep food pan*

EXTERIOR: L 39 x W 33 x H 31.6 cm

INTERIOR: L 33 x W 27 x H 25,3 cm

UNIT WEIGHT: 0,7 kg / 0,8 kg with strap

VOLUME: 22,3 L

Case Pack: 1 Color: Black (110).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES



EPP280BKST with Black Strap EPP280RDST with Red Strap

Holds 1 each 20 cm deep food pan*

EXTERIOR: L 39 x **W** 33 x **H** 31.6 cm

INTERIOR: L 33 x W 27 x H 25,3 cm

UNIT WEIGHT: 0,7 kg / 0,8 kg with strap

VOLUME: 22.3 L

Case Pack: 1 Color: Black (110).

For Full-Size (GN 1/1) or Half-Size (GN 1/2) Food Pans



EPP140

Holds 1 each 10 cm deep food pan*

EXTERIOR: L 60 x W 40 x H 20,7 cm

INTERIOR: L 53,8 x W 33,8 x H 14,5 cm

UNIT WEIGHT: 0,91 kg

VOLUME: 26 L

Case Pack: 1 Color: Black (110).



EPP160 / EPP160CL with Color Lid

Holds 1 each 15 cm deep food pan*

EXTERIOR: L 60 x W 40 x H 25,7 cm

INTERIOR: L 53,8 x W 33,8 x H 19,5 cm

UNIT WEIGHT: 1,07 kg

VOLUME: 35,5 L

Case Pack: 1 EPP160 Lid Color: Black (110). EPP160CL Lid Colors: Red (365), Orange (363), Yellow (361), Green (360), Blue (362).



EPP180 / EPP180CL with Color Lid

Holds 1 each 20 cm deep food pan*

EXTERIOR: L 60 x W 40 x H 31,6 cm

INTERIOR: L 53,8 x W 33,8 x H 25,4 cm

UNIT WEIGHT: 1,2 kg

VOLUME: 46 L

Case Pack: 1 EPP180 Lid Color: Black (110). EPP180CL Lid Colors: Red (365), Orange (363), Yellow (361), Green (360), Blue (362).



EPP180S

Holds 1 each 20 cm deep food pan*

EXTERIOR: L 60 x W 40 x H 31,6 cm INTERIOR: L 53,8 x W 33,8 x H 25,4 cm

UNIT WEIGHT: 1,13 kg

VOLUME: 43 L

Case Pack: 1 Color: Black (110).



EPP180XLT

Holds 1 each 20 cm deep food pan*

EXTERIOR: L 61 x W 43,1 x H 39,1 cm

INTERIOR: L 54,8 x W 36,8 x H 32 cm

UNIT WEIGHT: 1,45 kg

VOLUME: 64,5 L

Case Pack: 1 Color: Black (110).



EPP180LH

Holds 1 each 20 cm deep food pan*

EXTERIOR: L 68 x W 40 x H 32,1 cm

INTERIOR: L 53,8 x W 35,5 x H 25,5 cm

UNIT WEIGHT: 1,2 kg

VOLUME: 46 L

Case Pack: 1 Color: Black (110).

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS— GN FRONT LOADERS



DRIP-RESISTANT

Built-in condensation barrier helps front loaders to remain drip-resistant.



4-SIDED HANDLING

Thoughtfully designed built-in handles along the top of front loading models allow them to be easily carried from all four sides.

A BUILT-IN LABEL AREA

Keeps plastic menu tags (included with EPP300 and EPP400) in place for easy content identification or routing. StoreSafe® labels can also be used with Cam GoBoxes.

GENTLE OPEN AND CLOSE

Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.



FULL 270° ACCESS

Durable hinges and latches allow the door to open 270° and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.



STACKABILITY

Cam GoBoxes inter-stack.

TEMPERATURE MAINTENANCE TOOLS

Cam GoBox front loading carriers are designed with enough room to hold GN 1/1 Food Pans along with a Camwarmer® or Camchiller®, if desired.

4+ hours















Note: Best results will be achieved by loading food pans between 82° to 88°C.

Loading metal food pans over 120°C will result in damage to the carrier.

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS— GN FRONT LOADERS

For Full-Size (GN 1/1) Food Pans



EPP300

Holds 3 each 10 cm deep food pan*
EXTERIOR: L 64 x W 44 x H 47,5 cm
INTERIOR: L 53,5 x W 33 x H 37 cm
UNIT WEIGHT: 3,2 kg

VOLUME: 60 L

Case Pack: 1 Color: Black (110).



EPP400

Holds 4 each 10 cm deep food pan*

EXTERIOR: L 64 x W 44 x H 62,5 cm

INTERIOR: L 53,5 x W 33 x H 52,5 cm

UNIT WEIGHT: 3,9 kg

VOLUME: 86 L

Case Pack: 1 Color: Black (110).



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOX GN ACCESSORIES

Camchillers®

Camchillers (Cold plates) are designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your carrier.

CP3253

Camchiller GN 1/1 for EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180LH, EPP300, EPP400

L 53 x **W** 32,5 x **H** 3 cm

UNIT WEIGHT: 3,9 kg

Case Pack: 1 Color: Glacier Blue (443).



Camchiller GN 1/2 for EPP260, EPP280, EPP280BKST, EPP280RDST

L 32,5 x **W** 26,5 x **H** 3 cm

UNIT WEIGHT: 1,75 kg

Case Pack: 1 Color: Glacier Blue (443).



HP3253

your carrier.

Camwarmer GN 1/1 for EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180LH, EPP300, EPP400

L 53 x **W** 32,5 x **H** 3 cm

Camwarmers®

UNIT WEIGHT: 3,9 kg

Case Pack: 1 Color: Fire Red (444).



Camwarmers (Hot plates) are designed to extend the hot holding time of your

food. Place in a hot water bath for 40 minutes and place at the bottom of

Camwarmer GN 1/2 for EPP260, EPP280, EPP280BKST, EPP280RDST

L 32,5 x **W** 26,5 x **H** 3 cm

UNIT WEIGHT: 1,75 kg

Case Pack: 1 Color: Fire Red (444).

Camchiller Inserts

Built-in cut-outs support cold transfer while protecting food from condensation.



EPPCTS

Camchiller Insert for Standard EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180LH, EPP300, EPP400

EXTERIOR: L 60 x W 40 x H 8,7 cm **INTERIOR:** L 53,7 x W 33,7 x H 3,4 cm

UNIT WEIGHT: 0,37 kg

Case Pack: 1 Color: Black (110).



EPPCTL

Camchiller Insert for EPP180LH

EXTERIOR: L 68 x W 40 x H 8,7 cm

INTERIOR: L 53,7 x W 33,7 x H 3,4 cm

UNIT WEIGHT: 0,37 kg

Case Pack: 1 Color: Black (110).

Cam GoHeat™

Warms to 75°C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.



UNIT WEIGHT: 1,1 kg

Case Pack: 1 Color: Silver (486). *220-240 volt alternating current.

Camchiller Insert Kits



EPPCTSPKG110

Standard top loader Camchiller and Insert all in one package, available for EPP180 and EPP160.

EPPCTLPKG110

Large handle Camchiller and Insert all in one package, available for EPP180LH.

ThermoBarrier®

Designed to keep hot or cold air concentrated within your front-loading carrier. As food pans are being removed, use the Thermobarrier to close up any open space created.

EPP3253DIV

ThermoBarrier fits EPP300 and EPP400

L 53 x W 32,7 x H 3,7 cm

UNIT WEIGHT: 0,37 kg

Case Pack: 1 Color: Black (110).

CAM GOBOX® **GN ACCESSORIES**

Color Lids

Use lids to color code for quick content identification or routing.



EPP3253LID

Color lid for EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180S

L 60 x W 40 x H 3,4 cm

UNIT WEIGHT: 0,28 kg

Case Pack: 1 Colors: Cambro Red (365), Orange (363), Yellow (361), Green (360), Cold Blue (362), Black (110).

Camdolly®



CD3253EPP

Camdolly fits GN 1/1 Cam GoBoxes 4 swivel casters, 2 with brake

EXTERIOR: L 69,2 x W 42,6 x H 16,7 cm

INTERIOR: L 61,8 x W 41 cm

UNIT WEIGHT: 4,5 kg

LOAD CAPACITY: 250 kg

OPTIONAL TRANSPORTING STRAP:

400STP, 381 cm long strap

Case Pack: 1 Camdolly Color: Hot Red (158). 400STP Color: Beige (000).

Plastic ID Labels



Plastic ID labels fits all Cam GoBoxes


Case Pack: 1 Color: (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOX ACCESSORIES

CAM GOBOX® CAPACITY GUIDE

EPP140 (GN 1/1) EPP160 (GN 1/1) & EPP260 (GN 1/2)




EPP180 (GN 1/1) & EPP280 (GN 1/2)


GN - 6,5 cm GN - 6,5 cm GN - 6,5 cm GN - 6,5 cm	GN - 6,5 cm GN - 6,5 cm GN - 10 cm
GN - 6,5 cm	

GN - 6,5 cm	
GN — 15 cm	GN — 20 cm


EPP180S



EPP300 (GN 1/1)



EPP400 (GN 1/1)



GN - 6,5 cm

GN-10 cm

GN - 10 cm

MULTI-PURPOSE FRONT LOADER - 60 X 40 CM

STACKABILITY

Cam GoBoxes inter-stack and also stack with major competitive brands.

EASY IDENTIFICATION

A built-in label area keeps plastic menu tags in place for easy content identification or routing. Dissolvable StoreSafe® Labels can also be used with Cam GoBoxes.

FULL 270° ACCESS

Durable hinges and latches allow the door to open 270° and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.



4-SIDED HANDLING

Thoughtfully designed, built-in handles along the top of the front loader units allow them to be easily carried from all four sides.

UNIQUE DESIGN

Compartment for cold chiller plate or hot plate is located on the inner back wall to prevent overhead condensation drips and to evenly distribute temperature throughout the carrier.

GENTLE OPEN AND CLOSE

Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.



Front Loaders With Built-In Rails

Front-loading carriers with built-in rails are designed to hold 60 x 40 cm pans, sheet pans and trays securely in place during transport.



EPP4060F6R

Carrier with 6 Built-in Rails

EXTERIOR: L 77 x W 54 x H 68,7 cm

INTERIOR: L 61,5 x W 41 x H 58,5 cm

RAIL SPACING: 6 cm

UNIT WEIGHT: 6,34 kg

VOLUME: 126 L

Case Pack: 1 Color: Black (110).



EPP4060F9R

Carrier with 9 Built-in Rails

EXTERIOR: L 77 x W 54 x H 68,7 cm

INTERIOR: L 61,5 x W 41 x H 58,5 cm

RAIL SPACING: 3,5 cm

UNIT WEIGHT: 6,6 kg

VOLUME: 126 L

Case Pack: 1 Color: Black (110).



4+ hours















Note: Best results will be achieved by loading pans between 82° to 88°C.

Loading metal pans over 120°C will result in damage to the carrier.

FRONT LOADER – 60 X 40 CM Front Loader without Rails

Multi-purpose carrier with no molded-in rails is designed for transporting $60 \times 40 \text{ cm}$ crates filled with wrapped, prepackaged foods. This carrier can also be modified for versatility to include optional, stainless steel adjustable rails, EPP4060FPR1*, for transporting a combination of $60 \times 40 \text{ cm}$ crates, baking pans and trays all in the same carrier.

Front Loader with Adjustable Rails

The multi-purpose carrier with adjustable rails is designed with 2 sets of stainless steel adjustable rails.* This exclusive design provides the operator with maximum flexibility to transport a combination of 60 x 40 cm crates, baking pans and trays all in the same carrier.



EPP4060FNR

EXTERIOR: L 77 x W 54 x H 68,7 cm INTERIOR: L 61,5 x W 41 x H 58,5 cm

UNIT WEIGHT: 6,1 kg

VOLUME: 155 L

Case Pack: 1 **Color:** Black (110). *Additional rails can be purchased separately. See accessories page.





EPP4060FADJR

EXTERIOR: L 77 x W 54 x H 68,7 cm INTERIOR: L 61,5 x W 41 x H 58,5 cm

UNIT WEIGHT: 8,17 kg

VOLUME: 155 L

Case Pack: 1 **Color:** Black (110). *Additional rails can be purchased separately. See accessories page.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES



TOP LOADERS FOR 60 X 40 CM CRATES

Top loading 60 x 40 cm carriers are lightweight and designed to keep hot or cold food out of the danger zone for 4+ hours. Designed to transport bakery crates and more, 60 x 40 GoBoxes even have room for a cold plate Camchiller® or hot plate Camwarmer® to enhance temperature retention. Ergonomic, recessed handles for convenient carrying and transporting.



Cam GoBoxes inter-stack and also stack with major competitive brands.

Recessed handles ease carrying and storage.

A built-in label area keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.



EPP4060T200

20 cm Deep Top Loader

EXTERIOR: L 69 x W 49 x H 27 cm INTERIOR: L 62,5 x W 42,5 x H 20,5 cm

UNIT WEIGHT: 1,4 kg

VOLUME: 53 L

Case Pack: 1 Color: Black (110).



EPP4060T300

30 cm Deep Top Loader

EXTERIOR: L 69 x **W** 49 x **H** 37 cm

INTERIOR: L 62,5 x W 42,5 x H 30,5 cm

STOCK PRODUCTS & COLORS AVAILABLE

IN OUR EUROPEAN WAREHOUSE

UNIT WEIGHT: 1,7 kg

VOLUME: 80 L

ALL CAM GOBOXES

Case Pack: 1 Color: Black (110).



TEMPERATURE RETENTION

4+ hours


















CAM GOBOX® 4060 ACCESSORIES

Camchiller®

Camchiller (Cold plate) is designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your top-loading carrier or at the back of your frontloading carrier.



CP3253

Camchiller GN 1/1 fits all Cam GoBoxes 4060

L 53 x **W** 32,5 x **H** 3 cm

UNIT WEIGHT: 3,9 kg

Case Pack: 1 Color: Glacier Blue (443).

Camwarmer®

Camwarmer (Hot plate) is designed to extend the hot holding time of your food. Place in a hot water bath for 40 minutes and place at the bottom of your top-loading carrier or at the back of your front-loading carrier.



HP3253

Camwarmer GN 1/1 fits all Cam GoBoxes 4060

L 53 x **W** 32,5 x **H** 3 cm UNIT WEIGHT: 3,25 kg

Case Pack: 1 Color: Fire Red (444).

Adjustable Rail Kit for EPP4060FNR

Stainless Steel frames and 2 sets of rails are designed to offer the operator the flexibility to adjust and create custom spaces as needed in-between the rails.



EPP4060FPR1

Stainless Steel frames and 2 sets of rails

L 60 x **W** 1 x **H** 58 cm

UNIT WEIGHT: 2,07 kg

Case Pack: 1 Color: Silver (000).

Cam GoHeat™

Warms to 75°C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.



CGH100WUK 100W, 230V* UK CGH200WUK 200W, 230V* UK CGH100WEU 100W, 230V* EU CGH200WEU 200W, 230V* EU CGH1W12VCAR 100W, 12V - 14,2V Auto

L 49.5 x **W** 28.5 x **H** 1.2 cm

UNIT WEIGHT: 1,1 kg

Case Pack: 1 Color: Silver (486) *220-240 volt alternating current.

Kit of Rails for EPP4060FPR1

Kit of 2 adjustable stainless steel rails can be purchased separately to transport more items within the same carrier.



EPP4060FAR

Kit of 2 adjustable stainless steel rails

L 60 x W 3 x H 3 cm

UNIT WEIGHT: 0,42 kg

Case Pack: 1 Color: Silver (000).

Camdolly® for Cam GoBoxes 4060



CD4060EPP

Camdolly fits Cam GoBoxes 4060 4 swivel casters, 2 with brake

EXTERIOR: L 71 x W 51 x H 16,7 cm

INTERIOR: L 70 x W 50 cm

UNIT WEIGHT: 5,27 kg

LOAD CAPACITY: 250 kg

Case Pack: 1 Color: Hot Red (158)

Plastic ID Labels



EPPID5

Plastic ID labels fits all Cam GoBoxes

Case Pack: 1 Color: (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOX ACCESSORIES

TOP-LOADING PIZZA CARRIER









Available in four different heights that hold from two to eight pizzas.





EPPZ35100 without Strap

Cam GoBox Pizza Top Loading Carrier 10 cm Tall

EXTERIOR: L~41~x~W~41~x~H~17,4~cm

INTERIOR: L 35 x **W** 35 x **H** 10 cm

UNIT WEIGHT: 0,68 kg

CAPACITY*: 2 pizzas

Case Pack: 1 Color: Black (110).



EPPZ35175 without Strap EPPZ35175BST with Black Strap EPPZ35175RST with Red Strap

Cam GoBox Pizza Top Loading Carrier 17,5 cm Tall

EXTERIOR: L 41 x W 41 x H 24,9 cm

INTERIOR: L 35 x W 35 x H 17,5 cm

UNIT WEIGHT: 0,82 kg / 0,89 kg with Strap

CAPACITY*: 4 pizzas

Case Pack: 1 Carrier Color: Black (110).



EPPZ35265 without Strap EPPZ35265BST with Black Strap EPPZ35265RST with Red Strap

Cam GoBox Pizza Top Loading Carrier 26,5 cm Tall

EXTERIOR: L 41 x W 41 x H 33,9 cm

INTERIOR: L 35 x W 35 x H 26,5 cm

UNIT WEIGHT: 1 kg / 1,07 kg with Strap

CAPACITY*: 6 pizzas

Case Pack: 1 Carrier Color: Black (110).



EPPZ35330 without Strap EPPZ35330BST with Black Strap EPPZ35330RST with Red Strap

Cam GoBox Pizza Top Loading Carrier 33 cm Tall

EXTERIOR: L 41 x W 41 x H 40,4 cm

INTERIOR: L 35 x **W** 35 x **H** 33 cm

UNIT WEIGHT: 1,23 kg / 1,3 kg with Strap

CAPACITY*: 8 pizzas

Case Pack: 1 Carrier Color: Black (110).

4+ hours















*With 33 x 33 x 4 cm Pizza Box.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES

BEVERAGE CARRIER, CUP HOLDER AND EPP280 WITH STRAP







Beverage Carrier



EPPBEVBKST with Black Strap EPPBEVRDST with Red Strap

EXTERIOR: L 42 x **W** 33,5 x **H** 42 cm

INTERIOR: L 35,8 x W 27,3 x H 36,7 cm

UNIT WEIGHT: 1,02 kg CAPACITY: 35 L

Case Pack: 1 Carrier Color: Black (110).

EPP280 with Strap



EPP280BKST with Black Strap EPP280RDST with Red Strap

EXTERIOR: L 39 x W 33 x H 31,6 cm

INTERIOR: L 33 x W 27 x H 25,3 cm

UNIT WEIGHT: 0,8 kg

CAPACITY: 22,3 L

Case Pack: 1 Carrier Color: Black (110).

Beverage Cup Holder

Modular beverage holder for transporting hot or cold drinks with ease. Interlocking units connect to hold up to 15 drinks in an EPP180. Holds 350 to 750 mL hot or cold cups.

CODE	DESCRIPTION	CAPACITY
EPPBEVH1	single holder	3
EPPBEVH2	set of 2 holders	6
EPPBEVH5	set of 5 holders	15

Exterior Dim.: L 11,4 x W 32,5 x H 12,5 cm **Case Pack:** 1 **Color:** Black (110).



GOBOX CODE	NUMBER Of Drinks	NUMBER Of Holders
EPP180	15 (single layer*) 30 (double layer**)	5 (single) 10 (double)
EPP160	15	5
EPP140	15	5
EPP280	6	2
EPP260	6	2

^{*}Single layer only recommended for hot cups. Use with Beverage Plugs to prevent spilling during transport.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE
ALL CAM GOBOXES

















^{**}Double layer possible only with 350 mL or smaller cups.

MULTIPURPOSE TOP LOADER






Designed to hold disposable dishware or 5 liter Gelato pans.

EASY LOADING AND UNLOADING

Interior wall recesses make loading and unloading easy for both GN 1/1 as well as GN 1/2 Food Pans.
Straight interior walls allow room for stacking pans inside carrier.

A built-in label area keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.







EPP180X

For Disposable Sealed Dishes and Gelato Pans 20,5 cm deep

EXTERIOR: L 61 x W 43 x H 27 cm INTERIOR: L 54,8 x W 36,8 x H 20 cm

UNIT WEIGHT:~1,18~kg

VOLUME: 41 L

Case Pack: 1 Color: Black (110).



EPP180XL

For Disposable Sealed Dishes and Gelato Pans 25 cm deep

EXTERIOR: L 61 x W 43 x H 32 cm INTERIOR: L 54,8 x W 36,8 x H 25 cm

UNIT WEIGHT: 1,33 kg

VOLUME: 50,5 L

Case Pack: 1 Color: Black (110).



EPP180XLT

For Disposable Sealed Dishes and Gelato Pans 32 cm deep

EXTERIOR: L 61 x W 43 x H 39 cm INTERIOR: L 54,8 x W 36,8 x H 32 cm

UNIT WEIGHT: 1,45 kg

VOLUME: 64,5 L

Case Pack: 1 Color: Black (110).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES

4+ hours

Gelato holds for 1 hour.















Disposable Dishes Holding Capacity







CAM GOBOXES	18 x 18 x 3 CM	19 x 20 x 6 CM	GN 1/1 FOOD PAN 10 CM DEEP
EPP180X	24	24	2
EPP180XL	30	42	3
EPP180XLT	42	48	4


FOUR-COMPARTMENT MEAL DELIVERY BOX



Four-Compartment Meal Delivery Box

Designed to accommodate two complete meals (including hot item, cold item, bread or fruit, drink and cutlery), the 4-Compartment Cam GoBox is ideal for senior feeding, schools, hospitals and catering. The insulated compartments keep hot and cold foods separate to maintain safe temperatures.





STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

EPPMD4835: (168)

2+ hours













THE TABLOTHERM CAM GOBOX MEAL DELIVERY SYSTEM







Rectangular porcelain plate 11 x 18 cm



Transparent rectangular plate cover





122 400 021

Round porcelain plate ø 21 cm



Two-Compartment round porcelain plate ø 23 cm



122 700 021 122 700 023

Transparent plate covers ø 21,5 cm ø 23,5 cm





122 500 014

Round porcelain bowl 500 mL



122 700 014

Rubber hermetic system bowl cover ø 14,5 cm



MDSB16 (480)

Shoreline insulated bowl 500 mL



CLRSB16T (490)

Polypropylene bowl cover ø 14,5 cm

TEMPERATURE RETENTION

1 hour















THE TABLOTHERM CAM GOBOX MEAL DELIVERY SYSTEM

Tablotherm Cam GoBox Only



ITENEPP

EXTERIOR: L 37 x W 53 x H 11,8 cm

Case Pack: 1 Color: Grey (107).



Tablotherm Cam GoBox with Accessories



ITENEPP1118

INCLUDED: 2 rectangular plates with covers, 2 round bowls with covers

EXTERIOR: L 37 x **W** 53 x **H** 11,8 cm

Case Pack: 1 Color: Grey (107).



ITENEPP21

INCLUDED: 1 round plate with cover, 2 round bowls with covers

EXTERIOR: L 37 x W 53 x H 11,8 cm

Case Pack: 1 Color: Grey (107).



ITENEPP23

INCLUDED: 1 two compartment plate with cover, 2 round bowls with covers

EXTERIOR: L 37 x W 53 x H 11,8 cm

Case Pack: 1 Color: Grey (107).



ITENEPP1118H

INCLUDED: 2 rectangular plates with covers, 2 round insulated bowls with covers

EXTERIOR: L 37 x W 53 x H 11,8 cm

Case Pack: 1 Color: Grey (107).



ITENEPP21H

INCLUDED: 1 round plate with cover, 2 round insulated bowls with covers

EXTERIOR: L 37 x **W** 53 x **H** 11,8 cm

Case Pack: 1 Color: Grey (107).



ITENEPP23H

INCLUDED: 1 two-compartment round plate with cover, 2 round insulated bowls with covers

EXTERIOR: L 37 x W 53 x H 11,8 cm

Case Pack: 1 Color: Grey (107).

CAMBRO® GOBAGS® PROFESSIONAL GRADE INSULATED CARRIERS— PIZZA AND CATERING BAGS (DELIVERY AND DROP OFF)



Cambro GoBags help protect the signature items your customers crave. Your recipes, your quality, and your brand are delivered to your customer — safe and sound.









Prep

Holding for Pickup, Curbside or Takeout

Transport

Front Door

QUALITY CONSTRUCTION WITH OVER 35 YEARS OF PROVEN PERFORMANCE

High-quality materials and sturdy construction are essential to protecting food quality and temperature from kitchen to customer. Cambro GoBags feature the same design as the original insulated pizza bag invented in 1983 by Ingrid Kosar, founder of Thermal Bags by Ingrid.









- Thick, sturdy 600-denier polyester fabric exterior.
- Breathable material nylon material protects food quality.
- High-density insulation keeps food hot.
- Heavy-duty, sewn-in straps and ticket pouch.



CAMBRO® GOBAGS®— STANDARD PIZZA BAGS





GBP216

Carries two 40,6 cm or three 35,5 cm pizza boxes

L 42 x **W** 46 x **H** 16,5 cm

Case Pack: 4 Colors: Black (110), Red (521).



GRP318

Carries three 45,7 cm or four 40,6 cm pizza boxes

L 44,5 x **W** 51 x **H** 19 cm

Case Pack: 4 Colors: Black (110), Red (521).



GBP518

Carries five 45,7 cm or six or more 40,6 cm pizza boxes

L 49,5 x **W** 49,5 x **H** 32 cm

Case Pack: 4 Color: Black (110).



GBP220

Carries two 51 cm or three 45,7 cm pizza boxes

L 43 x **W** 55 x **H** 16,5 cm

Case Pack: 4 Colors: Black (110), Red (521).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GBP216, GBP318, GBP220: (110), (521) **GBP518**: (110)

CAMBRO® GOBAGS® PROFESSIONAL GRADE **INSULATED CARRIERS**— TOP LOADING CATERING AND DELIVERY BAGS



- Thick, sturdy nylon fabric.
- Vinyl interior is easy to clean.

Case Pack: 4 Color: Black (110).

- High-density insulation keeps food hot or cold.
- Heavy-duty, sewn-in straps and ticket pouch.



GBD101011 Small folding delivery bag L 25,5 x W 25,5 x H 28 cm



GBD13913 Small delivery bag L 33 x W 23 x H 33 cm Case Pack: 4 Color: Black (110).



GBD151212 Medium delivery bag L 38 x W 30,5 x H 30,5 cm Case Pack: 4 Color: Black (110).



GBD211417 Large folding delivery bag holds GN 1/1 food pans

GBD211414 Large delivery bag holds GN 1/1 food pans **L** 53,5 x **W** 35,5 x **H** 35,5 cm Case Pack: 4 Color: Black (110).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GBD101011, GBD121515, GBD211417: (110)

L 53,5 x **W** 35,5 x **H** 43 cm Case Pack: 4 Color: Black (110).

CAMBRO® GOBAGS® PROFESSIONAL GRADE **INSULATED CARRIERS**— BACKPACKS



- High-density insulation maintains safe temperature and food quality.
- Thermal divider separates hot and cold menu items.
- Folds for compact storage.
- Easy to clean.

safety.

Side-mounted straps for comfortable hand carrying.



2 buckles and hook and loop fastener keep backpack securely closed.

Side pockets hold small items such as condiments and cutlery.

> Folds for compact storage.



Small Cambro GoBag Backpack

L 28 x W 35,5 x H 43 cm

Case Pack: 1 Color: Black (110).

GBBP151417

Large Cambro GoBag Backpack

L 38 x **W** 35,5 x **H** 43 cm

Case Pack: 1 Color: Black (110).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE ALL CAMBRO GOBAG BACKPACKS Padded shoulder straps adjust to fit





INSULATED TOP LOADING CAMCARRIERS® TO TRANSPORT GASTRONORM FOOD PANS



CD160

- Top-loading food pan carriers hold, transport and serve a single fullsize pan of hot or cold food.
- Sturdy and durable, seamless polyethylene or polypropylene with thick foam insulation.
- Molded-in handles on all four sides for easy carrying and handling.
- Use with divider bars to hold multiple fractional pans.
- Pans are easy to remove using finger notches.
- Carriers interlock and stack for transporting and storing.

UPCS Colors: Dark Brown (131), Coffee Beige (157), Speckled Grey (480), Black (110).

MPC and MPCHL Colors:

Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158).

UPC Colors: Slate Blue (401), Dark Brown (131), Black (110), Granite Grey (191), Granite Green (192).

Camdolly® Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Grey (180).

Divider Bar Colors: White (148), Clear (135).

See Food Pan Section for pricing and ordering information.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity.

Note: Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 121°C may result in damage to the carrier.
















UPCS140

UPCS180

UPCS160

Cold

UPC160	0°C	1°C	2°C	2°C	2,5°C
UPCS160	0°C	1°C	2°C	2°C	2,5°C
UPCSS160	0°C	1°C	2°C	2°C	2,5°C
9					
	Starting emperature	1 hr.	2 hrs.	3 hrs.	4 hrs.



Camcarrier®

One-piece, seamless polyethylene construction, airtight removable gasket and sturdy plastic latches.



CODE	240MPC
COMPARTMENT CAPACITY	$1~\mathrm{GN}~1/2-10~\mathrm{cm}~\mathrm{deep}~\mathrm{pan}$
EXTERIOR DIMENSIONS W x D x H	42 x 35 x 19 cm

Case Pack: 1 240MPC No Divider Bar.

Shown with dividers and fractional sized food pans.

S-Series

Durable polypropylene construction, built in seal and wide, nylon latches. Contemporary appearance and superior holding performance at an economical price.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

UPCS180: (480)







CODE	UPCS140	UPCS160*	UPCS180
COMPARTMENT CAPACITY	$1~\mathrm{GN}~1/1-10~\mathrm{cm}$ deep pan	$1~\mathrm{GN}~1/1-15~\mathrm{cm}$ deep pan	$1~\mathrm{GN}~1/1-20~\mathrm{cm}~\mathrm{deep}~\mathrm{pan}$
EXTERIOR DIM. W x D x H	64 x 43,5 x 22 cm	64 x 43,5 x 26 cm	64 x 43,5 x 30,5 cm
FITS CAMDOLLY®	CD160	CD160	CD160

Case Pack: 1 *UPCS160 Cannot be used with Camchiller.

Ultra Pan

One-piece, seamless polyethylene construction, airtight removable gasket and wide, nylon latches.







CODE	UPC140	UPC160	UPC180
COMPARTMENT CAPACITY	$1~\mathrm{GN}~1/1-10~\mathrm{cm}$ deep pan	$1~\mathrm{GN}~1/1-15~\mathrm{cm}$ deep pan	$1~\mathrm{GN}~1/1-20~\mathrm{cm}~\mathrm{deep}~\mathrm{pan}$
EXTERIOR DIM. W x D x H	63 x 44 x 21 cm	63 x 44 x 26 cm	63 x 44 x 30,5 cm
FITS CAMDOLLY	CD100H, CD1826HB, CD160	CD100H, CD1826HB, CD160	CD100H, CD1826HB, CD160

Case Pack: 1

100 Series

Store and stack food pans or place food directly in compartment. The 100MPCHL model has a hinged serving lid.







CODE	100MPC	100MPCHL	UPC100
COMPARTMENT CAPACITY	$3~\mathrm{GN}~1/1-6,5~\mathrm{cm}$ deep pan or $2~\mathrm{GN}~1/1-10~\mathrm{cm}$ deep pans or $1~\mathrm{GN}~1/1-15$ or $20~\mathrm{cm}$ deep pan	$1~\mathrm{GN}~1/1-20~\mathrm{cm}$ deep pan	3 GN $1/1-6.5$ cm deep pans or 2 GN $1/1-10$ cm deep pans or 1 GN $1/1-15$ cm or 20 cm deep pan
EXTERIOR DIM. INTERIOR DIM. W x D x H	68 x 45 x 38 cm 55 x 35 x 20,5 cm	68 x 45 x 39,5 cm 55 x 35 x 20,5 cm	68 x 46 x 40 cm 56,5 x 33 x 20,5 cm
BULK CAPACITY*	38 L	38 L	38 L
FITS CAMDOLLY	CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028	CD100, CD100H, CD100HB	CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028

Case Pack: 1 *Without using food pans. 100MPC, 100MPCHL and UPC100 No Divider Bar.

Accessories

CODE	DIMENSIONS	CASE Pack
Divider Bars 1	or Food Pans	
DIV12	32,38 cm length	3
DIV20	53,02	3







CAMCHILLER®, THERMOBARRIER® AND CAMWARMER®




Camchiller

- An easy-to-use, cold food holding temperature tool.
- · Extend cold holding time or enhance safe holding below 5°C when frequent access is required.
- Freeze first then use to pre-chill cabinet before loading.











CODE CP1220 (GN FULL SIZE) CP1210 (GN HALF SIZE) **CP814** (20 x 36 CAMCHILLER) UPCSS160, UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPC400SP, UPCS400, UPC300, 300MPC, 1318CC 12186CW, 12186P, 12189CW. FITS INTO 1318MTC, UPC400, UPCS400, 12189P, CVC724, CVC72, UPC400SP, UPC600, UPC800, CVC55, and all CamKiosks* UPC600, ÚPC800, ÚPC800SP, ÚPC1200, UPC1600, CVC72, CVC724, all Combo UPC800SP, UPCS140, UPCS160, Cart® Plus and CamKiosk® UPCS180, CVC724*, CVC72* and all CamKiosks* **DIMENSIONS** L x W x H 53 x 33 x 3,8 cm 32,4 x 26,4 x 3,8 cm 35,56 x 20,32 x 3,8 cm **QUANTITY PER CAVITY** 1 (*2 per cavity) 1 (*2 per top wells) 1

Case Pack: 1 Color: Cold Blue (159).

ThermoBarrier

• Use to minimize empty space and food temperature loss within a partially loaded compartment.













STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

400DIV: (180)











CODE	UPC300DIV	300DIV	400DIV	1200DIV	1600DIV
FITS INTO	UPC300, 1318CC	300MPC, 1318MTC, UPC600	UPC400, UPC800, UPC400SP, UPCS400, UPC800SP	UPC1200, CVC72, CVC724	UPC1600, CamKiosk UPC1600SP
DIMENSIONS L x W x H	53 x 33 x 2,5 cm	53 x 33 x 2,5 cm	54 x 33 x 3,8 cm	53 x 33,5 x 3,5 cm	53 x 33,5 x 3,8 cm
COLOR	Charcoal Gray (615)	Coffee Beige (157)	Grey (180)	Dark Brown (131)	Slate Blue (401)
CASE PACK	1	1	1	2	2

Camwarmer

- Use for added insurance to keep hot foods hot during holding and transporting.
- Keep in cabinet with hot foods to extend holding time or enhance safe holding above 65°C when frequent access is required.















CODE	1210PW	HP2632
FITS INTO	UPC300, 300MPC, 1318CC, 1318MTC,UPC400, UPCS400, UPC600, UPC800	UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPC\$400, UPC400SP, UPC600, UPC800, UPC800SP, UPCS140, UPCS160, UPCS180, CVC724, CVC72 and all CamKiosks
DIMENSIONS L x W x H	34 x 27,5 x 4 cm	32,5 x 26,5 x 3 cm
COLOR	Granite Grey (191)	Fire Red (444)
Once Deals 1		

Case Pack: 1

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE


HP2632: (444)

TEMPERATURE MAINTENANCE — OPTIMIZE FOOD HOLDING PERFORMANCE

Camchiller® - GN 1/1 Size and GN 1/2 Size

- Use to:
 - Pre-chill cabinet cavity.
 - Hold package food in food pan wells. (Half Size Only)
 - Maximize cold food holding.
 - Minimize open cavity space.
- Easy to use:
 - 1. Freeze 8 hours.
 - 2. Slide one or two on top rails and pre-chill cavity 15-20 minutes.
 - 3. Load in pans of pre-chilled food below Camchiller. (A)
 - 4. Move pans and Camchiller down as food is removed. (B)


COLD HOLDING



ThermoBarrier® - GN 1/1 Size

- Use to:
 - Hold hot and cold food in same cabinet cavity.
 - Minimize open cavity space.
- Easy to use:
 - 1. Slide between hot food on top and cold food on bottom. (A)
 - 2. Slide under hot food loaded in upper cavity space. (B)
 - 3. Slide above cold food loaded into lower cavity space. (C)


HOT AND COLD HOLDING



Camwarmer® - GN 1/2 Size


- Use to:
 - Pre-heat cabinet cavity.
 - Maximize hot food holding.
 - Minimize open cavity space.
- Easy to use:
 - 1. Heat in 180°C oven for 45 minutes.
 - 2. Slide two Camwarmers on bottom rails and pre-heat cavity 15-20 minutes. (or place on high heat food pan lid or sheet pan)
 - 3. Load in pans of pre-heated food above Camwarmers. (A)
 - 4. Move pans and Camwarmers up as food is removed. (B)

HOT HOLDING



TRANSPORTER CAPACITY GUIDE

Loading Examples for Cambro® Insulated Transporters



Depth in Centimeters

INSULATED FRONT LOADING UPC300 TO TRANSPORT GASTRONORM FOOD PANS



- Holds GN 1/1, GN 1/2 and GN 1/3 pans.
- One-piece seamless construction for great durability.
- Thick polyurethane insulation safely keeps cold food below 4°C, hot food above 64°C for 4+ hours.
- · Fully removable, door.
- Labeling area on door for adhering ID or routing labels.
- · Light weight.

Colors: Black (110), Dark Brown (131), Hot Red (158), Navy Blue (186), Slate Blue (401), Charcoal Gray (615).

UPC300 is covered by US Patent D786,607 S.











UPC300: (401), (110) CP3253: (443), HP3253: (444) CD300: (401)





CODE	UPC300
EXTERIOR DIM. W x D x H	43,2 x 65,4 x 56,8 cm
INTERIOR DIM. W* x D x H	33,7 x 53,3 x 35,5 cm
UNIT WEIGHT	10,5 kg

Case Pack: 1 *Rail to Rail.



Recommended labeling with: 23SLINB250 5 x 7,6 cm StoreSafe® Labels.

Hot	87,8°C	85,6°C	84,5°C	82,8°C	81,7°C
	Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
Cold	1,05°C	1,2°C	1,5°C	1,8°C	2,1°C

Optional Accessories













						-
CODE	1210PW	HP3253	UPC300DIV	CP1220	CP3253	CD300*
DESCRIPTION	Camwarmer®	Camwarmer	ThermoBarrier®	Camchiller®	Camchiller	Camdolly®
EXTERIOR DIM. (CM)	34,9 x 27,6 x 4	53 x 32,5 x 3	53 x 33 x 2,5	53 x 33 x 3,8	53 x 32,5 x 3	49 x 65 x 26,5
INTERIOR DIM. (CM)	_	_	_	_	_	43 x 59
COLOR	Granite Grey (191)	Fire Red (444)	Charcoal Gray (615)	Cold Blue (159)	Glacier Blue (443)	A

Case Pack: 1 *Also available CD300H and CD300HB. See Camdolly section. **\(\Delta camdolly Colors: \)** Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110).

INSULATED FRONT LOADING UPC400 TO TRANSPORT GASTRONORM FOOD PANS



- Durable and dependable front-loading food pan carriers.
- · Hold multiple pans of hot or cold food at safe temperatures for hours.
- Seamless polyethylene with thick foam insulation.
- Airtight removable gasket provides a secure seal.

Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110), Granite Grey (191), Granite Green (192), Granite Sand (194).

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity. Please use specified food pan sizes.

See Food Pan section for pricing and ordering information.

Note: Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 121°C may result in damage to the carrier or cart. UPC400 is covered by US Patent D 392,158. Venting plug is covered by US Patent



D 553,717 S.









HOLDING CAPACITY:

Pan Depth	Number of GN 1/1 pans
6,5 cm	6
10	4
15	3
20	2

Also holds GN 1/2 and 1/3 size pans.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

UPC400. CD400: (401). (110) **400DIV:** (180)

CP3253: (443) HP3253: (444)

ERGONOMIC DESIGN

Unbreakable, ergonomic, molded-in handles for comfortable two-person carrying.



PRESSURE AND HUMIDITY CONTROL Pop-up vent.

REMOVABLE GASKET Provides an airtight seal.





TEMPERATURE RETENTION Polyurethane insulation keeps hot food hot and cold food cold.



QUICK ACCESS Single, 23 cm nylon latch for quick and secure opening and closing.

Hot	87,8°C	85,6°C	84,5°C	82,8°C	81,7°C
	Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
Cold	1,05°C	1,2°C	1,5°C	1,8°C	2,1°C

CODE	UPC400 (UPC400SP**)
EXTERIOR DIM. W x D x H	42,5 x 62 x 62 cm
INTERIOR DIM. W* x D x H	34 x 53,5 x 49 cm
UNIT WEIGHT	14,3 kg (16,33 kg)
Case Pack: 1 *Rail to Rail.	**Security Package (SP) Model.

Optional Accessories



▲CD400 Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

UPCS400 ULTRA PAN CARRIER® S-SERIES TO TRANSPORT GASTRONORM FOOD PANS

- Ultra dependable, ultra durable front-loading pan carrier.
- · Holds multiple pans of hot or cold food for hours.
- Durable polyethylene shell and thick, polyurethane foam insulation.

Colors: Slate Blue (401), Speckled Grey (480), Dark Brown (131).

Note: Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 121°C may result in damage to the carrier or cart.









HOLDING CAPACITY:

EASY CONTENT AND ROUTING LABELING

Menu clip reduces need to open door.

Pan Depth	Number of GN 1/1 pans
6,5 cm	6
10	4
15	3
20	2

Also holds GN 1/2 and 1/3 size pans.



Stacks with both UPCS400. Fits on CD400 Camdolly, or optional casters may be added for smooth ground transport.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

UPCS400: (480), (401), CD400: (401), (110) 400DIV: (180), CP3253: (443), HP3253: (444)

Unbreakable, ergonomic, molded-in handles for comfortable two-person

ERGONOMIC DESIGN



Integrated pan-staging area eases service (not for use during transport).

EASY TO CLEAN

Door removes for easy cleaning.



QUICK ACCESS

carrying.

Single, 23 cm nylon latch for quick and secure opening and closing.



TEMPERATURE RETENTION Polyurethane insulation keeps hot food hot and cold food cold.

PRESSURE CONTROL

Built-in vent equalizes pressure and releases steam.




BUILT-IN SEAL Built-in seal eliminates need for

removable gasket.

Hot	87,8°C	85,6°C	84,5°C	82,8°C	81,7°C
	Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
Cold	1,05°C	1,2°C	1,5°C	1,8°C	2,1°C

CODE	UPCS400
EXTERIOR DIM. W x D x H	63,5 x 46 x 63 cm
INTERIOR DIM. W x D x H	53,5 x 33,5 x 48,6 cm
UNIT WEIGHT	21,1 kg
Case Pack: 1	

Optional Accessories



CODE	UPCS400CK	1210PW	HP3253	400DIV	CP1220	CP3253	CD400	400STP
DESCRIPTION	Caster Kit*	Camwarmer®	Camwarmer	ThermoBarrier®	Camchiller®	Camchiller	Camdolly®	Strap
EXTERIOR DIM. (CM)	ø 12,7	34,9 x 27,6 x 4	53 x 32,5 x 3	54 x 33 x 3,8	53 x 33 x 3,8	53 x 32,5 x 3	71 x 53 x 23	381 cm long
INTERIOR DIM. (CM)	_	_	_	_	_	_	63,5 x 46	_
COLOR	_	Granite Grey (191)	Fire Red (444)	Grey (180)	Cold Blue (159)	Glacier Blue (443)	A	Beige (000)

ULTRA CAMCARTS® TO TRANSPORT GASTRONORM FOOD PANS



- Double-compartment, high-capacity carts hold and transport hot or cold food.
- Tough, polyethylene shell and thick foam insulation throughout cabinet and between compartments.
- Airtight removable gaskets maintain safe food temperatures for hours.
- Easy to maintain and won't dent, crack, rust, chip or break.
- Durable nylon door latches open easily and close securely.
- Full-swing doors open to the side of the cart for easy loading and unloading.
- Molded-in handles ensure easy maneuvering.
- Molded-in bumpers minimize damage to walls, furniture and other equipment.

Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158), Granite Grey (191), Granite Green (192), Granite Sand (194).

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.

Note: Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 121°C may result in damage to the carrier or cart.

Venting plug is covered by US Patent D 553,717 S.









Polyurethane insulation keeps hot food hot and cold food cold.





Shown with optional HD casters.

Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper resistant fasteners.
- Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- · Heavy duty (HD) casters with chassis plates mounted with tamper resistant bolts.

Marine rail is designed for use during service, not transport.



TOTAL CART Holding Capacity	UPC600	UPC800	UPC1200	UPC1600
Full Size Food Pans				
6,5 cm deep	8 pans	12 pans	16 pans	24 pans
10 cm deep	6 pans	8 pans	12 pans	16 pans
15 cm deep	4 pans	6 pans	8 pans	12 pans
20 cm deep	2 pans + 2 each 10 cm pans	4 pans	4 pans	8 pans
Camtray®*				
3253	12 trays	24 trays	24 trays	48 trays
2632	24 trays	48 trays	_	_
2025	_		12 trays	24 trays

See Food Pan and Camtray Section for ordering information.

*Based on 3,8 cm spacing between trays.

UPC600	86,8°C	84,3°C	82,5°C	80,8°C	79,3°C
UPC800	87,7°C	85,5°C	84,2°C	82,9°C	81,7°C
UPC1200	85,6°C	82,1°C	80,1°C	78,3°C	77,2°C
UPC1600	87,1°C	85,9°C	85,1°C	84,3°C	83,7°C
(
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.
Cold					
UPC600	0,6°C	1,1°C	1,4°C	1,8°C	2,1°C
UPC800	0,3°C	0,8°C	0,9°C	1,2°C	1,4°C
UPC1200	0,5°C	0,9°C	1,1°C	1,3°C	1,4°C
UPC1600	0,6°C	1,0°C	1,2°C	1,5°C	1,5°C
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.



UPC600

CODE	UPC600
DESCRIPTION	Base model
EXTERIOR DIM. W x D x H	52 x 69 x 114,5 cm
COMPARTMENT DIM.	34 x 54 x 35,5 cm

Case Pack: 1 Casters: 12,7 cm, 2 fixed, 2 swivel, 1 with brake.



UPC800

CODE	UPC800	UPC800SP	
DESCRIPTION	Base model	Security package	
EXTERIOR DIM. W x D x H	52 x 69 x 137 cm	52 x 69 x 137 cm	
COMPARTMENT DIM.	33 x 54,5 x 48,5 cm	33 x 54,5 x 48,5 cm	

Case Pack: 1 Casters: 15,2 cm, 2 fixed, 2 swivel, 1 with brake.

Heavy Duty (HD) Casters: 15,2 x 3,8 cm, 2 fixed, 2 swivel with brake casters.



UPC1200

CODE	UPC1200
DESCRIPTION	Base model
EXTERIOR DIM. W x D x H	72,5 x 82 x 116 cm
COMPARTMENT DIM.	54 x 66,5 x 34,5 cm

Case Pack: 1 Casters: 15,2 cm, 2 fixed, 2 swivel, 1 with brake.



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

 $\begin{array}{l} \textbf{UPC600:}\ (401),\ (110),\ \textbf{UPC800:}\ (401),\ (192),\ (194),\ (110),\ \textbf{UPC1200:}\ (401)\\ \textbf{UPC1600:}\ (401),\ (194),\ (110),\ \textbf{400DIV:}\ (180),\ \textbf{CP3253:}\ (443),\ \textbf{HP3253:}\ (444) \end{array}$



UPC1600

CODE	UPC1600	UPC1600HD	UPC1600SP*	UPCGL1600SP*
DESCRIPTION	Base model	Base model with HD casters	Security package	Security package, gasketless
EXTERIOR DIM. W x D x H	71,5 x 82 x 135 cm	73 x 84,7 x 138,4 cm	71,5 x 82 x 135 cm	71,5 x 82 x 135 cm
COMPARTMENT DIM.	53,5 x 66,5 x 53,5 cm	53,5 x 66,5 x 53,5 cm	53,5 x 66,5 x 53,5 cm	53,5 x 66,5 x 53,5 cm

Case Pack: 1 Casters: 15,2 cm, 2 fixed, 2 swivel, 1 with brake. Heavy Duty (HD) Casters: 15,2 x 5,08 cm 2 fixed, 2 swivel with brake casters. *Security Package (SP) have lock-in hinge pins and latches and wheels are attached with tamper resistant screws.

Optional Accessories



Case Pack: 1 1200DIV / 1600DIV Case Pack: 2

ULTRA PAN CARRIER® AND ULTRA CAMCART® H-SERIES

- Designed for both electric hot holding and non-electric transport.
- Gentle, 65° to 74°C non-radiant heat will not cook food and maintains food moisture.
- Holds a wide variety of foods such as pasta, bone-in fried chicken, and double-crusted pies.
- One hour preheat time from room temperature and three minute recovery.
- Energy consumption is substantially less than comparable metal cabinets.
- Will not rust or dent like metal cabinets, is more economical, and is easy to maneuver.
- All UPCH models have been tested to maintain safe, hot food temperatures, for up to 4 hours when unplugged.
- Models with only the top heated door offer unique versatility with an electric hot holding cabinet on top and passive hot or cold food holding on the bottom.
- · Heated door kits also sold separately to retrofit UPC400, UPC800 and UPC1600.

Colors: Granite Gray (191), Black (110), Granite Green (192), Slate Blue (401), Dark Brown (131).

Casters: 15,2 cm 2 fixed, 2 swivel, 1 with brake.













Power On and **Heat On Indicators**

Communicate the Power and Heating status of the UPCH1600 unit. Know instantly when the compartment has reached target temperature.




Vents

Consistent heating throughout the compartment is generated by vents that constantly circulate heat from front to back.



Tough Exterior

All UPCH units are made of tough, polyethylene with polyurethane foam insulation to keep heat in while keeping the exterior cool to the touch. Will not crack, dent, chip, rust or break.



Insulation

Foamed-in place polyurethane foam insulation will hold temperature above 64°C for up to 4 hours when used unplugged.

ULTRA PAN CARRIER® AND ULTRA CAMCART® H-SERIES


Marine rail is designed for use during service, not transport.







MODEL	UPCH4002	UPCH8002	UPCH16002
Electrical Specifications			
REQUIRED VOLTAGE	200 – 230 VAC	200 – 230 VAC	200 – 230 VAC
MAXIMUM AMP.	1,2a	1,2a	2,3a
WATTS	265w	265w	506w
HERTZ	50/60	50/60	50/60
PLUG TYPE	Euro plug, CEE7	Euro plug, CEE7	CEE7/7 to C15RA
POWER CORD LENGTH	2,7 m	2,7 m	2,7 m




HOT HOLDING	65°- 74°C
WARM UP TIME	1 hour
(from ambient to temperature)	
RECOVERY TIME*	3 minutes
(time to recover to temperature after	
door is held open for 30 seconds)	
TRANSPORT TIME*	4 hours+

(after reaching temperature, amount of time unit can be held passively/ unplugged until contents reach $65^{\circ}\text{C.})$

*Based on test with 6 each, 15,24 cm deep H-pans with GripLids® filled with approx 14,2 L of 87,7°C water. (Temperatures are of the water not the air in the cart).

Capacity Guide

UPCH4002 UPCH8002 (x2) UPCH16002 (x4)





GN 1/1 Food Pan				
DEPTH	20 cm	15 cm	10 cm	6,5 cm
SERVING PORTIONS PER PAN (1 CUP)	80	60	40	30

ULTRA PAN CARRIER® AND ULTRA CAMCARTS® H-SERIES

- Enables HACCP compliance by maintaining safe, hot food temperatures.
- UPCH400(2) models stack for storage or transporting on a Camdolly® with securing strap.

Colors: Granite Grey (191), Granite Green (192), Slate Blue (401), Black (110), Dark Brown (131).

CD400 Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Grey (180).

Casters: 15,2 cm 2 fixed, 2 swivel, 1 with brake.

Note: If using metal food pans, cool to 120°C before placing onto rails.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.

Vent Cap Patent Pending.











Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper-resistant fasteners.
- Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- Heavy duty (HD) casters with chassis plates mounted with tamper-resistant bolts.

CODE	DESCRIPTION	EXTERIOR Dimensions W x D x H	COMPARTMENT Dimensions W x D x H
UPCH1600SP	110V, Both doors heated	73 x 84,7 x 138,4 cm	53,5 x 66,5 x 53,5 cm
UPCH16002SP	220V, Both doors heated	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UPCH4002, UPCH4002UK, UPCH8002, UPCH8002UK, UPCHT8002, UPCH16002, UPCH16002UK, CD400: (401), (110)

CODE	DESCRIPTION	EXTERIOR DIMENSIONS W x D x H	COMPARTMENT DIMENSIONS W x D x H
1-Compartment Ultra Pan Carriers 110V			
UPCH400	No casters	46 x 67 x 63 cm	33,5 x 53,3 x 48,6 cm
UPCHW400	With casters	46 x 67 x 79,4	33,5 x 53,3 x 48,6
220V			
UPCH4002	No casters	46 x 67 x 63	33,5 x 53,3 x 48,6
UPCH4002UK	UK plug, no casters	46 x 67 x 63	33,5 x 53,3 x 48,6
UPCHW4002	With casters	46 x 67 x 79,4	33,5 x 53,3 x 48,6
2-Compartment Ultra Camcarts 110V			
UPCH800	Both doors heated	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCHT800	Top door heated only	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCH1600	Both doors heated	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCH1600HD	Both doors heated, HD casters	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5
UPCHT1600	Top door heated only	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCHT1600HD	Top door heated only, HD casters	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5
220V			
UPCH8002	Both doors heated	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCH8002UK	UK plug, both doors heated	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCHT8002	Top door heated only	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCH16002	Both doors heated	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCH16002UK	UK plug, both doors heated	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCH16002HD	Both doors heated, HD casters	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5
UPCHT16002	Top door heated only	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCHT16002HD	Top door heated only, HD casters	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5
Accessories			
CD400	Camdolly [®]	53 x 70 x 23	
400STP	Strap, 4 m long		_

UPCH Case Pack: 1 Also Available: Top and Bottom Replacement/Retrofit Doors for 110V and 220V (non-interchangeable). Standard Casters: 15,2 x 3,2 cm - 2 fixed, 2 swivel, 1 with brake. Heavy Duty (HD) Casters: 15,2 x 5 cm - 2 fixed, 2 swivel with brake.





PRO CART ULTRA®— ELECTRIC & NON-ELECTRIC

INSULATED HOLDING & TRANSPORT CABINETS

The Pro Cart Ultra is the ultimate food transport cart that can hold all your hot and cold menu items in the same cart, at the same time—without a compressor!

- Hold and transport hot and cold foods in a single cart.
- Maintains food quality and moisture.
- Keep food safe while unplugged 4 hours.
- Change hot to cold or cold to hot with a simple hardware change.
- Universal rails fit food pans, sheet pans and more.

Color: Charcoal Gray (615).

Multiple International Certifications available.









Hot, cold and passive modules are also sold separately to quickly outfit the cart to suit your menu.

Temperature Retention of Passive and Unplugged Electric Models

Hot — temperature loss averaging 1,5°C/hour.

	87,8°C	85,6°C	84,5°C	82,8°C	81,7°C
Sta	rting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.

Cold — temperature gain averaging 0,4°C/hour.

	0,33°C	0,78°C	0,94°C	1,2°C	1,4°C
(-				
	Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.

Capacity per Compartment

TYPE OF CONTAINER	STANDARD Capacity	STANDARD CAPACITY RAIL SPACING	MAXIMUM Capacity	MAXIMUM CAPACITY Rail spacing
45,7 x 66 CM FULL SIZE SHEET PANS	8	7,62 cm	16*	3,81 cm
33 x 45,7 CM HALF SIZE SHEET PANS	16	7,62	32*	3,81
GN 1/1 HOTEL PANS (6,5 CM DEEP)	16	7,62	16	7,62
GN 1/1 HOTEL PANS (10 CM DEEP)	10*	11,43	10	11,43
60 x 40 CM EURO BAKING SHEETS	8	7,62	16*	3,81
54,6 x 33,6 x 6,35 CM BASKETS	16	7,62	16	7,62
40,6 x 40,6 x 5,1 CM PIZZA BOXES	8	7,62	8	7,62

Standard rails: 8 rails / cart *Additional rails required.



Adjustable rails can be set in any position and easily changed when needed.

PRO CART ULTRA® - FEATURES AND TOW HITCH KIT



GASKET-FREE DOOR

For easy cleaning and fewer replacement parts. Door opens full 270°.

SOLAR DIGITAL THERMOMETER

Monitor internal cabinet temperature at a glance.



INSULATION

CFC-free, polyurethane insulation throughout the body and doors maximizes heat or cold retention for 4 hours or more with no electricity needed.

10 CM NYLON LATCHES AND ADJUSTABLE HINGES

For easy opening and closing and to secure contents during transport. (Door is lockable).

12,7 x 20,3 CM MENU POCKET

Allows for easy product ID with either an index card or by writing directly onto smooth surface with a grease pencil.

STAINLESS STEEL HINGE

For long term durability.



Keeps food moist naturally and remains cool to the touch during operation, unlike metal cabinets.

STANDARD 15 x 5 CM HEAVY DUTY CASTERS

Two non-marking, high-performance, all swivel casters with brakes in the front and two rigid casters in the back for smooth positioning and navigation.

Pro Cart Ultra Tow Hitch Kit

Tow your Pro Cart Ultra to your loading dock, serving location and back to your kitchen with the Cambro Tow Hitch Kit. The tow hitch is designed to securely connect your Pro Cart Ultra to any service vehicle with towing capability.

- Fits all Pro Cart Ultra models, low and tall.
- Kit available with standard or security hardware.
- Maximum tow capacity 907 kg.

CODE	DESCRIPTION	UNIT Weight
PCUTOW	Pro Cart Ultra Tow Hitch	15,87 kg
PCUTOWSP	Pro Cart Ultra Tow Hitch Security Package	15,87
Case Pack: 1	Color: (000). SP package includes tamper-resistan	t screws.



PRO CART ULTRA®— ELECTRIC



Powerful Performance, Low Power Consumption

- Energy efficient, active modules draw less than 5 amps each.
- Cold module uses environmentally friendly, thermoelectric technology.
- · Plugs into a standard outlet.

COLD

Digital controller allows cold to be set from 0,3° to 4,4°C.

Thermoelectric Cooling Down to 0,3°C

Cool without a compressor for the ultimate in cold mobility and food safety on the go.

Note: Operate in 90°F or less ambient temperature for best results.

Pre-chill time:

90 minutes to 4,4°C. (Tested at 23°C ambient.)

Recovery time:

10 minutes after door open for 30 seconds.



Interior with Cold module



Exterior back with Cold module

HOT

Keeps food safely between 65,5° to 74°C with convenient, pre-set, gentle, non-radiant heat.

Energy-Saving Heater Less Than 5 Amps

Gentle, non-radiant heat circulates consistently from front to back of the cabinet.

Pre-heat time:

45 minutes.

Recovery time:

3 minutes after door open for 30 seconds.



Interior with Hot module



Exterior back with Hot module

Just 5 Minutes to Change Module

- · Seasonal menus
- Menu changes
- · Additional budget availability
- Different location or facility
- New trends

Electrical Specifications (Per Compartment)

	HOT 110V	HOT 220V	COLD	
REQUIRED VOLTAGE	100-125 VAC	200-230 VAC	100-230 VAC	
MAXIMUM AMP	4.6a	2.3a	3.26a, 1.42a	
WATTS / HEATER OR COOLER	529w	506w	326.6w	
HERTZ	50/60	50/60	50/60	
PHASE	Single	Single	Single	
ALTERNATE PLUG TYPES FOR INTERNATIONAL	US, Canada, Mexico, Europe, UK, Ireland, Australia, South Africa, China, Japan			
POWER CORD LENGTH	2,7 m	2,7 m	2,7 m	



PRO CART ULTRA® - MODEL SPECIFICATIONS



	CODE	DESCRIPTION	UNIT Weight		
TALL PROFILE	Both compartments				
10000	PCUPP	Both compartments non-electric / passive	106,7 kg		
1000	Both Compartments	Hot			
	PCUHH	110V	121,3		
	PCUHH*	220V	121,7		
Acres de la Constitución de la C	Both Compartments	Cold			
, and the second	PCUCC	110V	126,3		
	PCUCC*	220V	128,7		
	Combination Hot & C	Cold			
	PCUHC	Top compartment hot, bottom cold. 110V	122,9		
	PCUCH	Top compartment cold, bottom hot. 110V	122,9		
	PCUHC*	Top compartment hot, bottom cold. 220V	123,1		
	PCUCH*	Top compartment cold, bottom hot. 220V	123,1		
	Combination Passive & Hot or Cold				
	PCUPH	Top compartment passive, bottom hot. 110V	155,8		
	PCUPC	Top compartment passive, bottom cold. 110V	188,3		
	PCUPH*	Top compartment passive, bottom hot. 220V	116		
	PCUPC*	Top compartment passive, bottom cold. 220V	119,5		
LOW PROFILE	PCULP	Non-electric / passive	63,5		
1	PCULH	Hot Cart, 110V	68,5		
	PCULC	Cold Cart, 110V	70,8		
The second	PCULH*	Hot Cart, 220V	68,5		
*	PCULC*	Cold Cart, 220V	70,8		

Case Pack: 1	Color: Charcoal Gray (615).	Standard Railing Includes: 8 pairs of stainless steel Universal rails/compartment.	
Includes Stan	dard Casters: 15 x 5 cm heavy	y duty swivel with brake in front, rigid in back.	

3	US/CAN/MEX
4	EU
5	UK
6	AU
7	SA
8	JAPAN
9	CHINA

^{*}Use number to select plug for your country's electrical requirement.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

PCUCC4, PCUCC5, PCMH4 PCMH5: (615)

Unit Dimensions

UNIT	EXTERIOR DIM. W x D x H	COMPARTMENT DIM. W x D x H
Tall Profile		
COLD	71,1 x 92,7 x 167,6 cm	53,7 x 66,7 x 64,8 cm
HOT / PASSIVE	71,1 x 90,8 x 167,6	53,7 x 68,6 x 64,8
Low Profile		
COLD	71,1 x 92,7 x 101,6	53,7 x 68,6 x 64,8
HOT / PASSIVE	71,1 x 90,8 x 101,6	53,7 x 68,6 x 64,8

Case Pack: 1 Color: Charcoal Gray (615). Standard Railing Includes:

Optional Accessories

CODE	DESCRIPTION		
PCMH*	Hot module unit 110V / 220V		
PCMC*	Cold module unit 110V / 220V		
SSR1	1 Pair of Rails		
SSR8	8 Pairs of Rails		

Case Pack: 1 Module Unit Color: Charcoal Gray (615).

Security Package (SP)

Specially designed for operations where safety and security are a top priority. To order add SP after the product code or visit cambro.com for a listing of codes.

- Tamper resistant fasteners secure side column panels to the cart.
- Cross locking rods behind column panels lock 5 rails in place.
- Each compartment holds ten 10 cm deep hotel pans.
- Passive and electrical modules and cord strap keepers are secured in place with tamper resistant fasteners.
- Non removable doors. Lockable hasp secures both doors at once. (Lock not included).
- · Heavy duty casters mounted with tamper resistant fasteners.



All models are also available without rails and side column panels. Please visit cambro.com for details.



INSULATED BEVERAGE CONTAINERS



- Use to hold, transport and serve hot or cold beverages.
- One piece, seamless double-wall polyethylene with thick foam insulation
- Sturdy latches secure lids tightly and will never rust.
- Drip-proof recessed spigot for easy self-serve access.
- Stack units on riser to fill large cups or coffee pots.
- Sta-stack interlocking ensures stable stacking during transport and storage.

Easy Serve Dispenser Color:

Black (110).

UC1000 covered by U.S. Patent D 403,916.

Vent Cap patent pending.

350LCD Camtainer not NSF.









Camtainer Cover

Durable and attractive covers extend the life of your Camtainers and fit in any serving environment.

Personalization available. Contact your Cambro representative for details.

R1000LCD





Vent Car

Equalizes pressure. Makes the opening of the container much easier.

E-Z Grip Molded-in Handles

For comfortable, safe transporting.



Recessed Faucet

Accommodates larger cups. Allows even dispensing and eliminates drips. Two positions: One for continuous pouring and one for individual dispensing.



UC500

UC250



Molded-in Metal Backing Plates

Prevents latches from breaking away from the container.



100LCD

Hot

500LCD

350LCD

250LCD

1000LCD

250LCD	87°C	84,5°C	82°C	79°C	77°C
UC250	88°C	85,5°C	84°C	82°C	80°C
					_
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.



Ultra Camtainers®

Feature wide nylon latches which are easy to open and close with one hand.



250LCD	1°C	1,5°C	2°C	3°C	4°C
UC250	0,5°C	1°C	1°C	1,5°C	2°C
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.



 $\textbf{Camtainers}^{\texttt{@}}$

Feature sturdy plastic latches that secure lids tightly and will never rust.

Stacking options:

- 100LCD with 100LCD
- All 250, 350 and 500 units
- UC1000 and 1000LCD

Stack beverage servers during storage and transporting to save space.

Ultra Camtainers®

Choose from three sizes for beverage service. A contemporary line, featuring two wide nylon latches per unit that are easy to open and close.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UC250, UC500: (401), (191), (110) **UC1000:** (401), (110)







CODE	UC250	UC500	UC1000
CAPACITY	10,4 L	19,9 L	39,7 L
210 ML. CUPS	50	96	192
EXTERIOR DIMENSIONS D x W x H	42,5 x 30 x 50 cm	42,5 x 30 x 68 cm	52 x 41,5 x 65,5 cm
FITS CAMDOLLY	CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100	CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100	CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020
CAMTAINER COVER	UC250CVR	UC500CVR	UC1000CVR
One - Deals 1 Onlaws Name Disc /1	0C) OL-L- DL (401) O-((D-' (157) D	A D (101) D (400) O (F10)\ DII-(110\

Case Pack: 1 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Granite Grey (191), Granite Green (192), Granite Sand (194). Cover Color: Black (110). Venting plug is covered by US Patent D 553,717 S.

Camtainers®

The standard for many caterers, choose from four sizes for beverage service and one model without a spigot for soup service. Four sturdy plastic latches on each unit open and close easily and will never rust.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

250LCD, 350LCD, 500LCD: (157), (401) **100LCD:** (401)











CODE	100LCD	250LCD	500LCD	1000LCD	350LCD (SOUP)
CAPACITY	5,7 L	9,5 L	17,9 L	44,5 L	12,7 L
210 ML. CUPS	27	45	85	214	60
SPIGOT	YES	YES	YES	YES	_
EXTERIOR DIMENSIONS D x W x H	29 x 26,5 x 44 cm	42 x 23 x 46,7 cm	42 x 23 x 62 cm	53 x 41,5 x 63 cm	42 x 23 x 46,7 cm
FITS CAMDOLLY	CD1420	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020	CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020
CAMTAINER COVER	_	250LCDCVR	500LCDCVR	1000LCDCVR	_

Case Pack: 1 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158). Cover Color: Black (110). Venting plug is covered by US Patent D 553,717 S.

$\pmb{Camserver}^{\circledast} - \text{ Holds The Heat for Hours.}$

- A front-of-house beverage server for hot or cold beverages that does not require canned heating.
- Double-wall polyethylene shell with thick foam insulation retains temperatures for hours.



Convenient top-fill opening for fast replenishment without removing lid.

Colors: Black (110), Dark Taupe (417), Granite Grey (191).















CSR5 Shown in Black

CODE	EXTERNAL DIM. H x W x D	CAPACITY	210 ML Cups	CASE Pack
CSR3	60 x 34 x 46,5 cm	11,5 L	54	1
CSR5	71 x 34 x 46,5	19	91	1

HANDWASH ACCESSORY -

FOR CAMTAINERS® AND ULTRA CAMTAINERS®

- Set up a Handwashing Station quickly and easily on or off premise.
- Convenient and economical way to meet health department hand washing requirements.
- Attaches to Camtainers 250LCD, 500LCD or Ultra Camtainers UC250, UC500.
- Includes four Handwash Only labels and an Easy Serve Dispenser lever.

Handwash Accessory Stocking Colors: Dark Brown (131), Black (110).

Easy Serve Dispenser Color: Black (110).

Riser Colors: See optional accessories with Camtainers.

Pail with Bail Color: White (148).

Handwash Accessory is covered by the following U.S. Patent D 506,634 S & D 506,899 S.













CODE	HWAPR	HWATD
DESCRIPTION	With paper towel roll holder	With multi-fold paper towel dispenser
FITS	250LCD, 500LCD, UC250, UC500	250LCD, 500LCD, UC250, UC500



Shown with 500LCD Camtainer.

Optional Accessories









CODE	R500LCD	R1000LCD	LCDCH	LCDCH10
DESCRIPTION	Riser	Riser	Condiment Holder	Condiment Holder
EXTERIOR DIM. D x W x H	41,5 x 23 x 12 cm	49,5 x 39 x 11,5 cm	42 x 22 x 13 cm	51 x 41 x 12 cm
FITS	250LCD, 500LCD, UC250, UC500	1000LCD, UC1000	250LCD, 500LCD UC250, UC500	1000LCD, UC1000


Case Pack: 1 Colors: Coffee Beige (157), Dark Brown (131), Black (110).





CODE	PWB22	LCDES
DESCRIPTION	Pail with Bail	Easy Serve Dispenser
FITS	_	LCD Spigots UC Spigots
CASE PACK	6	1

BEVERAGE SERVICE CARTS



- Use top counter to hold Cambro Beverage Servers, Versa Organizer Bins or Display Trays with Covers for food.
- Store drinkware, additional food items or other supplies in open compartment.
- Insulated cabinets hold hot or cold food in 1/1, 1/2 or 1/3 size food pans or on Cambro Metric Camtrays® (3253).

Beverage Service Cart is designed to hold Beverage Containers at point of service only. A dolly or hand truck with safety strap is recommended for moving Beverage Containers over longer distances or uneven surfaces. **Colors:** Slate Blue (401), Granite Grey (191), Granite Green (192).

See Organizer section for more information on Organizer Bins.

See Camtainer section for more information on Camtainers.

Wire Rack Color: Silver (000).

See Cold Pack section for more information on Cold Packs.

15,2 cm Casters: 2 fixed, 2 swivel, 1 with brake.

For complete specifications, call or write Cambro.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

5412CBP: (131), (480) **100LCD:** (401)

EXTERIOR DIM. L x W x H	CASE Pack
113 x 76 x 112 cm	1
113 x 76 x 112	1
30,5 x 13 x 11	12
26,5 x 30 x 44	1
58,4 x 43,2 x 35,5	1
53 x 33 x 3,8	1
	113 x 76 x 112 cm 113 x 76 x 112 cm 113 x 76 x 112 30,5 x 13 x 11 26,5 x 30 x 44 58,4 x 43,2 x 35,5

The use of racks in the MDC24 and MDC24F carts will allow the following configuration of pans or trays, per compartment:

DESCRIPTION	GN 1/1	GN 1/2	GN 1/3
6,5 cm Pans	(4) 12CW	(8) 22CW	(12) 32CW
10 cm Pans	(3) 14CW	(6) 24CW	(9) 34CW
15 cm Pans	(2) 16CW	(4) 26CW	(6) 36CW
20 cm Pans	(1) 18CW**	(2) 28CW**	(3) 38CW**

**With room for 6,5 cm or 10 cm pan above 15 cm pan. 10 each 3253 Metric Camtrays®.

Compartment Dimensions

Shelf Compartment	W 96,5 cm	D 64 cm	H 25,4 cm
Holding Compartments	W 44,5 cm	D 60,3 cm	H 36 cm

Venting plug is covered by US Patent D 553,717 S.



MDC24R Wire Rack

Wire Rack (sold separately) to organize pans and trays in the cart. Rack holds 1/1, 1/2 and 1/3 size Food Pans and 3253 trays. When placed in cart's core area, the rack allows room on either side of pan positions for Cambro's CP1220 Camchillers® one on each side.

Rack with 3253 trays.



INSULATED BAKERY CONTAINER - 60 x 40 cm



- Designed for the baking industry in Europe.
- Ideal for transporting products at safe cold temperatures to satellite
- · Perfect for baked items with cream fillings or frozen dough.
- · Made with a durable polyethylene outer shell and thick polyurethane foam insulation.
- Holds sheet pans: 60 x 40 cm 58 x 40 cm 58 x 20 cm 58 x 10 cm or fiberglass tray: 60 x 40 cm
- Choose between wire racks with 6 rails, 10 cm apart, or 7 rails, 8.7 cm apart.

CP6040 color: Cold Blue (159).

Wire rack color: Silver (000).

Fiberglass Tray colors: Speckled Smoke (A20), Speckled Mocha (A21), Sahara (A22), Light Grey (A27), Pearl White (A33), Terrazzo (A86).

Note: Place sheet pans on rails. Pans should not be placed on the floor of a Container cavity. Please use specified sheet pan sizes.

Vent Cap Patent Pending.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

CD300: (401)

Camdolly® CD300 makes it easy to transport BK60406 or BK60407.



CODE	BK60406*	BK60407*
DESCRIPTION	Container with 6 rails	Container with 7 rails
EXT. DIM.	57 x 76,5 x 82 cm	57 x 76,5 x 82 cm
INT. DIM.	42 x 63,5 x 67,5 cm	42 x 63,5 x 67,5 cm
Case Pack: 1	Color: Navy Blue (186) *Includes 2 wirera	cks and 1 chiller.

Accessories

CODE	CD300	CP6040	WR60406	WR60407	GL4060**
DESCRIPTION	Camdolly	Camchiller®	Wireracks w/6 rails	Wireracks w/7 rails	Market display tray
EXT. DIM.	49 x 65 x 26,5 cm	60 x 40 x 4 cm	66 x 40,5 x 5,8 cm	66 x 40,5 x 5,8 cm	60 x 40 cm
INT. DIM.	43 x 59 cm	_	_	_	_
CASE PACK	1	1	1	1	12

^{**}Not sold in USA, Canada, Mexico, Central America and Caribbean. Vent Cap Patent Pending.

CAMCARTS° - 46 X 66 CM TRAYS, SHEET PANS AND FOOD BOXES

- . Use to hold hot or cold bulk food stored on trays/sheet pans or food boxes.
- Durable polyethylene and thick foam insulation retain safe food temperatures.
- Sturdy plastic, rust-proof latches are secured into molded-in mounting plates.
- · Molded-in handle on the back for easy maneuvering.



1826DTC Double Cavity Cart for **Trays and Sheet Pans**

Capacity: 24 tray support rails on 4,92 cm centers (12 per cavity). Holds up to 24 each 46 x 66 cm trays or sheet/bun pans.



1826DBC Double Cavity Cart for **Food Storage Boxes**

Capacity: 26 support rails on 4,92 cm centers (13 per cavity). Holds 46 x 66 cm Food Storage Boxes.



Camcart with Security Package

Specially designed for high security applications, with tamper-resistant hardware: metal hinges with nonremoveable pins, metal latches with welded bails, lockable hasp and chassis plate.

Colors: Slate Blue (401), Coffee
Beige (157), Dark Brown (131),
Charcoal Gray (615).

15,2 cm Casters: 2 fixed, 2 swivel, 1 with brake.

Note: Cool metal sheet pans to 121°C before placing onto tray supports.

Venting plug is covered by US Patent D 553,717 S.

Only 1826DBC and 1826DBCSP are NSF Listed.







DESCRIPTION	EXTERIOR DIMENSIONS W x D*x H	INTERIOR DIMENSIONS W x D x H
For trays & sheet pans	55 x 84,5 x 162 cm	46,4 x 67,3 x 64,6 cm
For food storage boxes	55 x 84,5 x 162	46,4 x 67,3 x 64,9
urity Packages		
For trays & sheet pans	55 x 84,5 x 162	46,4 x 67,3 x 64,6
For food storage boxes	55 x 84,5 x 162	46,4 x 67,3 x 64,9
	For trays & sheet pans For food storage boxes urity Packages For trays & sheet pans	DESCRIPTION W x D*x H For trays & sheet pans 55 x 84,5 x 162 cm For food storage boxes 55 x 84,5 x 162 urity Packages 55 x 84,5 x 162

Case Pack: 1 *Exterior Depth measurement includes handle

CAMCARRIERS® & CAMCARTS®



Camcarriers

- Holds 32,5 x 53 cm trays, sheet pans and GN food pans.
- One piece seamless construction with molded-in handles.

Colors: Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Navy Blue (186), Charcoal Gray (615). 1318CC also available in Hot Red (158).

Note: Cool metal sheet pans to 121°C before placing onto tray supports.

Venting plug is covered by U.S. Patent D 553,717S.



Combo Carrier

1318CC

Holds half-size sheet pans, trays and a variety of food pan sizes. Safely keeps cold food below 4°C, hot food above 63°C for 4+ hours. Interstacks with UPC300, 300MPC, 1318MTC

EXTERNAL DIM. W x D x H*: 43,2 x 65,4 x 56,8 cm

INTERIOR DIM. W x D x H: 33,7 x 53,3 x 35,5 cm

FITS CAMDOLLY:

CD300, CD300H, CD300HB Case Pack: 1 *With Handle.









Camcarrier

1826MTC

Holds up to 6 each 46 x 66 cm sheet pans. Six tray supports on 5,4 cm centers

EXTERNAL DIM. W x D x H*: 55 x 74,5 x 57 cm

INTERIOR DIM. W x D x H: 46,7 x 66,4 x 35,9 cm

FITS CAMDOLLY: CD1826MTC, CD1826MTCHB

Case Pack: 1 *With Handle.









1826HAR

Lifting harness

DIMENSION: 360,68 cm long

Color: Beige (000).

Camcarts

- Holds 46 x 66 cm trays, sheet pans and food boxes.
- Includes removable cutting board on top.
- Security Package (SP)* features tamper-resistant hardware to protect both cart and contents. Includes chassis plates with 15,2 x 3,8 cm HD Casters.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Navy Blue (186), Charcoal Gray (615).

Standard Casters: 15,2 x 3,2 cm, 2 fixed, 2 swivel, 1 with brake. Heavy Duty (HD) Casters: 15,2 x 5 cm, 2 fixed, 2 swivel, no brake.

Note: Cool metal sheet pans to 121°C before placing onto tray supports.

Venting plug is covered by U.S. Patent D 553,717S.



Camcart for Food Storage Boxes

1826LBC / 1826LBCSP*

Holds 46 x 66 cm Food Storage Boxes. Capacity: 13 supports on 4,45 cm centers

EXTERNAL DIM. W x D x H: 55 x 81,5 x 95,5 cm

INTERIOR DIM. W x D x H: 46 x 66,4 x 65,7 cm

Case Pack: 1









Camcart for Trays and Sheet Pans

1826LTC / 1826LTCSP*

Holds up to 13 each 46 x 66 cm trays or sheet pans. Thirteen tray supports on 4,45 cm centers

EXTERNAL DIM. W x D x H: 55 x 81,5 x 95,5 cm

INTERIOR DIM. W x D x H: 46 x 66.4 x 65.7 cm

Case Pack: 1







Camcart for Trays and Sheet Pans

1826LTC3

Holds up to 7 each 46 x 66 cm trays or sheet pans. Seven tray supports on 9,5 cm centers for 7,62 cm clearance between trays

EXTERNAL DIM. W x D x H: 55 x 81,5 x 95,5 cm

INTERIOR DIM. W x D x H: 46 x 66,4 x 65,7 cm

Case Pack: 1





MERCHANDISING





VERSA FOOD SERVICE SYSTEM



The Versa Food Service System provides custom design without the custom price. This non electric, versatile, portable system keeps food cold for hours with either ColdFest® pans or Buffet Camchillers®. The system is made of durable all-weather material and is easy to clean. The Versa Food Service System offers countless configurations to fit any foodservice need.

- Ergonomic, molded-in handles on both sides ensure easy maneuvering.
- Versa Food Bar and Work Table both include a drain faucet that can be connected to a hose for drainage and easy cleaning.
- Add an end table to a Food Bar or Work Table to hold trays, condiments, or paper goods.

Versa Cart

- Join a Versa Cart with a Food Bar or Work Table for fast check-out and improved traffic flow.
- The Versa Cart includes an adjustable shelf, standard lockable drawer and convenient electrical access through the top of the cart and front design panel.
- Optional Tray rails easily adjust to a lower height.
- Optional pull-out keyboard tray fits inside the drawer.









Easily and safely attach multiple components together to create a contiguous system and maximize space and merchandising options.





Buffet Camchillers

Extend safe, cold holding time without ice. Dual-sided Buffet Camchillers hold 6,5 cm and 10 cm pans. Fits in the Versa Food Bar, Versa Work Table and Table Top Food Bars.

VERSA FOOD SERVICE SYSTEM

Whether you're looking to maximize space, improve traffic flow, add merchandising space or create an upscale salad bar, the Versa Food Service System has you covered.





Versa Work Table

- Perfect for a prep table, display, self-serve station or back bar.
- Attach a Work Table to a Food Bar to merchandise snacks and beverages.
- Matching well covers are included with each Versa Work Table.



114 cm Wide

86,4 cm High 68,6 cm Low

83 cm Wide



Standard height model.

VERSA BAR AND VERSA WORK TABLE

 Now available with two secure storage cabinets that can hold up to 22,7 kg per compartment of non-perishable items.



Scan QR code for package product code.







VERSA FOOD SERVICE SYSTEM

CODE	DESCRIPTION	OVERALL EXTERIOR Dimensions L x W x H	FULL PAN Size Capacity	WELL INTERIOR DIMENSIONS L x W x H
Versa Food Bars®	9 – Standard Height			
VBR5	152 cm with standard casters	175,3 x 108 x 159,4 cm	4	132,8 x 53,3 x 18 cm
VBRHD5	152 cm with heavy duty casters	175,3 x 108 x 159,4	4	132,8 x 53,3 x 18
VBR6	183 cm with standard casters	208,3 x 108 x 159,4	5	165,4 x 53,3 x 18
VBRHD6	183 cm with heavy duty casters	208,3 x 108 x 159,4	5	165,4 x 53,3 x 18
Versa Food Bars	Ultra Series – Standard Height			
VBRU5	152 cm with standard casters and storage	175,3 x 108 x 159,4	4	132,8 x 53,3 x 18
VBRUHD5	152 cm with heavy duty casters and storage	175,3 x 108 x 159,4	4	132,8 x 53,3 x 18
VBRU6	183 cm with standard casters and storage	208,3 x 108 x 159,4	5	165,4 x 53,3 x 18
VBRUHD6	183 cm with heavy duty casters and storage	208,3 x 108 x 159,4	5	165,4 x 53,3 x 18
Versa Food Bars	– Low Height			
VBRL5	152 cm with standard casters	175,3 x 108 x 141,6	4	132,8 x 53,3 x 18
VBRLHD5	152 cm with heavy duty casters	175,3 x 108 x 141,6	4	132,8 x 53,3 x 18
VBRL6	183 cm with standard casters	208,3 x 108 x 141,6	5	165,4 x 53,3 x 18
VBRLHD6	183 cm with heavy duty casters	208,3 x 108 x 141,6	5	165,4 x 53,3 x 18
Versa Work Table	es – Standard Height			
VBRT5	152 cm with standard casters	175,3 x 68,6 x 92,1	4	132,8 x 53,3 x 18
VBRTHD5	152 cm with heavy duty casters	175,3 x 68,6 x 92,1	4	132,8 x 53,3 x 18
VBRT6	183 cm with standard casters	208,3 x 68,6 x 92,1	5	165,4 x 53,3 x 18
VBRTHD6	183 cm with heavy duty casters	208,3 x 68,6 x 92,1	5	165,4 x 53,3 x 18
Versa Work Table	es Ultra Series – Standard Height			
VBRUT5	152 cm with standard casters and storage	175,3 x 68,6 x 92,1	4	132,8 x 53,3 x 18
VBRUTHD5	152 cm with heavy duty casters and storage	175,3 x 68,6 x 92,1	4	132,8 x 53,3 x 18
VBRUT6	183 cm with standard casters and storage	208,3 x 68,6 x 92,1	5	165,4 x 53,3 x 18
VBRUTHD6	183 cm with heavy duty casters and storage	208,3 x 68,6 x 92,1	5	165,4 x 53,3 x 18
Versa Work Table	es – Low Height			
VBRTL5	152 cm with standard casters	175,3 x 68,6 x 74,3	4	132,8 x 53,3 x 18
VBRTLHD5	152 cm with heavy duty casters	175,3 x 68,6 x 74,3	4	132,8 x 53,3 x 18
VBRTL6	183 cm with standard casters	208,3 x 68,6 x 74,3	5	165,4 x 53,3 x 18
VBRTLHD6	183 cm with heavy duty casters	208,3 x 68,6 x 74,3	5	165,4 x 53,3 x 18

Case Pack: 1

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W x H
Versa Cart		
VCSWR	With dual tray rails and standard casters	134 x 81,9 x 109,2 cm (with tray rails up)
VCSWRHD	With dual tray rails and heavy duty casters	134 x 81,9 x 109,2 (with tray rails up)
VCS	With standard casters and no tray rails	81,3 x 81,9 x 109,2
VCSHD	With heavy duty casters and no tray rails	81,3 x 81,9 x 109,2
Connectors		
VBRC	Straight connector - food bar to food bar	68,6 x 48,3 x 10,8
VBRC90	Corner connector - food bar to food bar	91,4 x 91,4 x 10,8
VCS32CNT	Straight connector - cart to standard height food bar / work table	68,6 x 51,75 x 8,26
VCSCNL	Straight connector - cart to low height food bar / work table	68,6 x 51,75 x 21,59

Case Pack: 1 Versa Food Bar, Versa Work Table, Versa Cart, Connectors, Well Cover Colors: Black (110), *Hot Red (158), *Navy Blue (186), *Kentucky Green (519). Tray Rail and End Table Colors Only: Granite Gray (191), **Black (110).

*Made to order colors for Versa Food Bar, Versa Work Table, Versa Cart, Connectors, Well Cover, Tray Rail and End Table.

^{**}Made to order color for Tray Rail and End Table only. Made to order items not carried in stock, non-returnable.

FOOD BAR ACCESSORIES

Every Accessory You Need

- · Crock and Salad Bowl Holders highlight and organize salads, condiments and dressings.
- . Tray Rails offer convenience for your patrons.

See Camwear® Food Pans and Crocks section for more information.

Versa Cart with Dual Tray Rails

(VCSWR & VCSWRHD): All orders receive the tray rails in Granite Gray (191). To choose a different color tray rail you must order the Versa Cart Without Rails (VCS or VCSHD) and the tray rails (VCS32R) separately.

Connector Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519).

Vinyl Cover Color: Opaque (000).

Sign Holder Color: Clear (152).

Buffet Camchiller® Color:

Cold Blue (159).

Divider Bar Colors: White (148), Clear (152).

Well Cover Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519).

Keyboard Tray Color: Black (110).

Crock, Salad Bowl Holders Colors: White (148), Granite Gray (191).

Versa Food Bar is covered under U.S. Patent D 615,323 S and D 620,730. Versa Food Bar Ultra Series is covered under U.S. Patent D702,066 S. Versa Cart is covered under U.S. Patent D 653,830 S. Buffet Camchiller is covered under U.S. Patent D 618,4765 S. All other parts patent pending.

*Items are not NSF Listed.













- 183 cm models hold 5 full size Pans with Divider Bars.
- 152 cm models hold 4 full size Pans with Divider Bars.









- Fractional Size Pans can be used in many variations with Divider Bars. Mix and match sizes to fit your needs.

Two Salad Bowl Holder models available, SBH18 and SBH15. Crock Holder, CPH3, holds 1,4 and 2,6 L crocks.





- 183 cm models hold a Salad Bowl Holder and 3 ea. Crock Holders.
- 152 cm models hold a Salad Bowl Holder and 2 ea. Crock Holders.

CODE	DESCRIPTION	OVERALL EXTERIOR Dimensions L x W x H	CASE Pack
VBRR5	Tray rail for 152 cm - Versa Food Bar / Versa Work Table	134,6 x 29,2 x 11,6 cm	1
VBRR6	Tray rail for 183 cm - Versa Food Bar / Versa Work Table	167,6 x 29,2 x 11,6	1
VCS32R	Tray rail for - Versa Cart	71,12 x 29,7 x 12,7	1
VBRTBL	End table for Versa Food Bar and work table	68,6 x 55,88 x 11,43	1
VBRCVR5*	Vinyl cover for 152 cm Versa Food Bar	185,4 x 110,5 x 116,8	1
VBRCVR6*	Vinyl cover for 183 cm Versa Food Bar	210,8 x 110,5 x 116,8	1
VBRTCVR5*	Vinyl cover for 152 cm Versa Work Table	177,8 x 85,1 x 53,3	1
VBRTCVR6*	Vinyl cover for 183 cm Versa Work Table	210,8 x 85,1 x 53,3	1
VCSCVR*	Vinyl cover for Versa Cart	106,7 x 83,8 x 91,4	1
VBRSHTS*	Versa Food Bar sign holder	91,4 x 15,2 x 23,5	1
DIV12	30,5 cm divider bars	32,39	3
DIV20	51 cm divider bars	53,02	3
СРН3	Crock holder holds 1,4 & 2,6 L	L 33 x W 53	1
SBH15	Salad bowl holder holds a 38,1 cm bowl and 3 crocks	L 65,5 x W 53	1
SBH18	Salad bowl holder holds an 45,7 cm bowl	L 65,5 x W 53	1
CPB1220	Buffet Camchiller for Versa Food Bars, Work Tables and table top food bars	46,99 x 32,07 x 10,16	1
VBRWC	Versa well cover for Versa Food Bar/Work Table	53,02 x 33,02 x 5,08	1
VCS32KEYT	Versa Cart keyboard tray	52,4 x 25,71 x 5,08	1
Vausa Faad Day ins	Index Versa Food Day with and without achinet		

Versa Food Bar includes Versa Food Bar with and without cabinet.

TABLE TOP FOOD BARS, BUFFET BARS & SNEEZE GUARDS



Table Top Food Bars

- Turn a 122-183 cm table into a double-sided self service buffet or beverage station.
- Thick, foam-insulated well keeps food cold for hours with Buffet Camchillers or ice.
- Drain plug allows for quick and easy clean-up.

Buffet Bars

- Ideal for holding snacks and cold beverages.
- The Buffet Bar with Sneeze Guard is perfect for single-sided, self-serve buffets.

Food Bar Colors: Black (110), Navy Blue (186), Kentucky Green (519), Hot Red (158).

Crock Holder and Salad Bowl Holders available in White (148), Granite Gray (191), Sandstone (614).

BUF48 and BUF72 are NSF listed.

NSF listed for non-direct food contact only.











4FBRTT Table Top Food Bar Buffet Camchiller® available.



FSG480 Sneeze Guard

The Free Standing Sneeze Guard is the perfect showcase for salad or dessert items.



Merchandises soft drinks on ice to increase beverage sales.



CODE	OVERALL EXTERIOR DIMENSIONS	FULL SIZE Pan Capacity	WELL INTERIOR DIMENSIONS
Table Top Food Bars	LxWxH		LxWxD
6FBRTT	181,6 x 84,5 x 68,6 cm	5	159,7 x 51,1 x 16,5 cm
5FBRTT	161,3 x 84,5 x 68,6	4	127,2 x 51,1 x 16,5
4FBRTT	129,5 x 84,5 x 68,6	3	94,6 x 51,1 x 16,5
Buffet Bars	LxWxH		LxWxD
BUF72	171,5 x 61 x 17,8	5	159,7 x 51,1 x 12,7
BUF48	106,2 x 61 x 17,8	3	94,6 x 51,1 x 12,7
Free Standing Sneeze Guards	LxWxH		LxW
FSG720	187,6 x 41,9 x 62,2	_	171,5 x 38,7
FSG480	121,9 x 41,9 x 62,2	_	106,7 x 38,7
Buffet Bars w/Sneeze Guard	LxWxH		LxWxD
BBR720	187,6 x 61,3 x 62,2	5	159,7 x 51,1 x 12,7
BBR480	121,9 x 61,3 x 62,2	3	94,8 x 51,1 x 12,7

Case Pack: 1

CAMKIOSK® SYSTEM — EVERY EVENT OR LOCATION IS AN OPPORTUNITY FOR PROFITS



- Build sales off premise and in non-traditional locations.
- Two insulated food storage cabinets maintain safe hot or cold food and/or beverage temperatures for hours.
- Use optional well covers to cover food pan wells and increase countertop space.
- Durable, all-weather polyethylene exterior with foam insulation will not crack, dent, bubble, chip, rust or break.
- Heavy duty 15,2 cm casters roll smoothly from kitchen to location then lock in place.

CAMKIOSK® CARTS





Telescoping poles enable canopy to lower 30,5 cm for quick and easy storage.

Cart Colors Canopy Color

Navy

Blue

Hot Red

Cart Colors

Granite Grey

519

Canopy Color

Kentucky Green

Beige



Granite Green



Kentucky Green



Black Base with **Granite Grey Top** & Doors



Personalize your CamKiosk Cart to promote your brand.

CANOPY TRIM AND TOP PANEL

(Charges per side) One Color Two Color **Three Color**

FRONT DISPLAY PANEL

(Cruising Café® panel standard) Set Up Charge per Panel Charge per Color

**Contact your Cambro representative for pricing.



Conveniently located, lockable cash box (included) can also be kept in dry storage compartment.



Camchillers® keep cold packaged foods cold during transport and service when placed directly on top of food pan wells or at the top of the CamKiosk's insulated holding cabinet.



4 well top



6 well top

CODE	FULL SIZE Pan Wells	OVERALL DIMENSION L x W x H		
CamKiosk Carts		,		
KVC854	4	216 x 85 x 179 cm		
KVC854C	4	216 x 85 x 239		
KVC856	6	216 x 85 x 179		
KVC856C	6	216 x 85 x 239		
C: Canopy				

Holding Capacity Per Compartment

Two holding cabinets store hot or cold food in Gastronorm Food Pans with Covers.

12 GN 1/1 full size 6,5 cm deep pans or 8 GN 1/1 full size 10 cm deep pans or 6 GN 1/1 full size 15 cm deep pans or 4 GN 1/1 full size 20 cm deep pans. 4 each 2025 Camtrays or 8 each 3253 Camtrays.

Well Cover Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519), Granite Grey (191), Granite Green (192).

15,24 cm Casters: 2 fixed, 2 swivel, 2 with brake.

Cutting Board Color: White (148). Camchiller Color: Cold Blue (159). ThermoBarrier Color: Slate Blue (401).











DIMENSIONS CASE CODE DESCRIPTION LxWxH **PACK Optional Accessories** CB1220 **Cutting** board 53,5 x 33,5 x 1,3 cm CP814 20,32 x 35,56 cm Camchiller 3,81 x 20,32 x 35,56 CP1220 Camchiller 53 x 33 x 3,8 WCR1220 Well cover 53,5 x 33 x 5 1600DIV 53 x 33,5 x 3,8 2 ThermoBarrier® insulated shelf

CAMKIOSK® HAND SINK CART, WORK STATION & EQUIPMENT STAND

Hand Sink Cart

- · Self-contained, electric hand washing system can be used alone or with CamKiosk Cart.
- Run hot and cold water for up to 70 hand washings.
- Includes: double sink, two 19 L fresh water tanks, two 28,5 L waste-water bins, hand soap dispenser and paper towel roll
- · Durable polyethylene will not crack, dent, bubble, chip or break.
- · Hand Sink Cart is designed for hand washing. It contains no filter for purifying water for drinking.
- Faucet is compliant with lead-free regulations.

Colors: Granite Grey (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Grey Top & Doors (426).

15,2 cm Casters: 2 fixed, 2 swivel, 2 with brake.

Hand Sink Cart is covered by U.S. Patent 6,173,458 B1.













Water heater and water pump draw a maximum of 11,25 amps and 0,7 amps, respectively. Hand Sink Cart electrical system runs on an average 10 amps.

ADA faucet available. Contact Cambro Customer Service for information.

Hand Sink Cart is designed for hand washing. It contains no filter for purifying water for drinking.

CODE	VOLTAGE	DIMENSIONS L x W x H		
KSC402	110V	103 x 84 x 116 cm		
Case Pack: 1				

Work Station

- Use to merchandise menu items, additional work space or to complete sales transactions.
- Large dry storage cabinet below is perfect for holding supplies.
- · Extremely durable all-weather polyethylene will not crack, dent, bubble, chip, rust or break.

Colors: Granite Grey (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Grey Top & Doors (426).

15,2 cm Casters: 2 fixed, 2 swivel, 2 with brake.

Top work area dimensions: 57,2 x 66 cm











Shown with optional cutting board and paper towel roll dispenser.

CODE	DESCRIPTION	DIMENSIONS L x W x H		
KWS40	Work station	103 x 84 x 116 cm		
CB1220	Cutting board	53,5 x 33,5 x 1,3		

Case Pack: 1

Equipment Stand

- Perfect for self-serve stations, prep areas or cash register service.
- · Counter and side openings for electrical cords and cables.
- Durable, lightweight polyethylene will not crack, dent, bubble, chip, rust or break.
- No assembly required.

Color: Black (110).

12,7 Casters: 2 fixed, 2 swivel with brake.

*Special order item not carried in stock - non-returnable.











Cutaway chair area gives ample space for comfortable seating.

CODE	DESCRIPTION	OVERALL DIM. W x D x H**
ES28	Stand only	71 x 71 x 99 cm
ES28RL*	Stand w/rails on right and left sides of drawer	112 x 71 x 99

^{**}Width includes tray rails. Height includes casters.

CAMCRUISER® VENDING CARTS

- Add revenue opportunities away from the kitchen or cafeteria and reduce wait times.
- Durable polyethylene will not crack, dent, bubble, chip, rust or break.
- Display panel can be personalized with a custom logo or message.
- Larger models CVC724 & CVC72 have insulated food storage compartments and full-size food pan wells.
- Compact model CVC55 has two open storage compartments, a single food pan well, cutting board and umbrella.

Cart Colors	Umbrella Colors
Black (110)	
Hot Red (158)	
Kentucky Green (519)	
Granite Gray (191)	
Granite Green (192)	





CVC72 & CVC724



CVC724 Four full size food pan wells. Replace with cutting boards or well covers to create additional work space.



CVC72 One full size food pan well and 2 larger merchandising wells.



Open holding compartment conveniently stores cash box and tray.

CODE	CVC724	CVC72	CVC55
OVERALL DIMENSION* L x W x H	189 x 81 x 239 cm	189 x 81 x 239 cm	140 x 80 x 238 cm
WORK COUNTER HEIGHT	93 cm	93 cm	101 cm
COUNTER WELLS HOLD	4 GN 1/1	Center well, 1 GN 1/1 2 outer wells, L 56 x W 39 x D 15 cm	1 GN 1/1
CLOSED COMPARTMENT Capacity (EACH)	2 GN 1/1-20 cm + 2 GN 1/1-6,5 cm deep pans or 4 GN 1/1-15 cm deep pans or 6 GN 1/1-10 cm deep pans or 8 GN 1/1-6,5 cm deep pans or 4 each 2025 Camtrays or 8 each 3253 Camtrays	2 full size 20 cm + 2 GN 1/1-6,5 cm deep pans or 4 GN 1/1-15 cm deep pans or 6 GN 1/1-10 cm deep pans or 8 GN 1/1-6,5 cm deep pans or 4 each 2025 Camtrays or 8 each 3253 Camtrays	_
OPEN COMPARTMENT CAPACITY	1 cash drawer and 1 GN 1/1-15 cm deep pan or 2 GN 1/1-10 cm deep pans or 3 GN 1/1-6,5 cm deep pans	1 cash drawer and 1 GN 1/1-15 cm deep pan or 2 GN 1/1-10 cm deep pans or 3 GN 1/1-6,5 cm deep pans	_
UMBRELLA DIAMETER	183 cm	183 cm	152 cm
CASTERS	20,3 cm - 4 swivel with brake	20,3 cm - 4 swivel with brake	15,2 cm - 2 fixed, 2 swivel with brake
CASH DRAWER	Yes	Yes	_
MENU BOARD	Yes	Yes	_
DISPLAY PANEL	Yes	Yes	Yes
MOLDED IN HANDLES	2	2	1
*Includes IImbrella Servin	a counter height is 130 cm		

^{*}Includes Umbrella. Serving counter height is 130 cm.

CAMCRUISER® VENDING CARTS





Unit ships with umbrella and cutting board. Front display panel can be personalized.



Pizza Camcruiser



Sandwich Camcruiser



Hot Dog Camcruiser



Soft Drink Camcruiser

Display Panel Personalization

Provide complete, finished, camera-ready artwork and indicate positioning on display panel.

Ink colors must be specified. Choose 1-4 colors.

Size of imprinting area: CVC72 and CVC724 W 53,5 x H 74,5 cm CVC55 W 112,5 x H 74,5 cm.

Artist's fee of **net/hour will be charged to any order submitted without camera-ready artwork.

Cambro will contact you prior to completing any work if this fee will be charged.

Set up charge of **net per design, plus **net per color.

Allow for three week production lead time once final proofs are approved.

CVC72 and CVC724 - Campus Cuisine display panel standard with all orders unless custom personalization requested.

**Contact your Cambro representative for pricing.

Cutting Board Color: White (148). Camchiller Color: Cold Blue (159). Divider Bar Colors: White (148), Clear (135)

Retainer Strap Color: Black (110). ThermoBarrier® Color: Slate Blue (401).

Well Cover Color matches cart.

CVC55 is covered by U.S. Patent D 362,102.







Compartments are open for storage and easy access to equipment and supplies for your vending operations. Optional retainer strap is sold separately.


LEFT COMPARTMENT DIMENSIONS: **W** 61,5 x **D** 72,5 x **H** 70 cm

RIGHT COMPARTMENT DIMENSIONS: W 54,5 x D 72,5 x H 70 cm

CVC55



Set up with full and fractional size food pans and divider bars to increase product offerings.



DIV12 Case Pack: 3 730STP Case Pack: 2 All Others Case Pack: 1

Camchiller, ThermoBarrier & Divider Bar are NSF listed.



Electrical or soda line conveniently drops through 10 x 17 cm opening in counter. Cover is standard with cart.

CAMSHELVING® FLEX STATION

- Reduce serving time and give kids time to eat by setting up portable Grab-N-Go stations in convenient locations.
- Ideal for use for breakfast to go, fresh fruit and vegetable programs, boosting a la carte sales and supper or summer feeding programs.
- Use black Camwear® GN pans and angled divider bars to provide a modern look and easy access to items.









Angled Divider Bars

Securely hold food pans and boxes in place allowing easy access.

CODE	DESCRIPTION	DIMENSIONS D x L x H	QUANTITY Each	
Package EMU2448		DALAH	LAGII	
EMPK2470	Mobile post kits with casters	610 x 1220 x 1778 mm	2	
EMTR482PK	Mobile traverses	1220	4	
EDBA	Angled divider bars	610	36	
CSID6	Identification tags	25 x 152	24	
Optional Accessori	es			
EMSK2448S1	Solid shelf kit	610 x 1220	1	
12189CW135	Clear Camwear food box	305 x 460 x 230	12	
1218SCCW135	Clear Camwear SlidingLid™	305 x 460	12	
CP814159	Compact Camchiller®	L 355,6 x W 203,2 x H 38	12	

CODE	DESCRIPTION	DIMENSIONS D x L x H	QUANTITY Each
Package CPMU24486	7FXPKG Includes		
CPMPK2467	Mobile post kits with casters	610 x 1220 x 1778 mm	2
CPTR482PK	Traverses	1220	4
CSDBA	Angled divider bars	610	36
CSID6	Identification tags	25 x 152	24
Optional Accessories			
CPSK2448S1	Solid shelf kit	610 x 1220	1
16CW110	Black Camwear food pans	325 x 530	12
CP814159	Compact Camchillers	L 355,6 x W 203,2 x H 38	12



Camwear Food Storage Box

Shatterproof and durable, clear box allows for content visibility. Ideal for serving bulk fruits and vegetables during the day and keeping them fresh in a cooler or freezer overnight.



Camwear Food Pans

Store, transport, and serve all in one pan. Durable black food pans provide a sleek, modern look and are easy to clean and store when not in use.



Compact Camchiller

Keep temperature sensitive items cool for hours with Camchillers. Reduce the risk of cross contamination by eliminating the use of ice.

VERSA ORGANIZERS

- Use to store non-perishable condiments, disposable ware and napkins.
- Hold bins in 2 x 3, 2 x 4, 3 x 3, or 3 x 4 arrangements.
- Made of seamless, one-piece polyethylene.
- Set on flat surface or wall mount each bin holds up to 4,5 kg.
- Easy to assemble and easy to clean.

Bins only colors: Dark Brown (131), Black (110), Slate Blue (401), Speckled Grey (480).

Versa line combined pack bins & racks.

Colors: Black (110), Speckled Grey (480).











5412CBP: (131), (480) **6RS6:** (480)



12RS12 Versa Organizer shown mounted on wall.















CODE	DESCRIPTION	PRODUCT Dimensions	CASE PACK
		WxDxH	
5412CBP	Bin only	13 x 30,5 x 11 cm	12
Versa Line Combined Pack		L x D x H (complete unit)	
12RS12	Rack w/12 bins	64,8 x 54,3 x 36,2	1
9RS9	Rack w/9 bins	51,1 x 54,3 x 36,2	1
8RS8	Rack w/8 bins	64,8 x 48,8 x 24,1	1
6RS6	Rack w/6 bins	51,1 x 48,8 x 24,1	1



PORTABLE CAMBARS®

- Stylish, portable beverage bars for hosting in any environment.
- Select from three systems:
 economy for bottle and can
 service, partial or complete
 soda gun set up systems for
 pre-mix (canisters) or post-mix
 (bag-in-box).
- Available in three sizes:
 - Large BAR730 is perfect for banquets and cocktail events.
 - Mid-size BAR650 fits into standard elevators and is ideal for small to mid-size functions.
 - Small BAR540 is ultra portable for off-premise use and events with limited space.

- All models include speed rail and 36,3 kg capacity ice sink with cover. BAR540 sink comes uncovered.
- Impact-resistant, waterproof polyethylene will not crack, dent, bubble, chip, rust or break.
- Lightweight and portable.
- Easy to take apart and clean, easy to set up.







BAR650 Shown in Standard Decor Granite Sand (194).



BAR650DS Shown in Designer Decor Sedona (668).

THREE SIZES

ECONOMY SYSTEM

- For Bottle, Can, or Mixer Service.
- Includes Ice Bin & Speed Rail.
- Standard or Designer Decor.

THREE SYSTEMS

BASIC SYSTEM

- Partially Equipped for Post or Pre-Mix Soda Service.
- Operator Completes Installation.
- Standard or Designer Decor.

COMPLETE SYSTEM

- Completely Factory Equipped for Post or Pre-Mix Soda Service.
- Standard or Designer Decor.

Large BAR730 Models



Standard Decor BAR730

Designer Decor BAR730DS Standard Decor BAR730CP

Designer Decor BAR730DSCP **Standard Decor**

BAR730PM, BAR730PMT, BAR730PMT220, BAR730DX

Designer Decor

BAR730DSPM, BAR730DSPMT, BAR730DSPMT2, BAR730DSDX

Mid-Size BAR650 Models



Standard Decor BAR650

Designer Decor BAR650DS Standard Decor BAR650CP

Designer Decor BAR650DSCP

Standard Decor

BAR650PM, BAR650PMT, BAR650PMT220, BAR650DX

Designer Decor

BAR650DSPM, BAR650DSPMT, BAR650DSPMT2, BAR650DSDX

Small BAR540 Models



Standard Decor BAR540

Designer Decor BAR540DS _

_

PORTABLE CAMBARS® PACKAGES & ACCESSORIES

STANDARD EQUIPMENT, SODA GUNS, STANDARD AND DESIGNER DECOR PACKAGES

		ECONOMY		BASIC	SYSTEM			E SYSTEM (Bag in Box)			E SYSTEM (Canisters)
STANDARD DECOR EQUIPMENT	BAR540	BAR650	BAR730	BAR650CP	BAR730CP	BAR650PM	BAR650PMT	BAR730PM	BAR730PMT	BAR650DX	BAR730DX
DESIGNER DECOR EQUIPMENT	BAR540DS	BAR650DS	BAR730DS	BAR650DSCP	BAR730DSCP	BAR650DSPM	BAR650DSPMT	BAR730DSPM	BAR730DSPMT	BAR650DSDX	BAR730DSDX
Bag In Box Syrup Pumps						3 ea	3 ea	6 ea	6 ea		
Bag In Box Rack (Holds 3 ea. Boxes)						1	1	2	2		
Carbonator						YES	YES	YES	YES		
CO ₂ Regulator						YES	YES	YES	YES	YES	YES
CO ₂ Clamp & Chain				YES	YES	YES	YES	YES	YES	YES	YES
8 Circuit Cold Plate in Ice Sink				YES	YES	YES	YES	YES	YES	YES	YES
Ice Sink Cover	Sink only	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Retainer Strap		1	2	1	2	1	1	2	2	1	2
Soda Gun (6 or 8 buttons)								8	8		6
Speed Rail (5 or 7 bottle)	5	7	7	7	7	7	7	7	7	7	7
Water Pump						YES	YES	YES	YES		
Water Tank							YES		YES		
Water Line Hook Up (city source)						YES	YES	YES	YES		
Waste Water Bin		YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Vinyl Cover	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

Casters: All BAR540 Models - Four 12,7 cm swivel, two with brake. All BAR650 and BAR730 Models - Four 15,24 cm swivel, two with brake.

Soda Guns by Wunder-Bar®



Post-Mix 8 Button (BAR730 Complete System)



Pre-Mix 6 Button (BAR730 Complete System)

- · Fast, low foaming delivery.
- Two year warranty from Wunder-Bar.
- · Includes holster with overflow drain.
- · Available with complete systems only.

Standard Decor Colors BAR540, BAR650, BAR730



Granite Grav



Granite Sand

BAR650, BAR730 Only









Mahogany w/ Black Base

BAR540 Only







Slate Blue Charcoal Gray

Designer Decor BAR650, BAR730 Only









Sedona

BAR540 Designer Decor color options are listed with BAR540 details.

Exclusive Cold Plate

- Patented "roof top" design allows for melted ice water to drain into the bottom of the ice sink and into the waste-water bin.
- · Circuit exposure through cold plate chills liquids dispensed from the soda gun.



Cold Plate is covered under U.S. Patent 5,743,602.

Optional Accessories for CamBars

DESCRIPTION	
Wire shelf for BAR650's	
Wire shelf for BAR730's	
7 bottle speed rail	
5 bottle speed rail	

Case Pack: 1


730SR Speed Rail Colors: Black (110), Dark Brown (131), Granite Gray (191). BAR54SR Speed Rail Colors: Black (110), Dark Brown (131), Granite Gray (191), Granite Sand (194), Slate Blue (401).

CAMBAR® POST-MIX SYSTEM FEATURES

Designed for Peak Functionality

- Soda gun and GFI-protected 110V outlet are ergonomically positioned for convenient operator access and maximized workspace.
- NSF listed beverage line with Flushable Glas-Flex[™] liner for easy flushing and changing of even the strongest flavors.
- Hygienic and easy-to-clean.


Front



Back

A/C outlet with on/off switch for using a blender or other bar equipment.

Soda gun holsters onto shelf, leaving workspace clear.



molded anchors and eyelets anchor tanks to the unit.

Straps with

Stainless steel rack to hold bag in the box.

LARGE CAMBARS° – COMPLETE SYSTEMS BAR730

Post-mix System for 18,9 L, Bag-in-box Syrups Holds up to 6 syrup boxes and 1 CO₂ tank.

BAR730PM and BAR730DSPM

Includes the standard equipment from the Basic System plus:

- Post-mix soda gun with 8 buttons.
- · Carbonator.
- 2 stainless steel bag-in-box wire racks.
- 6 bag-in-box pumps.
- CO₂ regulator gauge & tubing, hose & lines.
- Line for city water hook-up.

BAR730PMT, BAR730DSPMT, BAR730PMT220 and BAR730DSPMT2

Includes all of the above plus 1, 64,3 L water tank and 1 water pump. Line for city water hook-up is not included.

CODE	VOLTS	WATER TANK	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor				
BAR730PM	110	No	184,8 x 66 x 121,9 cm	152 kg
BAR730PMT	110	Yes	184,8 x 66 x 121,9	157
BAR730PMT220	220	Yes	184,8 x 66 x 121,9	157
Designer Decor				
BAR730DSPM	110	No	197,2 x 72,4 x 120,7	176
BAR730DSPMT	110	Yes	197,2 x 72,4 x 120,7	181
BAR730DSPMT2	220	Yes	197,2 x 72,4 x 120,7	181





Vinyl cover included with all CamBars. Cover not NSF listed.

Pre-mix System for 18,9 L Soda Canisters Holds up to 7 canisters and 1 CO_2 tank.

BAR730DX and BAR730DSDX

Includes the standard equipment from the Basic System plus:

• Pre-mix soda gun with 6 buttons.

CODE	WATER Tank	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor			
BAR730DX	No	184,8 x 66 x 121,2 cm	133 kg
Designer Decor			
BAR730DSDX	Yes	197,2 x 72,4 x 120,7	151



LARGE CAMBARS® - ECONOMY AND BASIC SYSTEMS BAR730

Basic System BAR730 Partially Equipped for Soda Service

Requires customer installation of pre-mix or post-mix soda gun system.

Includes:

- Sealed-in cold plate w/8 circuits.
- CO₂ chain.
- 7-bottle speed rail.
- 36,3 kg capacity ice sink.
- · Ice sink cover.
- Waste-water bin.
- 2 retainer straps.
- 4, 15,2 cm swivel casters, 2 with brake.
- · Vinyl cover.

CODE	DIMENSIONS L x W x H	UNIT Weight
Standard Decor		
BAR730CP	184,8 x 66 x 121,9 cm	132 kg
Designer Decor		
BAR730DSCP	197,2 x 72,4 x 120,7	146



BAR730DSCP Shown with four optional wire racks; see details under Portable CamBar Packages & Accessories.

Economy System BAR730 For Bottle, Can or Mixer Service

Includes:

- 7-bottle speed rail.
- 36,3 kg capacity ice sink.
- · Ice sink cover.
- Waste-water bin.
- 2 retainer straps.
- 4, 15,2 cm swivel casters, 2 with brake.
- · Vinyl cover.

CODE	DIMENSIONS L x W x H	UNIT Weight
Standard Decor		_
BAR730	184,8 x 66 x 121,9 cm	90 kg
Designer Decor		
BAR730DS	197,2 x 72,4 x 120,7	111,2



MID-SIZE CAMBARS® - COMPLETE SYSTEMS BAR650

Post-mix System for 18,9 L Bag-in-box Syrups Holds up to 3 syrup boxes and 1 CO_2 tank.

BAR650PM and BAR650DSPM

Includes the standard equipment from the Basic System plus:

- Post-mix soda gun.
- · Carbonator.
- Stainless steel bag-in-box wire rack.
- 3 bag-in-box pumps.
- CO2 regulator gauge & tubing, hose & lines.
- Line for city water hook-up.
- · Water pump.
- · Water filter.

BAR650PMT, BAR650DSPMT, BAR650PMT220 and BAR650DSPMT2

Includes all of the above plus $1,64,3\,L$ water tank and 1 water pump. Line for city water hook-up is not included.

CODE	VOLTS	WATER Tank	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor				
BAR650PM	110	No	171,5 x 72,4 x 120,7 cm	137 kg
BAR650PMT	110	Yes	171,5 x 72,4 x 120,7	142
BAR650PMT220	220	Yes	171,5 x 72,4 x 120,7	142
Designer Decor				
BAR650DSPM	110	No	171,5 x 72,4 x 120,7	158
BAR650DSPMT	110	Yes	171,5 x 72,4 x 120,7	163
BAR650DSPMT2	220	Yes	171,5 x 72,4 x 120,7	163



Pre-mix System for 18,9 L Soda Canisters Holds up to 5 canisters and 1 CO_2 tank.

BAR650DX and BAR650DSDX

Includes the standard equipment from the Basic System plus:

• Pre-mix soda gun.

CODE	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor		
BAR650DX	171,5 x 72,4 x 120,7 cm	120,3 kg
Designer Decor		
BAR650DSDX	171,5 x 72,4 x 120,7	142



MID SIZE AND SMALL CAMBARS® - ECONOMY AND BASIC SYSTEMS

Basic System BAR650 - Mid-Size Model Partially Equipped for Soda Service

Requires customer installation of pre-mix or post-mix soda gun system.

Includes:

- Sealed-in cold plate with 8 circuits.
- CO₂ chain.
- 7-bottle speed rail.
- 36,3 kg capacity ice sink.
- Ice sink cover.
- · Waste-water bin.
- · Retainer strap.
- 4, 15,2 cm swivel casters, 2 with brake.
- · Vinyl cover.





Cold Plate

Shown with two optional wire racks; see details under Portable CamBar Packages & Accessories.

CODE	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor		
BAR650CP	171,5 x 72,4 x 120,7 cm	129,3 kg
Designer Decor		
BAR650DSCP	171,5 x 72,4 x 120,7	137

Economy System BAR650 — Mid-Size Model For Bottle, Can or Mixer Service

Includes:

- 7-bottle speed rail.
- 36,3 kg capacity ice sink.
- · Ice sink cover.
- · Waste-water bin.
- · Retainer strap.
- 4, 15,2 cm swivel casters, 2 with brake.
- Vinyl cover.

CODE	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor		
BAR650	171,5 x 72,4 x 120,7 cm	78,5 kg
Designer Decor		
BAR650DS	171,5 x 72,4 x 120,7	100

BAR650DS Shown with two optional wire racks; see details under Portable CamBar Packages & Accessories.

Economy System BAR540 - Small Model For Bottle, Can, or Mixer Service

Includes:

- 5-bottle speed rail.
- 36,3 kg capacity ice sink.
- 4, 12,7 cm swivel casters, 2 with brake.
- Vinyl cover.

CODE	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor		
BAR540	137,2 x 65,7 x 117,2 cm	53,1 kg
Designer Decor		
BAR540DS	137,2 x 65,7 x 117,2	56



Designer **Decor Colors**

BAR540 Only



Black Base w/ Coal Counter



Granite Gray Base w/ Slate Gray Counter



Granite Sand Base w/ Cocoa Counter

SLIDINGLID™ ICE CADDIES

- Polyethylene body and thick foam insulation hold ice for days.
- · Rugged, all-weather exterior will not crack, dent, bubble, chip, rust
- Unique sliding lid slides back and under during use, reducing risk of cross-contamination.
- · Recessed well and drain shelf keep ice out of water, extending holding times.
- Recessed, molded-in handles ease lifting and maneuvering.
- · Slant top sliding lid units fit under prep/catering tables and counters.

Colors: Black (110). Slate Blue (401). Dark Brown (131), Coffee Beige (157), Granite Grey (191).

SlidingLid Ice Caddies ICS125L, ICS125L4S, ICS125LB are covered by US Patent D 468,071 S. SlidingLid Ice Caddies ICS100L and ICS100L4S are covered by US Patent D 424,883.











ICS100L, ICS125L: (191)



Refers to caster type in chart. All casters are 12,7 cm.

- A: 2 fixed, 2 swivel, 1 with brake
- A1: 2 swivel, 2 with brakes
- B: 4 swivel, 1 with brake 2 swivel, 1 with brake, 2 20,3 cm Easy Wheels
- D: 2 swivel, 1 with brake, 2 25,4 cm Easy Wheels
- E: 2 swivel, 1 with brake, 2 25,4 cm Wide Easy Wheels





ICS175LB (Short) Shown with Rear Easy Wheels.







(Short)







(Tall) Shown with Rear Easy Wheels.





(Tall) Shown with Rear Wide Easy Wheels.



CODE	CAPACITY	EXTERIOR DIMENSIONS W x D x H	CASTER Type
Short			'
ICS100L	46 kg	57 x 77 x 73 cm	A1
ICS100L4S	46	57 x 77 x 73	В
ICS125L	57	58,5 x 80 x 74,5	Α
ICS125LB	57	58,5 x 80 x 74,5	С
ICS175L	80	61 x 95,5 x 74,5	Α
ICS175LB	80	61 x 95,5 x 74,5	D
Tall			
ICS125T	57	58,5 x 80 x 88	Α
ICS175T	80	58,5 x 86,5 x 95,5	Α
ICS175TB	80	58,5 x 86,5 x 95,5	D
ICS200TB	91	58,5 x 86,5 x 100,5	Е
0 D I 1			

Case Pack: 1

WAREWASHING, HANDLING & STORAGE






CAMRACK® 4-IN-1 WAREWASHING SYSTEM

The Camrack System will protect glassware and keep it clean until the next event, eliminating the need for rewashing.

Efficient Washing



Open inside compartments provide thorough circulation of water and cleaning solutions and promote quick and thorough drying.

Long-lasting polypropylene Camracks are built to withstand chemicals and high temperatures up to 93°C.

Sanitary Storage



Closed outer walls keep fingers and contaminants out and reduce risk of breakage and injury. The Camrack cover and Camdolly make this system completely enclosed. Glassware stays clean in storage, eliminating rewashing.

Inventory Control




A variety in base rack colors help identify at a glance both contents and quantity per rack. Available in 10 colors.

Safe, Sanitary **Transportation**



Camracks can be transported across large campuses or to off-site locations in one single unit.

Easy to grip handles and smooth overlapping sides facilitate safe handling.





Content labeling options include one-color custom hot stamping or pre-printed clips.


















Camracks are covered by one or more of the following patents: Full Base Dish Rack D 412,607. Half Base Dish Rack D 404,176. Half Dish Rack Extender D 400,321. Enlarged Dish Rack Extender D 399,614. Dish Rack with Extender 5,934,486 Utility Patent. Pronged Base Dish Rack D 403,472.

FULL SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

These racks offer complete protection for all your delicate and valuable stemware and tumblers, from washing and handling to stacking, storing and transporting.

Choose the correct dishrack:

- 1. Measure the maximum diameter of your glass (stemware or tumbler) to determine the number of compartments.
- 2. Measure the maximum height of your glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.



STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

ALL CAMRACKS: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)



14,9 cm MAXIMUM DIAMETER



9 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	9S318	9\$434	9S638	9\$800	9\$958	9S1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

11,11 cm



16 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	16S318	16S418**	16S434	16S534**	16S638	16S738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	21,5 cm	23,8 cm	25,7 cm	27,9 cm	29,8 cm	32 cm
CODE	16S800	16S900**	16S958	16S1058**	16S1114	16S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

Base Rack Colors:





















Soft Gray

Red

Brown

Blue

Beige

Navy Blue

Cranberry

Extender Color: Soft Grey (151). **Compartment Extenders cannot be added. Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

FULL SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

9,84 cm



20 COMPARTMENT

MAXIMUM Height	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	20S318	20\$418**	20\$434	20\$534**	20\$638	20\$738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	21,5 cm	23,8 cm	25,7 cm	27,9 cm	29,8 cm	32 cm
CODE	20\$800	20S900**	20\$958	20S1058**	20\$1114	20S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

^{**}Compartment Extenders cannot be added.

8,7 cm MAXIMUM DIAMETER



25 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	25\$318	25\$418**	25\$434	25\$534**	25\$638	25\$738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	21,5 cm	23,8 cm	25,7 cm	27,9 cm	29,8 cm	32 cm
CODE	25\$800	25S900**	25\$958	25\$1058**	25\$1114	25\$1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

^{**}Compartment Extenders cannot be added.

7,94 cm



30 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	30S318	30\$434	30\$638	30\$800	30\$958	30S1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAMRACKS: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)

FULL SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

7,3 cm MAXIMUM DIAMETER



36 COMPARTMENT

MAXIMUM HEIGHT		11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	36S318	36S418**	36\$434	36S534**	36S638	36\$738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	21,5 cm	23,8 cm	25,7 cm	27,9 cm	29,8 cm	32 cm
CODE	36S800	36S900**	36S958	36S1058**	36S1114	36S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

6,2 cm MAXIMUM DIAMETER



49 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	49S318	49\$434	49S638	49\$800	49S958	4981114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

ALL CAMRACKS: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)



Base Rack Colors:





















Black

Soft Gray

Red

Brown

Blue

Beige

Navy Blue

Teal

Cranberry

Extender Color: Soft Grey (151). **Compartment Extenders cannot be added. Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

HALF SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

- Very effective for carrying less weight and for storing drinkware in space-restricted locations.
- Ideal for small under-counter glasswashers.





8 COMPARTMENT

10,3 cm MAXIMUM DIAMETER



MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	8HS318	8HS434	8HS638	8HS800	8HS958	8HS1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

8,7 cm



10 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	10HS318	10HS434	10HS638	10HS800	10HS958	10HS1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

7,3 cm MAXIMUM DIAMETER



17 COMPARTMENT

MAXIMUM Height	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	17HS318	17HS434	17HS638	17HS800	17HS958	17HS1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

Base Rack Colors:





Soft Grey









Sherwood Green


Navy Blue

Cranberry

Extender Color: Soft Grey (151). Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

CAMRACK® FULL & HALF SIZE CUP RACKS

 Tilt feature drains water from mug or cup bases for quick and sanitary drying.



16 COMPARTMENT

11,1 x 10,95 cm



DIMENSIONS

MAXIMUM Height	6,6 cm	10,7 cm	14,9 cm
CODE	16C258	16C414	16C578
CASE PACK	6	5	4
EXT. RACK HEIGHT	10,1 cm	14,3 cm	18,4 cm



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

16C258, 16C414, 16C578, 20C258, 20C414: (151)



20 COMPARTMENT

11,1 x 8,73 cm COMPARTMENT DIMENSIONS



 MAXIMUM HEIGHT
 6,6 cm
 10,7 cm

 CODE
 20C258
 20C414

 CASE PACK
 6
 5

 EXT. RACK HEIGHT
 10,1 cm
 14,3 cm

8 COMPARTMENT

10,4 x 11,1 cm COMPARTMENT DIMENSIONS



O COMI AKTMENT		
MAXIMUM HEIGHT	6,6 cm	10,7 cm
CODE	8HC258	8HC414
CASE PACK	6	5
EXT. RACK HEIGHT	10,1 cm	14,3 cm

Glass and Cup Keepers

- Raised ribs for easy draining and drying.
- Holds 20 glasses or 12 cups per layer.

Color: Beige (133).









Max. Glass Inside Rim Diameter: GK2000: 6,6 cm



Max. Cup Inside Rim Diameter: KK1200: 7.4 cm

CODE	SIZE	CASE Pack
Glass Keepers		
GK2000 (Regal)	35,6 x 45,7 cm	12
Cup Keepers		
KK1200 (Regal)	35,4 x 45,4	12

10 COMPARTMENT

10,4 x 8,73 cm COMPARTMENT DIMENSIONS



MAXIMUM HEIGHT	6,6 cm	10,7 cm
CODE	10HC258	10HC414
CASE PACK	6	5
EXT. RACK HEIGHT	10,1 cm	14,3 cm

Base Cup Rack Color: Soft Grey (151). Extender Color: Soft Grey (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders.

STORE AND TRANSPORT GLASSES & DISHES

Camrack® Cover & **Camdolly®**

- Use to cover and protect full size Camrack dishracks filled with clean dishware.
- · When used with a Camdolly, creates a portable sanitary storage system that protects contents between uses.
- Eliminates the use of messy, wasteful plastic wrap or vinyl covers.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

DRC2020: (180) CDR2020, CDR2020H: (151)







	FULL RACK COVER
CODE	DRC2020
EXTERIOR DIMENSIONS	50 x 50 x 2,4 cm
Case Pack: 1 Color: Grey (180).	·

	CAMDULLY	CAMDULLY WITH HANDLE
CODE	CDR2020	CDR2020H
INTERIOR DIMENSIONS	53 x 53 cm	53 x 53 cm
EXTERIOR DIMENSIONS	54,5 x 54,5 x 20,5 cm	54,5 x 59,5 x 94 cm
LOAD CAPACITY	159 kg	159 kg

Case Pack: 1 Color: Soft Grey (151). Casters: 10 cm casters, 4 swivel, no brakes.

Camrack IceExpress Glass Filler

- Dramatically reduces banquet set-up time.
- Fills 25 glasses with ice all at once.
- · Reduces breakage and risk of contamination.
- Ice falls directly into glasses with no spills or drips.

CODE	EXTERIOR DIM. W x D x H
25SWGF	50,8 x 50,8 x 3,18 cm

Case Pack: 1 Color: Black (110).



SELECTING THE RIGHT CAMRACK

Cambro offers multiple ways to help you quickly find the right Camrack:

1. apps.cambro.com/Camracks

Select the item you are sizing. enter the measurements and quantity of the item, and the right Camrack will appear on the page.

2. Cambro Catalog

Flip to the back of the catalog for a convenient stemware, glass and cup sizing reference guide.

3. Cambro Sales Representatives


Contact your local Cambro representative or call Cambro Customer Service at 49-7022-90-100-0 to assist with specifying Camracks, dollies and covers that will fit your glasses and dishware.

4. Cambro App

Find the right Camrack for your glassware by entering the height and maximum diameter of your glass.

Choose the correct Camrack:

- 1. Measure the maximum diameter of the glass (stemware or tumbler) to determine the number of compartments.
- 2. Measure the maximum height of the glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.





Download the app at www.cambro.com/app or



CAMRACK® BASE RACKS

- For pots, pans, bowls and large prep, service and display items.
- Half racks work well for storing items at a wait station.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

BR258, BR414, BR578, BR712: (110), (119), (151), (163), (184), (167), (168), (186), (414), (416) CRPHDG2878: (000)



FULL SIZE BASE RACKS









	FULL BASE RACK	WITH 1 EXTENDER	WITH 2 EXTENDERS	WITH 3 EXTENDERS
CODE	BR258	BR414	BR578	BR712
INSIDE RACK HEIGHT	8,3 cm	12,4 cm	16,5 cm	20,6 cm
OUTSIDE RACK HEIGHT	10,1 cm	14,3 cm	18,4 cm	22,5 cm
CASE PACK	6	5	4	3

HALF SIZE BASE RACKS









	HALF BASE RACK	WITH 1 EXTENDER	WITH 2 EXTENDERS	WITH 3 EXTENDERS
CODE	HBR258	HBR414	HBR578	HBR712
INSIDE RACK HEIGHT	8,3 cm	12,4 cm	16,5 cm	20,6 cm
OUTSIDE RACK HEIGHT	10,1 cm	14,3 cm	18,4 cm	22,5 cm
CASE PACK	6	5	4	3

Hold Down Grid

Keeps lightweight smallwares in place during wash cycle. Use on full size Camrack base or Flatware rack.



FULL SIZE HOLD DOWN GRID

CODE CRPHDG2878
Case Pack: 6 Color: Gray (000).

Base Rack Colors:





















^{*}Full size only. Extender Color: Soft Grey (151). Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

CAMRACK® FULL SIZE PEG RACKS & TRAY RACK

Standard 9 x 9 Peg Rack

- Designed to wash varying sized plates, bowls, trays and plate covers.
- Standard peg racks hold:
 - Eighteen 25,4 cm plates
 - Twelve 30,5 cm plates
 - Twenty-seven 19 cm plates or
 - Nine 36 x 46 cm trays.

Versatile 5 x 9 Peg Rack

- Holds standard plates in one direction or deep plates, bowls and plate covers in the other direction.
- 5 spacing configuration holds up to ten 25,4 cm bowls, deep plates, platters or plate covers.
- 9 spacing configuration holds up to:
 - Eighteen 25,4 cm plates
 - Twelve 30,5 cm plates
 - Twenty-seven 19 cm plates or
 - Nine 36 x 46 cm trays.

Open End Tray Rack

- Holds cafeteria trays or full-size sheet pans.
- Open-ended on one side for easy placement and removal of trays of all lengths.
- Holds up to nine trays upright.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

PR59314, PR59500, PR314, OETR314: (151)











	9 X 9 Peg rack	9 X 9 PEG RACK With 1 Extender	5 X 9 Peg rack	5 X 9 PEG RACK With 1 extender	OPEN END Tray rack
CODE	PR314	PR500	PR59314	PR59500	0ETR314*
INSIDE RACK HEIGHT	8,3 cm	12,4 cm	8,3 cm	12,4 cm	8,3 cm
OUTSIDE RACK HEIGHT	10,1 cm	14,3 cm	10,1 cm	14,3 cm	10,1 cm
CASE PACK	6	5	6	5	6

Color: Soft Gray (151). **Extender Color:** Soft Gray (151). **InStock Color:** Soft Gray (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders. *Extenders may be added to all Peg Racks except the OETR314.

CAMRACK FULL & HALF SIZE FLATWARE RACKS & CYLINDER

- 8 Compartment Basket fits into a Full or Half Size Base Rack.
 Wire handles slide down for easy storage.
- Flatware Cylinder fits into
 9-Compartment Full Size Camrack and the Cambro Tray and Dish Cart, model TDCR12.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

FR258, 8FB434, 8FBNH434: (151)











	FULL FLATWARE Rack	HALF FLATWARE Rack	8 COMPARTMENT HALF Flatware basket	8 COMPARTMENT HALF FLATWARE BASKET	FLATWARE Cylinder
CODE	FR258	HFR258	8FB434* With Handles	8FBNH434* No Handles	FWC56
INSIDE RACK HEIGHT	6,7 cm	6,7 cm	12 cm	12 cm	Wide 11,4 cm
OUTSIDE RACK HEIGHT	10,1 cm	10,1 cm	18,4 cm	18,4 cm	High 14 cm
CASE PACK	6	6	6	6	12

Color: Soft Gray (151). Extender Color: Soft Gray (151). InStock Color: Soft Gray (151). Flatware Cylinder Color: White (148).

Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders. *Extenders cannot be added.

THE CAMRACK® COMPONENT SYSTEM

The Camrack System offers several choices for ordering the right Camracks now and as your needs change. Please consult with your sales representative or Cambro Customer Service for all special ordering and assembly directions.

Choose Between:

- 1. A complete selection of pre-assembled, ready to use Camracks listed in our catalog; or
- 2. Custom built special order Camracks for specific needs; or
- Individual Camrack components for distributors to stock and build racks as needed.

Base Rack Colors:

Sherwood Green (119), Soft Grey (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)*, Red (163)*, Blue (168)*, Teal (414)*.

Base Cup Rack Color: Soft Grey (151). Flatware Rack Color: Soft Gray (151). Extender Color: Soft Grey (151).

Personalization available.

Full Base Racks are covered by U.S. Patent D 412,607. Half Base Racks are covered by U.S. Patent D 404,176.

*Full size only.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

9E1, 9E2, 16E1, 16E2, 16E4, 16E5, 20E2, 20GE1, 20GE2, 20GE4, 20GE5, 25E1, 25E2, 25E4, 25E5, 30GE1, 30GE2, 36E1, 36E2, 36E4, 36E5, 49E1, 49E2, 16C258, 20C258: (151) BR258: (110), (119), (151), (163), (184), (167), (168), (186), (414), (416) E3: (151)







HBR = Half Size Base Rack



E1 = Full Size Full Drop Compartment Extender



HE1 = Half Size Full Drop Compartment Extender



E2 = Full Size Half Drop Compartment Extender



HE2 = Half Size Half Drop Compartment Extender



E3 = Full Size Open Extender



HE3 = Half Size Open Extender



E4 = Full Size Full Drop Compartment Extender



E5 = Full Size Half Drop Compartment Extender

Only E3 extenders may be added to E4's and E5's.

Camracks Components

io componento	EVTERIOR		INCIDE DACK	CASE
DESCRIPTION	DIMENSIONS	COMPARTMENT	HEIGHT	PACK
Racks	'		'	
Full Base Rack	500 x 500 x 101 mm	457 x 457 mm	67 mm	6
e Racks				
Half Base Rack	500 x 250 x 101	464 x 213	67	6
Cup Racks				
16-Compartment Full Cup Rack	500 x 500 x 101	111 x 111	67	6
20-Compartment Full Cup Rack	500 x 500 x 101	111 x 89	67	6
e Cup Racks				
8-Compartment Half Cup Rack	500 x 250 x 101	105 x 113	67	6
10-Compartment Half Cup Rack	500 x 250 x 101	105 x 89	67	6
Drop Extenders – E1 and GE1				
9-Compartment Full Drop Extender	499 x 499 x 51	150 x 150	41	12
16-Compartment Full Drop Extender	499 x 499 x 51	111 x 111	41	12
20-Compartment Full Drop Extender	499 x 499 x 51	98 x 98	41	12
25-Compartment Full Drop Extender	499 x 499 x 51	89 x 89	41	12
30-Compartment Full Drop Extender	499 x 499 x 51	79 x 79	41	12
36-Compartment Full Drop Extender	499 x 499 x 51	73 x 73	41	12
49-Compartment Full Drop Extender	499 x 499 x 51	62 x 62	41	12
	DESCRIPTION Racks Full Base Rack Racks Half Base Rack Cup Racks 16-Compartment Full Cup Rack 20-Compartment Full Cup Rack R-Compartment Half Cup Rack 10-Compartment Half Cup Rack 10-Compartment Half Cup Rack 10-Compartment Half Cup Rack Drop Extenders — E1 and GE1 9-Compartment Full Drop Extender 16-Compartment Full Drop Extender 20-Compartment Full Drop Extender 25-Compartment Full Drop Extender 30-Compartment Full Drop Extender	DESCRIPTION DESCRIPTION Racks Full Base Rack Full Base Rac	EXTERIOR DIMENSIONS COMPARTMENT	EXTERIOR DIMENSIONS COMPARTMENT INSIDE RACK HEIGHT

THE CAMRACK® COMPONENT SYSTEM

CODE	DESCRIPTION	EXTERIOR Dimensions	COMPARTMENT	INSIDE RACK Height	CASE Pack
Full Size Ha	alf Drop Extenders – E2 and GE2			'	
9E2	9-Compartment Half Drop Extender	499 x 499 x 51 mm	150 x 150 mm	41 mm	12
16E2	16-Compartment Half Drop Extender	499 x 499 x 51	111 x 111	41	12
20E2	20-Compartment Half Drop Extender (for cups only)	499 x 499 x 51	111 x 89	41	12
20GE2	20-Compartment Half Drop Extender	499 x 499 x 51	98 x 98	41	12
25E2	25-Compartment Half Drop Extender	499 x 499 x 51	89 x 89	41	12
30GE2	30-Compartment Half Drop Extender	499 x 499 x 51	79 x 79	41	12
36E2	36-Compartment Half Drop Extender	499 x 499 x 51	73 x 73	41	12
49E2	49-Compartment Half Drop Extender	499 x 499 x 51	62 x 62	41	12
Full Size O _l	pen Extender – E3				
E3	Open Extender	499 x 499 x 51	457 x 457	41	12
Full Size Fu	ull Drop Extenders – E4				
16E4	16-Compartment Full Drop Extender	499 x 499 x 51	111 x 111	41	12
20GE4	20-Compartment Full Drop Extender	499 x 499 x 51	98 x 98	41	12
25E4	25-Compartment Full Drop Extender	499 x 499 x 51	89 x 89	41	12
36E4	36-Compartment Full Drop Extender	499 x 499 x 51	73 x 73	41	12
Full Size Ha	alf Drop Extenders – E5				
16E5	16-Compartment Half Drop Extender	499 x 499 x 51	111 x 111	41	12
20GE5	20-Compartment Half Drop Extender	499 x 499 x 51	98 x 98	41	12
25E5	25-Compartment Half Drop Extender	499 x 499 x 51	89 x 89	41	12
36E5	36-Compartment Half Drop Extender	499 x 499 x 51	73 x 73	41	12
Half Size F	ull Drop Extenders – HE1				
8HE1	8-Compartment Full Drop Extender	502 x 252 x 51	105 x 113	41	12
10HE1	10-Compartment Full Drop Extender	502 x 252 x 51	105 x 89	41	12
17HE1	17-Compartment Full Drop Extender	502 x 252 x 51	74 diameter	41	12
Half Size H	alf Drop Extenders – HE2				
8HE2	8-Compartment Half Drop Extender	502 x 252 x 51	105 x 113	41	12
10HE2	10-Compartment Half Drop Extender	502 x 252 x 51	105 x 89	41	12
17HE2	17-Compartment Half Drop Extender	502 x 252 x 51	74 diameter	41	12
Half Size O	pen Extender – HE3				
HE3	Open Extender	502 x 252 x 51	464 x 213	41	12
Race Pack	Colors: Sherwood Green (119) Soft Grav (151) Bro	un (167) Roigo (194) Navy Pluo (186) Cranborry (416) Black (110)* Pod (163)* Plue (169)* Tool	(//1//)*

Base Rack Colors: Sherwood Green (119), Soft Gray (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)*, Red (163)*, Blue (168)*, Teal (414)*.

Base Cup Rack Color: Soft Gray (151). Extender Color: Soft Gray (151). *Color available in full size only. All extenders are available in Soft Gray (151). All pre-assembled racks ship with Soft Gray (151) extenders. PlateSafe Grid Color: Gray (000).



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

9E1, 9E2, 16E1, 16E2, 16E4, 16E5, 20E2, 20GE1, 20GE2, 20GE4, 20GE5, 25E1, 25E2, 25E4, 25E5, 30GE1, 30GE2, 36E1, 36E2, 36E4, 36E5, 49E1, 49E2, 16C258, 20C258: (151) BR258: (110), (119), (151), (163), (184), (167), (168), (186), (414), (416) E3: (151)

PERSONALIZED CAMRACKS®

- Personalize Camracks to identify contents at a glance for accurate inventory control and selection.
- Hot stamp a custom logo, information or standard content symbols, and/or descriptions on two opposite, diagonal sides of any rack.
- Pre-printed clips (up to 4 per rack) can be ordered factory installed for an additional charge.



IMPRINT COLOR-WHITE

HOW TO ORDER A SAMPLE

- Contact your local Cambro rep to complete and submit a sample request form to Cambro.
- 2. Select rack size, code and color. Imprint color white only.
- 3. Choose process A) Hot Stamp or B) Camrack Clips
- 4. Indicate location of hot stamp and or clip on rack. Maximum hot stamp imprint size is W 102 x H 31,7 mm. Maximum hot stamp imprinting thickness per solid letter or logo should be no more than 102 mm wide.
- 5.If selecting process A with a custom hot stamp, provide ready to use artwork, digital format only. Sample request form must be submitted to Cambro PRIOR to artwork being sent. If artwork is incomplete, graphic support services are available for **per hour.

6. Submit Artwork

E-mail artwork to your Cambro Rep or direct to Cambro at letsgetpersonal@cambro.com. Title e-mail subject with logo name and provide contact info. File dimensions: 100% reproduction size, 300dpi resolution.

File type:

Adobe® Illustrator®, Photoshop®. File format: jpeg, tiff, and eps. Or mail digital artwork to: CEL - Attn: C.E.L. Customer Service. Kelterstrasse 51 72669 Unterensingen, Germany.

7. Questions regarding artwork? Tel: (49)7022-90-100-0; Ireland Tel: 1800 509 046; for UK Tel: 0800 587 0057 or Fax: (49)7022-90-100-19.

8. Sample Approval

Signed approval form must be included with purchase order for processing. This form is included with each sample.

PERSONALIZATION CHARGES

One Time Plate Charge

**for custom hot stamp only

Set-Up Charge

* *

Sample Charge

44

Imprint Charge

**per side, 2 sides max.


FOR CLIPS

Drinkware or PlateSafe®, pre-printed **each

**Contact your Cambro representative for pricing.

STANDARD HOT STAMP SYMBOLS AND/OR DESCRIPTIONS

Step 1. Choose a symbol and corresponding letter that best fits your glassware.



Step 2. Choose the verbiage and corresponding number that best describes your glassware. **Available in English Only.**

1.	Beer	13. Flatware	25. Rocks (Tumbler Style)
2.	Beer Mug	14. Goblet	26. Sherry
3.	Pilsner	15. Grande	27. Shot Glass
4.	Brandy	16. Hi-Ball	28. Sorbet
5.	Champagne	17. Hurricane	29. Water (Footed Style)
6.	Champagne Flute	18. Iced Tea	30. Water (Tumbler Style)
7.	Coffee Mug	19. Irish Coffee	31. White Wine
8.	Collins	20. Juice	32. Wine
9.	Cordial	21. Margarita	33. Red Wine
10	. Creamer	22. Martini	34. Port

12. Decanter 24. Rocks (Footed Style)

Step 3. Select hot stamp color. Choose from white, black, red or blue.

23. Old Fashion

HOT STAMP OPTIONS

11. Cup



CUSTOM LOGO AND/OR TEXT



STANDARD SYMBOL AND DESCRIPTION




STANDARD SYMBOL ONLY



STANDARD DESCRIPTION ONLY

CAMRACK® EXTENDER ID CLIP

- The industry's only 4-in-1 glassware management system makes inventory management quick and easy.
- Made of ABS, these clips are virtually unbreakable, and designed to withstand the high heat of commercial dishwashers.
- An economical and sustainable solution to discarding existing racks or labeling with markers, tape or wall placards.
- Snap ID clips onto existing racks or have factory installed with new Camrack orders, up to 4 per rack, placed on the left only on each side as shown in image. Contact your Cambro representative for pricing.



PRE-PRINTED CLIPS* (Available in 6-packs only, no broken bags.) **FACTORY INSTALLED CLIPS***

*Contact your Cambro representative for pricing.

- Contact ye	var Gambro roprocon	CODE	>,		
abla	Beer	CECBE6000			Goble
	Beer Mug	CECBM6000		V	Grand
\bigcirc	Brandy	CECBR6000			Hi-Ba
Υ	Champagne	CECCH6000		Ţ	Hurri
7	Champagne Flute	CECCF6000			Iced 1
P	Coffee Mug	CECCM6000			Irish
	Collins	CECCL6000			Juice
Y	Cordial	CECC06000		Y	Marg
	Creamer	CECCR6000		Y	Marti
	Cup	CECCP6000			Old F
	Decanter	CECDC6000			Pilsne
	Flatware	CECFL6000		$\overline{\mathbb{Q}}$	Red V

		CODE			CODE
\bigcirc	Goblet	CECG06000		Rocks (Footed Style)	CECRF6000
∇	Grande	CECGR6000		Rocks (Tumbler Style)	CECRT6000
	Hi-Ball	CECHB6000	Y	Sherry	CECSH6000
Ţ	Hurricane	CECHU6000		Shot Glass	CECSG6000
	Iced Tea	CECIT6000	Y	Sorbet	CECSB6000
	Irish Coffee	CECIC6000	\bigcirc	Water (Footed Style)	CECWF6000
	Juice	CECJU6000		Water (Tumbler Style)	CECWT6000
Y	Margarita	CECMG6000	\bigcirc	White Wine	CECWW600
\overline{Y}	Martini	CECMT6000	7	Wine	CECWI6000
	Old Fashion	CECOF6000	9	Port	CECP06000
	Pilsner	CECPI6000			CECBL6000 Blank Clip
\bigcirc	Red Wine	CECRW6000		DUCTS & COLORS PEAN WAREHOUSE	AVAILABLE IN

(Available in English Only)

CECWW6000

CECCF6000, CECBL6000

CECG06000, CECJU6000, CECMG6000, CECMT6000, CECOF6000, CECRW6000, CECWW6000, CECBE6000,

CAMDOLLIES®



- Use to easily transport multiple products in house and/or off site.
- · Reduce employee lifting and carrying, reducing possible injury.
- · Made of extremely durable plastic that will not dent, crack, rust or corrode.
- Heavy-duty casters maneuver easily over all types of terrain.
- For heavy transport needs, select models with handles and rear Big Wheels.

Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401). CDR2020, CDR2020H Color: Soft Gray (151).

Caster Type

- A: 12,7 cm Casters: 2 fixed, 2 swivel, 1 with brake.
- B: 7,6 cm Casters: 4 swivel, no brakes. C: 25,4 cm Rear Big Wheels, 2 front
- 12,7 cm swivel casters, 1 with brake. D: 8,9 cm Casters: 4 swivel, no brakes.

Available Parcel Carrier Delivery:

CDR2020, CDR2020H, CD2020, CD1420, CD2028, CD1313, CD1327, CD100, CD160, CD200, CD300, CD400, CD1826PDB, 2030UT & 400STP.

Camdollies Case Pack: 1

*CDR2020H Not NSF Listed.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CDR2020, CDR2020H: (151)

For Dish Racks

EXTERNAL DIM. W x D x H 54,5 x 53 x 18,7 cm INTERIOR DIM. W x D 53 x 53 cm

159 kg	D
CAPACITY	CASTER TYPE







CDR2020

EXTERNAL DI	M . W x D x H	53 x 64,1 x	92,7 cm	
INTERIOR DIN	1. W x D	53 x 53 cm		
159 kg	D Caster type	⇒ □		





CDR2020H* With powder coated handle.

For 46 x 66 cm Trays and Sheet Pans

EXTERNAL DIM. W x D x H 50.8 x 80 x 97.2 cm INTERIOR DIM. W x D 46 x 66 cm

Holds: UPC101

136 kg Α CAPACITY CASTER TYPE





EXTERNAL DIM. W x D x H 57 x 57 x 21 cm INTERIOR DIM. W x D 51,1 x 51,1 cm

Also Holds: 500LCD, 350LCD, 250LCD, 1000LCD, UC1000

136 kg В CAPACITY CASTER TYPE





EXTERNAL DIM. W x D x H	59,7 x 82,6 x 93 cn		
INTERIOR DIM. W x D	47 x 66 cm		
Halda UDO101			

Holds: UPC101

C 136 kg CASTER TYPE CAPACITY





EXTERNAL DIM. W x D x H 56.5 x 65.7 x 93.7 cm INTERIOR DIM. W x D 51,5 x 51,5 cm Also Holds: 250LCD, 350LCD, 500LCD, 1000LCD

В 159 kg CAPACITY CASTER TYPE







For Pizza Dough Boxes

Also See Pizza Dough Boxes page 167

EXTERNAL DIM. W x D x H 50,5 x 71 x 26 cm INTERIOR DIM. W x D 44,5 x 64,5 cm

Holds: DB18263CW, DB18266CW, DB18263P

136 kg A CASTER TYPE CAPACITY





Optional strap available.

EXTERNAL DIM. W x D x H 66,7 x 67,3 x 93 cm INTERIOR DIM. W x D 52 x 52,5 cm Also Holds: 250LCD, 350LCD, 500LCD

C 159 kg CASTER TYPE CAPACITY





CAMDOLLIES®

For Camcarriers® and Camtainers®

EXTERNAL DIM. W x D x H 50 x 73 x 27 cm INTERIOR DIM. W x D 44 x 66.5 cm

Holds: 100MPC, UPC100, UC250, UC500, 250LCD, 350LCD, 500LCD.













70 x 88,5 x 93,5 cm

55,5 x 72,5 cm

61 x 89,5 x 93 cm

56 x 72,5 cm




EXTERNAL DIM. W x D x H 50 x 84 x 92 cm INTERIOR DIM. W x D 45 x 67,5 cm

Holds: 100MPC, UC250, UC500, 250LCD, 350LCD, 500LCD.

159 kg CAPACITY CASTER TYPE







EXTERNAL DIM. W x D x H

Α

CASTER TYPE

INTERIOR DIM. W x D







EXTERNAL DIM. W x D x H

60 x 83,5 x 93 cm

INTERIOR DIM. W x D

44.5 x 68 cm

Holds: 100MPC, UPC100, UC250, UC500, 250LCD, 350LCD, 500LCD.

159 kg	C	1
CAPACITY	CASTER TYPE	(







EXTERNAL DIM.~W~x~D~x~H48,5 x 76,5 x 92 cm INTERIOR DIM. W x D 43 x 59 cm Holds: 300MPC, 1318MTC, UC1000, 1000LCD,

(NSF.

(NSF.)

UPC300, 1318CC.

159 kg	A
CAPACITY	CASTER TYPE
OAI AOITT	CASTER TITE

EXTERNAL DIM. W x D x H

Holds: 300MPC, 1318MTC, UC1000, 1000LCD,

C

INTERIOR DIM. W x D

UPC300, 1318CC.





CD300H

EXTERNAL DIM. W x D x H

42 x 62 x 26,5 cm

INTERIOR DIM. W x D

36 x 56 cm

Holds: UPC140, UPC160, UPC180, UPCS140, UPCS160, UPCS180, UPCSS160.

136 kg

















53 x 70 x 23 cm

46 x 63,5 cm



44 x 60 cm



EXTERNAL DIM. W x D x H 49 x 65 x 26,5 cm EXTERNAL DIM. W x D x H INTERIOR DIM. W x D 43 x 59 cm INTERIOR DIM. W x D Holds: UPC400, UPCS400, UPCH400.

CD300

Holds: 300MPC, 1318MTC, UC1000, 1000LCD, UPC300, 1318CC.

159 kg	A
CAPACITY	CASTER TYPE



















STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CD300: (401) CD400: (110), (401)

CAMDOLLIES®

for Milk Crates and #10 Can Cases

EXTERNAL DIM. W x D x H 41,28 x 55,25 x 21,11 cm INTERIOR DIM. W x D 35,24 x 49,05 cm

Holds: 35,6 x 48,3 cm Milk Crates and #10 Can Cases







CD1420



UTILITY TRUCKS



- · Large platforms for convenient loading and built-in handles for easy maneuvering.
- All models feature 12,7 cm heavy-duty casters bolted into molded-in metal backing plates.

Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

Casters: 12,7 cm, 2 fixed, 2 swivel,

Utility Trucks Case Pack: 1

1 with brake.



EXTERNAL DIM. W x D x H INTERIOR DIM. W x D

56,6 x 77 x 21 cm 49,5 x 71 cm

Holds: 35,6 x 48,3 cm Milk Crates, #10 Can Cases and UPC101, UPC400, 100MPC, UPC100, UPC300

159 kg CAPACITY







EXTERNAL DIM. W x D x H LOAD PLATFORM

50 x 81,5 x 98 cm 50 x 75 cm

272 kg CAPACITY











EXTERNAL DIM. W x D x H 41 x 41 x 21 cm INTERIOR DIM. W x D 35 x 35 cm

Holds: 30 x 30 cm Milk Crates

114 kg CAPACITY CASTER TYPE







EXTERNAL DIM. W x D x H 63,2 x 106 x 93,3 cm

LOAD PLATFORM 60 x 90,5 cm

272 kg CAPACITY





2436UTH



EXTERNAL DIM. W x D x H 40,6 x 73,7 x 21 cm INTERIOR DIM. W x D 34,6 x 67,6 cm Holds: 30 x 30 cm Milk Crates and #10 Can Cases

136 kg В CAPACITY CASTER TYPE







EXTERNAL DIM. W x D x H

63,2 x 106 x 93,3 cm 60 x 90,5 cm

272 kg CAPACITY

LOAD PLATFORM





2436UTHS Includes two straps. UTHSTP



Camdolly® Strap for CD400 and CD1826PDB Camdollies

CODE	DESCRIPTION	EXTERNAL DIM.	
400STP	Strap	381 cm long	









TRAY & DISH CARTS / TRAY & SILVERWARE CART

Tray & Dish Cart

- · Open storage compartment holds a wide variety of plates and trays.
- Use with or without detachable cutlery rack. Cutlery rack includes 12 each flatware cylinders.
- Made of easy-to-clean polyethylene that won't rust, peel or corrode.
- · Molded-in handles and heavy-duty swivel casters ease maneuvering.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Gray (191), Granite Green (192), Black (110).

15.2 cm Casters: All swivel. 2 with brake.

Maximum load capacity: 227 kg.

Vinyl cover included. Not NSF listed.









EXTERIOR DIM. CODE DESCRIPTION LxWxH 97 x 58 x 105 cm TDCR12 Cart & rack combination TDC2029* 97 x 56.5 x 87 Cart only CR12 Cutlery rack only 84 x 58 x 23 FWC56 Flatware cylinder **W** 11,4 x **H** 14

Case Pack: 1 FWC56 Case Pack: 12 *TDC2029 is not available in Black (110).

Adjustable Tray & Dish Cart

- Use to store a wide variety of plates and trays.
- Move two adjustable dividers into position easily to secure trays and plates.
- Made of durable polyethylene that cushions plates and trays to prevent chipping.
- Easy to clean and won't dent, rust, chip or break.

Colors: Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Grey (191), Granite Green (192).

15.2 cm Casters: All swivel. 2 with brake.

Maximum load capacity: 227 kg.

Vinyl cover included. Not NSF listed.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

TDC30: (191)

CODE	DESCRIPTION	EXTERIOR DIMENSIONS L x W x H	NUMBER OF DIVIDERS	PLATES Per column	TRAYS Per Column
TDC30	Adjustable cart	59 x 99 x 88 cm	2	Approximately 45-60	80 Trays: 36 x 46 cm

Case Pack: 1

Tray & Silverware Cart

- Use to neatly organize travs and accessories for self-service.
- Includes 4 each 1/3 size and 4 each 1/6 size, 10 cm deep, clear Camwear® food pans to hold flatware, napkins and non-perishable condiments. 1/3 size, 10 cm deep holds 100 knives, 100 spoons or 80 forks.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Gray (191), Granite Green (192), Black (110).

15,2 cm Casters: All swivel, 2 with brake.

Maximum load capacity: 227 kg.

Vinyl cover included. Not NSF listed.







STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

TC1418: (401)

CODE	DESCRIPTION	EXTERIOR DIM. L x W x H	MAXIMUM Tray Size	TRAY Capacity
TC1418	Cart w/pans	82 x 54 x 116 cm	36 x 46 cm	180-200 in two stacks



CODE	DESCRIPTION	EXTERIOR DIM. L x W x H	MAXIMUM Tray Size	TRAY Capacity
TC1418	Cart w/pans	82 x 54 x 116 cm	36 x 46 cm	180-200 in two stacks

COMPACT ADJUSTABLE DISH CADDY S-SERIES



- Space saving design holds dishes of various sizes without compromising capacity.
- · Lightweight, easy to maneuver and access from all four sides.

Color: Speckled Gray (480).

12,7 cm Casters: All zinc plated, non marking casters, all swivel with brake.

Note: Cannot be used to store square, rectangular or oval plates.

Compact Adjustable Dish Caddy is covered by U.S. Patent 10,321,778 B2. CamLever™ Tower is covered by U.S. Patent D844, 928 S and D852,450 S.

Vinyl cover included. Not NSF listed.







Holds plates and bowls from 11,7 to 30,5 cm



Maximum load capacity: 227 kg.

Molded-in handles on 4 sides.

Single molded body made of heavy-duty, durable polyethylene won't rust, crack, dent or chip.

Includes protective storage cover with 7,6 x 12,7 cm inventory and/or event identification top pocket.



Gain 30% More Floor Space Compact Adjustable Dish Caddy compared to Standard Adjustable Dish Caddy S-Series.

96,2 cm 68,6 cm 72,7 68,6 cm

CamLever Tower

ADCSCT4

DESCRIPTION:

CamLever Tower - 4 Each

OVERALL DIMENSIONS W x D x H:

6,7 x 11,1 x 59,7 cm

Case Pack: 4



Conveniently install additional CamLever Towers to convert the ADCSC to an ADCSC8PKG (8-tower) or an ADCSC12PKG (12-tower) model, holding new dish sizes.

COMPACT ADJUSTABLE DISH CADDY S-SERIES



Model: ADCSC, 4 Towers



Plate sizes: 23,5 to 30,5 cm diam. Stacks of Plates: 4 Total Capacity: 280




Plate sizes: 22,9 cm diam. Stacks of Plates: 5 Total Capacity: 350



Plate sizes: 19,7 to 22,2 cm diam. Stacks of Plates: 5 Total Capacity: 350



Stacks of Plates: 8 Total Capacity: 560

Model: ADCSC8PKG, 8 Towers



Plate sizes: 14,6 to 19,1 cm diam.

Model: ADCSC12PKG, 12 Towers



Plate sizes: 11,7 cm diam. Stacks of Plates: 16 Total Capacity: 1,120



Plate sizes: 12,1 to 13,3 cm diam. Stacks of Plates: 13 Total Capacity: 910



Plate sizes: 14 cm diam. Stacks of Plates: 13 Total Capacity: 910

STOCK PRODUCTS & **COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

ADCSC, ADCSC8PKG, ADCSC12PKG, ADCSCT4: (480)



ADCSC

DESCRIPTION:

Adjustable Dish Caddy, 4 Towers

PLATE SIZE RANGE (ROUNDS): 22,9-30,5 cm

OVERALL DIMENSIONS W x D x H: 68,6 x 68,6 x 80,7 cm

Case Pack: 1 Ships in 1 box.



ADCSC8PKG

DESCRIPTION:

Adjustable Dish Caddy, 8 Towers

PLATE SIZE RANGE (ROUNDS): 14,6-22,2 cm

OVERALL DIMENSIONS W x D x H: 68,6 x 68,6 x 80,7 cm

Case Pack: 1 Ships in 2 boxes.



ADCSC12PKG

DESCRIPTION:

Adjustable Dish Caddy, 12 Towers

PLATE SIZE RANGE (ROUNDS): 11,7-14 cm

OVERALL DIMENSIONS W x D x H: 68,6 x 68,6 x 80,7 cm

Case Pack: 1 Ships in 3 boxes.

STANDARD ADJUSTABLE DISH CADDY S-SERIES



- Store one size dish or a combination of different sizes in a single caddy.
- Features easy-to-adjust column towers.

Single Size Plate Storage




Plate sizes: Ø 23,5 cm to 33 cm 4 Columns (60 each) Total Capacity: 240



Plate sizes: Ø 18,42 cm to 23,5 cm 6 Columns (60 each) Total Capacity: 360




Plate sizes: Ø 14,6 cm to 18,42 cm 6 Columns (45 each) Total Capacity: 270



Plate sizes: 11,75 to 17,4 cm 10 columns: (45 each) Total Capacity: 450

Mixed Size Plate Storage



2 Columns: Ø 23,5 cm to 33 cm (60 each) 5 Columns: Ø 12,6 cm (45 each) Total Capacity: 345



3 Columns: Ø 18,42 cm to 23,5 cm (60 each) 5 Columns: Ø 11,75 cm (45 each) Total Capacity: 405

Colors: Black (110), Slate Blue (401), Speckled Grey (480), Dark Brown (131).

 $\begin{tabular}{ll} \textbf{Casters:} & Two 12,7 cm, swivel with brakes \\ and & two 25,4 cm easy wheels. \\ \end{tabular}$

Vinyl cover included. Not NSF listed.








Holds plates and bowls from 11,7 to 33 cm

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ADCS: (110), (401), (480)



Vinyl cover included with every dolly for sanitary storage.



2 Columns: ø 18,42 cm to 23,5 cm (60 each) 2 Columns: ø 14,6 cm to 18,42 cm (45 each) 4 Columns: ø 12,6 cm (45 each) Total Capacity: 390

CODE	ADCS
NUMBER OF TOWERS	6
PLATES PER COLUMN	Approximately 45-60
OVERALL DIMENSIONS W x L x H	73 x 96 x 81 cm

Case Pack: 1 Plate size range from 11,7 to 33 cm.

ADC33 ADJUSTABLE DISH CADDY




- Unlimited versatility with fully adjustable tower dividers.
- Safely store plates, bowls, platters and trays of assorted shapes and sizes
- Ergonomic, durable and easy to maneuver.

Ergonomic handles built flush into either side wall make the ADC33 compact and comfortable to handle. **Colors:** Dark Brown (131), Slate Blue (401).

15 cm Casters: 4 swivel with brake and 1 center rigid.

Sanitary vinyl cover included. Cover not NSF listed.





CODE	ADC33
NUMBER OF DIVIDERS	6
PLATES PER COLUMN	Approximately 45-60
OVERALL DIMENSIONS W x L x H	76,2 x 98,43 x 90,17 cm

Case Pack: 1

ADC33 is not available from City of Industry, California U.S.A.



Holds dinnerware from 11 to 33 cm

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ADC33: (401)



15,24 cm swivel casters with brakes at each corner.



6 Dividers: 4 stacks (11-33 cm) Rounds



6 Dividers: 4 stacks (11-33 cm) Rounds + 1 stack (17.5-30 cm) Rounds



even when fully loaded.


6 Dividers: 6 stacks (20,3-29,2 x 12,7-21,9 cm) Ovals



4 Dividers: 4 stacks (25-28,8 cm) Squares



6 Dividers: 5 stacks (24-27,9 cm) Squares



12 Dividers: 6 stacks (15,2-20,3 cm) Squares or Rounds



4 Dividers: 1 stack (35-73,6 cm) long x up to (59,9 cm) wide Oval trays




6 Dividers: 4 stacks Ovals (29,2 x 21,9 cm); 1 stack 40,6 cm Round Tray



8 Dividers: 6 stacks (20,3 cm) Medium Squares



6 Dividers: 2 stacks (33,7 cm) Large Rounds, 1 stack (25,4 cm) Medium Squares, 1 stack (29,2 cm) Large Squares, 1 stack (29,2 x 21,9 cm) Medium Ovals



6 Dividers: 5 stacks (29,2 x 21,9 cm) Ovals



6 Dividers: 4 stacks Custom Plates

POKER CHIP "FIXED" NON ADJUSTABLE DISH CADDIES



- Dividers are molded into the body in a standard poker chip design.
- Made of durable polyethylene that protects plates from chipping.
- · Rear big wheels and front swivel casters provide smooth maneuvering.
- · Open access from two sides for easy loading and unloading.
- Molded-in handles on both ends for easy transporting.

Standard Caddy Colors: Black (110), Slate Blue (401), Dark Brown (131), Granite Gray (191).

Versa Caddy Colors: Black (110), Dark Brown (131), Speckled Gray (480).

Casters: 12,7 cm swivel with brakes and two25,4 cm Easy Wheels.

Loading Capacity: 227 kg.

Vinyl cover included. Not NSF listed.

DCS950 is covered by U.S. Patent D 603.120 S. DCS1125 is covered by U.S. Patent D 625,894.











Standard Dish Caddies



DC575

PLATE SIZE RANGE (ROUNDS): 14,6 cm

STACKS PER CADDY: 6

PLATES PER STACK: 45-60

OVERALL DIMENSIONS W x L x H:

83 x 60 x 81 cm

Case Pack: 1



DC700

PLATE SIZE RANGE (ROUNDS): 14,9-17,8 cm

STACKS PER CADDY: 6

PLATES PER STACK: 45-60

OVERALL DIMENSIONS W x L x H: 83 x 60 x 81 cm

Case Pack: 1



DC825

PLATE SIZE RANGE (ROUNDS): 18,1-21 cm

STACKS PER CADDY: 4

PLATES PER STACK: 45-60

OVERALL DIMENSIONS W x L x H:

73 x 60,5 x 81,5 cm

Case Pack: 1



DC1225

PLATE SIZE RANGE (ROUNDS): 28,9-31,1 cm

STACKS PER CADDY: 4

PLATES PER STACK: 45-60

OVERALL DIMENSIONS W x L x H:

83 x 70 x 81,5 cm

Case Pack: 1

Versa Dish Caddies



DCS950

PLATE SIZE RANGE (ROUNDS): 21.3-24.1 cm

PLATE SIZE RANGE (SQUARES): 18,4-20,5 cm

STACKS PER CADDY: 5

PLATES PER STACK: 45-60

OVERALL DIMENSIONS W x L x H: 69 x 78 x 81 cm

Case Pack: 1



DCS1125

PLATE SIZE RANGE (ROUNDS): 24.4-28.6 cm

PLATE SIZE RANGE (SQUARES): 21,3-24,1 cm

STACKS PER CADDY: 4

PLATES PER STACK: 45-60

OVERALL DIMENSIONS W x L x H: 69 x 78 x 81 cm

Case Pack: 1

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

DCS950, DCS1125: (480)



CAMBOX® BUSSING BOXES



Regal (ABS)

CODE DESCRIPTION

DIM. WxLxH



1120CBR	1520CBR
Four compartment cutlery box	Cambox
28,9 x 52 x 9,5 cm	38,9 x 50,6 x 12,5 cm

Colors: Black (110), Dark Brown (131). (NSE.) Case Pack: 12











CODE	21155CBR	21157CBR	1722CBR
DESCRIPTION	Cambox	Cambox	Cambox
DIM. W x L x H	38,7 x 51,4 x 12,5 cm (incl. handle)	38,6 x 51,2 x 17,6 cm	42,9 x 55,6 x 12,1 cm
COVER	2115CBCR	2115CBCR	1722CBCP

Case Pack: 12 Colors: Black (110), Dark Brown (131). (NSF.)













Polyethylene

CODE	415CBP	912CBP	1120CBP	1520CBP & 1520CBPF*
DESCRIPTION	Cutlery Box	Utility Box	Four compartment cutlery box	Cambox
DIM. W x L x H	11,3 x 36 x 10,3 cm	23 x 30,6 x 13 cm	28,9 x 52 x 9,5 cm	38,9 x 50,6 x 12,5 cm
COVER	_	_	_	1520CBCP

Case Pack: 12 Colors: Black (110), Dark Brown (131), Light Grey (180). *1520CBPF is identical to our current 1520CBP except the internal surface is flat.









CODE	1621CBP	21155CBP	21157CBP	1722CBP
DESCRIPTION	Cambox	Cambox	Cambox	Cambox
DIM. W x L x H	39,7 x 52 x 12,4 cm	38,7 x 51,4 x 12,5 cm (incl. handle)	38,6 x 51,2 x 17,6 cm	42,9 x 55,6 x 12,1 cm
COVER	_	2115CBCP	2115CBCP	1722CBCP

Case Pack: 12 Colors: Black (110), Dark Brown (131), Light Grey (180).











CODE	1520CBCP	1722CBCP	2115CBCP	2115CBCR
FITS	1520CBP	1722CBR, 1722CBP	21155CBP, 21157CBP	2115CBR, 21157CBR
DIM. W x L	40.6 x 52 cm	44 x 56.8 cm	39.4 x 52 cm	39.4 x 52 cm

Case Pack: 12 Color: White (148).













SERVICE CART PRO

StoreSafe STORE FRESH

- Ideal for front or back of house foodservice operations.
- Optional Quick Connect Bins provide extra storage while keeping items sanitary.
- Ergonomic, recessed handles are molded into both ends of the cart for easy maneuvering and a smaller footprint.
- Durable, one-piece polyethylene construction. Easy to clean.
- Shelves feature raised ridges to protect surface against heat.

Colors: Black (110), Dark Brown (131), Charcoal Gray (615).

Total weight capacity: 272 kg, 90,7 kg per shelf.

Patent Pending







STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SC337: (615) QCSB, QCTB: (110)

Note: In-Stock items in a very limited quantities. The items will not be airfreighted if out of stock.












Middle and Bottom Shelf interior dimensions: 87,1 x 55,1 x 25,8 cm.



CODE	DESCRIPTION	EXTERIOR DIM. L x W x H
Service Ca	ort Pro	
SC337	Standard Service Cart Casters: 2 rigid, 2 swivel with brake	105,4 x 60,3 x 94,3 cm
SC337S	Standard Service Cart Casters: 4 swivel with brake	105,4 x 60,3 x 94,3
Optional A	ccessories	
QCSB	Small Quick Connect Bin	40,6 x 17,8 x 30,9
QCTB	Large Quick Connect Bin	40,6 x 17,8 x 54

Case Pack: 1

KD SERVICE CART AND KD UTILITY CART



- Versatile, durable and economically-priced carts.
- Marine rails and lightly-textured polypropylene shelves keep contents in place.
- Aluminum uprights ensure stability.
- Ships "knocked down" to minimize shipping costs.
- Easy to assemble.



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

BC331KD, BC340KD, BC340KDP: (480), (110) BC331KDTC, BC331KDSH: (110)





CODE	BC340KD	BC331KD
DESCRIPTION	Large Utility Cart	Small Service Cart
CASTER DIA./TYPE	12,7 cm, 4 swivel, no brake	10,2 cm, 4 swivel, no brake
OVERALL DIM. L x D x H	101,5 x 54 x 95 cm	83,5 x 41 x 96,5 cm
SHELF DIM. L x D x H	80 x 52 x 29,8 cm	62 x 40 x 30 cm
LOAD CAPACITY	180 kg	136 kg



Shown with optional shelf panels on single shelf.

Case Pack: 1









71000001100			V
CODE	BC331KDTC	BC331KDSH	BC340KDP
DESCRIPTION	30 L Trash container	9,5 L Silverware holder	Single Shelf Panel Set for KD Large Utility Cart 1 side, 2 ends
DIM. W x D x H	33 x 24 x 56 cm	33 x 24 x 18,5 cm	80,3 x 45 x 29,8 cm

Case Pack: 1

SERVICE CARTS

- All-purpose versatile, durable and dependable workhorses.
- Ideal for use on the receiving dock or setting up and bussing tables.
- Made of one-piece, polyethylene with molded-in handles and shelves.
- Choose from models with open or enclosed sides.

Colors: Black (110), Slate Blue (401), Dark Brown (131), Coffee Beige (157), Granite Grey (191).

BC225, BC2254S, BC11TC and BC1115SH can be shipped by parcel carrier.











Open Carts



BC225

CASTER DIA./TYPE:

7,6 cm, 2 fixed, 2 swivel, 1 w/brake

OVERALL DIMENSIONS L x D x H: 71 x 41 x 82 cm

SHELF DIMENSIONS L x D x H: 56 x 39,5 x 29 cm

LOAD CAPACITY: 159 kg

Case Pack: 1



BC2254S

CASTER DIA./TYPE:

7,6 cm, 4 swivel, 1 w/brake

OVERALL DIMENSIONS L x D x H: $71 \times 41 \times 82 \text{ cm}$

SHELF DIMENSIONS L x D x H: 56 x 39,5 x 29 cm

LOAD CAPACITY: 159 kg

Case Pack: 1



BC230

CASTER DIA./TYPE:

12,7 cm, 2 fixed, 2 swivel, 1 w/brake

OVERALL DIMENSIONS L x D x H: 84,5 x 51 x 88 cm

SHELF DIMENSIONS L x D x H: 69 x 49,5 x 29 cm

LOAD CAPACITY: 227 kg.

Case Pack: 1



BC2304S

CASTER DIA./TYPE:

12,7 cm, 4 swivel, 1 w/brake

OVERALL DIMENSIONS L x D x H: 84,5 x 51 x 88 cm

SHELF DIMENSIONS L x D x H:

69 x 49,5 x 29 cm

LOAD CAPACITY: 227 kg.

Case Pack: 1



BC235

CASTER DIA./TYPE:

12,7 cm, 2 fixed, 2 swivel, 1 w/brake

OVERALL DIMENSIONS L x D x H: 95 x 55 x 88 cm

SHELF DIMENSIONS L x D x H: 79 x 52 x 29 cm

LOAD CAPACITY: 227 kg.

Case Pack: 1



BC2354S

CASTER DIA./TYPE:

12,7 cm, 4 swivel, 1 w/brake

OVERALL DIMENSIONS L x D x H: 95 x 55 x 88 cm

SHELF DIMENSIONS L x D x H: 79 x 52 x 29 cm

LOAD CAPACITY: 227 kg.

Case Pack: 1



BC330

CASTER DIA./TYPE:

12,7 cm, 2 fixed, 2 swivel 1 w/brake

OVERALL DIMENSIONS L x D x H: 84,5 x 51 x 88 cm

SHELF DIMENSIONS L x D x H:

69 x 46,5 x 29 cm

LOAD CAPACITY: 227 kg.

Case Pack: 1



BC3304S

CASTER DIA./TYPE:

12,7 cm, 4 swivel,1 w/brake

OVERALL DIMENSIONS L x D x H: 84,5 x 51 x 88 cm

SHELF DIMENSIONS L x D x H:


69 x 46,5 x 29 cm

LOAD CAPACITY: 227 kg.

Case Pack: 1

Optional Accessories

CODE	BC11TC*	BC1115SH*	
DESCRIPT	42 L Trash container	6,6 L Silverware holder	
DIMENSIONS W x D x H	35 x 20,6 x 53,7 cm	36,8 x 15,2 x 13,7 cm	







SHELVING









When we say Shelving for Life, we mean it. All Camshelving® storage systems are designed to withstand the toughest conditions and the harshest environments. With our lifetime warranty against rust and corrosion, only Cambro offers SHELVING for LIFE $^{\mathsf{TM}}$.





Cambro storage and transportation products that support safe food handling.



Products that meet the NSF International criteria for sanitation and cleanability.



Products that help meet HACCP guidelines.



Certifies products approved by Technischer Überwachungs-Verein. (Technical Inspection Association)













 $Fit \ for \ food \ products$

Dishwasher Safe

Cadmium-free products

Recyclable polypropylene

Antimicrobial protection permanently molded into shelf plates to inhibit the growth of mold, fungus and bacteria.

Camshelving® is covered under the following US Patents:

D498,664 S, D508,646 S, D512,867 S, D623,929 S, D624,764 S, D648,582 S, D630,935 S, D648,159 S, D651,433 S, D648,160 S, D697,391 S, D727,715 S, D728,347 S, D728,348 S, D707,994 S, D739,989 S, D663,912 S, D736,488 S, D739,989 S, D760,519 S, D841, 273 S, D828, 145 S, D827, 421 S US 6,981,454B2

CAMSHELVING


SHELVING for LIFE"

KEY FEATURES OF ALL CAMSHELVING SERIES



Rust and Corrosion Free

Backed by a lifetime warranty against rust and corrosion. All Camshelving is impervious to harsh chemicals and salt water.



All Environments

Camshelving is designed to withstand all extreme storage applications and temperatures.

- Coolers
- Freezers
- Dry Storage
- Utility

Maximized Space Utilization

Shelving units are designed to be interconnected, without compromising weight-bearing capacity, all while maximizing usable storage space.





PREMIUM series ELEMENTS series BASICS PLUS series




Easy to Clean

Camshelving easily wipes clean or shelf plates can go through the dishwasher. Camguard® antimicrobial shelf plates inhibit the growth of harmful bacteria and microbes.



Easy to Assemble & Adjust

Units ship with preassembled frames to speed up installation. Each shelf can be easily and independently adjusted.



Convert unusable space into continuous, easy-access storage areas with corner connectors. \bullet Corner connectors are for use only with shelves 680-1280 mm long.

CAMSHELVING® SERIES BUYERS GUIDE

All Camshelving lines offer a lifetime warranty against rust and corrosion for shelf plates, posts and traverses.








	PREMIUM series	ELEMENTS series	BASICS PLUS series
Shelf Depths	300, 400, 500, 600 mm	360, 460, 540, 610 mm	360, 460, 540, 610 mm
Shelf Lengths	680, 780, 880, 980, 1080, 1180, 1280, 1380, 1480, 1580, 1680, 1780 mm	610, 765, 915, 1070, 1220, 1375, 1525, 1830 mm	765, 915, 1070, 1220, 1375, 1525mm
Post Heights	Stationary: 1700, 1800, 2140 mm	Stationary: 765, 915, 1070, 1220 mm	Stationary: 1630, 1830, 2140 mm
	Mobile: 1790 mm (includes casters)	Mobile: 1778, 1980 mm (includes casters)	
Weight-Bearing Capacity	Stationary Unit: 200 kg per shelf, 800 kg per unit.	Stationary Unit: 365 kg per shelf, 910 kg per unit.	Stationary Unit: 190 kg per shelf, 800 kg per unit.
Premium (based on 680 - 1280 mm length)	Mobile Unit: 340 kg per unit.	Mobile Unit: 340 kg per unit.	Corner Unit: 130 kg per shelf, 590 kg per unit. (2 dunnage stands required)
Elements (based on 610 - 1220 mm length) Basics Plus (based on 765 - 1220 mm length)	Corner Unit: 180 kg per shelf, 810 kg per unit. (2 dunnage stands required)	Corner Unit: 185 kg per shelf, 820 kg per unit. (2 dunnage stands required)	
Shelf Plates	Interchangeable with Elements Series. Features Camguard® antimicrobial.	Interchangeable with Premium Series. Features Camguard antimicrobial.	Not interchangeable with Premium or Elements Series.
Mobility	Available in Mobile and High Density Storage System.	Available in Mobile.	Not available.
Assembly	Quickest and easiest to assemble due to molded-in dovetails.	Simple to assemble. Contains separate dovetails that must be attached to the post.	Simple to assemble. Contains separate dovetails that must be attached to the post.
ACCESSORIES			
Bottom Shelf Dunnage Stand	V	~	v
Shelf Rails	V	V	V
Vertical Drying and Storage Cradle (Trays / Cutting Boards / Lids)	<i>'</i>	V	V
Dome Drying and Storage Cradle	V	V	V
Angled Drying and Storage Cradle	V	~	~
Ultimate #10 Can Rack	V	~	
Shelf Divider Panel	V	V	V
Shelf Divider Bar (for Food Pans or Food Boxes)	V	V	
Single Shelf Sheet Pan/Tray Rack	V	V	V
Single Shelf Security Cage	V	V	V
Full Wrap Security Cage	V		




FREE CAMSHELVING® DESIGN SERVICE






- · Project Name
- Storage Room Type (freezer / cooler)
- Room(s) Dimensions (L x W x H)
- Doorway / Entryway Location & Dimension
- Obstructions (condenser / pipes)
- Additional Preferences / Requirements






CAMSHELVING® SERIES OVERALL LENGTH — QUICK REFERENCE GUIDE


Straight Unit: Starter Unit + Add-On Unit with Shared Posts







Corner Unit: Starter Unit + Add-On Unit with Corner Connectors





U-Shape Unit: Two Starter Units + Intermediate Shelves with Corner Connectors





Straight Unit: Starter Unit + Add-On Unit with Shared Posts

PREMIUM SERIES				
STARTER UNIT ACTU LENGTH	AL	ADD-ON UNIT ACTU LENGTH	AL	OVERALL LENGTH
680 mm	+	635 mm	=	1315 mm
780	+	735	=	1515
880	+	835	=	1715
980	+	935	=	1915
1080	+	1035	=	2115
1180	+	1135	=	2315
1280	+	1235	=	2515
1380	+	1335	=	2715
1480	+	1435	=	2915
1580	+	1535	=	3115
1680	+	1635	=	3315
1780	+	1735	=	3515
	UNIT ACTU LENGTH 680 mm 780 880 980 1080 1180 1280 1380 1480 1580 1680	STARTER UNIT ACTUAL LENGTH 680 mm + 780 + 880 + 1080 + 1180 + 1280 + 1380 + 1480 + 1580 + 16	STARTER UNIT ACTUAL LENGTH ADD-ON UNIT ACTUAL LENGTH 680 mm + 635 mm 780 + 735 880 + 835 980 + 935 1080 + 1035 1180 + 1135 1280 + 1235 1380 + 1335 1480 + 1435 1580 + 1535 1680 + 1635	STARTER UNIT ACTUAL LENGTH ADD-ON UNIT ACTUAL LENGTH 680 mm + 635 mm = 780 + 735 = 880 + 835 = 980 + 935 = 1080 + 1035 = 1180 + 1135 = 1280 + 1235 = 1380 + 1335 = 1480 + 1435 = 1580 + 1535 = 1680 + 1635 =

ELEMENTS SERIES					
STARTER Unit actua Length	L	ADD-ON Unit actua Length	AL	OVERALL LENGTH	
610 mm	+	559 mm	=	1169 mm	
765	+	712	=	1477	
915	+	864	=	1779	
1070	+	1016	=	2086	
1220	+	1169	=	2389	
1375	+	1321	=	2696	
1525	+	1474	=	2999	

+ 1778

1830

3608

BASICS PLUS SERIES						
STARTER Unit actual Length		ADD-ON Unit actual Length		OVERALL Length		
765 mm	+	718 mm	=	1483 mm		
915	+	870	=	1785		
1070	+	1023	=	2093		
1220	+	1175	=	2395		
1375	+	1328	=	2703		
1525	+	1480	=	3005		
1830	+	1785	=	3615		

Corner Unit: Starter Unit + Add-On Unit with Corner Connectors

		P	REMIUM SEI	RIES	
ADD-ON UNIT	ADD-ON UNIT ACT LENGTH	UAL	STARTER Unit Depth		OVERALL LENGTH
600 mm	655 mm	+	400 mm	=	1035 mm
700	755	+	400	=	1135
800	855	+	400	=	1235
900	955	+	400	=	1335
1000	1055	+	400	=	1435
1100	1155	+	400	=	1535
1200	1255	+	400	=	1635
	EL	EMENT	S / BASICS F	LUS S	SERIES
610	585	+	*458	=	1045
765	737	+	458	=	1200
915	889	+	458	=	1350
1070	1042	+	458	=	1505
1220	1194	+	458	=	1655

I ILLIIIOIII OLIIILO					
ADD-ON UNIT ACTU LENGTH	AL	STARTER Unit Depth		OVERALL LENGTH	
655 mm	+	500 mm	=	1155 mm	
755	+	500	=	1255	
855	+	500	=	1355	
955	+	500	=	1455	
1055	+	500	=	1555	
1155	+	500	=	1655	
1255	+	500	=	1755	
ELEMENTS / BASICS PLUS SERIES					
585	+	*534	=	1119	
737	+	534	=	1271	
889	+	534	=	1423	
1042	+	534	=	1576	
1194	+	534	=	1728	

PREMIUM SERIES

PREMIUM SERIES						
ADD-ON UNIT ACTU LENGTH	AL	STARTER Unit Depth		OVERALL Length		
655 mm	+	600 mm	=	1255 mm		
755	+	600	=	1355		
855	+	600	=	1455		
955	+	600	=	1555		
1055	+	600	=	1655		
1155	+	600	=	1755		
1255	+	600	=	1855		
ELEMENTS / BASICS PLUS SERIES						
585	+	*610	=	1195		
737	+	610	=	1347		
889	+	610	=	1499		
1042	+	610	=	1652		
1194	+	610	=	1804		

610 mm unit not available in Camshelving Basics Plus Series. *Actual depth.

U-Shape Unit: Two Starter Units + Intermediate Shelves with Corner Connectors

	PREMIUM SERIES				
INTERMEDIATE SHELF	INTERMED SHELF ACT LENGTH		400 MM DE Starter Unit A+B	PTH	OVERALL Length
800 mm	830 mm	+	800 mm	=	1630 mm
900	930	+	800	=	1730
1000	1030	+	800	=	1830
1100	1130	+	800	=	1930
1200	1230	+	800	=	2030

	ELEMENTS / BASICS PLUS SERIES					
INTERMEDIATE SHELF	INTERMEDIATE SHELF ACTUAL LENGTH		460 MM DEPTH Starter Unit A+B		OVERALL Length	
915 mm	864 mm	+	*915 mm	=	1779 mm	
1070	1016	+	915	=	1931	
1220	1169	+	915	=	2084	
	**	. 11.				

INTERMED SHELF ACT LENGTH		500 MM DEP Starter Unit A+B	TH	OVERALL Length
830 mm	+	1000 mm	=	1830 mm
930	+	1000	=	1930
1030	+	1000	=	2030
1130	+	1000	=	2130
1230	+	1000	=	2230

PREMIUM SERIES

ELEMENTS / BASICS PLUS SERIES					
INTERMEDIATE 540 MM DEPTH SHELF ACTUAL STARTER LENGTH UNIT A+B				OVERALL Length	
864 mm	+	*1067 mm	=	1931 mm	
1016	+	1067	=	2083	
1169	+	1067	=	2236	

PREMIUM SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		600 MM DEPTH Starter Unit A+B		OVERALL Length
830 mm	+	1200 mm	=	2030 mm
930	+	1200	=	2130
1030	+	1200	=	2230
1130	+	1200	=	2330
1230	+	1200	=	2430

CIEMENTS	/ DACICC	DIIIC	CEDIEC

INTERMEDIATE SHELF ACTUAL LENGTH		610 MM DEPTH Starter Unit A+B		OVERALL Length
864 mm	+	*1220 mm	=	2084 mm
1020	+	1220	=	2236
1170	+	1220	=	2389

CAMSHELVING®

PREMIUM

series

STATIONARY I MOBILE I HIGH DENSITY

WHY CHOOSE PREMIUM?

In high volume foodservice operations with frequent deliveries and constant loading and off-loading of products, stability, strength and sanitary storage should never be compromised. Premium Series does precisely what it was designed to do — hold the heaviest products with the roughest handling, in any environment. It is also the easiest to clean and adjust.




















Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.



Posts, Traverses, Shelf Plates, Dunnage Stand Saddle, Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Identification Tags, Single Shelf Security Cage, Tray Slide Rack, Ultimate #10 Can Rack, Shelf Divider Bars, High Density Track and Extension Kits are not NSF Listed.

CAMSHELVING® PREMIUM SERIES



Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

•	UNIT LENGTH 680 — 1280 MM	UNIT LENGTH 1380 - 1780 MM
Unit only	800 kg (TUV)	600 kg (TUV)
Shelf only	200 (TUV)	150 (TUV)
Unit with dunnage stand*	980	740
Bottom shelf with dunnage stand*	380	290
Unit only	810	_
Shelf only	180	_
Bottom shelf with dunnage stands*	270	_
Unit only**	340	_
	Shelf only Unit with dunnage stand* Bottom shelf with dunnage stand* Unit only Shelf only Bottom shelf with dunnage stands*	Unit only Shelf only Unit with dunnage stand* Bottom shelf with dunnage stand* Unit only Shelf only Unit only Shelf only Shelf only Shelf only Bottom shelf with dunnage stands* 270



- *Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1380 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See Overall Length Quick Reference Guide).
- **Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 340 kg.
- *** Corner connectors are for use only with shelves 680 1280 mm long.



CAMSHELVING® PREMIUM SERIES — STARTER, ADD-ON AND MOBILE UNITS

4-Shelf Vented Stationary Starter and Add-On Units

HEIGHTS **DEPTHS** LENGTHS 2 4 12 1700 mm 300 mm 680 mm 1280 mm 1800 400 780 1380 500 880 1480

980

1080

1180

1580

1680

1780

600

V5 5-Shelf Vented Stationary Starter and Add-On Units

HEIGHTS	DEPTHS	LENGTI	HS
2	4	12	
1700 mm	300 mm	680 mm	1280 mm
1800	400	780	1380
	500	880	1480
	600	980	1580
		1080	1680
		1180	1780

4-Shelf Solid Stationary Starter and Add-On Units

HEIGHTS	DEPTHS	LENGT	HS
2	4	12	
1700 mm	300 mm	680 mm	1280 mm
1800	400	780	1380
	500	880	1480
	600	980	1580
		1080	1680
		1180	1780

4-Shelf Vented and Solid Stationary Starter and Add-On Units (3 vented + 1 solid)

HEIGHTS	DEPTHS	LENGTH	1S
2	4	12	
1700 mm	300 mm	680 mm	1280 mm
1800	400	780	1380
	500	880	1480
	600	980	1580
		1080	1680
		1180	1780

4-Shelf Vented Mobile Starter Units

HEIGHT*	DEPTHS	LENGTHS
1	3	5
1790 mm	400 mm	980 mm
	500	1080
	600	1180
		1280
		1380

S4 4-Shelf Solid Mobile Starter Units

HEIGHT*	DEPTHS	LENGTHS
1	3	5
1790 mm	400 mm	980 mm
	500	1080
	600	1180
		1280
		1380

^{*} Includes 127 mm casters.



Visit the Camshelving website at www.cambro.com/camshelving for product information, assembly videos and design layouts, or to view or download the Camshelving Specification and Price List.

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey. **PREMIUM SERIES**

V4PKG **4-SHELF VENTED UNITS**

1700 mm **HEIGHT**

Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.

Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.

Starter



1	Π	N	mm	n	E	D	т	L
т.	U	U	1111111	п	Н	ı,	ı	ш

CODE	DIMENSIONS D x L x H
MPU4617V4PKG	400 x 680 x 1700 mm
MPU4717V4PKG	400 x 780 x 1700
MPU4817V4PKG	400 x 880 x 1700
MPU4917V4PKG	400 x 980 x 1700
MPU41017V4PKG	400 x 1080 x 1700
MPU41117V4PKG	400 x 1180 x 1700
MPU41217V4PKG	400 x 1280 x 1700
MPU41317V4PKG	400 x 1380 x 1700
MPU41417V4PKG	400 x 1480 x 1700
MPU41517V4PKG	400 x 1580 x 1700
MPU41617V4PKG	400 x 1680 x 1700
MPU41717V4PKG	400 x 1780 x 1700

Add-On



CODE	DIMENSIONS D x L x H
CODE	DXLXH
MPA4617V4PKG	400 x 635 x 1700 mm
MPA4717V4PKG	400 x 735 x 1700
MPA4817V4PKG	400 x 835 x 1700
MPA4917V4PKG	400 x 935 x 1700
MPA41017V4PKG	400 x 1035 x 1700
MPA41117V4PKG	400 x 1135 x 1700
MPA41217V4PKG	400 x 1235 x 1700
MPA41317V4PKG	400 x 1335 x 1700
MPA41417V4PKG	400 x 1435 x 1700
MPA41517V4PKG	400 x 1535 x 1700
MPA41617V4PKG	400 x 1635 x 1700
MPA41717V4PKG	400 x 1735 x 1700

500 mm DEPTH

MPU5617V4PKG	500 x 680 x 1700 mm
MPU5717V4PKG	500 x 780 x 1700
MPU5817V4PKG	500 x 880 x 1700
MPU5917V4PKG	500 x 980 x 1700
MPU51017V4PKG	500 x 1080 x 1700
MPU51117V4PKG	500 x 1180 x 1700
MPU51217V4PKG	500 x 1280 x 1700
MPU51317V4PKG	500 x 1380 x 1700
MPU51417V4PKG	500 x 1480 x 1700
MPU51517V4PKG	500 x 1580 x 1700
MPU51617V4PKG	500 x 1680 x 1700
MPU51717V4PKG	500 x 1780 x 1700
·	

500 x 635 x 1700 mm
500 x 735 x 1700
500 x 835 x 1700
500 x 935 x 1700
500 x 1035 x 1700
500 x 1135 x 1700
500 x 1235 x 1700
500 x 1335 x 1700
500 x 1435 x 1700
500 x 1535 x 1700
500 x 1635 x 1700
500 x 1735 x 1700

600 mm DEPTH

MPU6617V4PKG	600 x 680 x 1700 mm
MPU6717V4PKG	600 x 780 x 1700
MPU6817V4PKG	600 x 880 x 1700
MPU6917V4PKG	600 x 980 x 1700
MPU61017V4PKG	600 x 1080 x 1700
MPU61117V4PKG	600 x 1180 x 1700
MPU61217V4PKG	600 x 1280 x 1700
MPU61317V4PKG	600 x 1380 x 1700
MPU61417V4PKG	600 x 1480 x 1700
MPU61517V4PKG	600 x 1580 x 1700
MPU61617V4PKG	600 x 1680 x 1700
MPU61717V4PKG	600 x 1780 x 1700

MPA6617V4PKG	600 x 635 x 1700 mm
MPA6717V4PKG	600 x 735 x 1700
MPA6817V4PKG	600 x 835 x 1700
MPA6917V4PKG	600 x 935 x 1700
MPA61017V4PKG	600 x 1035 x 1700
MPA61117V4PKG	600 x 1135 x 1700
MPA61217V4PKG	600 x 1235 x 1700
MPA61317V4PKG	600 x 1335 x 1700
MPA61417V4PKG	600 x 1435 x 1700
MPA61517V4PKG	600 x 1535 x 1700
MPA61617V4PKG	600 x 1635 x 1700
MPA61717V4PKG	600 x 1735 x 1700

PREMIUM SERIES

4-SHELF VENTED UNITS

1800 mm **HEIGHT**

Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.

V4PKG

Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.


Starter



400 mm DEPTH

	-
CODE	DIMENSIONS D x L x H
MPU4618V4PKG	400 x 680 x 1800 mm
MPU4718V4PKG	400 x 780 x 1800
MPU4818V4PKG	400 x 880 x 1800
MPU4918V4PKG	400 x 980 x 1800
MPU41018V4PKG	400 x 1080 x 1800
MPU41118V4PKG	400 x 1180 x 1800
MPU41218V4PKG	400 x 1280 x 1800
MPU41318V4PKG	400 x 1380 x 1800
MPU41418V4PKG	400 x 1480 x 1800
MPU41518V4PKG	400 x 1580 x 1800
MPU41618V4PKG	400 x 1680 x 1800
MPU41718V4PKG	400 x 1780 x 1800

Add-On



CODE	DIMENSIONS D x L x H
MPA4618V4PKG	400 x 635 x 1800 mr
MPA4718V4PKG	400 x 735 x 1800
MPA4818V4PKG	400 x 835 x 1800
MPA4918V4PKG	400 x 935 x 1800
MPA41018V4PKG	400 x 1035 x 1800
MPA41118V4PKG	400 x 1135 x 1800
MPA41218V4PKG	400 x 1235 x 1800
MPA41318V4PKG	400 x 1335 x 1800
MPA41418V4PKG	400 x 1435 x 1800
MPA41518V4PKG	400 x 1535 x 1800
MPA41618V4PKG	400 x 1635 x 1800
MPA41718V4PKG	400 x 1735 x 1800
	MPA4618V4PKG MPA4718V4PKG MPA4818V4PKG MPA4918V4PKG MPA41018V4PKG MPA41118V4PKG MPA41318V4PKG MPA41418V4PKG MPA41518V4PKG MPA41518V4PKG

500 mm DEPTH

MPU5618V4PKG	500 x 680 x 1800 mm
MPU5718V4PKG	500 x 780 x 1800
MPU5818V4PKG	500 x 880 x 1800
MPU5918V4PKG	500 x 980 x 1800
MPU51018V4PKG	500 x 1080 x 1800
MPU51118V4PKG	500 x 1180 x 1800
MPU51218V4PKG	500 x 1280 x 1800
MPU51318V4PKG	500 x 1380 x 1800
MPU51418V4PKG	500 x 1480 x 1800
MPU51518V4PKG	500 x 1580 x 1800
MPU51618V4PKG	500 x 1680 x 1800
MPU51718V4PKG	500 x 1780 x 1800

500 x 635 x 1800 mm
500 x 735 x 1800
500 x 835 x 1800
500 x 935 x 1800
500 x 1035 x 1800
500 x 1135 x 1800
500 x 1235 x 1800
500 x 1335 x 1800
500 x 1435 x 1800
500 x 1535 x 1800
500 x 1635 x 1800
500 x 1735 x 1800

600 mm DEPTH

000	
MPU6618V4PKG	600 x 680 x 1800 mm
MPU6718V4PKG	600 x 780 x 1800
MPU6818V4PKG	600 x 880 x 1800
MPU6918V4PKG	600 x 980 x 1800
MPU61018V4PKG	600 x 1080 x 1800
MPU61118V4PKG	600 x 1180 x 1800
MPU61218V4PKG	600 x 1280 x 1800
MPU61318V4PKG	600 x 1380 x 1800
MPU61418V4PKG	600 x 1480 x 1800
MPU61518V4PKG	600 x 1580 x 1800
MPU61618V4PKG	600 x 1680 x 1800
MPU61718V4PKG	600 x 1780 x 1800

MPA6618V4PKG	600 x 635 x 1800 mm
MPA6718V4PKG	600 x 735 x 1800
MPA6818V4PKG	600 x 835 x 1800
MPA6918V4PKG	600 x 935 x 1800
MPA61018V4PKG	600 x 1035 x 1800
MPA61118V4PKG	600 x 1135 x 1800
MPA61218V4PKG	600 x 1235 x 1800
MPA61318V4PKG	600 x 1335 x 1800
MPA61418V4PKG	600 x 1435 x 1800
MPA61518V4PKG	600 x 1535 x 1800
MPA61618V4PKG	600 x 1635 x 1800
MPA61718V4PKG	600 x 1735 x 1800

Color: Speckled White (490).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

PREMIUM SERIES

1800 mm

HEIGHT

400 mm DEPTH

V5PKG **5-SHELF VENTED UNITS**

Starter units include 2 post kits and 5 shelf kits. Units ship complete in 7 boxes.

Add-On units include 1 post kit and 5 shelf kits. Units ship complete in 6 boxes.



Add-On



CODE	DIMENSIONS D x L x H
MPU4618V5PKG	400 x 680 x 1800 mr
MPU4718V5PKG	400 x 780 x 1800
MPU4818V5PKG	400 x 880 x 1800
MPU4918V5PKG	400 x 980 x 1800
MPU41018V5PKG	400 x 1080 x 1800
MPU41118V5PKG	400 x 1180 x 1800
MPU41218V5PKG	400 x 1280 x 1800
MPU41318V5PKG	400 x 1380 x 1800
MPU41418V5PKG	400 x 1480 x 1800
MPU41518V5PKG	400 x 1580 x 1800
MPU41618V5PKG	400 x 1680 x 1800
MPU41718V5PKG	400 x 1780 x 1800

CODE	DIMENSIONS D x L x H
MPA4618V5PKG	400 x 635 x 1800 mm
MPA4718V5PKG	400 x 735 x 1800
MPA4818V5PKG	400 x 835 x 1800
MPA4918V5PKG	400 x 935 x 1800
MPA41018V5PKG	400 x 1035 x 1800
MPA41118V5PKG	400 x 1135 x 1800
MPA41218V5PKG	400 x 1235 x 1800
MPA41318V5PKG	400 x 1335 x 1800
MPA41418V5PKG	400 x 1435 x 1800
MPA41518V5PKG	400 x 1535 x 1800
MPA41618V5PKG	400 x 1635 x 1800
MPA41718V5PKG	400 x 1735 x 1800

500 mm DEPTH

MPU5618V5PKG	500 x 680 x 1800 mm
MPU5718V5PKG	500 x 780 x 1800
MPU5818V5PKG	500 x 880 x 1800
MPU5918V5PKG	500 x 980 x 1800
MPU51018V5PKG	500 x 1080 x 1800
MPU51118V5PKG	500 x 1180 x 1800
MPU51218V5PKG	500 x 1280 x 1800
MPU51318V5PKG	500 x 1380 x 1800
MPU51418V5PKG	500 x 1480 x 1800
MPU51518V5PKG	500 x 1580 x 1800
MPU51618V5PKG	500 x 1680 x 1800
MPU51718V5PKG	500 x 1780 x 1800

MPA5618V5PKG	500 x 635 x 1800 mm
MPA5718V5PKG	500 x 735 x 1800
MPA5818V5PKG	500 x 835 x 1800
MPA5918V5PKG	500 x 935 x 1800
MPA51018V5PKG	500 x 1035 x 1800
MPA51118V5PKG	500 x 1135 x 1800
MPA51218V5PKG	500 x 1235 x 1800
MPA51318V5PKG	500 x 1335 x 1800
MPA51418V5PKG	500 x 1435 x 1800
MPA51518V5PKG	500 x 1535 x 1800
MPA51618V5PKG	500 x 1635 x 1800
MPA51718V5PKG	500 x 1735 x 1800

600 mm DEPTH

000	
MPU6618V5PKG	600 x 680 x 1800 mm
MPU6718V5PKG	600 x 780 x 1800
MPU6818V5PKG	600 x 880 x 1800
MPU6918V5PKG	600 x 980 x 1800
MPU61018V5PKG	600 x 1080 x 1800
MPU61118V5PKG	600 x 1180 x 1800
MPU61218V5PKG	600 x 1280 x 1800
MPU61318V5PKG	600 x 1380 x 1800
MPU61418V5PKG	600 x 1480 x 1800
MPU61518V5PKG	600 x 1580 x 1800
MPU61618V5PKG	600 x 1680 x 1800
MPU61718V5PKG	600 x 1780 x 1800

Color: Speckled White (490).

MPA6618V5PKG	600 x 635 x 1800 mm
MPA6718V5PKG	600 x 735 x 1800
MPA6818V5PKG	600 x 835 x 1800
MPA6918V5PKG	600 x 935 x 1800
MPA61018V5PKG	600 x 1035 x 1800
MPA61118V5PKG	600 x 1135 x 1800
MPA61218V5PKG	600 x 1235 x 1800
MPA61318V5PKG	600 x 1335 x 1800
MPA61418V5PKG	600 x 1435 x 1800
MPA61518V5PKG	600 x 1535 x 1800
MPA61618V5PKG	600 x 1635 x 1800
MPA61718V5PKG	600 x 1735 x 1800

1790 mm **HEIGHT**

DIMENSIONS DxLxH

400 x 980 x 1790 mm 400 x 1080 x 1790

400 x 1180 x 1790

400 x 1280 x 1790

400 x 1380 x 1790

PREMIUM

SERIES

V4PKG **4-SHELF MOBILE UNITS**

Mobile starter units include 2 mobile post kits, 4 shelf kits vented or solid and 4 swivel casters with total locking brake. Units ship complete in 6 boxes.

Vented



CODE MPMU4917V4PKG MPMU41017V4PKG MPMU41117V4PKG MPMU41217V4PKG MPMU41317V4PKG Solid

CODE MPMU4917S4PKG MPMU41017S4PKG MPMU41117S4PKG MPMU41217S4PKG MPMU41317S4PKG

500 x 980 x 1790 mm
500 x 1080 x 1790
500 x 1180 x 1790
500 x 1280 x 1790
500 x 1380 x 1790

MPMU5917V4PKG MPMU51017V4PKG MPMU51117V4PKG MPMU51217V4PKG MPMU51317V4PKG MPMU5917S4PKG MPMU51017S4PKG MPMU51117S4PKG MPMU51217S4PKG MPMU51317S4PKG

600 x 980 x 1790 mm
600 x 1080 x 1790
600 x 1180 x 1790
600 x 1280 x 1790
600 x 1380 x 1790

MPMU6917V4PKG MPMU61017V4PKG MPMU61117V4PKG MPMU61217V4PKG MPMU61317V4PKG MPMU6917S4PKG MPMU61017S4PKG MPMU61117S4PKG MPMU61217S4PKG MPMU61317S4PKG

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)

*Includes 127 mm casters.


CAMSHELVING® PREMIUM SERIES ACCESSORIES

Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

ALL SIZES: (490)



Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1380 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

ALL SIZES: (490)


CODE	DIMENSIONS D x H
Dunnage Stand – Low	
MPDS30H16	300 x 190 mm
MPDS40H16	400 x 190
MPDS50H16	500 x 190
MPDS60H16	600 x 190
Dunnage Stand – Tall	
MPDS30H30	300 x 289
MPDS40H30	400 x 289
MPDS50H30	500 x 289
MPDS60H30	600 x 289
Case Pack: 1	

DOUBLE PACK

SINGLE PACK

Color: Speckled White (490).





Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverses onto back posts for extra support when placing rolling equipment under the first shelf.

LENGTH	CODE*	CODE**
600 mm	MPTR60	_
700	MPTR70	_
800	MPTR80	_
900	MPTR90	MPTR902PK
1000	MPTR100	MPTR1002PK
1100	MPTR110	MPTR1102PK
1200	MPTR120	MPTR1202PK
1300	MPTR130	MPTR1302PK
1400	MPTR140	_
1500	MPTR150	_
1600	MPTR160	_
1700	MPTR170	_

*Case Pack: 1 **Case Pack: 2 Color: Speckled White (490).





HIGH DENSITY STORAGE FLOOR TRACK SYSTEM

Maximize storage capacity by creating storage aisles in all available space. This simple system is composed of stationary starter units anchored to a raised floor track system at both ends with high density mobile units installed in between. Easy to install track requires no drilling or gluing.


Increases Storage Capacity Up To

50%

High Density Mobile Units are available with factory assembled post kits, vented or solid shelves and high density casters and bumpers. Full track and extension kits ship complete with required hardware. Stationary Starter Units are required to anchor the system at both ends. Choose from a wide selection of sizes with 4 or 5 shelves to maximize storage space. (See Premium Series spec pages).

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.





Unit*

Raised Floor Track provides a smooth and level surface to easily roll mobile units. Raised track ensures dirt will not get trapped and is easy to clean. Aluminum track and stainless steel hardware are rust resistant.


*It is recommended to use a stationary unit for every 4,5 m of track to further




Grooved casters roll easily and securely on raised track.




Raised track connects easily to the bottom of a stationary unit that works as a system anchor. No bolts, no glue or drilling into the floor are required.





4-Shelf Vented High Density Mobile Starter Units


Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Ships in 6 boxes.



HEIGHT*	DEPTHS	LENGTHS
1	2	5
1790 mm * Includes 127 mm casters.	500 mm 600	980 mm 1080 1180 1280 1380

4-Shelf Solid High Density Mobile Starter Units

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Ships in 6 boxes.



HEIGHT*	DEPTHS	LENGTHS
1	2	5
1790 mm *Includes 127 mm casters.	500 mm 600	980 mm 1080 1180 1280 1380

Full Track and Extension Kits

Aluminum raised track kits and track extensions ship complete in 1 box. Each kit includes all stainless steel hardware necessary to complete a floor installation. Ships in 1 box.

It is highly recommended to install a stationary starter unit every 4,5 m of track to further stabilize the system.



Full Track	Track Extension
LENGTHS	LENGTHS
3	3
3,05 m	1,38 m
3,05 m 3,66	1,38 m 1,53
,	,

CODE	DESCRIPTION	CASE Pack
Full Track Kit		
CSMHDTK10	3,05 m Track for 3 Mobile Units*	1
CSMHDTK12	3,66 m Track for 4 Mobile Units*	1
CSMHDTK145	4,42 m Track for 5 Mobile Units*	1
Track Extension Kit		
CSMHDTKE4	1,38 m Track Extension	1
CSMHDTKE5	1,53 m Track Extension	1
CSMHDTKE6	1,83 m Track Extension	1
Accessories		
CSHDFF	Floor Fastener	4

 $\textbf{Color:} \ \text{Silver (000)}. \quad \ ^{\star} \text{Based on 600 mm deep mobile units}.$

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE


ALL FLOOR TRACK KIT AND EXTENSION SIZES: (000)

V4 4-SHELF VENTED HIGH DENSITY MOBILE UNITS

\$4 4-SHELF SOLID HIGH DENSITY MOBILE UNITS


Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Units ship complete in 6 boxes.

1790 mm HEIGHT



500 mm

	DIMENSIONS
CODE	D x L x H*
MPHU5917V4PKG	500 x 980 x 1790 mm
MPHU51017V4PKG	500 x 1080 x 1790
MPHU51117V4PKG	500 x 1180 x 1790
MPHU51217V4PKG	500 x 1280 x 1790
MPHU51317V4PKG	500 x 1380 x 1790



CODE	DIMENSIONS D x L x H*
MPHU5917S4PKG	500 x 980 x 1790 mm
MPHU51017S4PKG	500 x 1080 x 1790
MPHU51117S4PKG	500 x 1180 x 1790
MPHU51217S4PKG	500 x 1280 x 1790
MPHU51317S4PKG	500 x 1380 x 1790

600 mm

MPHU6917V4PKG	600 x 980 x 1790 mm
MPHU61017V4PKG	600 x 1080 x 1790
MPHU61117V4PKG	600 x 1180 x 1790
MPHU61217V4PKG	600 x 1280 x 1790
MPHU61317V4PKG	600 x 1380 x 1790

 MPHUG917S4PKG
 600 x 980 x 1790 mm

 MPHUG1017S4PKG
 600 x 1080 x 1790

 MPHUG1117S4PKG
 600 x 1180 x 1790

 MPHUG1217S4PKG
 600 x 1280 x 1790

 MPHUG1317S4PKG
 600 x 1380 x 1790

Color: Speckled White (490). *Includes 127 mm casters.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)

High Density Caster with Donut Bumper

Grooved caster rolls easily and securely on raised track. Donut bumper protects mobile units from coming into direct contact with each other.

CODE	SIZE
MPMCHD	127 mm

Case Pack: 2 Color: Grey (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMCHD: (000)







CAMSHELVING®

ELEMENTS

series

STATIONARY | MOBILE | UNDERCOUNTER

WHY CHOOSE ELEMENTS?

Made from a revolutionary, extremely strong composite material with a smooth, easy to clean surface. Elements Series is stronger than common wire shelving. It's lighter in weight than Camshelving Premium Series and totally impervious to moisture, chemicals and liquids that can destroy shelving over time. Elements Series is designed for medium to heavy storage use in freezers, coolers, dry storage or warewashing areas. It easily supports the performance demands of a busy foodservice operation.







COMPONENT












Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Identification Tags, Single Shelf Security Cage, Ultimate #10 Can Rack, and Shelf Divider Bars are not NSF Listed.

CAMSHELVING® ELEMENTS SERIES

Stationary Unit Sizes

Mobile Unit Sizes



Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

	UNIT LENGTH 610 - 1220 MM	UNIT LENGTH 1375 — 1830 MM
Unit only	910 kg	910 kg
Shelf only	365	275
Unit with dunnage stand*	1110	1045
Bottom shelf with dunnage stand*	545	410
Unit only	820	_
Shelf only	185	_
Bottom shelf with dunnage stands*	275	_
Unit only**	340	
	Shelf only Unit with dunnage stand* Bottom shelf with dunnage stand* Unit only Shelf only Bottom shelf with dunnage stands*	Unit only 910 kg Shelf only 365 Unit with dunnage stand* 1110 Bottom shelf with dunnage stand* 545 Unit only 820 Shelf only 185 Bottom shelf with dunnage stands* 275

^{*}Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1375 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See Overall Length Quick Reference Guide).

^{**}Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 340 kg. *** Corner connectors are for use

^{***} Corner connectors are for use only with shelves 610 – 1220 mm long.

CAMSHELVING® ELEMENTS SERIES — STARTER, ADD-ON AND MOBILE UNITS

V4 V5

4-Shelf or 5-Shelf Vented Stationary Starter and Add-On Units

HEIGHTS	DEPTHS	LENG	THS
3	3	8	
1630 mm	460 mm	610 mm	1220 mm
1830	540	765	1375
2140	610	915	1525
		1070	1830

V2 2-Shelf Undercounter Vented Stationary Starter Units

HEIGHT 1	DEPTH 1	LENGTHS 2
765 mm	460 mm	915 mm 1220

S4 4-Shelf Solid Stationary Starter and Add-On Units

HEIGHTS	DEPTHS	LEN	GTHS
3	3		8
1630 mm	460 mm	610 m	m 1220 mm
1830	540	765	1375
2140	610	915	1525
		1070	1830

55 5-Shelf Solid Stationary Starter and Add-On Units

HEIGHT	DEPTHS	LENG	GTHS
1	3	8	3
2140 mm	460 mm	610 mr	n 1220 mm
	540	765	1375
	610	915	1525
		1070	1830

4-Shelf Vented and Solid Stationary Starter and Add-On Units (3 vented + 1 solid)

HEIGHTS	DEPTHS	LENG	THS
3	3	8	
1630 mm 1830 2140	460 mm 540 610	610 mm 765 915 1070	1220 mm 1375 1525 1830

VS5 5-Shelf Vented and Solid Stationary Starter and Add-On Units (4 vented + 1 solid)

HEIGHT	DEPTHS	LENGTHS	
1	3	8	
2140 mm	460 mm	610 mm 1220) mm
	540	765 1375	j
	610	915 1525	j
		1070 1830)

V4 V5

4-Shelf or 5-Shelf Vented Mobile Starter Units

1	HEIGHTS*	DEPTHS	LENGTHS	
	2	3	5	
	1778 mm	460 mm	915 mm 1375 m	m
	1980	540	1070 1525	
		610	1220	

V2 2-Shelf Undercounter Vented Mobile Starter Units

HEIGHT*	DEPTH	LENGTHS
1	1	3
685 mm	360 mm	610 mm
		915
		1220



Visit the Camshelving website at www.cambro.com/camshelving for product information, assembly videos and design layouts, or to view or download the Camshelving Specification and Price List.

^{*} Includes 127 mm casters.





ELEMENTS SERIES

4-SHELF VENTED UNITS

1630 mm HEIGHT

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter

Add-On





D	IN	۱E	N	SI	0	NS
D	Х	L	Х	Н		

460 x 610 x 1630 m
460 x 765 x 1630
460 x 915 x 1630
460 x 1070 x 1630
460 x 1220 x 1630
460 x 1375 x 1630
460 x 1525 x 1630
460 x 1830 x 1630

CODE
ESU182464V4
ESU183064V4
ESU183664V4
ESU184264V4
ESU184864V4
ESU185464V4
ESU186064V4
FSII187264V4

_		
_		
_		
_		
_		
_		
_		
_		

CODE EA182464V4

EA183064V4	
EA183664V4	
EA184264V4	
EA184864V4	
EA185464V4	
EA186064V4	
EA187264V4	

540 x 610 x 1630 mm
540 x 765 x 1630
540 x 915 x 1630
540 x 1070 x 1630
540 x 1220 x 1630
540 x 1375 x 1630
540 x 1525 x 1630
540 x 1830 x 1630

ESU212464V4	
ESU213064V4	
ESU213664V4	
ESU214264V4	
ESU214864V4	
ESU215464V4	
ESU216064V4	
ESU217264V4	

212464V4	EA212464V4
213064V4	EA213064V4
213664V4	EA213664V4
214264V4	EA214264V4
214864V4	EA214864V4
215464V4	EA215464V4
216064V4	EA216064V4
217264V4	EA217264V4

DEPTH

610 x 610 x 1630 mm
610 x 765 x 1630
610 x 915 x 1630
610 x 1070 x 1630
610 x 1220 x 1630
610 x 1375 x 1630
610 x 1525 x 1630
610 x 1830 x 1630

ESU242464V4	
ESU243064V4	
ESU243664V4	
ESU244264V4	
ESU244864V4	
ESU245464V4	
ESU246064V4	
ESU247264V4	

EA242464V4	
EA243064V4	
EA243664V4	
EA244264V4	
EA244864V4	
EA245464V4	
EA246064V4	
EA247264V4	

610 x 610 x 1830 mm
610 x 765 x 1830
610 x 915 x 1830
610 x 1070 x 1830
610 x 1220 x 1830
610 x 1375 x 1830
610 x 1525 x 1830
610 x 1830 x 1830

ES	U24:	247	21/	4
ES	U24	307	21/	1
ES	U24	367	21/	1
ES	U24	427	2	1
ES	U24	487	2	1
ES	U24	547	2٧	1
ES	U24	607	2	1
ES	U24	727	21/2	1


4-SHELF VENTED UNITS

Add-On

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter





DIMENSIONS D x L x H		
460 x 610 x 1830 mm		
460 x 765 x 1830		
460 x 915 x 1830		
460 x 1070 x 1830		
460 x 1220 x 1830		
460 x 1375 x 1830		
460 x 1525 x 1830		
460 x 1830 x 1830		

540 x 610 x 1830 mm

540 x 765 x 1830

540 x 915 x 1830

540 x 1070 x 1830

540 x 1220 x 1830

540 x 1375 x 1830

540 x 1525 x 1830

540 x 1830 x 1830

ELEMENTS

SERIES

1830

mm

HEIGHT

CODE
ESU182472V4
ESU183072V4
ESU183672V4
ESU184272V4
ESU184872V4
ESU185472V4
ESU186072V4
ESU187272V4
-

CODE
EA182472V4
EA183072V4
EA183672V4
EA184272V4
EA184872V4
EA185472V4
EA186072V4
EA187272V4

ESU212472V4	EA212472V4
ESU213072V4	EA213072V4
ESU213672V4	EA213672V4
ESU214272V4	EA214272V4
ESU214872V4	EA214872V4
ESU215472V4	EA215472V4
ESU216072V4	EA216072V4
ESU217272V4	EA217272V4

EA242472V4 EA243072V4 EA243672V4 EA244272V4 EA244872V4 EA245472V4 EA246072V4

EA247272V4

Color: Brushed Graphite (580).

ELEMENTS SERIES

5-SHELF VENTED UNITS

2140 mm HEIGHT

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter

Add-On





DEPTH

DIMENSIONS

DxLxH
460 x 610 x 2140 mm
460 x 765 x 2140
460 x 915 x 2140
460 x 1070 x 2140

460 x 1220 x 2140 460 x 1375 x 2140

460 x 1525 x 2140

460 x 1830 x 2140

ESU184284V5 ESU184884V5 ESU185484V5 ESU186084V5 ESU187284V5

CODE

ESU182484V5

ESU183084V5

ESU183684V5

CODE EA182484V5 EA183084V5 EA183684V5 EA184284V5 EA184884V5 EA185484V5 EA186084V5 EA187284V5

540 x 610 x 2140 mm
540 x 765 x 2140
540 x 915 x 2140
540 x 1070 x 2140
540 x 1220 x 2140
540 x 1375 x 2140
540 x 1525 x 2140
540 x 1830 x 2140

ESU212484V5 ESU213084V5 ESU213684V5 ESU214284V5 ESU214884V5 ESU215484V5 ESU216084V5 ESU217284V5 EA212484V5 EA213084V5 EA213684V5 EA214284V5 EA214884V5 EA215484V5 EA216084V5 EA217284V5

DEPTH

610 x 610 x 2140 mm
610 x 765 x 2140
610 x 915 x 2140
610 x 1070 x 2140
610 x 1220 x 2140
610 x 1375 x 2140
610 x 1525 x 2140
610 x 1830 x 2140

ESU242484V5 ESU243084V5 ESU243684V5 ESU244284V5 ESU244884V5 ESU245484V5 ESU246084V5 ESU247284V5 EA242484V5 EA243084V5 EA243684V5 EA244284V5 EA244884V5 EA245484V5 EA246084V5 EA247284V5

Color: Brushed Graphite (580).

ELEMENTS SERIES

4-SHELF VENTED MOBILE UNITS

Mobile units include 2 factory assembled mobile post kits. mobile traverses, mobile traverse dovetails, shelf plates, and 4 premium swivel casters with total locking brake. Units ship complete in 1 box.

1778 **HEIGHT**

540 mm

DEPTH

1980 mm **HEIGHT**

DEPTH



DIMENSIONS

* Includes 127 mm casters.

CODE	D x L x H*
EMU183670V4	460 x 915 x 1778 mm
EMU184270V4	460 x 1070 x 1778
EMU184870V4	460 x 1220 x 1778
EMU185470V4	460 x 1375 x 1778
EMU186070V4	460 x 1525 x 1778
·	
EMU213670V4	540 x 915 x 1778 mm
EMU214270V4	540 x 1070 x 1778
EMU214870V4	540 x 1220 x 1778
EMU215470V4	540 x 1375 x 1778
EMU216070V4	540 x 1525 x 1778
EMU243670V4	610 x 915 x 1778 mm
EMU244270V4	610 x 1070 x 1778
EMU244870V4	610 x 1220 x 1778
EMU245470V4	610 x 1375 x 1778
EMU246070V4	610 x 1525 x 1778

CODE	DIMENSIONS D x L x H*
EMU183678V4	460 x 915 x 1980 mm
EMU184278V4	460 x 1070 x 1980
EMU184878V4	460 x 1220 x 1980
EMU185478V4	460 x 1375 x 1980
EMU186078V4	460 x 1525 x 1980


EMU213678V4	540 x 915 x 1980 mm
EMU214278V4	540 x 1070 x 1980
EMU214878V4	540 x 1220 x 1980
EMU215478V4	540 x 1375 x 1980
EMU216078V4	540 x 1525 x 1980
EMU243678V4	610 x 915 x 1980 mm

EMU243678V4	610 x 915 x 1980 mn
EMU244278V4	610 x 1070 x 1980
EMU244878V4	610 x 1220 x 1980
EMU245478V4	610 x 1375 x 1980
EMU246078V4	610 x 1525 x 1980

CAMSHELVING® ELEMENTS SERIES

Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.



Bottom Shelf Dunnage Stands


Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1375 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.

CODE	DIMENSIONS D x H
Dunnage Stand – Low	
EDS14H6	360 x 165 mm
EDS18H6	460 x 165
EDS21H6	540 x 165
EDS24H6	610 x 165
Dunnage Stand – Tall	
EDS14H10	360 x 267
EDS18H10	460 x 267
EDS21H10	540 x 267
EDS24H10	610 x 267

Case Pack: 1

Color: Brushed Graphite (580).





CAMSHELVING® ELEMENTS SERIES

Shelf Traverses

Available in single or double packs, stationary or mobile. Use two traverses to add an open shelf for divider bars or drying cradles. Add one stationary traverse onto back posts of a stationary unit for extra support when placing rolling equipment under the first shelf. Traverse dovetails included.

Stationary		
LENGTH	SINGLE PACK Code*	DOUBLE PACK Code**
610 mm	ETR24	ETR242PK
765	ETR30	ETR302PK
915	ETR36	ETR362PK
1070	ETR42	ETR422PK
1220	ETR48	ETR482PK
1375	ETR54	ETR542PK
1525	ETR60	ETR602PK
1830	ETR72	_

*Case Pack: 1 **Case Pack: 2 Color: Brushed Graphite (580).

Mobile	SINGLE PACK	DOUBLE PACK	
LENGTH	CODE*	CODE**	
915 mm	EMTR36	EMTR362PK	
1070	EMTR42	EMTR422PK	
1220	EMTR48	EMTR482PK	
1375	EMTR54	EMTR542PK	
1525	EMTR60	EMTR602PK	

*Case Pack: 1 **Case Pack: 2 Color: Brushed Graphite (580).







CAMSHELVING®

BASICS PLUS

series

STATIONARY

WHY CHOOSE BASICS PLUS?

Just because the budget is tight and storage needs are less rigorous, it doesn't mean that shelving performance and storage efficiencies should be compromised. Basics Plus Series is made from the same high performing, strong composite material as Elements Series and has the same design features. It's lighter in weight and less in cost but still strong enough to handle light to medium storage demands.




















Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Shelf Rails, Single Shelf Security Cage, Shelf Divider Panels and Identification Tags are not NSF listed.

CAMSHELVING® BASICS PLUS SERIES

Stationary Unit Sizes



Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

	UNIT LENGTH 765 — 1220 MM	UNIT LENGTH 1375 — 1830 MM
Unit only	800 kg (TUV)	800 kg (TUV)
Shelf only	190 (TUV)	180 (TUV)
Unit with dunnage stand*	885	880
Bottom shelf with dunnage stand*	275	260
Unit only	590	_
Shelf only	130	_
Bottom shelf with dunnage stands*	200	
	Shelf only Unit with dunnage stand* Bottom shelf with dunnage stand* Unit only Shelf only	Te5 - 1220 MM



*Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1375 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See Overall Length Quick Reference Guide).

** Corner connectors are for use only with shelves $765-1220\ \text{mm}$ long.

CAMSHELVING® BASICS PLUS SERIES — STARTER AND ADD-ON UNITS

4-Shelf Vented Stationary Starter and Add-On Units

HEIGHTS DEPTHS LENGTHS 3 4 1630 mm *360 mm 765 mm 1375 mm 915 1525 1830 460 2140 540 1070 1830 610 1220

V5 5-Shelf Vented Stationary Starter and Add-On Units

ı	HEIGHTS	DEPTHS	LE	NGTHS	
	3	4		7	
	1630 mm	*360 mm	765 r	nm 1375	mm
	1830	460	915	1525	
	2140	540	1070	**1830	
		610	1220		

4-Shelf Solid Stationary Starter and Add-On Units

HEIGHTS	DEPTHS	LENGTHS
3	4	7
1630 mm	*360 mm	765 mm 1375 mm
1830	460	915 1525
2140	540	1070 1830
	610	1220

55 Shelf Solid Stationary Starter and Add-On Units

HEIGHT	DEPTHS	LENGTHS	
1	3	6	
2140 mm	460 mm 540 610	765 mm 1220 m 915 1375 1070 1525	m

4-Shelf Vented and Solid Stationary Starter and Add-On Units (3 vented + 1 solid)

	HEIGHTS	DEPTHS	LENGTHS
L	3	4	7
	1630 mm	*360 mm	765 mm 1375 mm
	1830	460	915 1525
	2140	540	1070 1830
		610	1220

5-Shelf Vented and Solid Stationary Starter and Add-On Units (4 vented + 1 solid)

HEIGHT	DEPTHS	LENGTHS	
1	3	6	
2140 mm	460 mm 540 610	765 mm 1220 915 1375 1070 1525	5

^{*360} mm only available in: **H** 1630, 1830 / **L** 765, 915, 1070, 1220 mm.



Visit the Camshelving website at www.cambro.com/camshelving for product information, assembly videos and design layouts, or to view or download the Camshelving Specification and Price List.

^{**1830} mm only available in: **H** 1630, 1830 / **D** 460, 540, 610 mm.



BASICS PLUS SERIES 1630 mm HEIGHT


V4 4-SHELF VENTED UNITS

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter

Add-On





360 mm DEPTH

D x L x H
360 x 765 x 1630 mm
360 x 915 x 1630
360 x 1070 x 1630
360 x 1220 x 1630

DIMENCIONS

	DIMENSIONS
CODE	DxLxH
CBA143064V4	360 x 718 x 1630 mm
CBA143664V4	360 x 870 x 1630
CBA144264V4	360 x 1023 x 1630
CBA144864V4	360 x 1175 x 1630

460 mm DEPTH

460 x 765 x 1630 mm
460 x 915 x 1630
460 x 1070 x 1630
460 x 1220 x 1630
460 x 1375 x 1630
460 x 1525 x 1630
460 x 1830 x 1630

CBA183064V4	460 x 718 x 1630 mm
CBA183664V4	460 x 870 x 1630
CBA184264V4	460 x 1023 x 1630
CBA184864V4	460 x 1175 x 1630
CBA185464V4	460 x 1328 x 1630
CBA186064V4	460 x 1480 x 1630
CBA187264V4	460 x 1785 x 1630

540 mm DEPTH

CBU213064V4	540 x 765 x 1630 mm
CBU213664V4	540 x 915 x 1630
CBU214264V4	540 x 1070 x 1630
CBU214864V4	540 x 1220 x 1630
CBU215464V4	540 x 1375 x 1630
CBU216064V4	540 x 1525 x 1630
CBU217264V4	540 x 1830 x 1630

CBA213064V4	540 x 718 x 1630 mm
CBA213664V4	540 x 870 x 1630
CBA214264V4	540 x 1023 x 1630
CBA214864V4	540 x 1175 x 1630
CBA215464V4	540 x 1328 x 1630
CBA216064V4	540 x 1480 x 1630
CBA217264V4	540 x 1785 x 1630

610 mm DEPTH

CBU243064V4	610 x 765 x 1630 mm
CBU243664V4	610 x 915 x 1630
CBU244264V4	610 x 1070 x 1630
CBU244864V4	610 x 1220 x 1630
CBU245464V4	610 x 1375 x 1630
CBU246064V4	610 x 1525 x 1630
CBU247264V4	610 x 1830 x 1630

CBA243064V4	610 x /18 x 1630 mm
CBA243664V4	610 x 870 x 1630
CBA244264V4	610 x 1023 x 1630
CBA244864V4	610 x 1175 x 1630
CBA245464V4	610 x 1328 x 1630
CBA246064V4	610 x 1480 x 1630
CBA247264V4	610 x 1785 x 1630

BASICS PLUS SERIES

1830

HEIGHT


4-SHELF VENTED UNITS

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter

Add-On





360 mm DEPTH

CODE	DIMENSIONS D x L x H
CBU143072V4	360 x 765 x 1830 mm
CBU143672V4	360 x 915 x 1830
CBU144272V4	360 x 1070 x 1830
CBU144872V4	360 x 1220 x 1830

CODE	DIMENSIONS D x L x H	
CBA143072V4	360 x 718 x 1830 mm	
CBA143672V4	360 x 870 x 1830	
CBA144272V4	360 x 1023 x 1830	
CBA144872V4	360 x 1175 x 1830	

460 mm DEPTH

CBU183072V4	460 x 765 x 1830 mm
CBU183672V4	460 x 915 x 1830
CBU184272V4	460 x 1070 x 1830
CBU184872V4	460 x 1220 x 1830
CBU185472V4	460 x 1375 x 1830
CBU186072V4	460 x 1525 x 1830
CBU187272V4	460 x 1830 x 1830

CBA183072V4	460 x 718 x 1830 mm
CBA183672V4	460 x 870 x 1830
CBA184272V4	460 x 1023 x 1830
CBA184872V4	460 x 1175 x 1830
CBA185472V4	460 x 1328 x 1830
CBA186072V4	460 x 1480 x 1830
CBA187272V4	460 x 1785 x 1830

540 mm DEPTH

CBU213072V4	540 x 765 x 1830 mm
CBU213672V4	540 x 915 x 1830
CBU214272V4	540 x 1070 x 1830
CBU214872V4	540 x 1220 x 1830
CBU215472V4	540 x 1375 x 1830
CBU216072V4	540 x 1525 x 1830
CBU217272V4	540 x 1830 x 1830

CBA213072V4	540 x 718 x 1830 mm
CBA213672V4	540 x 870 x 1830
CBA214272V4	540 x 1023 x 1830
CBA214872V4	540 x 1175 x 1830
CBA215472V4	540 x 1328 x 1830
CBA216072V4	540 x 1480 x 1830
CBA217272V4	540 x 1785 x 1830

610 mm DEPTH

CBU243072V4	610 x 765 x 1830 mm
CBU243672V4	610 x 915 x 1830
CBU244272V4	610 x 1070 x 1830
CBU244872V4	610 x 1220 x 1830
CBU245472V4	610 x 1375 x 1830
CBU246072V4	610 x 1525 x 1830
CBU247272V4	610 x 1830 x 1830

CBA243072V4	610 x 718 x 1830 mm
CBA243672V4	610 x 870 x 1830
CBA244272V4	610 x 1023 x 1830
CBA244872V4	610 x 1175 x 1830
CBA245472V4	610 x 1328 x 1830
CBA246072V4	610 x 1480 x 1830
CBA247272V4	610 x 1785 x 1830

Color: Brushed Graphite (580).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE



BASICS PLUS SERIES 2140 mm HEIGHT

5-SHELF VENTED UNITS

Starter units include 2 factory assembled post kits and shelves. Add on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter







460 mm DEPTH

CODE	DIMENSIONS D x L x H
CBU183084V5	460 x 765 x 2140 mm
CBU183684V5	460 x 915 x 2140
CBU184284V5	460 x 1070 x 2140
CBU184884V5	460 x 1220 x 2140
CBU185484V5	460 x 1375 x 2140
CBU186084V5	460 x 1525 x 2140

CODE	DIMENSIONS D x L x H
CBA183084V5	460 x 718 x 2140 mm
CBA183684V5	460 x 870 x 2140
CBA184284V5	460 x 1023 x 2140
CBA184884V5	460 x 1175 x 2140
CBA185484V5	460 x 1328 x 2140
CBA186084V5	460 x 1480 x 2140

540 mm DEPTH

CBU213084V5	540 x 765 x 2140 mm
CBU213684V5	540 x 915 x 2140
CBU214284V5	540 x 1070 x 2140
CBU214884V5	540 x 1220 x 2140
CBU215484V5	540 x 1375 x 2140
CBU216084V5	540 x 1525 x 2140

CBA213084V5	540 x 718 x 2140 mm
CBA213684V5	540 x 870 x 2140
CBA214284V5	540 x 1023 x 2140
CBA214884V5	540 x 1175 x 2140
CBA215484V5	540 x 1328 x 2140
CBA216084V5	540 x 1480 x 2140

610 mm DEPTH

CBU243084V5	610 x 765 x 2140 mm
CBU243684V5	610 x 915 x 2140
CBU244284V5	610 x 1070 x 2140
CBU244884V5	610 x 1220 x 2140
CBU245484V5	610 x 1375 x 2140
CBU246084V5	610 x 1525 x 2140

CBA243084V5	610 x 718 x 2140 mm
CBA243684V5	610 x 870 x 2140
CBA244284V5	610 x 1023 x 2140
CBA244884V5	610 x 1175 x 2140
CBA245484V5	610 x 1328 x 2140
CBA246084V5	610 x 1480 x 2140

Color: Brushed Graphite (580).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (580)


CAMSHELVING® BASICS PLUS SERIES

Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

ALL SIZES: (580)



Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1375 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.

CODE	DIMENSIONS D x H
Dunnage Stand – Low	
CBDS14H6	360 x 171 mm
CBDS18H6	460 x 171
CBDS21H6	540 x 171
CBDS24H6	610 x 171
Dunnage Stand – Tall	
CBDS14H10	360 x 273 mm
CBDS18H10	460 x 273
CBDS21H10	540 x 273
CBDS24H10	610 x 273
Case Pack: 1	

Color: Brushed Graphite (580).



Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverses onto back posts for extra support when placing rolling equipment under the first shelf. Traverse dovetails included.

LENGTH	SINGLE PACK CODE*	DOUBLE PACK CODE**
765 mm	CBTR30	CBTR302PK
915	CBTR36	CBTR362PK
1070	CBTR42	CBTR422PK
1220	CBTR48	CBTR482PK
1375	CBTR54	CBTR542PK
1525	CBTR60	CBTR602PK
1830	CBTR72	CBTR722PK

*Case Pack: 1 **Case Pack: 2 Color: Brushed Graphite (580).



CAMSHELVING® ACCESSORIES

Identification Tags

Clip onto shelf traverses to clearly identify stored product. Made of highly durable plastic with a clear slide in front panel. 14 labels included: 12 color-coded, pre-printed and 2 blank.

CODE	DESCRIPTION	DIMENSION L x H	
Premium and Elements Series			
CSID6	152 mm ID Tag	152 x 25 mm	
CSID3	76 mm ID Tag	76 x 25	
Basics Plus Series			
CBID6	152 mm ID Tag	152 x 25	
Case Pack: 12			
Color: White / Clear.			



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSID6: (000)



Wall Fastener

Use to secure stationary shelving unit to a wall for added safety and stability where required. Made of stainless steel. Screws not included.

CODE	DIMENSION D x L x H		
CSWF	73 x 238 x 48 mm		
Case Pack 4	Color: Silver (000)		

Case Pack: 4 Color: Silver (000).



Hole diameter 1,11 cm.



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSWF: (000)

Floor Fastener

Secure stationary unit posts directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.

CODE	DIMENSION D x L x H	
Premium, Elements & Basics Plus Series		
CSFF	38 x 165 x 89 mm	
Premium Series High Density		
CSHDFF	35 x 108 x 13	
00FF 0 D	1 0	

CSFF Case Pack: 2 CSHDFF Case Pack: 4 Color: Silver (000).








Premium Caster

Ideal in all areas of storage, especially coolers, freezers and/or wet areas. Made of highly durable, non-corrosive plastic with a 127 mm swivel, non-marking thermoplastic rubber wheel. Total locking brake locks both swivel motion and the wheel.

CODE	SIZE
Premium Series with Bumper	
MPMCWB	127 mm
Elements Series	
EMCWB	127 mm
Casa Back, 2 Color, Croy (00	101





STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMCWB: (000)

Donut Bumper

Offers added protection during transport and when maneuvering mobile units into place against walls or alongside other units for storage.

CODE	DIAMETER
CSMHDDB	127 mm
Case Pack: 4	Color: Grey (000).





CAMSHELVING® ACCESSORIES

Shelf Divider

Stack and separate items stored on shelves. Made of highly durable ABS plastic. Installs directly onto solid or vented shelves. Easily removable for relocating or washing. Use with Shelf Rails to prevent contents from falling off shelves.

CODE	DIMENSION D x H
CSSD188	460 x 203 mm
CSSD218	540 x 203
CSSD248	610 x 203

Case Pack: 1 Color: Soft Grey (151).







Shelf Rails

Use to prevent contents from falling off shelves. Protect individual sides or ends or wrap a full shelf. Rods are made from a strong composite material that is highly durable and will never rust or corrode.

Fits Premium Shelving Units 680 to 1780 mm wide and 300 to 600 mm deep, or Elements and Basics Plus Unit 765 to 1830 mm wide and 360 to 610 mm deep.

Full or three-quarter shelf kits help to streamline installations and significantly reduces carton waste.

Shelf Rail kits are available in all depths and all lengths. To see the entire selection of Full & 3/4 kits, see the Camshelving Product Specification and Price List.

Full Shelf Rail Kits

			New!	
PREMIUM Code	DIMENSION D x L	ELEMENTS Code	BASICS PLUS CODE	DIMENSION D x L
Full Shelf Rail Ki	ts (2 sides, 2 end	s)		
MPR600900	600 x 900 mm	ESR2436	CBR2436	610 x 910 mm
MPR6001000	600 x 1000	ESR2442	CBR2442	610 x 1070
MPR6001100	600 x 1100	ESR2448	CBR2448	610 x 1220
3/4 Shelf Rail Ki	ts (1 side, 2 ends)			
MPR6009003	600 x 900	ESR24363	CBR24363	610 x 910
MPR60010003	600 x 1000	ESR24423	CBR24423	610 x 1070
MPR60011003	600 x 1100	ESR24483	CBR24483	610 x 1220

Case Pack: 1 Color: Soft Gray (151).

Single Side Rail Kits

8			New!
PREMIUM Code	LENGTH	ELEMENTS CODE	BASIC Code
MPR600S	600 mm	ESR24S	_
MPR700S	700	ESR30S	CBR3
MPR800S	800	ESR36S	CBR3
MPR900S	900	ESR42S	CBR4
MPR1000S	1000	ESR48S	CBR4
MPR1100S	1100	ESR54S	CBR5
MPR1200S	1200	ESR60S	CBR6
MPR1300S	1300	ESR72S	_
MPR1400S	1400	Case Pack: 1	Color
MPR1500S	1500	_	
MPR1600S	1600	_	

Case Pack: 1 Color: Soft Gray (151).

MPR1700S

CS PLUS LENGTH 610 mm 30S 760 68 910 2S 1070 1220 54S 1380 30S 1530

1830

r: Soft Gray (151).

Single End Rail Kits

1700

			New:		
PREMIUM CODE	DEPTH	ELEMENTS CODE	BASICS PLUS CODE	DEPTH	
MPR300E	300 mm	ESR14E	_	360 mm	
MPR400E	400	ESR18E	CBR18E	460	
MPR500E	500	ESR21E	CBR21E	540	
MPR600E	600	ESR24E	CBR24E	610	

Case Pack: 1 Color: Soft Gray (151).



AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SHELF RAIL KITS: (151)



CAMSHELVING® ACCESSORIES

Shelf Divider Bars (for 600/610 mm deep shelf only)

Create a custom service or storage station for food pans, boxes or dish racks. Install straight or angled dividers directly onto shelf traverses.

CODE	DESCRIPTION	
Premium Series		
CSDBA	Angled Divider Bar	
CSDBS	Straight Divider Bar	
Elements Series		
EDBA	Angled Divider Bar	
EDBS	Straight Divider Bar	
Case Pack: 4		
Color, Spacklad C	2ray (480)	

Color: Speckled Gray (480).





Ultimate Sheet Pan Rack for Single Shelf

The lightweight, durable Ultimate Sheet Pan Rack for Single Shelf will transform your storage capabilities. Designed to fit securely on a 600 mm deep Premium Shelving Unit or 610 mm deep Elements and Basics Plus unit, this single shelf rack holds 6 full size 60 x 40 cm sheet pans in a compact space. Use to stage and hold prepped ingredients, defrost product in the cooler or quickly cool baked goods. Designed to accept pans directly out of a 176°C oven. Ships knockdown.

CODE	DESCRIPTION	DIMENSION D x L x H
Premium or Eleme	ents Series	
CSUPR6040S6	60 x 40 rack	612 x 465 x 514 mm
CSUPR1826S6	66 x 46 rack	603 x 514 x 514
Basics Plus Series	S	
CBUPR6040S6	60 x 40 rack	612 x 465 x 514
CBUPR1826S6	66 x 46 rack	603 x 514 x 514
0 D I - 1 - 0 -		1 (500)

Case Pack: 1 Color: Brushed Graphite (580).

Patent Pending.







STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSUPR6040S6, CBUPR6040S6: (580)

Single Shelf Security Cage (for 610 mm deep shelf only)

Securely store valuable products on a single shelf. Made of heavy duty, 304 stainless steel for use in any environment. Requires 457 mm height between shelves. Install on vented shelves only. Lock not included.

CODE	DIMENSION D x L x H
CSSC244818	640 x 1080 x 460 mm

Case Pack: 1 Color: Silver (000).











UTILITY SHELVING - CAMSHELVING® ULTIMATE #10 CAN RACK SYSTEM

Create the can storage system your operation needs with the Ultimate #10 Can Rack. This first ever plastic can rack makes storing and inventorying #10 and #5 cans so much easier.

- Front-loading, gravity-fed system supports FIFO organization and food rotation with no need to move the rack for loading or unloading.
- Made with easy to clean, smooth surfaces. Can be completely disassembled and run through the dishwasher.
- Lifetime warranty against rust and corrosion. Made from durable, reinforced plastic material.
- Single, Add-on Can Racks and Full-Size Can Rack Units each ship complete in 1 box. Units include pre-assembled post kits.

Color: Brushed Graphite (580).

Ultimate #10 Can Rack is covered by U.S. Patents D828,145 S and D827,421 S.

NSF Component on shelving only.


















Storage Capacity

	#10 Can	#5 Can
SINGLE OR ADD-ON CAN RACK	8 each	12 each
FULL-SIZE CAN RACK UNIT (660 x 915 x 1830, 3 tiers)	96	144

Holds #10 and #5 cans 170 to 179 mm tall.

UTILITY SHELVING - CAMSHELVING® ULTIMATE #10 CAN RACK SYSTEM



Full Size Stationary Can Rack Unit

This free-standing can rack holds up to 96 cans in a compact space. Install on the end of a Camshelving High Density unit for maximum space utilization. Ships knockdown in 1 box with 2 factory-assembled post kits.

Premium Series



Elements Series



Full Size Stationary Add-on Can Rack Unit

Maximize every inch of linear space in your kitchen or dry storage area with an in-line can rack. With just 1 factory assembled post kit, connect a can rack to standard shelving units in a straight line by sharing posts.





Partial Can Rack Storage

Install a single row of can storage on any 610 mm deep Camshelving unit, utilizing shelf space above or below for standard storage items.





UTILITY SHELVING - CAMSHELVING® ULTIMATE #10 CAN RACK SYSTEM





660 x 915 x 1830 mm







	*	
CODE	CPU243672C96*	E
DESCRIPTION	Premium Series Full-Size	E
	Stationary Can Rack Unit	S
	(Free Standing)	(

ESU243672C96*

Elements Series Full-Size
Stationary Can Rack Unit
(Free Standing)

660 x 915 x 1830 mm

Premium Series Full-Size Add-On Can Rack Unit (Shared Post) 660 x 870 x 1830 mm

Elements Series Full-Size Add-On Can Rack Unit (Shared Post)

660 x 864 x 1830 mm

Single and Add-on Can Racks





CODE	UCR10R8	UCR10AR8
DESCRIPTION	Single Can Rack, 2 panels and 6 brackets	Add-on Can Rack, 1 panel and 6 brackets
DIMENSIONS D x L x H	660 x 235 x 394 mm	660 x 191 x 394 mm

Case Pack: 1 Color: Brushed Graphite (580).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UCR10R8, UCR10AR8: (580)

COMPONENT Shelving only


DIMENSIONS D x L x H



Can Racks Per Length

NUMBER OF CAN Racks per tier*	LEFTOVER Shelf space	#10 CAN HOLDING Capacity
2	89 mm	16
3	51	24
4	0	32
4	165	32
5	127	40
6	89	48
7	51	56
		RACKS PER TIER* SHELF SPACE 2 89 mm 3 51 4 0 4 165 5 127 6 89

^{*1} Single Rack plus Add-on Racks.



NOTE: Each tier of can racks requires 3 traverses, 2 front and 1 rear. Leave two open dovetails above top traverse before installing the next traverse/tier. This allows space to load cans.

Case Pack: 1 Ships in 1 box. Premium Series Color: Speckled Gray (480). Elements Series Color: Brushed Graphite (580).

^{*}Unit includes: 2 pre-assembled post kits, 9 traverses, 15 panels and 72 brackets. **Unit includes: 1 pre-assembled post kit, 9 traverses, 15 panels and 72 brackets.

UTILITY SHELVING - CAMSHELVING® ULTIMATE SHEET PAN RACK



Smart Design. Quality Construction.

The classic sheet pan rack has been re-imagined and re-engineered to provide unparalleled performance and value. Made from revolutionary composite plastic materials, the Ultimate Sheet Pan Rack will forever change your expectations of speed racks.

- Backed by a lifetime warranty against rust and corrosion.
- Made with easy to clean, smooth surfaces.
- All components are replaceable.
- Cold use: Coolers, Freezers and Blast Chillers.
- Hot use: Proofing and Retarding.
 Accepts sheet pans from ovens up to 176°C.

 Top Frame supports a full size 46 x 66 cm sheet pan to protect contents below or create a lightduty work space. Also holds a Camwear® pizza dough box. Color: Brushed Graphite (580).

Full Rack Temperature Tolerance: -38° to 88°C

Racks are not intended for use inside rollin ovens. Do not use with or place near open flame or hot surfaces above 350°F. Ultimate Sheet Pan Rack is covered by U.S. Patent D 853,070 S and D 841,273 S.











Holds full-size 46 x 66 cm and half-size 33 x 46 cm sheet pans.

End load design with no middle crossbar provides quick and easy access to rack contents.



Positioning ribs on ends help to keep sheet pans centered on rails.

Molded in ribs promote airflow for efficient cooling or thawing.



Choose from 7,6 or 3,8 cm rail spacing.

ABOUT RAIL SPACING



7,6 cm rails are most versatile. This "speed rack" style allows for quick loading and unloading. It also allows for maximum capacity per tray side to side.



3,8 cm rails are best for high productivity or bakery applications for maximum holding capacity.

UTILITY SHELVING - CAMSHELVING® ULTIMATE SHEET PAN RACK



Full Size Racks









UPR1826F20

UPR1826FP20

UPR1826F40

UPR1826FP40

CODE	DIMENSIONS L x W x H*	RAIL Spacing	HOLDING Capacity	CASTER Type
Knockdown (KD) Units		'		
UPR1826F20	81,4 x 64,8 x 181,3 cm	7,6 cm	20 Sheet pans/trays	Metal
UPR1826FP20	84,8 x 64,8 x 181,9	7,6	20 Sheet pans/trays	Plastic
UPR1826F40	81,4 x 64,8 x 181,3	3,8	40 Sheet pans/trays	Metal
UPR1826FP40	84,8 x 64,8 x 181,9	3,8	40 Sheet pans/trays	Plastic
Factory Assembled (FA) Uni	its			
UPR1826FA20	81,4 x 64,8 x 181,3	7,6	20 Sheet pans/trays	Metal
UPR1826FPA20	84,8 x 64,8 x 181,9	7,6	20 Sheet pans/trays	Plastic
UPR1826FA40	81,4 x 64,8 x 181,3	3,8	40 Sheet pans/trays	Metal
UPR1826FPA40	84,8 x 64,8 x 181,9	3,8	40 Sheet pans/trays	Plastic

Case Pack: 1 Color: Brushed Graphite (580). Weight capacity: 159 kg per rack, 25 kg per rail set. *Dimensions include casters.

CASTER COMPARISON



Why Choose Metal?

- An affordable, all purpose caster that can go anywhere in the kitchen (except freezers).
- Custom center-stem design enhances rack stability, even across uneven surfaces.
- Zinc-plated frame with non-marking polyurethane wheel.
- Racks include 4 swivel casters, 2 with brake, 2 without.
- 12,7 cm for Full and Half Size racks; 7,6 cm for Undercounter racks.



Why Choose Plastic?

- Offers a 100% rust and corrosion-free rack from top to bottom.
- Ideal for use in any kitchen environment, including freezers and blast chillers.
- Nylon frame with non-marking thermoplastic rubber wheel.
- Racks include 4 each 12,7 cm swivel casters with total locking brake that locks both swivel and wheel.
- Available on Full and Half Size racks only.

UTILITY SHELVING - CAMSHELVING® ULTIMATE SHEET PAN RACK



Half Size Racks









CODE	DIMENSIONS L x W x H*	RAIL Spacing	HOLDING Capacity	CASTER Type
UPR1826H12	81,4 x 64,8 x 120,6 cm	7,6 cm	12 Sheet pans/trays	Metal
UPR1826HP12	84,8 x 64,6 x 121,3	7,6	12 Sheet pans/trays	Plastic
UPR1826H20	81,4 x 64,8 x 105,4	3,8	20 Sheet pans/trays	Metal
UPR1826HP20	84,8 x 64,6 x 105,1	3,8	20 Sheet pans/trays	Plastic

Case Pack: 1 Color: Brushed Graphite (580). Weight capacity: 79 kg per rack, 25 kg per rail set. *Dimensions include casters.

Undercounter Racks





CODE	DIMENSIONS L x W x H*	RAIL Spacing	HOLDING Capacity
UPR1826U8	78,4 x 59,1 x 84,1 cm	7,6 cm	8 Sheet pans/trays
UPR1826U15	78,4 x 59,1 x 80	3,8	15 Sheet pans/trays

Case Pack: 1 Color: Brushed Graphite (580). *Dimensions include casters. Weight capacity: 41 kg per rack, 25 kg per rail set. Undercounter racks available with 7,6 cm metal casters only.

Full Size Ultimate Sheet Pan Rack Cover

- Choose from vinyl or insulated with 2 front, full-length zippers and clear identification pocket.
- Vinyl cover made of clear reinforced plastic.
- Insulated cover made of durable insulated nylon, helps keep food hot or cold for up to an hour.






CODE	GBCRC272165	GBIRC272165
DESCRIPTION	Vinyl Cover	Insulated Cover
DIMENSIONS L x W x H	69,9 x 54,6 x 165,1 cm	69,9 x 54,6 x 165,1 cm
COLOR	Clear	Black (110)

Case Pack: 1

UTILITY SHELVING

Premium Series Full-Wrap Security Cage for D 610 x L 1220 mm shelf and H 1700 mm stationary or H 1778 mm mobile

Store valuable products behind locked doors. Made of heavy-duty 304 stainless steel for use in any environment. Stationary or mobile units ship complete with factory assembled post kits, 2 vented shelves, 4 premium swivel casters with total locking brake for mobile unit and 1 full wrap security cage. Can be used with Divider Panels. Assembly requires bottom vented shelf. Additional shelves can be ordered separately. Cage and Units ship knockdown. Lock not included.







CODE	CPFWSC244860	CPU244864SUPKG	CPMU244867SUPKG
DESCRIPTION	Full-wrap Security Cage only	Full-wrap Stationary Security Unit	Full-wrap Mobile Security Unit
DIMENSION D x L x H	680 x 1276 x 1562 mm	680 x 1276 x 1638 mm	680 x 1276 x 1721 mm
COLOR	Silver (000)	Speckled Gray (480)	Speckled Gray (480)

Case Pack: 1 Cage only ships in 1 box. Units ship in 2 boxes.

Fit only Camshelving Premium Series made in the USA. Special Order. Allow 10 to 12 weeks for delivery for International delivery.

Vertical Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient storage for trays, sheet pans, cutting boards and lids. Can be used with Shelf Rails to prevent contents from sliding off.

Units ship complete with factory assembled mobile post kits, 6 traverses, 12 or 15 vertical drying cradles and premium swivel casters with total locking brake. Assembly required.



Modular 7-slot rack can be ordered separately to customize a drying and storage rack. Made of highly durable ABS plastic. Slots are spaced 3,33 cm wide and dividers are 6,35 cm high.

CODE	DIMENSIONS D x L x H	HOLDING Capacity	CASE PACK
Premium Series Vertical Dryi	ng and Storage Rack		
MPMU61117DRPKG	600 x 1180 x 1790 mm	84 Trays	1
MPMU61317DRPKG	600 x 1380 x 1790	105 Trays	1
Vertical Drying and Storage C	radle for 600 mm deep shelf only	(Fits all Camshelving® lines)	
CSDR7	597 x 260 x 95	_	1
CSDR73	597 x 260 x 95	_	3

Drying Rack Color: Speckled White (490). **Drying Cradle Color:** Soft Gray (151). 1220 mm long unit ships in 5 boxes. 1530 mm long unit ships in 6 boxes.



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMU61117DRPKG, MPMU61317DRPKG: (490) CSDR7, CSDR73: (151)

UTILITY SHELVING

Angled Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Unit ships complete with factory assembled mobile post kits, 8 traverses, 16 angled drying cradles and premium swivel casters with total locking brake. Assembly required.



Uniquely designed cradle holds up to 8 each meal delivery pellets or use to dry, store and transport food pans and other commercial kitchen ware. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Slots are spaced 6,03 cm apart.

rying and Storage Rack		
600 x 1280 x 1790 mm	128 Pellets and Bases or 16 GN 1/1 Food Pans	1
e Cradle for 600 mm deep shelf o	nly (Fits all Camshelving® lines)	
592 x 263 x 160	_	1
592 x 263 x 160	_	4
	e Cradle for 600 mm deep shelf o 592 x 263 x 160 592 x 263 x 160	16 GN 1/1 Food Pans e Cradle for 600 mm deep shelf only (Fits all Camshelving® lines) 592 x 263 x 160 592 x 263 x 160 ———————————————————————————————————

Drying Rack Color: Speckled White (490). MPMU61217PDPKG Ships in 5 boxes. Drying Cradle Color: Soft Gray (151).



STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

MPMU61217PDPKG: (490) CSDR8, CSDR84: (151)

Dome Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Unit ships complete with factory assembled mobile post kits, 10 traverses, 10 dome drying cradles and premium swivel casters with total locking brake. Assembly required.



Use to dry and safely store up to 10 patient meal delivery domes or plate covers upright. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Slots are spaced 7,78 cm apart.

DIMENSIONS D x L x H	HOLDING Capacity	CASE PACK
and Storage Rack		
600 x 980 x 1790 mm	100 Domes	1
Dome Drying and Storage Cradle for 600 mm deep shelf only (Fits all Camshelving® lines)		
597 x 415 x 86	_	1
597 x 415 x 86	_	5
	D x L x H and Storage Rack 600 x 980 x 1790 mm dle for 600 mm deep shelf only (1) 597 x 415 x 86	D x L x H CAPACITY and Storage Rack 600 x 980 x 1790 mm 100 Domes dle for 600 mm deep shelf only (Fits all Camshelving® lines) 597 x 415 x 86 —

Drying Rack Color: Speckled White (490). MPMU6917DDPKG Ships in 3 boxes.

Drying Cradle Color: Soft Gray (151).



UTILITY SHELVING

Elements Series 2-Shelf Vented Undercounter Units

Create storage in underutilized or hard-to-reach undercounter areas. Ideal for storing condiments, to-go containers, and paper disposables. Stationary units include 2 factory assembled stationary post kits, 4 stationary traverses, stationary traverse dovetails and shelf plates.

Mobile units include 2 factory assembled mobile post kits, 4 mobile traverses, mobile traverse dovetails, shelf plates, and 4 premium swivel casters with total locking brake.



CODE	DIMENSIONS D x L x H*
Stationary Units	
ESU183630V2	460 x 915 x 765 mm
ESU184830V2	460 x 1220 x 765
Mobile Units	
EMU142427V2	360 x 610 x 685
EMU143627V2	360 x 915 x 685
EMU144827V2	360 x 1220 x 685

Color: Brushed Graphite (580). Ships in 1 box. *Height includes casters.





Premium Series Flex Station

This versatile unit can serve as a convenient Grab and Go station, product merchandiser, or use for delivery staging area, utensil storage and much more.

Unit Includes: 2 factory assembled mobile post kits, 8 traverses, 36 angled divider bars (4 extra) 4 total locking casters and 24 identification tags. Assembly required.

Food pans, food boxes and other accessories sold separately.

CODE	DESCRIPTION	DIMENSIONS D x L x H*
CPMU244867FXPKG	Premium Series Flex Station	610 x 1220 x 1778 mm
Color: Speckled Gray (48	80) Shins in 1 hox *Height inc	ludes casters



CAMSHELVING® WALL SHELVES AND SHELF EXTENDERS

Wall Shelves

- Expand storage space in kitchens, above work stations and sinks.
- Features virtually indestructible I-beam supports that hold up to 68 kg per shelf.
- Durable polypropylene withstands temperatures up to 88°C, and will not rust or corrode.
- Snap fit rail design allows shelves to snap on and off for easy cleaning.
- 5 cm backsplash and marine front edge controls spills and cross contamination.

Shelf Extenders

- Convert empty wall space into a functional storage area.
- Use with or without Camshelving Wall Shelves.
- Peg strips withstand temperatures up to 88°C, and will not rust or corrode.

Wall Shelf Color: Speckled Grey (480).

Extender Peg Strip Color: Black (110).









Shelf Extenders ship in one carton and include:

LENGTH	PEG Strips	BRACKETS	HOOKS
910 mm	3	2	6
1220 mm	3	3	9

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSWS1436SK, CSWS1448SK, CSWS1836SK, CSWS1848SK: (480)

Wall Shelves 360 mm Depth



CODE	CSWS1436SK	CSWS1448SK	CSWS1436VK	CSWS1448VK
DESCRIPTION	910 mm wall shelf, solid	1220 mm wall shelf, solid	910 mm wall shelf, vented	1220 cm wall shelf, vented
EXTERIOR DIMENSIONS	L 915 x D 360 x H 340 mm	L 1220 x D 360 x H 340 mm	L 915 x D 360 x H 340 mm	L 1220 x D 360 x H 340 mm

Case Pack: 1

Wall Shelves 460 mm Depth



CODE	CSWS1836SK	CSWS1848SK
DESCRIPTION	910 mm wall shelf, solid	1220 mm wall shelf, solid
EXTERIOR DIMENSIONS	L 915 x D 460 x H 340 mm	L 1220 x D 460 x H 340 mm

Case Pack: 1

Shelf Extenders





CODE	CSWS36EK	CSWS48EK
DESCRIPTION	910 mm Shelf Extender	1220 mm Shelf Extender
EXTERIOR DIMENSIONS	L 900 x D 50 x H 390 mm	L 1220 x D 50 x H 390 mm

Case Pack: 1

S-SERIES DUNNAGE RACKS AND CAMLINK®



S-Series Dunnage Racks

- Keep frozen, cold or dry inventory 30,5 cm safely off the floor.
- One piece construction and sturdy legs provide strength and stability.
- Heavy duty polypropylene is safe to -38°C, and will not rust, corrode or bend.
- Choose slotted tops for maximum air circulation around perishable products.
- Solid tops catch spills for easy clean up.

Colors: Dark Brown (131), Speckled Gray (480).







STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

DRS300, DRS360, DRS480, DRS600: (480)



LOAD Capacity EXTERIOR DIM. CODE HxDxW Solid Top 300 x 533 x 760 mm 680 kg DRS30 DRS36 300 x 533 x 915 680 DRS48 300 x 533 x 1220 1,360 DRS60 300 x 533 x 1525 1,360 **Slotted Top** DRS300 300 x 533 x 760 680 DRS360 300 x 533 x 915 680 DRS480 300 x 533 x 1220 1,360 DRS600 300 x 533 x 1525 1,360

Case Pack: 1

Camlink

Camlink connectors securely lock dunnage racks together for greater stability.

CODE	CASE PACK
DRLNK	6



Color: Black (110).

Camlink fits all sizes and styles. One free Camlink supplied with every Dunnage Rack.







STORAGE





CAMWEAR® CAMSQUARE® FOOD STORAGE CONTAINERS



Maximize your storage area with CamSquare food storage containers. The square shape provides 33% better space usage than traditional round containers. Clear Camwear provides product visibility for at a glance inventory management.

Note: All graduations are approximate.

Dimensions include handles.





















Seal Covers for Camwear CamSquare*

- Inner and outer seal provide excellent spill resistance.
- · Helps to extend the shelf life of contents.
- Includes a hole on the corner for hanging during storage.
- Withstands temperatures from -40° to 70°C.

*Seal Covers fit Camwear CamSquare containers only and are not airtight.

Strawberry Shelf Life (in days)

Uncovered Plastic Wrap Foil Cambro Seal Cover 7 Days



CAMWEAR® CAMSQUARE® FOOD STORAGE CONTAINERS





Camwear CODE 2SFSCW 4SFSCW 8SFSCW 12SFSCW** 18SFSCW** 22SFSCW** CAPACITY 1,9 L 3,8 L 5,7 L 7,6 L 11,4 L 17,2 L 20,8 L DIM. L x W x H (CM) 18,5 x 18,5 x 10 18,5 x 18,5 x 18,7 21,5 x 21,5 x 18,5 21,5 x 21,5 x 23 25,6 x 31 x 21 25,6 x 31 x 32 25,6 x 31 x 40

Case Pack: 6 Color: Clear (135). Height includes covers. **Dimensions include handles.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAMWEAR: (135)

Seal Covers for Camwear CamSquare*

CODE	SFC2SCPP	SFC6SCPP	SFC12SCPP
DESCRIPTION	Fits 1,9 & 3,8 L	Fits 5,7 & 7,6 L	Fits 11,4, 17,2 & 20,8 L

Case Pack: 6 Color: Translucent (190).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SFC2SCPP, SFC6SCPP, SFC12SCPP: (190)

Note: All graduations are approximate.

*Seal Covers fit Camwear CamSquare containers only and are not airtight.

Personalization available on non-food contact areas only. See cresting section for information, ordering and pricing.















CAMSQUARE® TRANSLUCENT POLYPROPYLENE & POLYETHYLENE **FOOD STORAGE CONTAINERS**



Translucent Polypropylene

- Translucent material provides some content visibility and high chemical resistance.
- Withstands temperatures from -40° to 70°C.
- · Easy to read graduations are printed on the outside for at a glance inventory management.



Polyethylene

- Economical storage choice.
- · Made of impact, stain and chemical resistant opaque material.
- Withstands temperatures from -40° to 70°C.

Note: All graduations are approximate.











Covers for Camwear®, Translucent and Poly **CamSquares**

- Snap-tight polyethylene covers feature thumb tabs for easy removal.
- · Colored covers match up with colored graduation marks on containers.



Personalization

Personalize food storage products to identify menu items, add fill lines for recipes, or use personalization in multiple languages to help ensure product quality and consistency.

For more information see the "Promote Your Brand" page located in the Table section of this catalog.



CAMSQUARE® TRANSLUCENT POLYPROPYLENE & POLYETHYLENE **FOOD STORAGE CONTAINERS**





Case Pack: 6 Color: Translucent (190). Height includes covers. **Dimensions include handles.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

2SFSPP, 4SFSPP, 6SFSPP, 8SFSPP, 12SFSPP,

18SFSPP, 22SFSPP: (190)

·	10,0 X 10,0 X 10		21,0 x 21,0 x 10,0		20,0 % 31 % 21	20,0 % OI % OL	20,0 % 01 % 10
DIM. L x W x H (CM)	18,5 x 18,5 x 10	18,5 x 18,5 x 18,7	21,5 x 21,5 x 18,5	21,5 x 21,5 x 23	25,6 x 31 x 21	25,6 x 31 x 32	25,6 x 31 x 40
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
CODE	2SFSP	4SFSP	6SFSP	8SFSP	12SFSP**	18SFSP**	22SFSP**
Polyethylene	+1"	+	~ **	71-14	1	1-	
		71-	***	6	-		
				Agric	-	11-100 11-100	

Case Pack: 6 Color: Natural White (148). Height includes covers. **Dimensions include handles.

Universal Covers*

CODE	SFC2	SFC6	SFC12
COLOR	Kelly Green (452)	Winter Rose (451)	Midnight Blue (453)
DESCRIPTION	Fits 1,9 & 3,8 L	Fits 5,7 & 7,6 L	Fits 11,4, 17,2 & 20,8 L

Case Pack: 6

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

SFC2: (452) SFC6: (451) SFC12: (453)

*Fit all Camsquares.



Note: All graduations are approximate.

Personalization available on non-food contact areas only. See cresting section









CAMWEAR® ROUND FOOD STORAGE CONTAINERS



Store ingredients or transport ready to serve or partially prepared foods. Clear Camwear allows for easy content identification at a glance. Reduces risk of contamination and enhances food safety. Round shape promotes proper air circulation, ideal for stirring soups and sauces.

Note: All graduations are approximate.

Note: To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.



PRORATED













Camwear Covers

- Snap on covers fit tightly.
- Stain resistant to food acids and oils.
- Withstands temperatures from -40° to 99°C.



Round Seal Covers*

- Inner and outer seal provide excellent spill resistance.
- Safe from -40° to 70°C.
- Thumb tab for easy removal.




*Seal covers only fit Camwear Round Food Storage Containers and are not airtight.



CAMWEAR® ROUND STORAGE CONTAINERS





Color: Clear (135). Top diameter dimension includes handle. Height dimension includes cover. Two year warranty on Camwear Rounds.



Camwear Covers

DESCRIPTION	CASE Pack	CODE
Fits 0,9 L	12	RFSCWC1
Fits 1,9 L & 3,8 L	12	RFSCWC2
Fits 5,7 L & 7,6 L	12	RFSCWC6
Fits 11,4 L, 17,2 L & 20,8 L	6	RFSCWC12

Color: Clear (135).



Seal Covers for Camwear Rounds

DESCRIPTION	CASE Pack	CODE
Fits 0,9 L	12	RFS1SCPP
Fits 1,9 L & 3,8 L	12	RFS2SCPP
Fits 5,7 L & 7,6 L	12	RFS6SCPP
Fits 11,4 L, 17,2 L & 20,8 L	6	RFS12SCPP

Color: Translucent (190).

TRANSLUCENT POLYPROPYLENE & POLYETHYLENE ROUND FOOD STORAGE CONTAINERS



Translucent Polypropylene

- Translucent material offers some product visibility.
- Rounds are durable and resistant to stains.
- Withstands temperatures from -40° to 70°C.
- Snap on covers fit tightly to protect contents and extend product freshness.

 $\textbf{Note:} \ \mathsf{AII} \ \mathsf{graduations} \ \mathsf{are} \ \mathsf{approximate}.$

Note: To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.















Polyethylene

- Impact, stain and chemical resistant material.
- An affordable storage choice.
- Safe from -40° to 70°C.
- Snap on covers fit tightly yet are easily removed.

Note: All graduations are approximate.

Note: To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.















TRANSLUCENT POLYPROPYLENE & POLYETHYLENE ROUND FOOD STORAGE CONTAINERS



Translucent Polypropylene	1+	79- 191		+	14 1 1			
CODE	RFS1PP	RFS2PP	RFS4PP	RFS6PP	RFS8PP	RFS12PP	RFS18PP	RFS22PP
CAPACITY	0,9 L	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
TOP DIAMETER (CM)	15,4	20,8	20,8	25,2	25,2	37,8	37,8	37,8
HEIGHT (CM)	12,7	11,1	21,8	20,2	27,6	21,3	30,5	38,1
CASE PACK	12	12	12	12	12	6	6	6

Color: Translucent (190). Top diameter dimension includes handle. Height dimension includes cover.

Polyethylene	7+	7	77.7	7.++	1111	11-		
CODE	RFS1	RFS2	RFS4	RFS6	RFS8	RFS12	RFS18	RFS22
CAPACITY	0,9 L	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
TOP DIAMETER (CM)	15,4	20,8	20,8	25,2	25,2	37,8	37,8	37,8
HEIGHT (CM)	12,7	11,1	21,8	20,2	27,6	21,3	30,5	38,1
CASE PACK	12	12	12	12	12	6	6	6

Color: Natural White (148). Top diameter dimension includes handle. Height dimension includes cover.

Covers for Translucent Polypropylene Rounds

DESCRIPTION	CASE Pack	CODE
Fits 0,9 L	12	RFSC1PP
Fits 1,9 L & 3,8 L	12	RFSC2PP
Fits 5,7 L & 7,6 L	12	RFSC6PP
Fits 11,4 L, 17,2 L & 20,8 L	6	RFSC12PP

Color: Translucent (190).

Covers for Polyethylene Rounds

DESCRIPTION	CASE Pack	CODE
Fits 0,9 L	12	RFSC1
Fits 1,9 L & 3,8 L	12	RFSC2
Fits 5,7 L & 7,6 L	12	RFSC6
Fits 11,4 L, 17,2 L & 20,8 L	6	RFSC12

Color: Natural White (148).

CAMWEAR® FOOD STORAGE BOXES

ELIMINATE THE HAZARD OF CROSS CONTAMINATION

Extend the freshness of ingredients and eliminate points of cross contamination by transferring product into food boxes at the receiving dock. A safe solution for storing bulk fruits and vegetables. Clear Camwear allows visibility for product identification. Snap tight Camwear Flat Lids or SlidingLids, sold separately, remain in place and won't come off during transport.

Camwear and Poly Lids are not interchangeable. SlidingLids are covered by the following U.S. Patents D 447,906 S & 6,540,098 B1.


















Camwear Flat Lids

- Snap-tight covers won't come off during transport.
- Top molded-in rails for safer, more secure stacking.
- Durable Camwear is safe from -40° to 99°C.



Camwear SlidingLids™


- Lid slides back to easily access contents, minimizing handling.
- Reduces the risk of cross contamination since lid remains on food box.
- Made of virtually unbreakable Camwear.




CAMWEAR® FOOD STORAGE BOXES



Camwear Food Storage Boxes





Color: Clear (135). 18266CW & 12186CW available in: ● Safety Red (467), : Safety Yellow (464).

Camwear Covers				
CODE	·:• ● 1826CCW FLAT LID	1826SCCW SLIDINGLID™	·:• ● 1218CCW FLAT LID	1218SCCW SLIDINGLID
DIMENSIONS (CM)	45,7 x 66	45,7 x 66	30,5 x 45,7	30,5 x 45,7

Case Pack: 6 Color: Clear (135). 1826CCW & 1218CCW available in: ● Safety Red (467), ❖ Safety Yellow (464).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

18263CW, 18266CW, 18269CW, 182612CW, 182615CW, 12183CW, 12186CW, 12189CW, 1826CCW, 1218CCW: (135)

CAMWEAR® FOOD STORAGE BOX ACCESSORIES

ColanderKit[™]

- A complete food safety system packaged in one carton.
- Store raw meats, fish on ice or bulk produce safely.
- · Juices and liquids drip into the food box below for quick and easy disposal.
- · Reduces handling and risk of cross contamination.
- · ColanderKit Includes:
 - 1 20 cm Deep Colander
 - 1 46 x 66 x 23 cm Food Box
 - 1 46 x 66 cm SlidingLid™






Camwear Colanders

- Enhances food quality and reduces risk of cross contamination.
- · Liquids and juices drain directly into food box for improved food safety.
- Ideal for draining fruits and vegetables, thawing meat or poultry, or storing seafood on ice.
- Fits Camwear 46 x 66 cm Food Storage Boxes only.

Camwear Drain Shelves

- Lifts contents out of liquids to enhance food quality and freshness.
- Made of virtually unbreakable Camwear.
- · Camwear drain shelves fit in both Camwear boxes and white poly boxes.





Accessories

CODE

DESCRIPTION

DIMENSIONS

CASE PACK



Fits all 46 x 66 cm

food storage boxes

Drain shelf

6





1218DSCW

Drain shelf

6



Fits all 30,5 x 46 cm

food storage boxes



Colander

Fits Camwear food storage boxes only 46 x 66 x 15 cm

and deeper

6

1826CLRCW (12,7 CM DEEP)





4





18268CLRCW (20 CM DEEP)	18268CLRKIT
Colander	ColanderKit
Fits Camwear food storage boxes only 46 x 66 x 23 cm and deeper	One 20 cm deep colander one 46 x 66 x 23 cm food box one 46 x 66 cm SlidingLid™

1 Kit

Color: Clear (135).

POLYETHYLENE FOOD STORAGE BOXES & CAMWEAR® ACCESSORIES



Polyethylene Food **Storage Boxes**



- produce and ingredients. • Impact, stain and chemical
- resistant material.
- Withstands temperatures from -40° to 70°C.







CODE	18263P	18266P	18269P
DIMENSIONS (CM)	46 x 66 x 9	46 x 66 x 15	46 x 66 x 23
APPROX. CAPACITY	18,9 L	33,1 L	49,2 L
CASE PACK	6	6	6









CODE	182612P	182615P	12183P	12186P	12189P
DIMENSIONS (CM)	46 x 66 x 30	46 x 66 x 38	30,5 x 46 x 9	30,5 x 46 x 15	30,5 x 46 x 23
APPROX. CAPACITY	64,4 L	83,3 L	6,6 L	11,4 L	18 L
CASE PACK	4	3	6	6	6

Color: Natural White (148).

Polyethylene Covers







CODE 1826CP FLAT LID 1218CP FLAT LID DIMENSIONS (CM) 45,7 x 66 30,5 x 45,7

Color: Natural White (148). Case Pack: 6

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

1826DSCW, 1826CLRCW, 18268CLRCW: (135) **1826CP, 18269P, 182615P**: (148)

Camwear and Polyethylene Lids are not interchangeable.

Camchiller®

• Extend cold holding time or enhance safe holding below 5°C when frequent access is required.

CODE	CP814 (20 x 36 CAMCHILLER)
FITS INTO FOOD BOXES	12189CW, 12189P, 12186CW, 12186P
DIMENSIONS L x W x H	35,56 x 20,32 x 3,8 cm

Case Pack: 1 Color: Cold Blue (159).



STORESAFE® FOOD ROTATION LABELS

- Label and adhesive dissolve in less than 30 seconds.
- · Run under hot or cold water or through the dishwasher.
- Safe for all sewer and septic systems and will not build up in drains.
- Withstands freezing temperatures as low as -40°C.
- · Withstands high heat temperatures up to 93°C for 4 hours.
- · Microwave safe.
- Leaves behind no sticky residue which can be a breeding ground for bacteria.
- Assists in a proper First In First Out (FIFO) food storage system.
- 100% dissolvable and biodegradable.

Label color: White (148).

*Available for ordering in cases only. No broken cartons.

100% biodegradable. FDA approved material.







Eliminates sticky residue and prevents

cross contamination! No more scraping!

Retail Blister Pack



CASE CODE	23SL
LABEL SIZE	5 x 7,6 cm
CASE PACK	20 rolls, 100 labels per roll

StoreSafe Label Blister Pack is covered by U.S. Patent 690,589 S.



Bulk Dispenser Pack - Half Size Labels

	Trum————————————————————————————————————	
CASE CODE	1252SLB250	1252SLINB250
LABEL SIZE	3 x 5 cm	3 x 5 cm
CASE PACK	24 rolls, 250 labels per roll	24 rolls, 250 labels per roll

Dissolves completely off all containers when placed through dishwasher or under running water.

Bulk Dispenser Pack





STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

1252SLB250, 1252SLINB250, 23SLINB6250, 23SLB250, 23SLINB250




Bulk Dispenser Pack - Blank Labels



CASE CODE	23SLINB250	23SLINB6250
LABEL SIZE	5 x 7,6 cm	5 x 7,6 cm
CASE PACK	24 rolls, 250 labels per roll	6 rolls, 250 labels per roll

Laser Sheet







CAMWEAR® GASTRONORM FOOD PANS



Store, transport and serve all in one pan. Camwear food pans are made from durable Camwear that will not crack, bend or dent. Precisely designed to Gastronorm GN specifications, with a bottom to reduce food waste. At half the cost of stainless steel, Camwear pans keep contents as cold as metal pans with less condensation. Pans stack neatly without wedging or sticking.

Camwear GN pans are not recommended for steam table or microwave use. See H-Pan™ section for high heat applications.

Colander Pan is covered by U.S. Patent D 528,376 S.


















Cold Test

Tests prove Camwear food pans keep products as cold as stainless steel. Stainless steel may feel colder, but as these test results demonstrate, Camwear food pans keep products just as cold for just as long.




		Camwear Pans		
1,7°C	2,1°C	2,5°C	3,2°C	3,4°C
				_
Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.
	S	tainless Steel Pan	IS	
1,6°C	1,9°C	2,4°C	3,3°C	3,4°C
=				
Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

CAMWEAR® GASTRONORM FOOD PANS SIZE, & ORDERING INFORMATION



PAN Code	PAN Depth	APPROXIMATE Capacity
12CW	6,5 cm	8,5 L
14CW	10	13
16CW	15	19,5
18CW	20	25,6
10CWD	_	Drain shelf
	12CW 14CW 16CW 18CW	CODE DEPTH 12CW 6,5 cm 14CW 10 16CW 15 18CW 20



22LPCW 6,5 3 GN 1/2 Long 16,2 x 53 cm 24LPCW 5 10 20LPCWD Drain shelf

000111

Colors: Clear (135), White (148), Black (110). *82CW is not available in Black (110). 18CW and 28CW available in Clear (135) only.

Drain Shelf Color: Clear (135). Colander Color: Clear (135).

All Camwear GN Food Pans are made of FDA approved materials. All Camwear GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

Personalization available on non-food contact areas only. See cresting section for information and ordering.
















GN 1/2 26,5 x 32,5 cm

22CW	6,5	3,9
24CW	10	5,9
26CW	15	8,9
28CW	20	11,7
20CWD	_	Drain shelf

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

10CWD, 18CW, 20CWD, 28CW, 30CWD, 40CWD, 60CWD, 90CWD, 92CW, 96CW: (135) 12CW, 14CW, 16CW, 22LPCW, 24LPCW, 22CW, 24CW, 26CW, 32CW, 42CW, 44CW, 46CW, 62CW, 94CW: (135), (110) 36CW, 64CW, 66CW: (135), (110), (148) 34CW, 38CW: (135), (148)




GN 1/3 17,6 x 32,5 cm

32CW	6,5	2,4
34CW	10	3,6
36CW	15	5,3
38CW	20	6,9
30CWD	_	Drain shelf


Drain Shelves

- · Keeps products out of liquids and promotes drainage.
- Available for all food pan sizes.



GN 1/4 16,2 x 26,5 cm

42CW	6,5	1,7
44CW	10	2,5
46CW	15	3,7
40CWD	_	Drain shelf




GN 1/6 16,2 x 17,6 cm

62CW	6,5	1
64CW	10	1,5
66CW	15	2,2
60CWD	_	Drain shelf



GN 1/8 16,12 x 13,17 cm

6,5	0,7
10	1
15	1,5
_	Drain shelf
	10 15



GN 1/9 10,8 x 17,6 cm

JUCWD		Diam silon
90CWD	_	Drain shelf
96PCW	15	1,4
94CW	10	0,85
92CW	6,5	0,57

Case Pack: 6





96PCW

CAMWEAR® LID SIZES & ORDERING INFORMATION



Flat Cover

Available in all pan sizes.



Cover with Handle

Deep molded handle provides secure grip and also includes a peg hole for sanitary drying. Available in black to help block light, reducing discoloration of meats and cheeses.



Notched Cover with Handle

Notched cover allows utensils to remain in pan and off of potentially contaminated counters. Includes peg hole for sanitary drying.



Seal Cover

Designed to fit Camwear and translucent food pans, Seal Covers feature an inner seal that provides superior spill resistance and extends shelf life up to 3 days.



FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields. Reduces points of cross contamination.



Notched FlipLid

Flip Lid with notch to rest spoon in contents with lid closed.



GripLid®

Molded-in polyurethane gasket on the lid grips the side of the food pan airtight, reducing spills and points of cross contamination.



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC: (190)
10CWC, 10CWCH, 10CWCHN, 10CWGL, 20LPCWC, 20CWC, 20CWCH, 20CWCHN, 20CWGL, 30CWC, 30CWCH, 30CWGH, 30CWGL, 40CWC, 40CWCH, 60CWC, 60CWCH, 60CWCH, 60CWGH, 90CWC; (135)

	LID	
FITS PANS	CODE	DESCRIPTION
GN 1/1 32,5 x 53 cm	10CWC	Flat cover
02,0 X 00 0III	10CWCH*	Cover with handle
	10CWCHN*	Notched cover with handle
	10CWGL	GripLid
	10PPCWSC	Seal cover
GN 1/2 Long 16,2 x 53 cm	20LPCWC	Flat cover
GN 1/2	20CWC	Flat cover
26,5 x 32,5 cm	20CWCH*	Cover with handle
	20CWCHN*	Notched cover with handle
	20CWL	FlipLid
	20CWLN	Notched FlipLid
	20CWGL	GripLid
	20PPCWSC	Seal cover
GN 1/3	30CWC	Flat cover
17,6 x 32,5 cm	30CWCH*	Cover with handle
, ,	30CWCHN*	Notched cover with handle
	30CWL	
	30CWLN	FlipLid Notched FlipLid
	30CWLN 30CWGL	·
	30PPCWSC	GripLid Seal cover
	30FFCM2C	Sear cover
GN 1/4	40CWC	Flat cover
16,2 x 26,5 cm	40CWCH*	Cover with handle
	40CWCHN*	Notched cover with handle
	40PPCWSC	Seal cover
GN 1/6	60CWC	Flat cover
16,2 x 17,6 cm	60CWCH*	Cover with handle
	60CWCHN*	Notched cover with handle
	60CWL	FlipLid
	60CWLN	Notched FlipLid
	60CWGL	GripLid
	60PPCWSC	Seal cover
GN 1/8	80CWC	Flat cover
16,12 x 13,17 cm	80CWCH	Cover with handle
	80CWCHN	Notched cover with handle
	80PPCWSC	Seal cover
GN 1/9	90CWC	Flat cover

Color: Clear (135).

10,8 x 17,6 cm

Seal Cover Color: Translucent (190). Cover with Handle Colors: Clear (135), Black (110).

90CWCN

90PPCWSC

Case pack for all lids: 6

Personalization available on non-food contact areas only. See cresting section for information and ordering.

FlipLids are covered by U.S. Patent Des. 420,849, 422,838 & 427,012. GripLids are covered by U.S. Patent D 446,076 & Utility Patent 6,273,288 B1.

Flat notched cover

Seal cover

*Includes peg hole.











CAMWEAR® COLANDER PANS



- Rinse, drain and store all in one pan.
- Liquids drain easily into the food pan below for enhanced food quality and reduced handling.
- Colanders simply lift out of the food pan for safe and quick disposal of liquids.
- Ideal for prepped produce, storing seafood on ice, and defrosting and storing meats and poultry.
- Camwear flat covers, covers with handles and notched covers with handles fit on pans with colanders.

Colander Pans are covered by U.S. Patent D 569 ,169 S.























Rinse

Drain

Store

CONFIGURATIONS	PAN CODE	COLANDER Depth	FITS CAMWEAR Pan Depth*
GN 1/1	13CLRCW	7,6 cm	10 cm
32,5 x 53 cm	15CLRCW	12,7	15
GN 1/2	23CLRCW	7,6	10
26,5 x 32,5 cm	25CLRCW	12,7	15
GN 1/3	33CLRCW	7,6	10
17,6 x 32,5 cm	35CLRCW	12,7	15
GN 1/6	63CLRCW	7,6	10
16,2 x 17,6 cm	65CLRCW	12,7	15
	Case Pack for all Pans: 6	*Fits this pan depth & deeper.	Lids listed on previous page.



GASTRONORM HIGH HEAT H-PANS™

Reduce handling and save expense with one pan that can go from prep to cooler to oven to steam table.
H-Pans are designed to Gastronorm GN specifications. Unlike metal pans, H-Pans are safe for use in heating and holding applications. Ideal for heated carts, steam tables and chafing dishes. H-Pans have both standard and metric graduation markings to promote easy inventory management.

Colors: Amber (150), Black (110).

H-Pans are made of FDA approved materials and are designed to CEN Gastronorm Standard EN 631-1. Amber color may vary.

Microwave safe.














GN 1/2



GASTRONORM HIGH HEAT H-PANS™ SIZES & ORDERING INFORMATION



CONFIGURATIONS	CODE	DEPTH	CAPACITY
GN 1/1 32,5 x 53 cm	12HP	6,5 cm	8,5 L
	14HP	10	13
	16HP	15	19,5
	10HPD	_	Drain shelf



Personalization available on non-food contact areas only. See cresting section for information and ordering.


Colors: Amber (150), Black (110).

Drain Shelf Color: Amber (150).

H-Pans are made of FDA approved materials and are designed to CEN Gastronorm Standard EN 631-1.

Amber color may vary.

Microwave safe.





22LPHP	6,5	3
24LPHP	10	5
20LPHPD	_	Drain shelf




ADDDOVIMATE












GN 1/2 26,5 x 32,5 cm

ZZHP	6,5	3,9
24HP	10	5,9
26HP	15	8,9
20HPD	_	Drain shelf




- Supports product and promotes drainage.
- Available to fit all food pan sizes.



GN 1/3 17,6 x 32,5 cm


32HP	6,5	2,4
34HP	10	3,6
36HP	15	5,3
30HPD	_	Drain shelf






GN 1/4 16,2 x 26,5 cm

42HP	6,5	1,7
44HP	10	2,5
46HP	15	3,7
40HPD	_	Drain shelf




GN 1/6 16,2 x 17,6 cm

62HP	6,5	1
64HP	10	1,5
66HP	15	2,2
60HPD	_	Drain shelf



GN 1/8 16,12 x 13,17 cm

82HP	6,5	0,7
84HP	10	1
86HP	15	1,5
80HPD	_	Drain shelf



GN 1/9 10,8 x 17,6 cm

92HP	6,5	0,57
94HP	10	0,85
96PHP	15	1,4
90HPD	_	Drain shelf

Case Pack: 6



86HP Shown with Optional Drain Shelf.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

14HP, 16HP, 34HP, 30HPD, 36HP, 64HP, 66HP: (150) 22LPHP, 24LPHP: (110) 12HP, 22HP, 24HP, 26HP: (110), (150)

LIDS FOR GASTRONORM H-PAN™ FOOD PANS AND ORDERING INFORMATION



Flat Cover

Available in all pan sizes.



FITS PANS	CODE	DESCRIPTION
GN 1/1 32,5 x 53 cm	10HPC*	Flat cover
	10HPCH*	Cover with handle
	10HPCHN*	Notched cover w/handle

GN 1/2 Long 16,2 x 53 cm 20LPHPC Flat cover

Cover with Handle

Deep molded handle gives secure grip.



GN 1/2 26,5 x 32,5 cm

20HPC*	Flat cover
20HPCH*	Cover with handle
20HPCHN*	Notched cover w/handle
20HPL	Fliplid
20HPLN	Notched FlipLid

Notched Cover with Handle

Easy access for ladles or spoons.



GN 1/3 17,6 x 32,5 cm

30HPC*	Flat cover
30HPCH*	Cover with handle
30HPCHN*	Notched cover w/handle
30HPL	FlipLid
30HPLN	Notched FlipLid
	· · · · · · · · · · · · · · · · · · ·

GN 1/4 16,2 x 26,5 cm

40HPC	Flat cover
40HPCH	Cover with handle
40HPCHN	Notched cover w/handle

FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields.



GN 1/6 16,2 x 17,6 cm

Cover with handle
Natabad aguar/bandla
Notched cover w/handle
Fliplid
Notched FlipLid

GN 1/8 16,12 x 13,17 cm

80HPC	Flat cover
80HPCH	Cover with handle
80CHPCHN	Notched cover w/handle

Notched FlipLid®

Flip Lid with notch to rest spoon in contents with lid closed.



GN 1/9 10,8 x 17,6 cm

90HPC*

Flat cover

Case pack: 6

: 6 *Includes peg hole.

Color: Amber (150). Amber color may vary.

FlipLids are covered by U.S. Patent D 420,849, D 422,838, D 427,012 & D 6,273,288 B1.

Microwave safe.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

10HPC, 10HPCH, 20HPC, 20HPCH, 30HPC, 30HPCH, 30HPCHN, 60HPCH, 60HPCHN, 60HPCHN: (150)

H-PAN™ HIGH HEAT COLANDER PANS

- Colanders drain liquids and grease away from hot foods, improving food quality.
- Ideal for reheating in microwaves and holding applications such as steam tables and buffet lines.
- Reduces handling and improves food safety.
- H-Pan High Heat Flat Covers, Covers with Handles and Notched Covers with Handles fit on pans with colanders.



















Hold Hot Foods



Drain

CONFIGURATIONS	PAN Code	COLANDER Depth	FITS H-PAN Depth*
GN 1/1	13CLRHP	7,6 cm	10 cm
32,5 x 53 cm	15CLRHP	12,7	15
GN 1/2	23CLRHP	7,6	10
26,5 x 32,5 cm	25CLRHP	12,7	15
GN 1/3	33CLRHP	7,6	10
17,6 x 32,5 cm	35CLRHP	12,7	15
GN 1/6	63CLRHP	7,6	10
16,2 x 17,6 cm	65CLRHP	12,7	15
	Case Pack for all Pans: 6	*Fits this pan depth & deeper.	Lids listed on previous page.



HIGH HEAT H-PAN™ WITH HANDLE(S)



- Flat base to maximize contact with heating element.
- High Heat Material withstands temperatures from -40° to 190°C.
- Fits all leading manufacturer's hot holding bins, including singlesided and pass-through models.
- · Reinforced textured handle design with finger grip feature for a secure grasp.
- Handle designed with drain holes to avoid water build-up after warewashing process.
- Two handles allow employees to reach the pan from either side of the unit for safe handling.
- Can be used with high heat lids and drain shelves.

Color: Amber (150).












STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

32HP1H, 32HP2H: (150)





CONFIGURATIONS	PAN Code	DESCRIPTION	PAN Depth
1/3 17,6 x 32,5 cm	32HP1H	Single Handle	6,5 cm
	32HP2H	Double Handle	6,5
	Case Pack: 6		

High Heat Flat Cover, Cover with Handle and Notched Cover with Handle fit on pan.

Full size 6,5 cm deep food pan with handles fits all leading manufacturers' hot holding bins.



CONFIGURATIONS	PAN CODE	PAN Depth	APPROX. Capacity
1/1	12HPH	6,5 cm	8,42 L
32.5 x 53 cm	Casa Baak, 6	Color: Ambor (150)	

Case Pack: 6 Color: Amber (150). Lids listed on previous page.

TRANSLUCENT POLYPROPYLENE GASTRONORM FOOD PANS



- · An economical choice for storing food.
- Translucent polypropylene material provides content visibility and high chemical resistance.
- Withstands temperature ranges from -40° to 70°C.
- Meets Gastronorm GN food pan specifications EN-631-1.
- Non-stick smooth interior surface promotes easy cleaning.

Color: Translucent (190).

Graduation marks and capacities are approximate.

Translucent food pans are made of FDA approved materials.

Translucent food pans interstack with other Cambro food pans.

Translucent pans are not designed for steam table use.







Ideal for transporting in Cambro top loading carriers. (UPC100, UPCS140, 100MPC, UPC140, UPCS160, 240MPC, UPC160, EPP160SW, EPP180SW, EPP260SW, EPP280SW)



Seal covers protect food quality while eliminating the expense of plastic wrap.



Uniform 1,27 cm flange width ensures the right fit in prep tables and food bars.



Use Cambro StoreSafe® food rotation labels on translucent food pans to manage inventory and reduce waste.

POLYPROPYLENE GASTRONORM COLANDER PANS

- · Rinse, drain and store all in one pan.
- · Liquids drain easily into the food pan below for enhanced food quality and reduced handling.
- Translucent Cover w/Handle and Notched Cover with Handle fit on pans with colanders.
- Drain hole diameter is approximately 6 mm.

Color: Translucent (190).

Translucent colander pans are made of FDA approved materials.

Translucent pans are not designed for steam table use.















CONFIGURATIONS	PAN Code	COLANDER Depth	FITS Polypropylene Pan Depth*
GN 1/3	33CLRPP	7,6 cm	10 cm
17,6 x 32,5 cm	35CLRPP	12,7	15
GN 1/6	63CLRPP	7,6	10
16,2 x 17,6 cm	65CLRPP	12,7	15

Case Pack for all Pans: 6 *Fits this pan depth & deeper. Lids listed on following page.

TRANSLUCENT FOOD PANS





CONFIGURATIONS	PAN Code	PAN Depth	APPROXIMATE CAPACITY
GN 1/1 32,5 x 53 cm	12PP*	6,5 cm	8,5 L
	14PP	10	13
	16PP	15	19,5
	18PP*	20	25,6
	10PPD	_	Drain shelf

Color:	Translucent	(190)

All Translucent Gastronorm Food Pans are made of FDA approved materials.

All polypropylene GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.













22PP*	6,5	3
24PP	10	5,9
26PP	15	8,9
28PP*	20	11,7
20PPD	<u> </u>	Drain shelf

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

10PPD, 12PP, 14PP, 16PP, 18PP, 20PPD, 22PP, 24PP, 26PP, 28PP, 30PPD, 32PP, 34PP, 36PP, 38PP, 40PPD, 42PP, 44PP, 46PP, 60PPD, 62PP, 64PP, 66PP, 90PPD, 92PP, 94PP: (190)




GN 1/3 17,6 x 32,5 cm

32PP	6,5	2,4
34PP	10	3,6
36PP	15	5,3
38PP*	20	6,9
30PPD	_	Drain shelf

Drain Shelves


- Keeps products out of liquids and promotes drainage.
- Available for all pan sizes.



GN 1/4 16,2 x 26,5 cm


42PP	6,5	1,7
44PP	10	2,5
46PP	15	3,7
40PPD	_	Drain shelf





GN 1/6 16,2 x 17,6 cm

62PP	6,5	1
64PP	10	1,5
66PP	15	2,2
60PPD	_	Drain shelf



GN 1/9 10,8 x 17,6 cm

92PP	6,5	0,57
94PP	10	0,85
90PPD	_	Drain shelf

 ${\it \textbf{Case Pack: 6}} \quad {\rm *"Only\ available\ from\ Cambro\ European\ Logistics\ (CEL),\ Germany\ and\ Cambro\ \"{\it \"{\it Ozay}}\ Turkey.$

TRANSLUCENT FOOD PAN LIDS



Seal Cover

Designed to fit Camwear® and translucent food pans, Seal Covers feature an inner seal that provides superior spill resistance and extends shelf life up to 3 days. Available for all food pan sizes.



The same of	
-	
-	

FITS PAN	LID Code	DESCRIPTION
GN 1/1	10PPCH	Cover with handle
32,5 x 53 cm	10PPCWSC	Seal cover
	•	

GN 1/2	20PPCH	Cover with handle
26,5 x 32,5 cm	20PPCWSC	Seal cover

Cover with Handle

Deep molded handle gives secure grip. Available for all food pan sizes except 1/9.



GN 1/3 (17,6 x 32,5 cm)

30PPCH	Cover with handle
30PPCHN	Notched cover w/handle
30PPCWSC	Seal cover



Easy access for ladles or spoons. Available for 1/3 and 1/6 food pans.



GN 1/4 16,2 x 26,5 cm 40PPCH Cover with handle 40PPCWSC Seal cover

GN 1/6 16,2 x 17,6 cm

60PPCH	Cover with handle
60PPCHN	Notched cover w/handle
60PPCWSC	Seal cover

Flat Cover

Only available for 1/9 food pans.



GN 1/9 10,8 x 17,6 cm 90PPC Flat cover 90PPCWSC Seal cover

Case Pack: 6

Color: Translucent (190).

All Translucent Gastronorm Food Pan lids are made of FDA approved materials.

All polypropylene GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.



20PPCH, 30PPCH, 40PPCH, 60PPCH, 10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC: (190)

















COLDFEST® GASTRONORM FOOD PANS, **CROCKS, COVERS & PUMPS**

- Keeps contents chilled at or below HACCP guidelines of 4°C without the use of messy ice.
- Freeze upside down for eight hours or overnight before filling with pre-chilled product.
- Half and third-size pans hold contents cold for up to eight hours. Sixth size pans and crocks hold contents cold for up to six hours.
- Conforms to Gastronorm exterior dimensions to fit standard food bars or make tables.
- Stackable to save space when freezing and storing.
- · Can be used for direct food contact with all types of food

Colors: Black (110), White (148). Flat Cover Color: Clear (135). Seal Cover Color: White (148). Pump with Cover Color: Clear (135).

Suggested holding times are based on tests with ambient room conditions of up to 23°C .

ColdFest is covered under U.S. Patent D 419,364.

*Pumps and round covers not NSF listed. All ColdFest GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.











WAREHOUSE 66CF: (110) CFR18: (110), (148) 60CFC: (135)

AVAILABLE IN OUR EUROPEAN





Ideal for use with Cambro Versa Food Bars® to keep perishable items chilled.

Pans / Crock









ColdFest Food Pans are made with high-impact resistant ABS shells and non-toxic refrigerant gel cores.

CODE	26CF‡	36CF#	66CF‡	CFR18‡
CONFIGURATIONS	GN 1/2 - 26,5 x 32,5 cm	GN 1/3 - 17,6 x 32,5 cm	GN 1/6 - 16,2 x 17,6 cm	ø 17,3 cm
DEPTH	15 cm	15 cm	15 cm	17 cm
APPROX. CAPACITY	6 L	3,5 L	1,4 L	1,6 L

Case Pack: 1



COAGL2					
CODE	20CFC	30CFC	60CFC	CFRC18*	CFRSC18
DESCRIPTION	Flat cover	Flat cover	Flat cover	Flat cover	Seal cover
FITS COLDFEST	GN 1/2	GN 1/3	GN 1/6	Crock	Crock

Case Pack: 2







	The second secon		
CODE	CFPSRC10*	CFPMRC10*	CFPFRC10*
DESCRIPTION	Standard pump for 29,5 mL portions	Maxi pump for chunky condiments	Fixed nozzle pump for controlled dispensing
DIMENSIONS W x D x H	18.4 x 22.8 x 28.5 cm	18.4 x 26 x 31.4 cm	18.4 x 29.5 x 29.8 cm

Case Pack: 1

Pumps with Clear Covers



PIZZA DOUGH BOXES



Polypropylene

- Ideal for storing, transporting, proofing and cooling dough.
- · Lightweight, durable, and break resistant.
- · Chemical resistant won't absorb odors and is easy to clean.
- Boxes nest tightly together to keep out dirt and contaminants, extending product freshness.
- Each box acts as a tight lid for the box below, reducing the need and expense of covers.
- Withstands temperatures from -40° to 70°C.
- · Cover can be used as an 46 x 66 cm tray.
- · Available in 7,6 cm depth only.

Color: White (148).

Camwear & Polypropylene dough boxes do not inter stack.

CD1826PDB Color: Coffee Beige (157), Brown(131), Black (110), Slate Blue (401), Grey (180).

*Polypropylene dough boxes are safe for use in high temperature dishwashers.

Camdolly Caster: 12,7 cm Casters: 2 fixed, 2 swivel, 1 with brake.















CD1826PDB Weight Capacity: 136 kg





- Prevents crusting to increase the storage life of dough.
- Virtually unbreakable Camwear construction is reinforced on all sides.
- · Boxes won't bend or lose their shape.

DB18263CW



• Withstands temperatures from -40° to 99°C.

• Available in 7,62 and 15,24 cm depths.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

DB18263P, DB18263CW: (148)

CODE	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS
Polypropylene Pizza Dough Box		<u> </u>
DB18263P‡	46 x 66 x 7,6 cm	40,6 x 60,9 cm
Polypropylene Cover		
DBC1826P‡	46 x 66	_
Camwear Pizza Dough Boxes		
DB18263CW	46 x 66 x 7,6	40,6 x 60,9
DB18266CW	46 x 66 x 15,3	40,6 x 60,9
Camwear Cover		
DBC1826CW	46 x 66	_
Case Pack: 6 Color: White (148).		

Camdally® For Dizza Dough Boyes

Gaillabily Tol 1122a Dougli Doxes		
CD1826PDB**	50.5 x 71 x 26	44,5 x 64,5

Case Pack: 1 **Optional straps (400STP or UTHSTP) sold separately.

INGREDIENT BINS AND CAMWEAR® DRY SCOOPS

Ingredient Bins

- Store bulk dry ingredients such as flour and grain.
- Hygienic clear sliding lid reduces handling and allows for quick content identification.
- Bin made of FDA-accepted material so no liners are needed.
- Designed to fit under standard work tables.

7,6 cm Casters: 2 rear fixed, 2 front swivel.

•••••

Color: White (148).

Scoops sold separately.





STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

IBS20, IBS27, IBS37: (148)

















CODE	DIMENSIONS W x L x H	LIQUID Capacity	LID Type	DRY Capacity (Sugar)	DRY Capacity (Flour)
IBS20	33 x 75 x 71 cm	81 L	Two Piece Sliding Lid	77 kg	63 kg
IBS27	42 x 75 x 71	102	Two Piece Sliding Lid	103	68
IBS37	55 x 75 x 71	140	Two Piece Sliding Lid	143	102
IBSF27	33 x 76,5 x 72,5	102	Two Piece Sliding Lid	98	68
IB32	56 x 61 x 58,5	121	Single Flat Lid	98	73
IB36	39 x 75 x 74	129	Single Flat Lid	114	82
IB44	47 x 75 x 74	161	Single Flat Lid	145	104

Case Pack: 1

Camwear Dry Scoops

- Virtually unbreakable Camwear will not dent, chip or rust.
- Molded-in sure grip handle includes a hole for hanging.
- Ideal for use with Cambro Ice Caddies and Ingredient Bins.

Color: Clear (135).

Personalization not available.











ALL SCOOPS: (135)

CODE	APPROX. Capacity	CASE PACK
SCP6CW	170 g	12
SCP12CW	340	12
SCP24CW	680	12
SCP64CW	1814	6



SOAK AND BRINE TANK AND CAMCRISPER®



Soak and Brine Tank

- Designed for complete submersion of meats or poultry in brining solution for enhanced moisture retention, texture and flavor.
- Can also be used as a pre-soak tank for smallwares and dishes in sanitation solution to help reduce labor in pre-scrubbing.
- Clear sliding lid always stays on to help reduce the risk of crosscontamination.
- Withstands temperatures from -40° to 70°C.

7,6 cm Casters: 2 rear fixed,

2 front swivel.

Colors: White (148), Yellow (229). Cover Color: Clear (135).

Some assembly required.







Maneuverable drain elbow can be positioned in any direction as needed. Use with or without drain hose based on available access to floor drain.

Tank drains easily in 4 minutes when completely full and features an easy to turn 45° ball valve.

Maneuverable drain elbow and clear hose allow drainage even with hard to access

CODE	DIMENSIONS W x L x H	CAPACITY	CUBIC Meter
IBSD37	54,6 x 74,9 x 71,7 cm	140 L	0,14

Case Pack: 1

Camcrisper

- · A self-contained system for brining or storing, washing and transporting bulk produce.
- · Prevents cross contamination and minimizes unnecessary handling.
- Transfer dry produce out of cartons into bin, cover and roll into cooler for safe storage.
- Wash and rinse produce for easy and safe prep.

7,6 cm Casters: 2 rear fixed, 2 front swivel.

Color: White (148). Cover Color: Clear (135).







STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

CC32: (148)





CODE	DIMENSIONS W x L x H	CAPACITY	CUBIC Meter	LOAD Capacity
CC32	56 x 61 x 58,5 cm	121 L	0,123	24 lettuce heads (unfinished) 42 lettuce heads (finished)

Case Pack: 1

HIGH HEAT MEASURING CUPS AND CAMWEAR® MEASURING CUPS



High Heat Measuring Cups and Cover

- Use to heat liquids or sauces in the microwave, collect hot water from a dispenser, fill steam tables or chafing dishes or rehydrate food products.
- Withstands temperatures ranging from -40° to 190°C.
- Will not crack or shatter from regular use with hot liquids/ ingredients.
- Molded-in standard and metric graduations ensure accuracy and will hold up to the rigors of foodservice.

- Molded-in handle is positioned for both comfort and safety, and stays cool to the touch out of the microwave or oven.
- Optional Splatter-Proof Cover fits both 2 and 4 L measuring cups.

Color: Amber (150).









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

200MCH, 400MCH, MCCH: (150)



CODE	DESCRIPTION	DIMENSIONS W x H
200MCH	2 L Measuring Cup	16,2 x 19,4 cm
400MCH	4 L Measuring Cup	26,4 x 19,4
MCCH	Universal Cover (fits both cups)	18,9 x 2,4

Case Pack: 1

Camwear Liquid Measuring Cups

- · Externally marked graduations are molded in and imprinted in red for American standard and blue for metric for easy measurement.
- Durable, virtually unbreakable Camwear will not dent, ensuring an accurate measurement every time.
- · Molded-in handle will not break off.

Color: Clear (135).

Personalization available on non-food contact areas only. See cresting section for information and ordering.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

100MCCW, 200MCCW, 400MCCW: (135)






TABLE SERVICE





CAMWEAR® DINNERWARE



- Durable Camwear resists stains, odors and scratches.
- Textured surface on salad and dinner plates for long wear.
- Ideal for schools, cafeterias, day care centers and healthcare facilities.
- Mug and stacking cup can be personalized.

Not recommended for microwave use.





























Oval Platters & Compartment Plates









CODE	90SPCW	120CWP	93CW	HK93BCW
DIAMETER	22,9 x H 4 cm	30,5 x 22,9 cm	22,9 cm	24,1 cm
DESCRIPTION	Round, soup bowl	Oval, narrow rim	Narrow rim	Narrow rim
CASE PACK	48	24	48	12

^{*}HK93BCW is available in Beige (133) only. Not recommended for microwave use.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

90SPCW, 10CWNR, 9CWNR, 825CWNR, 50CW, 60CW, 75CW: (148), (401) 96CW: (148), (401)

10CWL: (135)

725CWNR, 65CWNR, 10CW, 45CW, 100CW, 150CW: (148) 45CW, 100CW, 150CW: (148)















CODE	10CWNR	9CWNR	825CWNR	725CWNR	65CWNR	55CWNR
DIAMETER	25,4 cm	22,9 cm	21 cm	18,4 cm	16,5 cm	14 cm
DESCRIPTION	Narrow rim					
CASE PACK	48	48	48	48	48	48

Not recommended for microwave use.

_			
R	0	VA/	le













CODE	10CW*	10CWL	35CW	45CW	50CW	60CW	100CW	150CW
APPROX. CAPACITY	278 mL	_	252 mL	150 mL	452 mL	322 mL	370 mL	494 mL
DESCRIPTION	Square bowl	Lid for 10CW bowl	Bouillon	Fruit cup	Nappie bowl	Grapefruit bowl	Nappie bowl	Square bowl
CASE PACK	48	48	48	48	48	48	48	48
SHAPE	Square	Square	Round	Round	Round	Round	Round	Top/round bottom/square
OUTSIDE DIAMETER	10,2 x 10,2 cm	_	9,8 cm	11,7 cm	13,3 cm	15,2 cm	12,5 cm	Top: 13,3 cm Bottom: 6,4 x 6,4 cm
HEIGHT	4,8 cm	2,2 cm	5,4 cm	3,3 cm	5,4 cm	4 cm	4,3 cm	5,7 cm

Not recommended for microwave use. *Optional lid available.

Mug & Cup

	D	
CODE	75CW	96CW
APPROX. CAPACITY	239 mL	288 mL
DESCRIPTION	Stacking cup	Mug
CASE PACK	48	48
MAX DIA./HEIGHT	10,3* cm / 8 cm	10,6* cm / 9,5 cm
FULL SIZE CAMRACK®	16C414	16C414

^{*}Maximum diameter includes handles. Not recommended for microwave use.

Heat Keepers







CODE HK93CW **DESCRIPTION** 3 compartment Heat Keeper base base and cover and cover for 22,9 cm plate CASE PACK 6

HK93CW is available in Beige (133). HK39 is available in Antique White (148). Not recommended for microwave use.



Camcarrier® for HK93CW available by special request. Call Cambro Customer Service for more

information.

VERSA CAMCOVERS®

Serve hot food hot with the Versa Camcover, an elegant and efficient alternative to traditional metal covers.

- Microwave safe plate covers withstands temperatures up to 149°C*.
- · Covers remain cool to the touch for easy handling.
- Lighter and quieter than metal covers.
- Elegant appearance without polishing.
- Keeps food warm longer than metal covers.

- Available in a variety of sizes in round and square.
- · Made of fiberglass material.

Colors: Ivory (380), Granite Gray (191), Antique Parchment (101).

*Can be used in heated carts.

Microwave safe.

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com. Or, send one of your plates to Cambro Customer Service for sizing.











CODE	INSIDE Diameter	OUTSIDE Height	CASE Pack
Square			'
85SFVS	20,91 cm	7 cm	12
978SFVS	25,4	7	12
Round			
68VS	16,5	5,6	12
86VS	21	6,7	12
91VS	23,2	6,8	12
913VS	24,9	6,8	12
95VS	23,7	6,8	12
99VS	24,3	6,7	12
911VS	24,6	7	12
100VS	25,4	6,8	12
103VS	25,9	6,8	12
105VS	26,2	6,8	12
106VS	26,4	7,2	12
1010VS	27	6,8	12
1012VS	27,3	6,8	12
1014VS	27,6	6,8	12
116VS	28,9	8,1	12
120VS	30,5	7,3	12
124VS	31,1	7,3	12









CAMWEAR® CAMCOVERS®

- · Food stays hot and appetizing without re-heating.
- Ideal for use in heated carts up to 99°C.*
- Made of durable Camwear, will not dent or scratch.
- Lightweight for quiet service.
- Saves on labor with no polishing required.

Colors: Clear (152), Amber (153), Beige (133), Silver (486). MDCPC9CW Colors: Clear (135), Amber (153), Beige (133), Silver (486).

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com. Or, send one of your plates to Cambro Customer Service for sizing.

*Not recommended for microwave use.

















9011CW, 1000CW, 1007CW, 1013CW, 1101CW: (152)

CODE	INSIDE Diameter	OUTSIDE Height	CASE PACK
Camwear Camco	vers		
806CW	21,4 cm	6,8 cm	12
900CW	23,2	7	12
901CW	23,7	7,2	12
905CW	24,1	7,2	12
909CW	24,8	7	12
9011CW	25,4	7,3	12
9013CW	25,4	7	12
1000CW	25,9	6,8	12
1005CW	26,8	7,2	12
1007CW	27	7	12
1013CW	27,5	6,8	12
1101CW	27,9	6,8	12
1202CW	30,8	7	12
Camwear Low Pr	ofile Camcovers		
MDCPC9CW	23,2	5	12

PROMOTE YOUR BRAND -PERSONALIZED TABLE SERVICE AND FOOD STORAGE PRODUCTS

Personalize tumblers, barware, pitchers, decanters and dinnerware to promote a brand, business or enhance customer satisfaction. Use to identify inventory for multiple service locations. Personalize food storage products to identify contents, add fill lines with recipe instructions to ensure product quality and consistency. Personalized product orders are full case quantities only, no broken cartons.



Look for this icon that identifies items that can be personalized.

PAD PRINT PERSONALIZATION

- · One color. Two color available for table service products only.
- Choose from 12 standard imprint colors.
- Print area is 6 mm to 10 cm, based on printable area specific to product. Order minimum 72 each.

PERSONALIZATION CHARGES

- Custom Personalization Plate Charge
- · *** Net (one-time charge, billed on first purchase order)
- Set Up Charge *** Net per order
- · Color Imprint Charge *** Net per side, per color

HOW TO ORDER A SAMPLE

1. Request a Sample

Contact your local Cambro representative to complete and submit your sample request to Cambro. Form MUST BE submitted with artwork.

2. Artwork

Must be ready to use, digital format only. Email to Cambro Representative or to Cambro at letsgetpersonal@cambro.com. Title email subject with logo name. Provide contact info. If artwork is incomplete, graphic services are available for *** per hour. File Dimensions: 100% reproduction size, 300 dpi resolution File Type: Adobe® Illustrator®, Photoshop® File Format: jpeg, tiff, eps

3. Sample Turnaround

7-10 business days from approval of artwork.

4. Sample Approval

Approval form included with each sample. Form must be completed and faxed to Cambro prior to processing purchase order.

5. Sample Charge (net)

*** per sample (charge billed on sample order, credited back on first purchase order).

6. Questions

Contact Kristie Patterson at 714-230-4125 direct, 800-854-7631 Ext. 4125 or email kpatterson@cambro.com.

***Contact your Cambro representative for pricing

CHOOSE ONE OR TWO STANDARD IMPRINT COLORS

Due to the catalog printing process, the colors shown may not be exact.



Violet



Black























CAMWEAR® PITCHERS

- · Lightweight for easy handling.
- Exclusive ice-control contoured lip and pour spout reduce spills.
- Slotted base allows for complete and sanitary drying.

Color: Clear (135). P600CW is also available in Amber (153).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

PC34CW Stackable Pitcher is covered by the following U.S. Patent D 682,002 S.











STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

P320CW, P34CW, P34LCW, P480CW, P600CW, P60CW, PL60CW, PE600CW, P64CW. PC64CW: (135)

PL60CW

Laguna® pitcher with hammered texture that hides scratches. Pour liquids from front or ice and liquid from sides. Matching tumblers available.



PL60CW

CAPACITY: 1,8 L **HEIGHT WITH SPOUT: 20 cm** DIAMETER WITH HANDLE:

17 cm

P320CW, P480CW and P600CW An industry standard. Broad base for stability, prevents tipping.



P320CW

CAPACITY: 0,95 L

HEIGHT WITH SPOUT: 17 cm

DIAMETER WITH HANDLE:

14,5 cm

Case Pack: 6



P480CW

CAPACITY: 1,4 L **HEIGHT WITH SPOUT: 20 cm**

DIAMETER WITH HANDLE: 16 cm

Case Pack: 6



P600CW

CAPACITY: 1,8 L

HEIGHT WITH SPOUT: 20,5 cm DIAMETER WITH HANDLE:

17 cm

Case Pack: 6



P60CW

CAPACITY: 1,8 L

HEIGHT WITH SPOUT: 23 cm

DIAMETER WITH HANDLE:

18,5 cm

Case Pack: 6



PE600CW

Economy and lightweight design. Pour liquids from front or ice and liquid from sides.



Tapered design and drip-proof spout.



P64CW

CAPACITY: 1.9 L

HEIGHT WITH SPOUT: 23,5 cm

DIAMETER WITH HANDLE: 18,5 cm

Case Pack: 6

PC64CW

Three position lid can strain ice, free pour or close to protect contents.



PC64CW

CAPACITY: 1,9 L

HEIGHT WITH SPOUT: 24,8 cm with lid

DIAMETER WITH HANDLE:

18,5 cm

Case Pack: 6

PC34CW

Stackable pitchers and lid with frosted design to hide scratches.



PC34CW

CAPACITY: 1 L

HEIGHT WITH SPOUT:

19 cm with lid

DIAMETER WITH HANDLE:

17 cm

Case Pack: 6

P34CW

Stackable pitcher only.

P34LCW

Stackable pitcher lid only.



P34CW / P34LCW

CAPACITY: 1 L / -

HEIGHT WITH SPOUT:

16,8 cm / 5,1 cm

DIAMETER WITH HANDLE: 17 cm / 11,4 cm

Case Pack: 6

186

PE600CW

18,7 cm

Case Pack: 6

CAPACITY: 1.8 L

HEIGHT WITH SPOUT: 20 cm

DIAMETER WITH HANDLE:

CAMWEAR® ALISO® BARWARE, GOBLETS AND **DESSERT GLASS**

Aliso Barware replicates the look, heft and clarity of glass with durable Camwear. The smooth seamless appearance makes Aliso Barware a stylish choice for casual dining, outdoor events or poolside service.

- Barware items have large, heavy bases for stability.
- Bases designed for fast draining and complete drying.
- Chill or frost barware without concerns of thermal shock damage.

Color: Clear (135).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.































CODE	BWM10CW	BWW10CW	BWP14CW	BWB16CW	GB850CW	GB1200CW	DG3CW*
DESCRIPTION	Martini	Wine	Pilsner	Beer mug	Goblet	Goblet	Dessert glass
MAX DIAMETER	12,2 cm	7,5 cm	8,3 cm	12,1 cm	7 cm	7 cm	5,8 cm
MAX HEIGHT	17,5 cm	17,1 cm	24,3 cm	15,9 cm	15,9 cm	19,4 cm	7,7 cm
FULL SIZE CAMRACK®	9S638	25\$638	25\$958	16S638	36S534	36\$738	49\$318
CAPACITY TO RIM	310,5 mL	310,5 mL	458,4 mL	473 mL	266 mL	378 mL	100 mL
CASE PACK	12	24	24	12	24	24	72

^{*}Available for ordering in cases only. No broken cartons.

TUMBLERS AND DISPOSABLE CAMLIDS®

- Reusable tumblers save operators the cost of replacing broken glass or disposable kids' cups while reducing waste.
- Reusable tumblers can be personalized with logos or exclusive designs to enhance branding.
- Ideal for fast-paced casual dining or outdoor events. Offers the look of glass without the risk.
- Prevent spills with tight fitting disposable Camlids.





LIDO® - SAN TUMBLERS

- Easy to clean internal stacking ring promotes stable and space-efficient storage.
- Made of impact resistant SAN plastic that resists chips and breaks, minimizing replacement costs.

Color: Clear (152). Disposable CamLid Color: Translucent (190).

Capacity is to the top fill-line.

Lido Tumblers are covered by U.S. Patent D720,963 S.









*177 and 266 mL. tumblers feature subtle graduation markings intended for use in healthcare operations.

















CODE	LDT5	LDT6	LDT9	LDT10	LDT12	LDT16	LDT22
FITS LID	CLJ6	CLST6	CL900P	CLNT10	CLNT12	CLST9	CLSM8B5**
DIAMETER	5,9 cm	6,8 cm	8,1 cm	7,3 cm	7,6 cm	8,4 cm	8,9 cm
HEIGHT	9,4 cm	9,4 cm	9,4 cm	11,4 cm	12,5 cm	13,5 cm	16,8 cm
FULL SIZE CAMRACK®	49S318	36S318	25S318	36S418	30\$434	25\$534	20\$638
CAPACITY TO RIM	150 mL	177 mL*	266 mL*	300 mL	355 mL	480 mL	650 mL
CASE PACK TUMBLER / LID	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,500

^{**}Excludes a cross-slot for straws.

CAMWEAR® HUNTINGTON® & NEWPORT – SAN TUMBLERS

Huntington Tumblers

- Feature the elegant look and feel of glass without the high replacement costs.
- Made of durable Camwear.
- · Lightweight.
- Stacking lugs to prevent sticking.
- Three sided drain bottom for easy washing and drying.

Colors: Azure Blue (196), Clear (135). Lid Color: Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -40° to 99°C.

*Excludes a cross-slot for straws.





STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

HT5CW, HT8CW, HT120CW, HT10CW, HT12CW: (135)



















CODE	HT5CW	HT8CW	HT10CW	HT120CW	HT12CW	HT14CW	HT16CW	HT22CW
FITS LID		CLNT8	_	CLNT12	_	_	CLAM8B5*	CLSM8B5*
MAX DIAMETER	6 cm	6,8 cm	7,1 cm	7,6 cm	8,6 cm	8,3 cm	8,4 cm	8,9 cm
MAX HEIGHT	9 cm	11,3 cm	12,2 cm	12,8 cm	9,5 cm	12,4 cm	14 cm	17 cm
FULL SIZE CAMRACK®	49S318	36S418	36S434	25\$434	25\$418	25S434	25\$534	25S638
CAPACITY TO RIM	148 mL	237 mL	296 mL	355 mL	355 mL	414 mL	473 mL	652 mL
CASE PACK TUMBLER / LID	36 / —	36 / 1,000	36 / —	36 / 1,000	36 / —	36 / —	36 / 1,500	36 / 1,500

Newport Tumblers

- Fluted design features the upscale look of glass with the safety benefits and cost savings of plastic.
- Impact resistant SAN plastic resists chips and breaks.
- Stacking lugs prevent sticking.
- Sani-Rim lip provides a sanitary drinking surface.

Colors: Clear (152), Amber (153), Slate Blue (401).

Lid Color: Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -20° to 85°C.

*Excludes a cross-slot for straws.











STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

NT5, NT8, NT9, NT10, NT12: (152)



















							The Control of the Control	
CODE	NT5	NT8	NT9	NT10	NT12	NT14	NT16	NT20
FITS LID	CLNT5	CLNT8	CLNT9	CLNT10	CLNT12	_	_	CLSM8B5*
MAX DIAMETER	6,4 cm	6,8 cm	8,3 cm	7,1 cm	7,6 cm	7,9 cm	8,3 cm	8,7 cm
MAX HEIGHT	9,4 cm	10,2 cm	8,4 cm	11,6 cm	13 cm	12,7 cm	14,6 cm	16,5 cm
FULL SIZE CAMRACK	36S318	36S418	25S318	36S434	25\$434	25\$434	25S534	25\$638
CAPACITY TO RIM	189 mL	228 mL	275 mL	300 mL	373 mL	414 mL	485 mL	650 mL
CASE PACK TUMBLER / LID	36 / 1,500	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,000	36 / —	36 / —	36 / 1,500

LAGUNA® – SAN & DEL MAR® TUMBLERS

Laguna Tumblers

- Hammered texture hides water spots and scratches.
- Made of impact resistant SAN.
- Lightweight and easy to carry.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

LT8, LT10, LT12, LT22: (152)

Colors: Clear (152), Spanish Green (427). **Lid Color:** Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

Withstands temperatures from -20° to 85°C.

*Excludes a cross-slot for straws.



























			3		A CONTRACTOR OF THE PARTY OF TH		
CODE	LT6	LT8	LT10	LT12	LT14	LT16	LT22
FITS LID	CLLT6	CLLT8	CLLT10	CLLT12	_	CLAM8B5*	_
MAX DIAMETER	6,3 cm	6,9 cm	7,4 cm	7,9 cm	8,3 cm	8,4 cm	9,3 cm
MAX HEIGHT	10,7 cm	10,9 cm	12,1 cm	12,7 cm	13,1 cm	14 cm	15,4 cm
FULL SIZE CAMRACK®	36S418	36S418	30S434	25\$434	25\$434	25S534	16S534
CAPACITY TO RIM	177,4 mL	236,6 mL	295,7 mL	354,9 mL	414 mL	473,2 mL	650,6 mL
CASE PACK TUMBLER / LID	36 / 1,500	36 / 2,000	36 / 1,000	36 / 1,000	36 / —	36 / 2,000	36 / —

Del Mar Tumblers

- Crackled glass look features the lightweight handling of plastic.
- Thick sturdy base and rolled rim edge for added stability.
- Made of impact resistant SAN plastic.

Colors: Clear (152), Ruby Red (156), Sapphire Blue (608), Light Amber (609). **Lid Color:** Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

Del Mar Tumblers are covered by the following U.S. Patent D 478,778 S.

Withstands temperatures from -20° to 85° C.

























CODE	D8	D12	D14	D16	D24
FITS LID	<u> </u>	_	CLST9	_	
MAX DIAMETER	6,7 cm	7,5 cm	8,3 cm	7,8 cm	8,7 cm
MAX HEIGHT	10,6 cm	12 cm	8,3 cm	15,1 cm	16,8 cm
FULL SIZE CAMRACK	36S418	25S434	25S318	25\$534	25\$638
CAPACITY TO RIM	237 mL	355 mL	414 mL	473 mL	710 mL
CASE PACK TUMBLER / LID	36 / —	36 / —	36 / 1,000	36 / —	36 / —

COLORWARE – SAN TUMBLERS & COCA-COLA® TUMBLERS

- · A classic value tumbler ideal for casual dining.
- Textured on the outside to resist scratching.
- Made of impact resistant SAN.
- Interior stacking lugs for easy storing.
- Sani-Rim lip provides a sanitary drinking surface.

Colors: Slate Blue (401), Clear (152), Amber (153), Ruby Red (156). Lid Color: Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -20° to 85°C.











STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

1200P: (152)



					1			
CODE (72 PACK)	500P	800P	900P	950P	1200P	1600P	2000P	_
CODE (24 PACK)	500P2	800P2	900P2	950P2	1200P2	1600P2	2000P2	3200P2
FITS LID	CLJ6	CL800P	CL900P	CL950P	_	_	_	_
MAX DIAMETER	5,7 cm	6,7 cm	8,1 cm	7 cm	7,5 cm	8 cm	8,6 cm	10 cm
MAX HEIGHT	9,2 cm	10,2 cm	8,25 cm	11,1 cm	13,2 cm	14,6 cm	16,5 cm	18,4 cm
FULL SIZE CAMRACK®	49S318	36S418	25\$318	36S418	25\$434	25\$534	25S638	16S738
CAPACITY TO RIM	154 mL	231 mL	287 mL	290 mL	373 mL	485 mL	650 mL	976 mL
P CODE-CASE PACK	72	72	72	72	72	72	72	_
P2 CODE-CASE PACK	24	24	24	24	24	24	24	24

1,000

Coca-Cola® Tumblers

LID CASE PACK

- Colorware Tumblers featuring the Coca-Cola trademark logo in White.
- · Available only to Coca-Cola fountain customers for foodservice use.

Color: Clear (152).

1,000

1,000

Coca-Cola Logo is imprinted in white only.

These trademarked vessels may not be resold at retail and are available only for distribution to Coca-Cola Fountain customers for foodservice use.

Withstands temperatures from -20° to 85°C.











1,000



0005	0000	0000
CODE	20CC	32CC
MAX DIAMETER	8,6 cm	10 cm
MAX HEIGHT	16,5 cm	18,4 cm
FULL SIZE CAMRACK	25S638	16S738
CAPACITY TO RIM	650 mL	976 mL
CASE PACK	72	24

CAMWEAR® TUMBLERS AND CAMVIEW® CAMLITERS®

Camwear Tumblers

- The look and feel of glass but made of durable Camwear.
- Textured exterior surface resists scratching.
- Smooth interior promotes easy cleaning.
- Designed with a Sani-Rim lip for sanitary drinking.

Color: Clear (152).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -40° to 99°C.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

500CW, 800CW: (152)















CODE	500CW	800CW	850CW	950CW	1200CW	1600CW
FITS LID			_	CLNT10	<u>—</u>	CL900P
MAX DIAMETER	5,7 cm	6,7 cm	8,6 cm	7 cm	7,5 cm	7,9 cm
MAX HEIGHT	9,2 cm	10,2 cm	9,7 cm	11,1 cm	13,2 cm	14,6 cm
FULL SIZE CAMRACK®	49\$318	36S418	25\$418	36S418	36\$434	25\$534
CAPACITY TO RIM	160 mL	237 mL	269 mL (heavy wall)	284 mL	384 mL	503 mL
CASE PACK TUMBLER / LID	48 / —	48 / —	48 / —	48 / 1,000	48 / —	48 / 1,000

CamView Camliter **Beverage Decanters**

- Ideal for serving beverages on buffet lines or table side.
- Spill-proof, snap tight flat lids included to protect content from cross contamination.
- Pour Spout Lid available to protect content while allowing free pour.
- · Light-weight, dent and scratch resistant.
- Made of impact resistant material.
- NSF Listed- Camliter with Flat Lid.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

WW1000, WW500, WW250: (135) WW1000L, WW1000LS: (148)









Color: Clear (135). Lid Color: White (148).

Personalization available. See cresting section for information and ordering.

Withstands temperatures from

-40° to 71°C.

Lids not NSF listed.














Case Pack: 12

BEVERAGE DISPENSER, PAIL WITH BAIL & SWIRL BOWLS®

21 L Beverage Dispenser

- · Perfect for mixing and serving concentrated beverages.
- Standard and metric graduations are printed on dispenser.
- Impact resistant polyethylene withstands temperatures from -40° to 70°C.

CODE	CAPACITY
DSPR6	21 L
Case Pack: 1	

Color: White (148).

Personalization available. See cresting section for information and ordering.













DSPR6 Capacity: 21 L

Pail with Bail - Poly

- A large, multi-purpose, 21 L pail, ideal for mixing, storing and transporting.
- Durable polyethylene withstands temperatures from -40° to 70°C, and is stain resistant.
- Snap-tight, thumb tab cover sold separately.

CASE CODE PACK PWB22 6 RFSC12 (cover) 6

Color: White (148).















All graduations are approximate.

Swirl Bowls

- Ideal for hot or cold side dishes, desserts, dips, or fruit.
- Fits on a plate or stacks in place on a buffet station.
- Available in durable Camwear® or break resistant SAN.

Colors:

SRB5CW and SRB13CW: Clear (135), Black (110). White (148). SRB5 and SRB13: Clear (152), Black (110), White (148).

Made of (P.E.T.) material.





















CODE	CAPACITY	CASE Pack
Camwear		
SRB5CW	148 mL	24
SRB13CW	384	24
SAN‡		
SRB5	148	24
SRB13	384	24
Disposable Lid		
CLSRB5	_	1,000
Disposable Lid Color: Clear (152).		

CAMWEAR® WINE BUCKETS, PUNCH BOWLS & BUD VASE

Wine Buckets

- Chill and showcase wine or champagne.
- Tough Camwear won't crack or break and is easy to clean.

Color: Clear (135).

Personalization available. See cresting section for information and ordering.













WC100CW

Pebbled Pedestal Punch Bowls

- Perfect for parties, weddings and receptions.
- Made of durable Camwear.
- Attractive pebbled exterior is scratch resistant and smooth interior is easy to clean.

Color: Pebbled (176).

Capacities are calculated to rim.

Personalization not available.











CODE	INSIDE Diameter	APPROX. Capacity	CASE PACK
PPB15	38,1 cm	10,6 L	1
PPB18	45,7	19,1	1
PPB23	58,4	37,8	1

Bud Vase

- Ideal for dining rooms, cafeteria tables and patient or room service trays.
- Made of durable Camwear.
- Fill with a fresh rose bud or a colorful faux flower.

Colors: Black (110), Clear (135), White (148).











Black (110)

Clear (135)

White (148)

CODE	DESCRIPTION	CASE PACK
BV6CW	15,24 cm bud vase	12

FOOD PRESENTATION





DELI CROCKS & PLATTER

- Prep, store and serve all in one with contemporary style at an economical price.
- Crocks and platter are made of SAN, making them impact, stain and chip resistant.
- Ideal for supermarket delis, sandwich shops, buffets and catered events.
- Handled covers are made of crystal clear, virtually unbreakable Camwear®.

Crock and Platter Colors: Clear (152), Black (110), White (148), Red (404).

Crock Cover Color: Clear (135).

Deli Crocks are covered by the following U.S. Patents D 504,283 S, D 503,871 S & D 494,419 S. Scalloped Food Service Cover is covered by the following U.S. Patent D 509,705 S.

DCC5, DCC10 are NSF Component.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

DC5, DC10: (110), (148) DCC5, DCC10: (135)



Prep, stack, store and serve all in one.



Interstacking saves storage space.



Avoid cross contamination and keep food fresh by using clear cover with handle.



Lid can be used as a riser to provide additional height on the buffet table or in a deli display case.



Cover doubles as a false bottom for presentation and to reduce waste.

Crocks & (BPA) Platter








CODE	DC5	DC10	DP15
DESCRIPTION	Crock	Crock	Platter
DIMENSIONS L x D x H	26 x 17,5 x 8 cm	33,5 x 26,5 x 8 cm	40 x 30,5 x 5,5 cm
APPROXIMATE CAPACITY	2 L	4,6 L	3,2 L

Case Pack: 6

Covers

CODE





Case Pack: 6

DIMENSIONS L x D x H

APPROXIMATE CAPACITY



SHOWFEST® DISPLAY BOWLS & TRAYS

- Showcase cold deli, buffet and salad bar items.
- Made from SAN for impact, stain, break & chip resistance.
- Variety of shapes & sizes to make the best use of display area.

Colors: Black (110).

Personalization not available.













Scalloped Ovals	-165	
CODE	SFV1015	
DIMENSIONS L x D x H	38 x 25,4 x 5 cm	
APPROX. CAPACITY	2,8 L	

Case Pack: 6

Scalloped Rectangles	
CODE	SFR1012
DIMENSIONS L x D x H	31,8 x 25,4 x 7,6 cm
APPROX. CAPACITY	4,3 L
Case Pack: 6	



Octagonals			mental seasons	
CODE	SFG1012	SFG1015	SFG820	SFG1220
DIMENSIONS L x D x H	30,5 x 25,4 x 5 cm	38 x 25,4 x 5 cm	50,8 x 20,3 x 5 cm	50,8 x 30,5 x 5 cm
APPROX. CAPACITY	2,8 L	3,3 L	3,7 L	5,8 L

Case Pack: 6

CAMWEAR® BOWLS

Round Pebbled Bowls

- Textured on the outside for an elegant look, smooth on the inside for easy cleaning.
- Made of virtually unbreakable Camwear for years of dependable service.
- Ideal for fruit, salads, snacks and desserts.

Color: Pebbled (176).

Capacities are calculated to rim.














Ribbed Bowls

- Stylish, contemporary appearance for a dramatic presentation.
- Made of virtually unbreakable Camwear that won't break like glass.
- Bowls are durable and lightweight. Will not chip and crack like acrylic.
- Resistant to stains, acids and odors.

Colors: Clear (135), Black (110), White (148).

Rectangular Ribbed Bowls are not available in White (148).







Round **Pebbled Bowls**









CODE	PSB6	PSB8	PSB10	PSB12
INSIDE DIAMETER	15,2 cm	20,3 cm	25,4 cm	30,5 cm
APPROXIMATE CAPACITY	556 mL	1,5 L	3 L	5,5 L
CASE PACK	12	12	12	12

Round Pebbled Bowls







CODE	PSB15	PSB18	PSB23
INSIDE DIAMETER	38,1 cm	45,7 cm	58,4 cm
APPROXIMATE CAPACITY	10,6 L	19,1 L	37,8 L
CASE PACK	4	4	4

Color: Pebbled (176).

Rectan	gular
Ribbed	Bowls







CODE	RSB912CW	RSB1014CW	RSB1419CW
DIMENSIONS L x D x H	30,8 x 22,9 x 7,6 cm	37 x 27,3 x 9 cm	49,2 x 36,2 x 12 cm
APPROXIMATE CAPACITY	2,7 L	4,7 L	11,3 L
CASE PACK	12	4	4

Rectangular Ribbed Bowls are not available in White (148).

Round Ribbed Bowls









CODE	RSB6CW	RSB8CW	RSB10CW	RSB12CW
INSIDE DIAMETER	15,2 cm	20,3 cm	25,4 cm	30,5 cm
APPROXIMATE CAPACITY	564 mL	1,6 L	3 L	5,5 L
CASE PACK	12	12	12	12







CODE	RSB15CW	RSB18CW	RSB23CW
INSIDE DIAMETER	38,1 cm	45,7 cm	58,1 cm
APPROXIMATE CAPACITY	10,6 L	19,1 L	37,8 L
CASE PACK	4	4	4

BELL SHAPED, BUDGET & FIBERGLASS BOWLS

Camwear® Bell-Shaped Pebbled Bowls

- Perfect for showcasing fruits and salads.
- A versatile alternative to Cambro traditional Round Pebbled Bowls.
- Made from virtually unbreakable Camwear.

Color: Pebbled (176).

Personalization not available.

Capacities are calculated to rim.











CODE	BSB10	BSB12	BSB18	
INSIDE DIAMETER	25 cm	30,5 cm	45,7 cm	
APPROX. CAPACITY	2 L	3,8 L	11,8 L	
CASE PACK	12	4	4	

Budget Salad Bowls

- An economical serving choice for fruit, salads, snacks and desserts.
- Impact resistant FDA approved material resists stains, acids and odors.

Colors: Birch (174), Black (110).

Personalization not available.

Capacities are calculated to rim.









Case Pack: 72



Fiberglass Bowls

- · Combines the look of warm wood grains with the durability of fiberglass.
- · Colors won't fade even after years of service and washing.

Color: Dark Basketweave (301).

Personalization not available.

For a swatch of this color and pattern, see Camtray® group section.


Capacities are calculated to rim.











Case Pack: 12



CAMWEAR® DISPLAY COVERS & TRAYS

- Display covers protect freshness of pastries, breads and desserts.
- · Virtually unbreakable Camwear features the upscale look of glass.
- Openings on side or end provide quick and easy access to contents without removing cover.‡

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN**

RD1200CW, DD1220ECW, DD1220BECW, DD1220SCW, RD1220CW: (135)

WAREHOUSE

DT1220CW: (110)

Display Covers

Color: Clear (135).

Personalization available. See cresting section for information and ordering.

*Dimensions include handle(s). Handle height is 2,06 cm.

Market Trays

Colors: Salmon (149), Yellow (145), Blue (142), Green (140), White (148), Black (110).

Colors NSF listed for food contact:

White (148), Blue (142), Green (140).

Display Tray Colors: Clear (135), Black (110).

Personalization not available.

**Special order item not carried in stock – non-returnable.









Display Trays are stackable. Refer to Market Tray for information.







DD1220BECW‡



Dome with side cut - DD1220SCW‡



Display Tray - DT1220CW



CODE	APPROXIMATE Dimensions W x L x H*	DESCRIPTION	CASE PACK
Display Covers			
RD1200CW	30,5 x 30,5 x 20,9 cm	Cake cover	1
DD1220CW	55,6 x 37,5 x 20,3	Dome cover	1
DD1220ECW	55,6 x 37,5 x 20,3	Dome w/end cut	1
DD1220BECW	55,6 x 37,5 x 20,3	Dome w/2 ends cut	1
DD1220SCW	55,6 x 37,5 x 20,3	Dome w/side cut	1
DD1826CW	67,9 x 47,9 x 22,5	Dome cover	1
RD926CW	67,2 x 25,4 x 15,9	Rectangular cover	1
RD1220CW	55,6 x 35,9 x 14,9	Rectangular cover	1
RD1220CWH	55,6 x 35,9 x 12,7	Rectangular w/hinge	1
RD1826CW	67,2 x 47,9 x 15,9	Rectangular cover	1
RD1826CWH	67,9 x 47,6 x 13	Rectangular w/hinge	1
Display Tray – Fi	ts with all 1220 covers		
DT1220CW	32,5 x 53	Tray	1
Market Tray – Fi	ts with all 1826 covers		
1826MT**	65,3 x 45,2 x 2,7	Tray	6

CROCKS & LADLES

Crocks

- Ideal for use with salad bars, on buffet tables or at food stations.
- Resists stains and odors caused by vinegar, salad oils, or mayonnaise.
- Made of high impact FDA accepted material.
- Smooth surface is easy-to-clean.
- Works in Salad Bar Holder SBH15 and Crock Holder CPH3.

Solid Color Crock Colors: Black (110), Beige (133), Reddish Brown (195). Clear Crock Color: Clear (152). Lid Color: White (148).

Personalization available. See personalization section for details.

*Lids for Solid Color and Clear Crocks are not interchangeable.









Camwear® Ladles

- Portion control bowls serve the perfect amount of dressing or food ingredient.
- Angled for easy handling.
- Designed with a side rest so ladles don't slip into crocks or serving bowls.
- Made of virtually unbreakable Camwear for years of dependable service.

Colors: Black (110), Beige (133), Clear (135), White (148).

*Cambro's assortment pack is available in black only. It offers 8 imprinted ladles and 4 with no imprinting. The 8 imprints include: 1 Thousand Island, 1 French, 1 House, 1 Italian, 1 Bleu Cheese, 1 Ranch, 1 Low Cal, 1 Caesar. This makes a perfect start-up set for a salad bar.

Custom Order Ladle Imprints — See cresting section for information and ordering. Maximum imprint area is 2,5 x 1,2 cm. Six dozen minimum.

No broken cartons on assortment pack or imprinted ladles. Special order item not carried in stock, non-returnable.













LD85, LD105: (135), (110)



CODE	HEIGHT	TOP DIAMETER	CUT OUT DIAMETER
Solid Color Croc	k with Lid		_
CP12	13,2 cm	12,9 cm	12,1 cm
CP15	11	16,8	15,7
CP27	17,2	16,8	15,6
Clear Color Croo	k with Lid		
CCP12	13,7	13,3	12,4
CCP15	11,1	17,2	15,9
CCP27	17,5	17,2	15,7

		CASE
CODE	CAPACITY	PACK
Solid Color Crocks		
CP12	1,1 L w/Lid	12
CP15	1,4 L w/Lid	6
CP27	2,4 L w/Lid	6
Lids for Solid Color C	rocks	
CPL12*	Fits Colored CP12 Crock	12
CPL27*	Fits Colored CP15 & CP27	12
Clear Crocks		
CCP12	1,1 L w/Lid	12
CCP15	1,4 L w/Lid	6
CCP27	2,4 L w/Lid	6
Lids for Clear Crocks	8	
CCPL12*	Fits Clear CCP12 Crock	12
CCPL27*	Fits Clear CCP15 & CCP27	12





Imprinted Ladles shown.

CODE	DESCRIPTION	LENGTH	CAPACITY	
LD85	Plain	21,6 cm	25 mL	
LD85A*	Assortment	21,6	25	
LD105 Plain LD105A* Assortment		26,8	30 30	
		26,8		
LD130 Plain		33	30	
	_			

Case Pack: 12

CAMWEAR® SERVING SPOONS, TONGS & HIGH HEAT CAMTENSILS®

Serving Spoons

- Made of virtually unbreakable Camwear, spoons won't tarnish, bend or dent.
- A wide handle and molded in thumb rest ensure a solid, ergonomic grip.
- Spoons feature a notched back to rest on pans.
- Spoon capacities are approximate and are not intended for measuring.

Colors: Black (110), Beige (133), Clear (135), Red (404), White (148).

Personalization available. See cresting section for information, ordering and pricing.

*Cannot be personalized.













Perforated



SPOP10CW

DESCRIPTION: 25,5 cm Perforated buffet spoon

DIMENSIONS: 26 x 4,3 cm

Case Pack: 12

SPOP11CW*
DESCRIPTION: 28 cm
Perforated deli spoon

DIMENSIONS: 28,3 x 7,3 cm

Case Pack: 12

SPOP13CW*

DESCRIPTION: 33 cm Perforated deli spoon

DIMENSIONS: 33,3 x 7,3 cm

Case Pack: 12

Solid



SP08CW

DESCRIPTION: 20,5 cm Salad spoon

DIMENSIONS: 20,6 x 3,8 cm

Case Pack: 12



SP010CW

DESCRIPTION: 25,5 cm Buffet spoon

DIMENSIONS: 26 x 4,3 cm

Case Pack: 12



DESCRIPTION: 28 cm Deli spoon

DIMENSIONS: 28,3 x 7,3 cm

Case Pack: 12

SP013CW*

STOCK PRODUCTS & COLORS

AVAILABLE IN OUR EUROPEAN

SP08CW, SP010CW, SP0P11CW: (110)

SP011CW, SP013CW, SP0P13CW: (110), (135)

WAREHOUSE

DESCRIPTION: 33 cm Deli spoon

DIMENSIONS: 33,3 x 7,3 cm

Case Pack: 12

High Heat Camtensils, Spoons and Turners

- Ideal for preparing and serving hot and cold foods.
- Made of a durable high heat material that withstands temperatures from -40° to 190°C.
- Handle includes a hole for hanging when not in use and notches to rest on pans.



SP013

DESCRIPTION: 33 cm Solid spoon

DIMENSIONS: 33,3 x 7,3 cm

Case Pack: 12

SPA14

DESCRIPTION: 35,5 cm Solid turner

DIMENSIONS: 35,9 x 8,9 cm

Case Pack: 12

Colors: Amber (150), Black (110).

Personalization not available.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SP013, SP0P13, SPA14: (150)



SPOP13 PERFORATED

DESCRIPTION: 33 cm Perforated spoon

DIMENSIONS: 33,3 x 7,3 cm

Case Pack: 12



SPASL14

DESCRIPTION: 35,5 cm Slotted turner

DIMENSIONS: 35,9 x 8,9 cm

Case Pack: 12



LUGANO® TONGS

- Colored tongs are made from a durable heat resistant material that withstands temperatures up to 99°C.
- Clear tongs are made from virtually unbreakable Camwear, which is safe to 99°C.

Lugano Flat and **Scallop Grip Tongs**

- Flat Tongs are ribbed to provide a secure hold.
- Scallop Tongs feature an ergonomic design and secure finger grip.

Colors: Black (110), Beige (133), Clear (135), Red (404), White (148).









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

6TGS, 12TGS, TG9: (135), (110) 9TGS: (135), (110), (148) TG6: (110)

FLAT GRIP



TG6

LENGTH: 15 cm Case Pack: 12



TG9

LENGTH: 23 cm Case Pack: 12

SCALLOP GRIP



6TGS

LENGTH: 15 cm Case Pack: 12



9TGS

LENGTH: 23 cm Case Pack: 12



LENGTH: 30,5 cm

Case Pack: 12





Lugano Angled and Easy-Grasp Tongs

- Angled tongs feature an ergonomic design that makes it easy to serve a variety of foods.
- Easy-Grasp Tongs provide a secure grip for hard to hold items.

Angled Tong Color: Black (110). **Easy-Grasp Colors:** Black (110), Beige (133), Clear (135), White (148).

Angled and Easy-Grasp Lugano Tongs are covered under U.S. Patent D 530.994 S.











ANGLED TONG



LENGTH: 21 cm

Case Pack: 12



TGA11

LENGTH: 27,5 cm Case Pack: 12

EASY-GRASP



TGG6 LENGTH: 17 cm Case Pack: 12



TGG9 LENGTH: 24 cm Case Pack: 12



CAMVIEW® SHAKERS/DREDGES & CAMWEAR® CONDIMENT JARS

CamView Shakers/Dredges

- A staple in the kitchen, at the condiment station or on the dining table.
- Clear shatter-resistant CamView and color coded lids make it easy to identify contents.
- Dishwasher safe and unaffected by food acids.

Shaker Color: Clear (135).

Personalization available. See cresting section for information, ordering and pricing.













96SKRLD Salt & Pepper



96SKRLC Cheese



96SKRLM Med. Ground



96SKRLP Parsley



CODE	LID COLOR
Shakers complete with lids (approx. capacity 300 mL)	'
96SKRP (w/parsley lid)	White (148)
96SKRD (w/salt & pepper lid)	Beige (406)
96SKRC (w/cheese lid)	Yellow (405)
96SKRM (w/medium ground lid)	Rose (408)
Shaker Replacement Lids (Shaker Lids are not intercha	ngeable with Camliter® Lids)
96SKRLP parsley lid	White (148)
96SKRLD salt & pepper lid	Beige (406)
96SKRLC cheese lid	Yellow (405)
96SKRLM medium ground lid	Rose (408)

Case Pack: 12

Camwear Condiment Jar

- Use to hold condiments such as mustard, ketchup, dressings, jam or salsa.
- Made of clear, virtually unbreakable Camwear.
- Lids are slotted to hold serving spoons when not in use.

Color: Clear (135).

Personalization available. See cresting section for information, ordering and pricing.











CODE	APPROXIMATE Capacity	SIZE H x DIA.	CASE Pack	
Condiment Jar Set		,		
CJ80CW	240 mL	10,2 x 8,3 cm	24	

TRAYS





CHOOSE THE RIGHT TRAY FOR YOUR BUSINESS

Cambro is the global leader in manufacturing trays for the food service industry, offering the largest selection of materials, sizes, colors, shapes and personalization processes. Cambro's breadth of assortment provides the clear choice for the right tray for every need and budget.

Consider the following to select the right tray for your operation:

Step 1: What Will the Tray Be Used For?

In order to choose the correct tray, first identify the correct application.

Service Tray

Used by employees to carry items to serve to guests:

Non-Slip Tray Patron Tray

Used by customers to carry menu items:

Smooth Surface Tray

Step 2: Who Will Be Using the Tray?

To determine the appropriate tray material, it is critical to identify who will be using the tray.

Children

Students

Military

Office Employees

Wait Staff

Step 3: How Will the Tray Be Used and Washed?

Consider how the tray will be used, and whether it will endure mild or excessive use and abuse. Determine how often the trays will be washed per day.

Extensive:

Wash as often and as frequently as needed

Normal:

Wash up to 3 times per day

Minimal:

Wash once per day


Step 4: Determine the Budget per Tray

Ensure that the correct tray has been selected for the right application. Selecting a low cost tray for a heavy application is not the most cost effective option. Tray pricing varies according to the following factors:

Manufacturing process
Material type and grade
Tray size
Personalization options
Warranty

Step 5: Personalization

Cambro offers high quality personalization on most of the trays that we manufacture. Look for the personalization logo throughout the brochure.



Evaluate the importance of the following features to determine the best tray for your operation.

Stacking lugs - Promote air circulation for fast drying and perfect stacking
Surface impact resistance
Edge breaking resistance
Scratch and stain resistance
Type of Warranty

Technical test descriptions

All Cambro trays are submitted to an array of tests described to the right. The results are indicated on each tray page under Technical Test Results.



Textured Wood Trays



Versa Trays Anitmicrobial



Versa Lite Travs



Laminated Capri Trays



Laminated Corfu Trays



Laminated Mykonos Trays



Fast Food Trays



Non-Slip Trays

TESTS DESCRIPTIONS

Thermal Shock Resistance Test:

Test consists of applying a radical temperature change during a short period of time to the tray, by taking out the tray from icy water (0°C) and placing it into boiling water (100°C) and measuring any deformation.

Break Resistance Test:

Test consists of dropping a metal ball from specific heights onto the tray and measuring any deformation.

Scratch Resistance Test:

Observe scratches and abrasions as a result of friction between porcelain dinnerware and the tray surface.

Test consists of moving a porcelain dish placed on tray from left to right under hand pressure and measuring any abrasion on tray surface.

DISHWASHER SAFE DESCRIPTIONS

Extensive: Wash as often and as frequently as needed.

Normal: Wash up to 3 times per day.

Minimal: Wash once per day.

PERSONALIZATION

Value Added Personalization

Promote business to customers and employees alike by placing your custom logo, trademark, slogan or design on our trays.

How to Order

- 1) Select a tray size, color, pattern, or design.
- 2) Provide complete, camera-ready artwork and indicate positioning on the tray
- 3) According to the tray type, Cambro can produce 1, 2, 3 and 4 color artwork as well as 4 color process artwork

We require the following:

a. Electronic artwork file provided on CD-ROM for Mac or PC.

We accept the following file formats:

- Adobe Illustrator, Adobe Photoshop files in JPEG, TIFF or EPS formats.
- File dimensions must equal 100% of reproduction size at 300dpi resolution.

b. Illustration on paper: The quality of the art must be crisp and scannable. Please specify PANTONE number for each color or indicate if it is a four color process.

4) An artist's fee of *** per hour will be charged to any order submitted without complete, camera-ready artwork. Cambro will contact you if this fee will be charged and will give you an estimated cost.

- 5) Sample process:
- a. For any new project, a finished sample will be submitted for the customer's approval.
- b. The first sample with a firm purchase order is free. (Plus shipping cost.)
- c. Samples not accompanied by a firm purchase order or requests for more than one sample will be charged a flat rate of:
- Polyester, Fiberglass and Laminated Trays:
 *** Net per sample.
 (Plus shipping cost.)
- Polypropylene Fast Food Trays:*** Net per sample.(Plus shipping cost.)
- d. Upon receipt and shipment of a firm purchase order, a credit will be applied to your account for the cost of one sample.
- 6) Personalization charges apply to both original orders and returns.

POLYESTER TRAYS

Versa Trays VT/GP Versa Lite Trays VL/GL

• Only the following tray models are suitable for personalization:

Versa Travs

VT1216, VT1418, VT2632, VT3253,

VT3343, VT3343C, VT3646C, VT3753, VT3853, GP0540, GP1070, GP1080, GP3074, GP3980, GP4002, GP4210, GP4004, GP4701, GP4709, GP4853

Versa Lite Travs:

VL1014, VL1216, VL1418, VL2632, VL3253, VL3343, VL3343C, VL3646C, VL3753, GL0540, GL1070, GL1080, GL3074, GL3980, GL4002, GL4210, GL4701, GL4709

- Minimum Quantity: 120 trays per size.
- Sample Production Time: 10 business days + delivery and transit time from receipt of camera ready artwork.
- Order Production Time: Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable:

Digital Printing - Inside Trays Process: allows printing of one color or multiple color artwork as well as photo reproduction.

Tray Colors Recommended for Personalized Versa Trays VT/GP:

Speckled Mocha (A21), Sahara (A22), Light Grey (A27), Pearl White (A33), Terrazzo (A86).

For the following colors, please call Cambro Customer Service for artwork review: Magic Yellow (A25), Magic Mint (A26).

Tray Colors Recommended for Personalized Versa Lite Trays VL/GL:

Speckled Smoke (A20), Speckled Mocha (A21),

Sahara (A22), Light Grey (A27), Pearl White (A33) and Terrazzo (A86).

Printable Area:

The artwork can cover the flat surface of tray up to 1 cm from the internal tray edge.

Personalization Charges Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES
120-300	***
312-996	***
1,008 and up	***

***Contact your Cambro representative for pricing.


If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.



FIBERGLASS TRAYS

Camtrav® Travs

- All Camtray sizes can be personalized. (Except compartment trays shown in main Cambro catalog).
- Minimum Quantity: 144 trays per size.
- Sample Production Time: 10 business days
- + delivery and transit time from receipt of camera ready artwork.



 Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable:

a. Digital Printing - Edge to Edge: allows printing of one color or multiple color artwork as well as photo reproduction.

Printable area: Print area covers 100% of surface, edge to edge on top and bottom of the tray. Available for Decor Series Camtrays and select Camtrays.

b. Digital Printing - Inside Trays: allows printing of one color or multiple color artwork as well as photo reproduction. This process can only be used on light color trays. Darker tray color will make the artwork colors go darker.

Tray Colors Recommended for Four Color Printing Process:

Antique Parchment (101), Light Peach (106), Dark Peach (117), White (148), Sky Blue (177), Key Lime (429), Lemon Chiffon (536), Cameo Yellow (537), Cottage White (538).

Printable area: The artwork can cover the flat surface of tray up to 3,5 cm from the internal tray edge.

c. Silkscreen Printing Personalization: allows up to four colors. This process is best used with light color artwork on dark tray color.

Printable area: covers 100% of surface, edge to edge on top and bottom of the tray.

Personalization Charges Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES
144-299	***
300 and up	Free

^{***}Contact your Cambro representative for pricing.



PERSONALIZATION

LAMINATED TRAYS

Corfu, Capri, Mykonos, Madeira

- All Laminated tray sizes can be personalized or produced in any custom color. Custom color matching is treated as a personalization.
- Top and bottom parts of trays can be personalized with the exception of Corfu trays that can only be personalized on the backside of the tray. Personalization cost is per side of the tray.
- Minimum Quantity: 120 trays per size.



- Sample Production Time: 10
 business days + delivery and transit
 time from receipt of camera ready
 artwork.
- Order Production Time: Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.

 Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable: Four color process and Custom Color Matching.

- a. Digital Printing Inside Trays
 Process: This process allows the
 printing of one color or multiple color
 artwork as well as photo reproduction.
- b. Custom Color Matching: Custom color matching is treated as a personalization. To produce any color tray provide Cambro with PANTONE number.

Printable area: The artwork can cover the total surface of tray from one edge to the other. Artwork dimensions must be 4 cm bigger than tray sizes on each side due to trimming. (example: Tray size: 36 x 46 cm — Artwork size: 40 x 50 cm)

Personalization Charges Per Tray:					
QUANTITY ADDITIONAL					
EACH	NET CHARGES				
120 and up	***				

***Contact your Cambro representative for pricing.

POLYPROPYLENE TRAYS

Fast Food Trays

- All Fast Food trays sizes
 manufactured in the United States
 can be personalized. All Fast Food
 tray sizes manufactured in Europe
 and China cannot be personalized.
- Minimum Quantity: 288 trays per size.
- Sample Production Time:

 10 business days + delivery and transit time from receipt of camera ready artwork.



 Order Production Time: Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed. Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable:

Hot stamp 1 color process. Due to the application process onto textured tray surface, white can be selected but is not recommended.

Printable area: Artwork cannot exceed a maximum size of 15 x 15 cm.

Personalization Cost:

One-time die charge:

*** Net per order

Additional Net Charges Per Tray:				
QUANTITY EACH	ADDITIONAL Net charges			
288-767	***			
768-1,199	***			
1,200-5,999	***			
6,000-11,999	***			
12,000 and up	***			

***Contact your Cambro representative for pricing.

CAMTREAD TRAYS

Tray Back Personalization and Rubber Surface Embossing

- Camtread From USA:
 Tray Back Personalization only on 1600CT. Rubber surface embossing all Camtread sizes.
- Camtread From Europe: Sizes Available: 1100CT, 1400CT, 1600CT and 1800CT.
- Sample Production Time:

 10 business days + delivery and transit time from receipt of camera ready artwork.
- Order Production Time: Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.

 Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Tray Back Personalization Printing Process Applicable:

Four Color Printing Process allows printing of one color or multiple color artwork as well as photo reproduction. Camtread From USA: White trays

camtread From USA: White trays are recommended for tray back personalization.

Printable area: The artwork can cover the flat surface of tray up to 2,54 cm from the external tray edge.

Personalization Charges Per Tray:				
QUANTITY ADDITIONAL EACH NET CHARGES				
Camtread From USA				
72-144	***			
145-288	***			
289-432	***			
433 and up	Free			
Camtread From Europe				
120 and up	***			

Rubber Surface Embossing

Electronic File Format:
 Adobe Illustrator EPS formats.

Embossing Process Printable Area: The artwork can cover the surface of the tray up to 2,54 cm from the internal tray of edge.

Embassing Darsonalization Charge

Per Tray:					
QUANTITY ADDITIONAL EACH NET CHARGES					
Camtread From USA					
72 and up	***				
Camtread From Europe					
156 and up	***				

^{***}Contact your Cambro representative for pricing.

POLYESTER TRAYS RECOMMENDED USE $(\P)(s)(+)$ 00 TRAY DESCRIPTION Century™ Century™ Fun Trays: Versa Trays Versa Tray Plus Versa Trays Versa Lite Trays Versa Trays VT/GP Ecologic Series Textured VT/GP Page 215 VI /GI **Wood Trays Versa Lite Trays** Page 215 Pages 218-219 Pages 220-221 VL/GL Page 217 Page 216 MATERIAL SMC-High SMC-High Natural Material SMC-High SMC-High SMC-Standard Performance or Standard + SMC-High Performance Performance Performance **Fiberglass** Performance Performance **Fiberglass Fiberglass Fiberglass** Reinforced Reinforced **Fiberglass Fiberglass** Reinforced Reinforced Reinforced Polyester Polyester Polyester Polyester Polyester SURFACE Textured / Smooth Smooth Smooth Smooth Smooth Textured Non-Slip **PERFORMANCE** Excellent Excellent Excellent Excellent Excellent **Excellent PERSONALIZATION** No Yes ∆ Heat Yes ∆ Heat No Yes ∆ Heat Yes ∆ Heat resistance: 90°C resistance: 90°C resistance: 90°C resistance: 90°C YEARS WARRANTIED** 3 5 5 5 5 3 STACKING LUGS* Yes Yes Yes Yes Yes Yes **DISHWASHER SAFE** Yes - Extensive Yes - Normal Yes - Extensive Yes - Extensive Yes - Extensive Yes - Normal CHEMICAL RESISTANCE Good Excellent Good Excellent Excellent Excellent **DRYING TEST** Excellent Excellent Excellent Excellent Excellent Excellent THERMAL SHOCK RESISTANCE Excellent Good Excellent Excellent Excellent Good **BREAK RESISTANCE** Excellent Good Excellent Excellent Excellent Good SCRATCH RESISTANCE Excellent Good Excellent Excellent Excellent Good STAIN RESISTANCE Excellent Good Excellent Excellent Excellent Good **HEAT RESISTANCE** -40° to +90°C ‡ -40° to +90°C ‡ -40° to +140°C ‡ -40° to +140°C ‡ -40° to +140°C ‡ -40° to +130°C ‡ NUMBER OF SIZES 4 2 5 5 22 15 NUMBER OF SHAPES 9 1 4 4 2 12 NUMBER OF COLORS 4 1 7

POLYESTER TRAYS

- Versa Tray Ecologic Series
- Versa Tray Plus
- Versa Travs
- Century[™] Textured Wood Trays
- Versa Century Fun

High performance polyester trays are made of rugged reinforced mat with long fibers and additional fiberglass to provide extremely high shock-resistance. Colored isophthalic polyester resin offers high chemical and UV-resistance.

(1) Personalized Versa Travs and Versa Trays with Décor have a Melamine Resin Layer on top increasing protection against stains, abrasions and scratches.

VERSA LITE TRAYS

- VL/GL Century Fun
- VL/GL Trays
- VL/GL Trays with Non-Slip Surface

Standard performance polyester travs are made of fiberglass and standard polyester resin.



Canteens / Cafeterias / Self-serve



Catering / **Banquet Service**



Educational



Hospitals



Room service



Military



Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

^{*}Stacking lugs allow free air circulation and perfect stacking.

^{**}Prorated warranty against manufacturer's defects.

[‡]Not recommended for heated cart.

[∆]Contact your Cambro representative for pricing.

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.

	POLYESTER TRAYS		FIBERGLASS TRAYS			
RECOMMENDED USE						
	~ ~	(4) (6)	(4)	~ ~ ~	(*)(**)	(*)(**)
TRAY DESCRIPTION	Versa Lite Trays with Non-Slip Rubber Surface VL/GL Page 222	Decór Series Camtrays Pages 223	Camtray® Pages 224-227	EpicTread™ Trays Page 228	Dietary Trays Page 229	Camlite® Trays Page 229
MATERIAL	SMC-Standard Performance Fiberglass Reinforced Polyester + Non-Slip Rubber Surface	Fiberglass Layers + Polyester Resin	Fiberglass Layers + Polyester Resin	Fiberglass Layers + Non-Slip, Water Repellent Surface	Fiberglass Layers + Polyester Resin	Fiberglass Layers + Polyester Resin
SURFACE	Non-Slip Rubber	Smooth	Smooth	Non-Slip	Smooth	Smooth
PERFORMANCE	Excellent	Excellent	Excellent	Good	Excellent	Excellent
PERSONALIZATION	No	Yes Δ Heat resistance: 100°C	Yes Δ Heat resistance: 100°C	Yes Δ Heat resistance: 90°C	No	No
YEARS WARRANTIED**	3	5	5	2	1	3
STACKING LUGS*	Yes	Yes	Yes	Yes	Yes	Yes
DISHWASHER SAFE	Yes — Normal	Yes — Extensive	Yes — Extensive	Yes — Normal	Yes — Extensive	Yes — Extensive
CHEMICAL RESISTANCE	Good	Good	Good	Good	Good	Good
DRYING TEST	Excellent	Excellent	Excellent	Good	Excellent	Excellent
THERMAL SHOCK RESISTANCE	Good	Excellent	Excellent	Good	Excellent	Excellent
BREAK RESISTANCE	Good	Excellent	Excellent	Good	Good	Good
SCRATCH RESISTANCE	Good	Excellent	Excellent	Good	Good	Good
STAIN RESISTANCE	Good	Excellent	Excellent	Good	Excellent	Excellent
						100 . 10000 !
HEAT RESISTANCE	-40° to +100°C ‡	-10° to +100°C ‡	-10° to +100°C ‡	-10° to +90°C ‡	-10° to +100°C ‡	-10° to +100°C ‡
HEAT RESISTANCE NUMBER OF SIZES	-40° to +100°C ‡	-10° to +100°C ‡	-10° to +100°C ‡	-10° to +90°C ‡	-10° to +100°C ‡	-10° to +100°C ‡

^{*}Stacking lugs promote air circulation and perfect stacking.

VERSA LITE TRAYS

- VL/GL Century Fun
- VL/GL Trays
- VL/GL Trays with Non-Slip Surface
- VL/GL Trays with Non-Slip Rubber Surface

Standard performance polyester trays are made of fiberglass and standard polyester resin.

FIBERGLASS TRAYS

- Camtray
- Decór Series Camtrays
- EpicTread Trays
- Dietary Trays
- Camlite Trays

Made of rugged fiberglass interior to provide a tough inner foundation and smooth surface, coupled with polyester resin to resist impact and stains.



Canteens / Cafeterias / Self-serve



Educational



Food courts / Snack shops / Quick serve



Hospitals



Catering / Banquet Service



Hotel / Room service



Military



^{**}Prorated warranty against manufacturer's defects.

ΔContact your Cambro representative for pricing.

[‡]Not recommended for heated cart.

	CAMWEAR® TRAYS		FIBERGL	POLYPROPYLENE	
RECOMMENDED USE					
TRAY DESCRIPTION	Camwear Trays Page 230	Camwear Trays with Non-Slip Surface Page 230	Camtread® Trays Page 232	Treadlite™ Trays Page 233	Polytread® Trays Page 233
MATERIAL	Camwear	Camwear + Non-Slip Surface	Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface	Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface	Polypropylene + Non-Slip Rubber Surface
SURFACE	Textured	Non-Slip	Non-Slip Rubber	Non-Slip Rubber	Non-Slip Rubber
PERFORMANCE	Excellent	Excellent	Excellent	Good	Good
PERSONALIZATION	No	No	Yes ∆	No	No
YEARS WARRANTIED**	3	3	5	1	1
STACKING LUGS*	Yes	Yes	Yes	Yes	Yes
DISHWASHER SAFE	Yes — Extensive	Yes — Extensive	Yes — Extensive	Yes — Extensive	Yes — Minimal
CHEMICAL RESISTANCE	Good	Good	Good	Good	Good
DRYING TEST	Excellent	Excellent	Excellent	Good	Good
THERMAL SHOCK RESISTANCE	Excellent	Excellent	Excellent	Good	Good
BREAK RESISTANCE	Excellent	Excellent	Good	Good	Good
SCRATCH RESISTANCE	Very Good	Good	Excellent	Good	Good
STAIN RESISTANCE	Very Good	Good	Good	Good	Good
HEAT RESISTANCE	-40° to +99°C ‡	-40° to +82°C ‡	-10° to +100°C ‡	-10° to +80°C ‡	-10° to +80°C ‡
NUMBER OF SIZES	2	2	16	2	6
NUMBER OF SHAPES	3	2	5	1	2
NUMBER OF COLORS	5	3	2	2	2

^{*}Stacking lugs promote air circulation and perfect stacking.

CAMWEAR TRAYS

- Camwear Trays

Made of highly durable, virtually unbreakable Camwear.

Camwear Trays with Non-Slip Surface

Made of highly durable, virtually unbreakable Camwear.

The non-slip, clear textured, surface is scratch resistant.

FIBERGLASS TRAYS

- Camtread Trays

- Treadlite Trays

Made of rugged fiberglass interior to provide a tough inner foundation and smooth surface, coupled with polyester resin to resist impact and stains.

POLYPROPYLENE TRAYS

- Polytread Trays

Polytread trays have non-slip rubber surface bonded directly into the tray.



Canteens / Cafeterias / Self-serve



Educational



Food courts / Snack shops / Quick serve



Hospitals



Catering / Banquet Service



Hotel / Room service



Military



Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

^{**}Prorated warranty against manufacturer's defects.

ΔContact your Cambro representative for pricing.

 $[\]ddagger \mbox{Not}$ recommended for heated cart.

	WOOD TRAYS		LAMINATED TRAYS				
RECOMMENDED USE							
TRAY DESCRIPTION	Wood Trays with Smooth Surface Page 234	Wood Trays with Non-Slip Surface Page 235	Corfu Laminated Trays with Non-Slip Rubber Surface Page 235	Capri Laminated Trays with Smooth Surface Pages 236-237	Mykonos Laminated Trays with Non-Slip Surface Page 238	Madeira Laminated Trays with Textured Wood Surface Page 239	
MATERIAL	Veneer Beechwood	Veneer Beechwood Mahogany + Non-Slip Surface	Laminate + Non-Slip Rubber Surface	Laminate	Laminate + Non-Slip Surface	Laminate	
SURFACE	Smooth	Non-Slip	Non-Slip Rubber	Smooth	Non-Slip	Textured	
PERFORMANCE	Good	Good	Excellent	Good	Good	Good	
PERSONALIZATION	No	No	Yes†	Yes	Yes	No	
YEARS WARRANTIED**	3	3	3	3	3	3	
STACKING LUGS*	No	No	No	No	No	No	
DISHWASHER SAFE	Yes — Normal	Yes — Minimal	Yes — Minimal	Yes — Minimal	Yes — Minimal	Yes — Minimal	
CHEMICAL RESISTANCE	Excellent	Good	Excellent	Excellent	Good	Excellent	
DRYING TEST	Good	Good	Good	Good	Good	Good	
THERMAL SHOCK RESISTANCE	Good	Good	Good	Good	Good	Good	
BREAK RESISTANCE	Good	Good	Good	Good	Good	Good	
SCRATCH RESISTANCE	Good	Good	Good	Good	Good	Good	
STAIN RESISTANCE	Good	Good	Good	Excellent	Good***	Excellent	
HEAT RESISTANCE	-10° to +100°C ‡	-10° to +100°C ‡	-10° to +100°C ‡	-10° to +100°C ‡	-10° to +100°C ‡	-10° to +100°C ‡	
NUMBER OF SIZES	14	7	8	22	15	11	
NUMBER OF SHAPES	4	3	2	5	3	4	
NUMBER OF COLORS	1	1	1	13	6	6	

^{*}Stacking lugs allow free air circulation and perfect stacking.

LAMINATED TRAYS

- Smooth Surface
- Clear Non-Slip Surface

Made of several layers of genuine beechwood veneer / mahogany combined with synthetic resin molded under high pressure and temperature. The surface is sealed with a double layer of high pressure melamine to allow regular washing.

LAMINATED TRAYS

- Corfu*
- Capri
- Mykonos
- Madeira

Made of compressed layers of melamine saturated paper combined with synthetic resin molded under high pressure and temperature. The surface is sealed with a double layer of high pressure melamine to allow regular washing.

* Laminated trays have a non-slip rubber surface bonded directly into the tray.

Note: All laminated trays must be dried before stacking.



Canteens / Cafeterias / Self-serve



Catering / Banquet Service



Hotel / Room service



Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

^{**}Prorated warranty against manufacturer's defects.

^{***}Limited stain resistance for Birch (E75).

[‡]Not recommended for heated cart.

[†]Only back side of Corfu trays can be personalized.

POLYPROPYLENE DISPLAY TRAYS COMPARTMENT TRAYS

RECOMMENDED USE

















TRAY DESCRIPTION	Fast Food Trays Page 240	Camwear® Trays Pages 241-244	ABS Page 241	Heat Resistant Trays Page 244	Co-Polymer Trays Pages 245	Market Trays Page 245
MATERIAL	Polypropylene	Camwear	ABS	Heat Resistant Plastic	Co-Polymer	Fiberglass Layers + Polyester Resin
SURFACE	Textured	Textured	Textured	Textured	Textured	Smooth
PERFORMANCE	Good	Excellent	Excellent	Excellent	Excellent	Excellent
PERSONALIZATION	Yes Δ Heat Resistance: 80°C	No	No	No	No	No
YEARS WARRANTIED**	3	3	2	2	2	3
STACKING LUGS*	Yes	Yes	Yes	Yes	Yes	Yes
DISHWASHER SAFE	Yes — Minimal	Yes — Extensive	Yes — Extensive	Yes — Extensive	Yes — Minimal	Yes — Extensive
CHEMICAL RESISTANCE	Excellent	Good	Excellent	Very Good	Excellent	Good
DRYING TEST	Good	Excellent	Excellent	Very Good	Excellent	Excellent
THERMAL SHOCK RESISTANCE	Good	Excellent	Good	Very Good	Good	Excellent
BREAK RESISTANCE	Good	Excellent	Good	Very Good	Good	Good
SCRATCH RESISTANCE	Good	Very Good	Very Good	Very Good	Very Good	Good
STAIN RESISTANCE	Good	Very Good	Very Good	Very Good	Very Good	Excellent
HEAT RESISTANCE	-10° to +80°C ‡	-40° to +99°C ‡	-10° to +82°C ‡	-40° to +149°C	-10° to +80°C ‡	-10° to +100°C ‡
NUMBER OF SIZES	4	8	1	1	8	19
NUMBER OF SHAPES	2	7	1	1	8	2
NUMBER OF COLORS	14	10***	6	1	7	5

^{*}Stacking lugs promote air circulation and perfect stacking.

POLYPROPYLENE TRAYS

- Fast Food Trays

Fast food trays have a textured surface to hide scratches and provides an additional grip to prevent slipping.

COMPARTMENT TRAYS

- Camwear Trays

Made of highly durable, virtually unbreakable Camwear.

- ABS Trays

Made of high impact resistance and heat and chemical resistance ABS.

- Co-Polymer Trays

Made of economical pliable and break-resistant co-polymer.

- Heat resistant Trays

Made of heat resistant material.

DISPLAY TRAYS

- Market Trays

Made of high-impact resistant fiberglass that resists odors.



Buffet displays



Educational



Food courts / Snack shops / Quick serve



Home meal delivery



Military



Prisons / Corrections

^{**}Prorated warranty against manufacturer's defects.

^{***}Not available for all tray styles.

ΔContact your Cambro representative for pricing.

[‡]Not recommended for heated cart.

CENTURY™ TEXTURED WOOD TRAYS

SPECIFICATIONS

Material	SMC — high performance fiberglass
Surface Characteristic	Textured / Textured Non-Slip
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-40° to +90°C‡

‡Not for use in heated carts. If you are using Thermo-Chemical

your application.

Disinfection Equipment, please contact us. We will assist you finding the right tray for

RECOMMENDED USE

High Traffic / Frequent Use
— Hospitals
— Hospitals — Schools
- Universities


- Canteens / Cafeterias / Self-Serve

Military

- Hotel Room Service

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

VTC3343T, VTC3646T, VTC3253T, VTC3753T: (F86), (F89), (F91) VTC3343TNS, VTC3646TNS: (F86), (F89), (F91) VTCT3343T, VTCT3646T: (110)



Minimum quantity order from CEL: Non-stock item 288 pieces. No broken carton.



Brown	0al
(F87)	

CODE	SIZE	CASE Pack		
Century Textured S	Century Textured Smooth Surface			
VTC3343T	33 x 43 cm	12		
VTC3646T	35,5 x 45,7	12		
VTC3253T	32,5 x 53	12		
VTC3753T	37 x 53	12		



Dark Oak	
(F88)	

Light Olive (F89)

CODE	SIZE	CASE Pack		
Century Textured CI	Century Textured Clear Non-Slip Surface			
VTC3343TNS	33 x 43 cm	12		
VTC3646TNS	35,5 x 45,7	12		
VTC3253TNS	32,5 x 53	12		
VTC3753TNS	37 x 53	12		



Brown Olive (F90)

Gray Oak



CODE	SIZE	CASE Pack		
Century Tread Text	Century Tread Textured Non-Slip Surface			
VTCT3343T	33 x 43 cm	12		
VTCT3646T	35,5 x 45,7	12		
VTCT3253T	32,5 x 53	12		
VTCT3753T	37 x 53	12		
Color: Black Mat (11	0).			






CENTURY™ **FUN TRAYS** — CREATE A VIBRANT TABLE TOP WITH COLOURFUL TRAYS

SPECIFICATIONS Versa Tray **Versa Lite Tray** Material SMC - high performance fiberglass SMC — standard performance reinforced polyester fiberglass reinforced polyester Surface Characteristic Smooth Smooth Performance Excellent Excellent Yes Yes Stacking Lugs Dishwasher Safe Yes - Extensive Yes - Normal Chemical Resistance Excellent Good **Drying Test** Excellent Excellent **Shock Resistance** Excellent Good **Break Resistance** Excellent Good Scratch Resistance Excellent Good Stain Resistance Excellent Good -40° to +90°C‡ Heat Resistance* -40° to $+90^{\circ}$ C‡

‡Not for use in heated carts. Personalization, see page 208.





















VT3646C

against impact. Century Fun Trays are made for

Reinforced polyester corners provide superior corner and edge protection

intensive use. Scratch, stain, chemical and break-resistant, Century Fun trays are available on a pure white tray. Match the tray colour to your décor (dishes, furniture, walls, etc.).

Stacking lugs keep trays stacked securely in place and ensure proper air flow.

Innovative low profile and low corner design increases space utilization of trav surface and customer comfort while eating.

CASE PACK DIMENSIONS CODE Versa Trays VT1418 35.5 x 45.7 cm 12 VT3343C 33 x 43 12 35,5 x 45,7 VT3646C 12 Versa Lite Trays 35.5 x 45.7 VL1418 12 VL3343C 33 x 43 12 VL3646C 35,5 x 45,7 12

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

VL3646C: (F02), (F04), (F86)

RECOMMENDED USE

KEOOMMENDED OOL	
High Traffic / Frequent Use	
- Hospitals	
- Schools	
— Universities	
— Canteens / Cafeterias / Self-Serve	
- Military	

Only available from Cambro European Logistics (CEL), Germany.

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

Personalization

Possibility to personalize to any PMS colors of your choice.

Minimum quantity: 120 pieces.

Please refer to personalization procedure and color availability in the Personalization section.

For assistance please contact your Cambro representative.



(F90)

POLYESTER VERSA TRAYS-

ECOLOGIC SERIES SPECIFICATIONS

Material	Natural material + polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-40° to +140°C‡
	·









‡Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military

Only available from Cambro European Logistics (CEL), Germany.

Minimum quantity order from CEL: Non-stock item 240 pieces. No broken carton.

Environmentally Friendly **EcoSafe Tray Colors:** A86 A27 Light Grey Terrazzo

CODE	SIZE
Versa Trays – High Profile Shape	
VTE1418	35,5 x 45,7 cm
VTE3343	33 x 43
Versa Trays – Low Profile Shape	
VTE3253	32,5 x 53
VTE3753	37 x 53
Versa Century™— Low Profile Design Shape	
VTE3646C	35,5 x 45,7
Versa Trays – Flat Edge Shape	
GPE0540	34,4 x 46
GPE3980	37 x 53
GPE4002*	32,5 x 53
GPE4004**	32,5 x 53

Case Pack: 12 *Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers. **Textured top surface to reduce sliding of dishes.

POLYESTER VERSA TRAYS PLUS

SPECIFICATIONS

Material	SMC — high performance fiberglass reinforced polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-40° to +140°C‡









‡Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military

Only available from Cambro European Logistics (CEL), Germany.

Minimum quantity order from CEL: Stock item one case, Non-stock item 240 pieces. No broken carton.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

Long Lasting

VT3646C, GP1070, GP4002, GP4004, VT1418:



Black

CODE	SIZE
Versa Trays – High Profile Shape	
VT1418	35,5 x 45,7 cm
VT3343	33 x 43
Versa Trays – Low Profile Shape	
VT2632	32,5 x 26,5
VT3253	32,5 x 53
VT3753	37 x 53
Versa Century™– Low Profile Design Shape	
VT3646C	35,5 x 45,7
Versa Trays – Flat Edge Shape	
GP1070	32,5 x 26,5
GP3980	37 x 53
GP4002*	32,5 x 53
GP4004**	32,5 x 53
D 1 10 10 1 1 11 1 6 1	

Case Pack: 12 *Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers. **Textured top surface to reduce sliding of dishes.

POLYESTER VERSA TRAYS WITH SMOOTH SURFACE

SPECIFICATIONS

Material	SMC — High Performance Fiberglass Reinforced Polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance*	-40° to +140°C ‡











‡Not for use in heated carts. Personalization, see page 208. *Personalization Heat Resistance: 90°C.

RECOMMENDED USE

Hig	h Traffic / Frequent Use
1	nsnitals

- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

VT1418, VT2632: (A72), (A83) VT3253: (A72), (A83), (A86) VT3343, VT3646C: (A72)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.





High Profile Shape

Low Profile Shape






Low Profile Design Shape

Flat Edge Shape

Only available from Cambro European Logistics (CEL), Germany.


Versa Trays - High Profile Shape





Versa Trays - Low Profile Shape





CASE CODE SIZE **PACK** Versa Century™ Trays - Low Profile Design Shape VT3646C 35,5 x 45,7 cm 12 VT3343C 33 x 43 12



Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

Versa Century Trays - Low Profile Design Shape



POLYESTER VERSA TRAYS WITH SMOOTH SURFACE

SIZE	CASE PACK
46 x 34,4 cm	12
32,5 x 26,5	12
37 x 26,5	12
45 x 32	12
39 x 51	12
53 x 37	12
53 x 32,5	12
53 x 32,5	12
42,5 x 32,5	12
46 x 32,5	12
34,5 x 23	12
	46 x 34,4 cm 32,5 x 26,5 37 x 26,5 45 x 32 39 x 51 53 x 37 53 x 32,5 53 x 32,5 42,5 x 32,5 46 x 32,5

^{*}Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Versa Trays - Flat Edge Shape



Tray Colors:







Sahara





A27 Light Grey







Speckled Blue



Charcoal*



Granite



Terrazzo

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GP0540: (A22), (A83), GP1070, GP4709: (A27), GP3980, GP4210: (A86)

GP4002: (A27), (A72), (A83), **GP4701**: (A33)

Minimum quantity order from CEL:

Stock item one case, Non-stock item 120 pieces. No broken carton.

CODE	SIZE	CASE Pack
Versa Trays – Café Tra	ys	
GP55653	40 x 27 cm	12
GP55702	26 x 20	12
GP55703	29 x 21	12

Only available from Cambro European Logistics (CEL), Germany.

CODE	SIZE	CASE Pack
Versa Trays – Space Saver	Trays	,
GP4210 — Trapezoid	48 x 34 cm	12
GP4410 - Trapezoid	32,5 x 42,5	12
GP4853	42 4 x 32 5	12



Hexagonal table Lateral side: 70 cm GP4210



Square table 80 x 80 cm GP4210



Round table Diam. 135 cm GP4853



Square Table 95 x 95 cm GP4853

Versa Trays - Café Trays



Versa Trays - Space Saver Trays



Polyester Versa Trays VT/GP are not recommended for use in heated meal delivery carts. Please contact Cambro Customer Service or Presswerk Köngen GmbH, with any questions related to proper usage or any special application. Cambro will provide you with clear instructions on correct usage of our trays to ensure you get the maximum life out of our products.

^{**}Textured top surface to reduce sliding of dishes. Not available in (A72).

^{*}Colors Pebbled Grey A19 and Charcoal A72 will show scratches if not handled properly.

POLYESTER VERSA LITE TRAYS WITH SMOOTH SURFACE

SPECIFICATIONS

Material	SMC — standard performance fiberglass reinforced polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Normal
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance*	-40° to +130°C‡









‡Not for use in heated carts. Personalization, see page 208. *Personalization Heat Resistance: 90°C.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service

Only available from Cambro European Logistics (CEL), Germany.



GL0540: (A22), GL1070: (A27), GL3980: (A20) **GL4002:** (A20), (A83), (A86)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.





High Profile Shape

Low Profile Shape





Low Profile Design Shape

Flat Edge Shape



Low Profile Flat Edge Shape

Versa Lite Trays - Flat Edge Shape

CODE	SIZE
Versa Lite Trays – Flat Edge Shape	
GL0540†	46 x 34,4 cm
GL1070†	32,5 x 26,5
GL1080†	37 x 26,5
GL3074	45 x 32
GL3980†	53 x 37
GL4002†	53 x 32,5
GL4060	40 x 60
GL4701	42,5 x 32,5

Case Pack: 12

†Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.



Versa Lite Trays – Space Saver Trays









POLYESTER VERSA LITE TRAYS WITH SMOOTH SURFACE

CODE	SIZE
Versa Lite Trays – High Profile Shape	
VL1014	27 x 35 cm
VL1216	30,5 x 41,5
VL3343	33 x 43
VL1418	35,5 x 45,7
VL1418TR — Trapezoid	35,5 x 46
VL1520	38 x 51,5
VL1520TR — Trapezoid	38 x 51,5

Case Pack: 12



Versa Lite Trays - High Profile Shape

Only available from Cambro European Logistics (CEL), Germany.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

VL1418: (A20), (A21), (A22), (A27), (A86) VL3253: (A20), (A86), VL3343: (A20), (A21) VL3343C: (A20), VL3646C: (A27) VL1014: (A20), (A27)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

CODE	SIZE	
Versa Lite Trays – Low Profile Flat Edge Shape		
GL220P	32,5 x 53 cm	
GL210P	37 x 53	

Case Pack: 12

CODE

VL2632

VL3253

VL3753

CODE

Case Pack: 12

Versa Lite Trays – Low Profile Shape



Versa Lite Trays - Low Profile Shape





Versa Lite Centui	y Trays – Low Profile Design Shape
-------------------	------------------------------------



SIZE

32,5 x 26,5 cm

32.5 x 53

37 x 53

SIZE



Tray Colors:

Speckled Smoke

A21 Speckled Mocha

Sahara

Granite

A86 Terrazzo

POLYESTER VERSA LITE TRAYS WITH NON-SLIP RUBBER SURFACE

SPECIFICATIONS

Material	SMC — standard performance fiberglass reinforced polyester + non-slip rubber
Surface Characteristic	Non-Slip Rubber
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Normal
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-40° to +100°C‡

‡Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Banquet Service
- Restaurant / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries





High Profile Shape

Flat Edge Shape

Granite Tray

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

GL4002RNS: (A83)











DÉCOR SERIES CAMTRAYS®

- Woodgrain textured surface creates the look feel of real wood.
- Durability of the classic Camtray.
- · Ideal for upscale employee feeding, restaurant, cafeteria, schools, food courts and hospitals.
- Personalize a portion or an entire tray surface with a full color logo or design.
- Commercial dish washer safe.

Colors: Stonewash Grey (810), Charcoal Grey (815), Light Olive (820), Dark Oak (825), Light Oak (830).

Personalization with a minimum order of 144 trays.













CODE	DIMENSIONS	CASE PACK
1216DC	30,5 x 41,5 cm	12
1418DC	35,5 x 45,7	12
1520DC	38 x 51	12

DÉCOR SERIES EPICTREAD™ CAMTRAYS

- The Décor Series design and texture with our clear EpicTread non-slip surface.
- · Perfect for busy cafeterias to reduce food and dish spills.
- An excellent solution for hospital foodservice to provide a beautiful patient tray presentation without a paper tray mat.
- Personalize a portion or an entire tray surface with a full color logo or design.
- · Commercial dish washer safe.

Colors: Stonewash Grey (810), Charcoal Grey (815), Light Olive (820), Dark Oak (825), Light Oak (830).

Personalization with a minimum order of 144 trays.















CODE	DIMENSIONS	PACK
1216DCET	30,5 x 41,5 cm	12
1418DCET	35,5 x 45,7	12
1520DCET	38 x 51	12





CAMTRAYS® FIBERGLASS TRAYS WITH SMOOTH SURFACE

 \ddagger Not for use in heated carts.

Personalization, see page 208.

SPECIFICATIONS

Material	Fiberglass layers + polyester resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡

†Available in Group I colors and patterns and Group III patterns.

 $\Delta \text{Available}$ in Group I colors and patterns except Doily.

*Special order item not carried in stocknon-returnable.














RECOMMENDED USE

High Traffic / Frequent Use
- Hospitals
SchoolsUniversities
- Universities
— Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service



High Profile Shape Low Profile Shape

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

1216: (204)



CODE		SIZE	CASE PACK
	– High Profile Shape	, <u>.</u>	
810†		20,5 x 25 cm	12
915†		22 x 38	12
926*†		22,5 x 65 x 2,5	12
1014†	Made in USA/China	27 x 35	12
1015*Δ		26 x 38	24
1116*		27,5 x 40,5	24
1216†	Made in USA/China	30,5 x 41,5	12
1313†		33 x 33	12
1318*†		32 x 45 x 3	12
1418†	Made in USA/China	35,5 x 45,7	12
1520†	Made in USA/China	38 x 51,5	12
1622†		40,5 x 56	12
16225*†		42 x 57	12
1826†		45,5 x 65,5	6
Rectangular	– Low Profile Shape		
46†		11 x 15	12
57*†		12,5 x 18	12
2025*†		53 x 65	6
3253	Made in USA/China	32 x 53	12



CAMTRAYS® FIBERGLASS TRAYS WITH SMOOTH SURFACE

CODE	SIZE	CASE Pack
Metric Rectangu	lar – High Profile Shape	
3242	31,9 x 41,9 cm	12
3853*	37,5 x 53	12
Metric Rectangu	lar – Low Profile Shape	
2632*	26,5 x 32,5	12
3046*	30 x 46	12
3343	33 x 43	12
3753*	37 x 53	12
Camtray with Ha	ndles	
1418H*❖	35,5 x 45,7	12
1520H*❖	38 x 51,5	12

Metric Rectangular



Camtray with Handles



*Special order item not carried in stock-non-returnable.

Available in Group I colors only.

1418H and 1520H available in Group I colors only and covered by 2 Year prorated warranty against manufacturer's defects.

NSF listed for non-direct food contact only.















Personalization, see page 208. 1418H and 1520H available in four color printing process only. Please refer to Fiberglass Tray Personalization section for details.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

3242: (110)



DIA / SIZE

35,5 x 56

37 x 49,5

49 x 61

ø 23 ø 25,5

ø 28

ø 30,5 ø 33

ø 35,5

ø 40,5

ø 40,5

ø 49,5

56 x 68.5

35,5 x 45,7 cm

Trapezoid – High Profile Shape

Trapezoid – Low Profile Shape

Oval – Low Profile Shape

Round - High Profile Shape

Round - Low Profile Shape

1418TR*†

1422TR*†

1520TR*†

2500*∆ 2700*Δ

 $900*\Delta$

 $1000*\Delta$

 1100Δ $1200*\Delta$


 $1300*\Delta$ 1400Δ

 1600Δ

 $1550*\Delta$

 $1950*\Delta$





†Available in Group I colors and patterns and Group III patterns.

 Δ Available in Group I colors and patterns except Doily.

*Special order item not carried in stock non-returnable.











PRORATED

6	
6	0va
12	
12	4
12	M
12	
12	W
12	1
12	
	2500
12	

CASE

PACK

12

12


12

12

Oval and Round	San	
160		400
2500	100 900	

CAMTRAY® GROUP I COLORS

Colors listed alphabetically. See numerical reference on following page.



CAMTRAY® GROUP I PATTERNS

Galaxy



Doily

241 Antique Parchment

Trays are non-returnable.

Swirl



rack & dold W









CAMTRAY GROUP III - WOOD

Wood



Burma Teak



Light Basketweave @



Country Oak



Light Butcher Block @



Dark Basketweave NR



Light Elm



Java Teak



Linen



Trays are non-returnable.

CAMTRAY GROUP I COLORS - NUMERICAL REFERENCE BY COLOR CODE

Antique Parchment (101), Desert Tan (104), Horizon Blue (105), Light Peach (106), Pearl Gray (107), Black (110), Lime-ade (113), Brazil Brown (116), Dark Peach (117), Sherwood Green (119), Amazon Blue (123), White (148), Tuscan Gold (171), Sky Blue (177), Taupe (199), Citrus Orange (220), Ever Red (221) Orange Pizazz (222), Slate Blue (401), Blush (409), Raspberry Cream (410), Teal (414), Olive Green (428), Key Lime (429), Real Rust (501), Mustard (504), Cherry Red (505), Suede Brown (508), Signal Red (510), Bayleaf Brown (513), Earthen Gold (514), Robin Egg Blue (518), Cambro Red (521), Burgundy Wine (522), Lemon Chiffon (536), Cameo Yellow (537), Cottage White (538), Grape (551).

EPICTREAD™ TRAYS

SPECIFICATIONS

Material	Fiberglass Layers + Non-Slip, Water Repellent Surface
Surface Characteristic	Non-Slip Surface
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes — Normal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +90°C‡











‡Not for use in heated carts. Made in China RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries






Spanish Blue (503)

Cambro Red (521)





DIETARY TRAYS

CAMLITE® TRAYS

SPECIFICATIONS

Material	Fiberglass layers + polyester resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡

‡Not for use in heated carts.

SPECIFICATIONS

Material	Fiberglass layers + polyester resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡

‡Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service

Available in Group I colors and patterns and Group III Patterns.

*Special order item not carried in stock non-returnable.









RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service

Colors: Rose Red (163), Yellow (145), Green (162), Blue (142), Tan (161), Steel White (676), Steel Red (675), Steel Blue (674), Black (110).

12 dozen minimum order required for any special color orders.
















1220D

CODE	SIZE	CASE PACK
Dietary Trays – Low Pr	ofile Shape	_
1216D*	30,5 x 41,5 cm	12
1219D*	30,5 x 48,3	12
1220D*	30,5 x 51	12
1222D*	30,5 x 56	12
1418D*	35,5 x 45,7	12
1520D*	38 x 51,3	12

1222D



CODE	SIZE	CASE PACK
Rectangular Camlite T	rays – High Profile Shape	
1014CL	27 x 35 cm	12
1216CL	30,5 x 41,5	12
1418CL	35,5 x 45,7	12
1520CL	38 x 51,5	12
1826CL	45,5 x 65,5	12
Rectangular Camlite Trays – Low Profile Shape		
3253CL	32,5 x 53	12

CAMWEAR® TRAYS

SPECIFICATIONS

Material	Camwear
Surface Characteristic	Textured
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Very Good
Stain Resistance	Very Good
Heat Resistance	-40° to +99°C‡













‡Not for use in heated carts.

CAMWEAR TRAYS WITH NON-SLIP SURFACE SPECIFICATIONS

Material	Camwear	
Surface Characteristic	Non-Slip	
Performance	Excellent	
Stacking Lugs	Yes	
Dishwasher Safe	Yes — Extensive	
Chemical Resistance	Good	
Drying Test	Excellent	
Shock Resistance	Excellent	
Break Resistance	Excellent	
Scratch Resistance	Good	
Stain Resistance	Good	
Heat Resistance	-40° to +82°C‡	














RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools
- Universities
- Canteens / Cafeterias / Self- Serve
- Military
- Quick Serve Restaurants
- Food Courts / Snack Shops

1418CW, 1520CW, 1418TRCW Colors: Blue (168), Beige (133).

1520CWH Colors: Black (110), Smoked Metal (485), Dark Cranberry (488).

NSF listed for non-direct food

contact only.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools / Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Quick Serve Restaurants
- Food Courts / Snack Shops
- Restaurants / Cafes
- Brasseries
- Hotels / Room Service
- Hospitals

Colors: Black (110), Smoked Metal (485), Dark Cranberry (488).

NSF listed for non-direct food contact only.



		CASE
CODE	SIZE	PACK
Rectangular – High Pro	ofile Shape	
1418CW	35,5 x 45,7 cm	12
1520CW	38 x 51	12
Rectangular With Hand	lles – High Profile Shape	
1520CWH	38 x 51	12
Trapezoid – High Profil	le Shape	
1418TRCW	35,5 x 45,7	12



CODE	SIZE	CASE PACK	
Rectangular – High Prof	ile Shape		
1418CWNS	35,5 x 45,7 cm	12	
1520CWNS	38 x 51	12	
Rectangular With Handles – High Profile Shape			
1418CWNSH	35,5 x 45,7	12	
1520CWNSH	38 x 51	12	



CAMTREAD® FIBERGLASS TRAYS WITH NON-SLIP RUBBER SURFACE

SPECIFICATIONS

Material	Fiberglass layers + polyester resin + non-slip rubber surface molded from edge-to-edge
Surface Characteristic	Non-Slip Rubber
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Excellent
Stain Resistance	Good
Heat Resistance	-10° to +100°C‡

Orders for non-standard Camtread Tray colors will be handled by special quotation only.

*Special order item not carried in stock - non-returnable.

Not for use in heated carts.

Personalization see page 209 for size and detail.













RECOMMENDED USE

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries



High Profile Shape Low Profile Shape





Low Profile Shape 0val

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

1014CT, 1100CT, 1216CT, 1800CT, 1826CT, 2500CT, 2900CT, 3253CT: (110) 1400CT, 1418CT, 1600CT, 2700CT: (110), (138)

‡Not for use in heated carts. 1950CT 1400CT 1014CT 1216CT 2700CT **Tray Colors:**

CODE	DIA / SIZE	CASE PACK
Round – High Profile Shape	DIA / SIZE	<u> </u>
900CT*	ø 23 cm	12
1100CT	ø 28	12
1400CT	ø 35,5	12
1600CT	ø 40,5	12
1800CT	ø 45	6
Round – Low Profile Shape		
1550CT*	ø 40,5	12
1950CT*	ø 49,5	12
Oval – Low Profile Shape		
2500CT	49 x 59	6
2700CT	56 x 68,5	6
2900CT	73,5 x 60	6
Rectangular – High Profile Shape		
1014CT*	27 x 35	12
1216CT	30,5 x 41,5	12
1418CT	35,5 x 45,7	12
1520CT*	38 x 51,5	12
1622CT*	40,5 x 56	12
1826CT	45 x 65	6
Rectangular – Low Profile Shape		
3253CT	32,5 x 53	12



TREADLITE™ TRAYS

SPECIFICATIONS

Material	Fiberglass layers + polyester resin + Non-slip rubber surface
Surface Characteristic	Non-Slip rubber surface
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +80°C‡
	10 10 100 01

‡Not for use in heated carts.

RECOMMENDED USE

Moderate	Traffic	/ Economic	Prinrity
Moutrate	Hallic	/ LCUIIUIIIC	I HOHILV

PRORATED

- Brasseries
- Restaurants / Cafes
- Bars / Clubs / Pubs

POLYTREAD® TRAYS

SPECIFICATIONS


Material	Polypropylene + Non-Slip rubber surface
Surface Characteristic	Non-Slip rubber surface
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +80°C‡













Moderate Traffic / Economic Priority

- Brasseries
- Restaurants / Cafes
- Bars / Clubs / Pubs



High Profile Shape



CODE	DIA	CASE Pack
Round – High Profile Shape		
1400TL	ø 35,5 cm	12
1600TL	ø 40,5	12



CODE	DIA / SIZE	PACK
Round – High Profile Shape		
PT1100	ø 28 cm	12
PT1400	ø 35,5	12
PT1600	ø 40,5	12
Rectangular – High Profile Shape	9	
PT1014	27 x 34,5	24
PT1216	30 x 41,5	24
PT1418	36 x 46	12

BEECHWOOD TRAYS WITH SMOOTH SURFACE

SPECIFICATIONS

Material	Veneer Beechwood	
Surface Characteristic	Smooth	
Performance	Good	
Stacking Lugs	No	
Dishwasher Safe	Yes — Normal	
Chemical Resistance	Good	
Drying Test	Good	
Shock Resistance	Good	
Break Resistance	Good	_
Scratch Resistance	Good	
Stain Resistance	Good	
Heat Resistance	-10° to +100°C‡	
·		











‡Not for use in heated carts.

RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

- Banquet Service
- Restaurants / Cafes
- Catering

Only available from Cambro European Logistics (CEL), Germany.





Tray Color:

Beechwood



CODE	DIA / SIZE	CASE Pack
Rectangular – 60 Series		
PH556010	45 x 32 cm	12
PH556020	58 x 38	12
PH556030	63 x 40	12
PH556040	70 x 45	12
PH556050	75 x 48	12
Rectangular – 65 Series		
PH556510	27 x 20	12
PH556520	33 x 23	12
Oval		
PH557010	23 x 16	24
PH557020	26 x 20	24
PH557030	29 x 21	24
PH557040	33 x 24	24
Round Beer Tray		
PH558510	ø 32	12
PH558520	ø 36	12
PH558530	ø 42	12

BEECHWOOD TRAYS WITH NON-SLIP SURFACE SPECIFICATIONS

Material	Veneer Beechwood
Surface Characteristic	Non-Slip Surface
Performance	Good
Stacking Lugs	No
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +100°C‡









PRORATED

‡Not for use in heated carts.

RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

Only available from Cambro European Logistics (CEL), Germany.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

PH556056: (000)

Minimum quantity order from CEL:

Stock item one case, Non-stock item 120 pieces. No broken carton.



Tray Color:



CODE	DIA / SIZE	CASE Pack
Rectangular – 60 Series		
PH556016	45 x 32 cm	12
PH556026	58 x 38	12
PH556036	63 x 40	12
PH556046	70 x 45	12
PH556056	75 x 48	12
Rectangular – 65 Series		
PH556516	27 x 20	12
PH556526	33 x 23	12
Oval		
PH557016	23 x 16	24
PH557026	26 x 20	24
PH557036	29 x 21	24
PH557046	33 x 24	24
Round Beer Tray		
PH558516	ø 32	12
PH558526	ø 36	12
PH558536	ø 42	12

MAHOGANY WOOD TRAYS WITH **NON-SLIP SURFACE SPECIFICATIONS**

Material	Mahogany Veneer
Surface Characteristic	Non-Slip Surface
Performance	Good
Stacking Lugs	No
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +100°C‡









‡Not for use in heated carts.

RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.





CODE	DIA / SIZE	CASE Pack
Rectangular		
MW3245	32 x 45 cm	12
MW3858	37,5 x 57,5	12
MW3646	36 x 46	12
Oval		
MW2129	21 x 29	12
Round Beer Tray		
MW3200	ø 32	12
MW3600	ø 36	12
MW4200	ø 42	12

CORFU — LAMINATED TRAYS WITH **NON-SLIP RUBBER SURFACE SPECIFICATIONS**

Material	Laminate + non-slip rubber surface
Surface Characteristic	Non-Slip rubber surface
Performance	Excellent
Stacking Lugs	No
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Excellent
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +100°C‡





RECOMMENDED USE

with limited washing

Self-Serve

- Catering

- Banquet Service

- Restaurants / Cafes

- Bars / Clubs / Pubs

Canteens / Cafeterias /





PRORATED

‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

Personalization, see page 209.

Normal Use / Emphasis on style Minimum quantity order from CEL:

Stock item one case, Non-stock item 120 pieces. No broken carton.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CO3800. CO4300. CO3646: (D01)

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.





Black on Grey



CODE	DIA / SIZE	CASE Pack
Rectangular		
C02632	26,5 x 32,5 cm	12
C03253	32,5 x 53	12
C03343	33 x 43	12
C03646	36 x 46	12
C03753	37 x 53	12
Round		
C03200	ø 32	12
C03800	ø 38	12
C04300	ø 43	12

CAPRI — LAMINATED TRAYS WITH SMOOTH SURFACE

SPECIFICATIONS

Material	Laminate
Surface Characteristic	Smooth
Performance	Good
Stacking Lugs	No
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Excellent
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡











‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

Personalization, see page 209.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Canteens / Cafeterias / Self-Serve
- Hotel Room Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

Minimum quantity order from CEL:

Stock item one case, Non-stock item 120 pieces. No broken carton.

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

CASE

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

CA3646: (E73), (E76), (E78), (E82) CA3343: (E73), (E75), (E76), (E82) CA3253: (E76), (E82) CA3753: (E76)





Capri - Round



CODE	DIMENSIONS	PACK
Rectangular		
CA2028	20 x 28 cm	24
CA2632	26,5 x 32,5	24
CA2738	27 x 38	24
CA2836	28 x 36	24
CA3244	32 x 44	24
CA3253	32,5 x 53	24
CA3343	33 x 43	24
CA3446	34 x 46	24
CA3646	36 x 46	24
CA3748	37 x 48	24
CA3753	37 x 53	24
CA3952	39 x 52	24
CA4361	43 x 61	12
Round		
CA1300	ø 13	24
CA3200	ø 32	24
CA3800	ø 38	24
CA4300	ø 43	24
Trapezoid		
CA3247TR	32 x 47	24
Oval		
CA1623	16 x 23	24
CA2026	20 x 26,5	24
CA2129	21 x 29	24
Rectangular with Handles		
CA4064H*	40 x 64	12
10 1 1111 1 1111 1 17570 17	(E04) IB I IO I (E05)	

^{*}Only available in Walnut (E76), Venge (E84) and Brushed Steel (E85).

CAPRI — LAMINATED TRAYS WITH SMOOTH SURFACE



MYKONOS — LAMINATED TRAYS WITH NON-SLIP SURFACE

SPECIFICATIONS

Material	Laminate + Non-Slip Surface
Surface Characteristics	Non-Slip Surface
Performance	Good
Stacking Lugs	No
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good*
Heat Resistance	-10° to +100°C‡



see page 209.









‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

*Limited stain resistance for Birch (E75).

RECOMMENDED USE

Moderate Use / Emphasis on Style with Limited Washing

- Banquet Services
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

Minimum quantity order from CEL:

Stock item one case, Non-stock item 120 pieces. No broken carton.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

MY3253, MY4361: (E76) MY3343: (E75), (E76), (E82) MY3646: (E73), (E76)





MY3446



Tray Colors:







Walnut



Teak





Charcoal Granite



CODE	DIA / SIZE	CASE Pack
Rectangular		
MY2632	26,5 x 32,5 cm	24
MY2738	27 x 38	24
MY3244	32 x 44	24
MY3253	32,5 x 53	24
MY3343	33 x 43	24
MY3446	34 x 46	24
MY3646	36 x 46	24
MY3753	37 x 53	24
MY3952	39 x 52	24
MY4361	43 x 61	12
Oval		
MY2026	20 x 26,5	24
MY2129	21 x 29	24
Round		
MY3200	ø 32	24
MY3800	ø 38	24
MY4300	ø 43	24



MADEIRA — LAMINATED TRAYS WITH TEXTURED WOOD SURFACE

SPECIFICATIONS

Material	Laminate
Surface Characteristics	Textured — Top and Bottom
Performance	Good
Stacking Lugs	No
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Excellent
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡





Personalization,







‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Canteens / Cafeterias / Self-Serve
- Hotel Room Service
- Restaurants / Cafes
- Bars / Clubs / Pubs

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

Minimum quantity order from CEL: Stock item one case, Non-stock item

STOCK PRODUCTS & PATTERNS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

120 pieces. No broken carton.

MA2028, MA2435, MA3343, MA3646, MA3753: (E86), (E87), (E88), (E89), (E90), (E91)





Tray Colors:



Light Oak



Brown Oak



Dark Oak



Light Olive



Brown Olive



Grey Oak

		CACE
CODE	DIA / SIZE	CASE Pack
Rectangular		
MA2028	20 x 28 cm	24
MA2435	24 x 35	24
MA3343	33 x 43	24
MA3646	36 x 46	24
MA3753	37 x 53	24
MA4361	43 x 61	12
Rectangular with I	nandle	
MA3142H	31 x 42	24
Trapezoid		
MA3652TR	36 x 52	24
Round		
MA3200	ø 32	24
MA3800	ø 38	24
MA4300	ø 43	24

MA4300

FAST FOOD TRAYS

SPECIFICATIONS

Material	Polypropylene
Surface Characteristic	Textured
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes-Minimal**
Chemical Resistance	Excellent
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +80°C‡











‡Not for use in heated carts.

**Wash once per day for 60 seconds at a maximum temperature of 80°C.



Moderate Traffic / Economic Priority

- Quick Serve Restaurants
- Food Courts / Snack Shops







High Profile Shape with handles

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSES**

1216FF: (110), (119), (163), (167), (168), (186) 1418FF: (107), (110), (119), (163), (167), (168), (186)









Available Colors:



CODE	SIZE	CASE Pack
Rectangular – High Profil	e Shape	
1014FF	26,5 x 34,5 cm	24
1216FF	30 x 41	24
1418FF	35,5 x 45,7	12
Rectangular – High Profil	e Shape with Handles	
1217FFH*	30 x 43	24
	. B (110) O (110	

*Available in the following colors: Black (110), Sherwood Green (119), Orange (166), Brown (167), Cranberry (416). All Fast Food trays sizes manufactured in the United States can be personalized. All Fast Food trays sizes manufactured in Europe and China cannot be personalized.



Teal

Cranberry

COMPARTMENT TRAYS

SPECIFICATIONS

Code	10146CW	BCT1014	PS1014
Material	Camwear®	ABS	Co-Polymer
Surface Characteristic	Textured	Textured	Textured
Performance	Excellent	Excellent	Excellent
Stacking Lugs	Yes	Yes	Yes
Dishwasher Safe	Yes — Extensive	Yes — Extensive	Yes — Minimal
Chemical Resistance	Good	Excellent	Excellent
Drying Test	Excellent	Excellent	Excellent
Shock Resistance	Excellent	Good	Good
Break Resistance	Excellent	Good	Excellent
Scratch Resistance	Very Good	Very Good	Very Good
Stain Resistance	Very Good	Very Good	Very Good
Heat Resistance	-40° to +99°C‡	-10° to +82°C‡	-10° to +80°C‡

‡Not for use in heated carts.





PS1014 on OETR314 Open End Tray Rack.

CODE	SIZE	CASE PACK
Camwear		
10146CW	25,4 x 36,5 cm	24
ABS - BPA FREE		
BCT1014	25,4 x 36,5	24
Co-Polymer - BPA FF	REE	
PS1014	25,4 x 36,5	24



BCT1014, PS1014 & 10146CW

RECOMMENDED USE

Moderate Traffic / Economic Priority
- School
- Universities
— Military

ABS and Co-Polymer trays are $not \ NSF \ listed.$



Camwear

















Yellow





Cranberry

Black

ABS







Sherwood Green









Teal



Navy Blue

Cranberry

Co-Polymer







Grass Green





Teal

Cranberry

COMPARTMENT TRAYS

SPECIFICATIONS

Camwear®	Co-Polymer
Textured	Textured
Excellent	Excellent
Yes	Yes
Yes — Extensive	Yes — Minimal
Good	Excellent
Excellent	Excellent
Excellent	Good
Excellent	Excellent
Very Good	Very Good
Very Good	Very Good
-40° to +99°C‡	-10° to +80°C‡
	Textured Excellent Yes Yes - Extensive Good Excellent Excellent Excellent Very Good Very Good

‡Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority
- School
- Universities
- Military

100CW, SRB13CW and 50CW bowls fit in round compartment. 10CW and 150CW bowls fit in square compartment. See Dinnerware and Swirl Bowl sections.

ABS and Co-Polymer trays are not NSF listed.




















915CW & 915CP



1596CW & 1596CP





915CW and 1596CW inside two PR314 Camracks.

Camwear







Sherwood Green





Beige







Navy Blue

Black



Translucent Blue







Cranberry



Navy Blue

MEAL DELIVERY TRAYS

- Three deep-dish food compartments for large portions.
- · Snap-on cover fits securely.
- Textured surface minimizes scratching.

Camwear Colors: Beige (133), Teal (414). Lid Color: Clear (135).

Co-Polymer Colors:

Teal (414), Brown (167), Tan (161). Lid Color: White (148).

Co-Polymer is not NSF Listed.

Not for use in heated carts.









Camwear®

















Teal









9114CW/9114CP

CODE	DESCRIPTION	DIMENSIONS W x L x D
Camwear	,	,
9113CW	3 Compartments	22,8 x 27,9 x 6,8 cm
9114CW	4 Compartments	22,8 x 27,8 x 6,7
911CWC	Lid fits both trays	22,9 x 28 x 1,4
Co-Polymer - BPA FREE		
9113CP	3 Compartments	22,5 x 27,2 x 6,6
9114CP	4 Compartments	22,6 x 27,2 x 6,6
911CPC	Lid fits both trays	22,6 x 27,4 x 1,4
Case Pack: 24		

SEPARATOR® COMPARTMENT TRAYS

- Six compartment tray designed specifically for in-cell feeding programs.
- Serve both hot and cold food from the same tray.
- Tray with cover separates each compartment to retain food temperature and reduce spills.
- Locking ridges on top of cover and bottom of tray ensure more secure stacking.

Camwear Color: Beige (133). Lid Color: Clear (135).

Co-Polymer Colors:

Teal (414), Brown (167), Tan (161). Lid Color: Translucent (190).

Co-Polymer is not NSF Listed.

Not recommended for heated cart.












DIMENOLONO



10146DCW/10146DCP

CODE	DESCRIPTION	DIMENSIONS W x L x D
Camwear		
10146DCW	6 Compartments	25,4 x 36,1 x 3,3 cm
10146DCWC	Lid fits 10146DCW	26 x 36,2 x 3,5
Co-Polymer - BPA FREE		
10146DCP	6 Compartments	25,4 x 36 x 2,9
10146DCPC	Lid fits 10146DCP	25,6 x 35,6 x 3,6

Case Pack: 24

161 Tan		
107		

Co-Polymer

PRORATED

Camwear

3 PRORATED

(NSE)

133

Beige





TRAY ON TRAY MEAL DELIVERY SYSTEM

Base Tray

- · Combine hot and cold food portions into a reusable, single service unit.
- Works as a tray or for in-cell feeding with the insert tray.
- Base tray has 5 compartments with 1 compartment for resting the insert tray.

Camwear Color: Beige (133).

Co-Polymer Colors:

Brown (167), Tan (161).

Co-Polymer is not NSF Listed.

Not for use in heated carts.





Co-Polymer Colors:

Brown (167), Tan (161).

Lid Color: Translucent (190). **Heat Resistant Plastic** Tray and Lid Color: Amber (150).

Co-Polymer is not NSF Listed.

Not for use in heated carts.





1411CW base tray with 853FH insert tray

Camwear®





(NSE) 3 PRORATED



Beige

Co-Polymer




PRORATED



Tan Brown







Insert Tray

• Eight trays efficiently fit on a standard sheet pan or in an 45,5 x 65,5 cm wire rack.

Camwear









Beige

Co-Polymer




Heat Resistant Plastic



Amber



Camwear Color: Beige (133). Lid Color: Clear (135).



CODE	DE2CKILIION	WXLXD
Camwear		
853FCW	Compartments	16 x 22,1 x 4,8 cm
853FCWC	Lid for 853FCW	17,1 x 22,4 x 0,6
Co-Polymer		
853FCP	Compartments	16 x 22,1 x 4,8
853FCPC	Lid for 853FCP	17,1 x 22,4 x 0,6
Heat Resistant Plastic		
853FH	Compartments	16 x 22,1 x 4,8
853FHC	Lid for 853FH	17,1 x 22,4 x 0,6

DIMENSIONS

Case Pack: 24

COMPARTMENT SERVING TRAYS

- For cafeteria-style feeding in high security environments.
- Compartment configurations designed to meet all menu requirements.
- Trapezoid Compartment Trays space saving for self serve correctional facility feeding.

Camwear 6-Compartment Colors:

Sherwood Green (119), Beige (133), Black (110).

Co-Polymer Color: Tan (161).

14105CP is not NSF Listed.

Trapezoid Compartment Trays are covered by the following U.S. Patent D 508,634.







Navy (186), Cranberry (416), Yellow (145),

7 & 5-Compartment Color: Beige (133).







Camwear®








Co-Polymer












14187TRCW





10145CW

14105CW / 14105CP

CODE	DESCRIPTION	DIMENSIONS W x L x D	CASE Pack
Camwear			
14187TRCW	7 compartments, trapezoid	45,6 x 35,4 x 4 cm	12
10146CW	6 compartments	25,4 x 36,8 x 2,4	24
14105CW	5 compartments	27,2 x 35,2 x 2,9	24
10145CW	5 compartments	25,4 x 36,8 x 2,4	24
Co-Polymer - E	BPA FREE		
14105CP	5 compartments	27,2 x 35,2 x 2,9	24

MARKET TRAYS AND PANS

SPECIFICATIONS

Material	Fiberglass layers + polyester resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡
	+Not for use in heated corte

‡Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / **Economic Priority** - Deli / Buffet Displays Colors: Yellow (145)**. Blue (142). Green (140), White (148), Black (110).

*Special order item not carried in stock

(3)

PRORATED

- non-returnable.

**NSF listed for non-direct food contact only.



CODE	DIMENSIONS W x L x D	CASE Pack
Market Trays		
630MT*	16,4 x 76,2 x 1,9 cm	12
826MT*	21,6 x 64,1 x 1,9	12
830MT*	21,4 x 76,2 x 1,9	12
913MT*	22 x 31,6 x 2,1	12
918MT*	22 x 45,7 x 2,1	12
926MT*	22,5 x 64,9 x 2,5	12
1015MT*	25,7 x 38,1 x 1,9	24
1030MT*	26,5 x 76,2 x 1,9	12
1218MT*	29,2 x 45,1 x 2,5	12
1224MT*	31,6 x 61 x 1,9	12
1230MT*	31,6 x 76,2 x 1,9	12
1318MT*	32,1 x 45,1 x 2,7	12
1826MT*	45,2 x 65,2 x 2,7	6
2025MT*	52,7 x 64,9 x 2,1	6
Market Pans		
6302MT*	16,7 x 76,2 x 5,1	12
8262MT*	21,5 x 64,1 x 5,1	12
8302MT*	21,4 x 76,2 x 5,1	12
92615MT*	22,5 x 64,8 x 3,8	12
10302MT*	26,5 x 76,2 x 5,1	12

HEALTHCARE






Why Cambro® Healthcare?

For over 60 years Cambro has been focused on developing innovative solutions to the toughest challenges in the foodservice industry. Cambro Healthcare products are designed to perform consistently under the most demanding conditions of healthcare foodservice.

The Components for Successful Meal Service and Patient Satisfaction



is to keep food hot and fresh. Safe food handling and preparation are the first steps.

Hot Plate

Hot plate needs a plate heated to 85°-90°C. A plate that is not heated diminishes food quality for patients.

Temperature Maintenance System

Innovative Camduction® heat retention system charges the bases to 75°-85°C fast and efficiently for any facility with a hot tray line system.

Meal Transportation

From meal delivery carts to individual Tablotherm meal transport systems, these products can extend the heat retention of the meal to the patient's bedside.

Tablotherm Pellet System achieves temperature retention of 64°C for 2 hours.

CAMDUCTION® COMPLETE HEAT SYSTEM — HOT MEAL DELIVERY SYSTEM

Camduction innovative hot meal delivery system is fast and efficient. Camduction is perfect for any facility with a hot tray line system. One charger can accommodate up to 300 meals per service.

Camduction Charger covered by U.S. Patent 8,263,906 B2. Camduction Base covered by U.S. Patent D630,897 S.

Camduction Charger comes with 1 year warranty.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSES**

MDSCDC9X5EU24V: (000) MDSCDB9EU24V: (487), (497)





Camduction charger is made of high-grade, durable stainless steel that remains cool to the touch.

Easy to operate: amber slot LED indicates bases are heating. Green light indicates ready.

Independent functionality of each compartment reduces the risk of service interruption.

> Specify cord and plug for country of usage.

60°C or higher for up to 60 minutes. Based on voltage supply.



unit turns off after 60 minutes of inactivity.

Camduction Charger and Base

CODE	MDSCDC9X5EU24V
DESCRIPTION	Camduction base charger, three phase
CAPACITY	20 Bases
OVERALL DIMENSIONS W x D x H	76,2 x 47,9 x 87,9 cm
VOLTAGE / PHASE	PE AC 380-480V, three phase
AMPS / HERTZ	16, 50/60
PLUG TYPE	Available in multiple plug types
ELECTRICAL CORD	2 m
INITIAL HEAT UP TIME	4 - 6 minuets
ALL INDICATOR LIGHTS	LED
UNIT WEIGHT	52,6 kg
CASE PACK	1

Color: Stainless Steel (000).




The Camduction Base provides reliable hot temperature retention.

CODE	MDSCDB9EU24V (NSF.)
DESCRIPTION	Camduction base holds 22,86 cm plate
OUTSIDE DIAMETER	24,31 cm
OUTSIDE HEIGHT	2,26 cm
FULL-SIZE CAMRACK®	PR59314
CASE PACK	12

CAMDUCTION® COMPLETE HEAT SYSTEM — HOT MEAL DELIVERY SYSTEM

- Cool rims are safe to touch.
- · Bases are durable and dishwasher safe.
- Resistant to chips, cracks, and breaks.
- Bases and Domes are available in navy blue and cranberry.
- Energy Efficient Unit goes in to heat retention mode. Keeps bases hot and saves energy.

The Results of the **Camduction Complete Heat System**



Results based on heated plate between 90°-100°C and hot food at approximately 85°C.

NOTE: Operator results may vary based on menu items and starting temperatures.

The Camduction Base System

A heated Camduction Base, combined with a properly heated 22,8 cm Cambro Ceramic Plate, covered with a Cambro Shoreline Insulated Dome will hold hot food at safe temperatures 65°C or higher for up to 60 minutes.









Cranberry Navy Blue



TEMPERATURE RETENTION SYSTEMS

Cambro offers an array of products that support a variety of temperature retention systems. As each facility has its own separate needs and challenges, different serving solutions are needed.

MDSCDB9, HK39B, MDSD9 and MDSL9 Colors: Meadow (447), Wheat (457), Speckled Gray (480), Cranberry (487), Navy Blue (497), Black (110), Smoked Metal (485)*.

MDSPC9 Color: Black (110).

MDSP9 Color: Dark Gray (477).

MDSPL Color: (000).

*Only available for Harbor Dome and Camduction Base.

MDSPL not NSF listed.

MDSCDB9 is covered by U.S. Patent D 630, 8975 S and 8,263,906 B2.







MDSCDB9 PRORATED

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSES**

MDSCDB9EU24V: (487), (497)

Camduction®



- A. Insulated Dome
- B. 22,86 cm Ceramic Plate
- C. Camduction Base

Insulated Base



- A. Insulated Dome
- B. 22,86 cm Ceramic Plate
- C. Heat Keeper Insulated Base

Thermal Pellet



- A. Insulated Dome
- B. 22,86 cm Ceramic Plate
- C. Hot Thermal Pellet
- D. Underliner

Cold Pellet



- A. Insulated Dome
- B. 22,86 cm Ceramic Plate
- C. Cold Pellet
- D. Underliner

Camduction Complete Heat System

The most efficient heat retention solution, holds hot food at safe temperatures 65°C or higher for up to 60 minutes.

- · Camduction Bases are durable and dishwasher safe.
- · Resistant to chips, cracks and breaks.
- Revolutionary technology eliminates errors or issues with spikes in voltage.



MDSCDB9EU24V

Camduction base holds 22,86 cm plate

OUTSIDE DIAMETER: 24,31 cm

OUTSIDE HEIGHT: 2,26 cm FULL-SIZE CAMRACK®: PR59314

Case Pack: 12

Heat Keeper Insulating Base System

The cost-effective solution for heat retention, holds temperature for 20 minutes or more.

· Resists stains, odors and scratches.



HK39B

Insulating base holds 22,86 cm plate **OUTSIDE DIAMETER: 24,48 cm OUTSIDE HEIGHT:** 4,07 cm

FULL-SIZE CAMRACK: PR59314

Case Pack: 12

MEAL DELIVERY WARE SYSTEM - THE HARBOR COLLECTION

- Attractive design provides a pleasant dining experience.
- Supports temperature maintenance.
- Available in six popular colors to complement any decor.
- Mugs and bowls fit existing line of Cambro disposable CamLids® for Shoreline Collection.
- High temperature dishwasher safe.
- Dome fits 22,86 cm plate.
- Works with all Cambro Temperature Retention Systems, Camduction® Complete Heat System, Camtherm® Thermal Pellet System, Heat Keeper Insulating Base System and Camchiller® Pellet System.

Cambro insulated ware is not recommended for use in a microwave oven as this will increase the likelihood of staining and cracking, neither of which is covered under the manufacturers warranty.

Insulated Harbor bowl is covered by U.S. Patent D795,017 S.











Insulated



covers 22,86 cm plate small bowl large bowl LID CODE CLSM8B5, CLSB9, CLSSM8B5. CLRSM8B5 CLSM8B5, CLRSB9 CLRSM8B5 APPROX. CAPACITY 150 mL 270 mL 240 mL **OUTSIDE DIAMETER** 25,94 cm 8,89 cm 11,11 cm 11,43 cm **HEIGHT** 8,17 cm 6,1 cm 6,1 cm 10,16 cm **FULL-SIZE CAMRACK®** PR59314 16C414 9S318 16C414 **CASE PACK** 12 48 48 48

Insulated

Harbor Meal Delivery Ware Colors:



DESCRIPTION





Insulated dome







Insulated mug

MEAL DELIVERY WARE SYSTEM — THE SHORELINE COLLECTION

- Classic design, high performance, and unequalled safety at a budget-friendly price.
- Works with all Cambro Temperature Retention Systems, Camduction® Complete Heat System, Camtherm® Thermal Pellet System, Heat Keeper Insulating Base System and Camchiller® Pellet System.
- Mugs and bowls fit Cambro disposable CamLids®.
- Domes and delivery ware are made of durable polypropylene.

Cambro insulated ware is not recommended for use in a microwave oven as this will increase the likelihood of staining and cracking, neither of which is covered under the manufacturers warranty.











STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSES**

MDSB9, MDSLD9, MDSB16, MDSD9, MDSM8, MDSB5: (487), (497)

Insulated Meal Delivery Ware













CODE	MDSD9	MDSLD9	MDSM8	MDSB5	MDSB9	MDSB16
DESCRIPTION	Insulated dome covers 22,86 cm plate	Low profile insulated dome covers 22,86 cm plate	Insulated mug	Insulated sm. Bowl	Insulated Ig. Bowl	Insulated entree bowl
LID CODE	_	_	CLSSM8B5, CLSM8B5, CLRSM8B5	CLSSM8B5, CLSM8B5, CLRSM8B5	CLSB9, CLRSB9	CLRSB16
APPROX. CAPACITY	_	_	240 mL	150 mL	270 mL	500 mL
OUTSIDE DIAMETER	25,94 cm	25,94 cm	8,89 cm*	8,89 cm	11,11 cm	13,65 cm
HEIGHT	8,17 cm	6,99 cm	10,16 cm	6,1 cm	6,1 cm	6,1 cm
FULL-SIZE CAMRACK®	PR59314	PR59314	16C414	16C414	9S318	9S318
CASE PACK	12	12	48	48	48	48

^{*}MDSM8 Diameter 11,43 cm with Handle.

Shoreline Meal Delivery Ware Colors:











Cranberry



Navy Blue

Disposable Lids for Meal Delivery Ware







			E -5
LID CODE	CLSM8B5	CLSB9	CLSSM8B5
DESCRIPTION	Sm. disp. lid	Lg. disp. lid	Disp. sip lid
FITS	MDSB5, MDSM8, MDSHB5	MDSB9, MDSHB9	MDSB5, MDSM8, MDSHM8
OUTSIDE DIAMETER	9,1 cm	11,28 cm	9,1 cm
HEIGHT	0,76 cm	0,76 cm	1,9 cm
CASE PACK	1,500	1,000	1,000

CLSM8B5, CLSB9 Color: Translucent (190). CLSSM8B5 Color: White (148). Sold in full cases only. No broken cartons.



TEMPERATURE RETENTION SYSTEMS

Camtherm® Thermal Pellet System

The perfect choice for maximum heat retention, holds temperature for 60 minutes or more.

- Holds heat at its core to keep hot foods at safe temperatures.
- Stays 11°C cooler on the edge than metal pellets to protect staff and patients from burns.
- Is a high-density plastic material that won't dent like metal pellets.



MDSP9

Thermal pellet holds
22,86 cm plate

OUTSIDE DIAMETER: 24 cm

OUTSIDE HEIGHT: 4,45 cm

FULL-SIZE CAMRACK®: PR59314

Case Pack: 12



MDSL9

Pellet underliner holds 24,13 cm pellet OUTSIDE DIAMETER: 24,29 cm

OUTSIDE HEIGHT: 4,6 cm

FULL-SIZE CAMRACK: PR59314

Case Pack: 12



MDSPL

Camtherm thermal pellet lifter

OUTSIDE DIAMETER: 8 cm
OUTSIDE HEIGHT: 7,6 cm

Case Pack: 1

Camchiller® Pellet System

Keeps cold food below or at 4°C for up to 45 minutes when used with a chilled plate and insulated dome.

- Shatter-resistant at freezing temperature.
- Stackable for easy transport and storage.
- Can be used with or without an underliner.
- High-temperature dishwasher safe.



MDSPC9

Camchiller pellet holds 22,86 cm plate

OUTSIDE DIAMETER: 24,31 cm
OUTSIDE HEIGHT: 3,42 cm

FULL-SIZE CAMRACK: PR59314

Case Pack: 12



MDSL9

Pellet underliner holds 24,13 cm pellet

OUTSIDE DIAMETER: 24,29 cm
OUTSIDE HEIGHT: 4,6 cm
FULL-SIZE CAMRACK: PR59314

Case Pack: 12

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MDSP9: (477) MDSL9: (487), (497)

Domes, Plate Cover and Plate for all Cambro Temperature Retention Systems

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MDSD9, MDSLD9: (487), (497) MDSPLT9: (148)

CODE	MDSD9 NSE	MDSLD9 NSF.	MDSHD9 NSE	909CW NSE	MDSPLT9
DESCRIPTION	Insulated dome covers 22,86 cm plate	Low profile insulated dome covers 22,86 cm plate	Insulated dome cover for 22,86 cm plate	Camwear Camcover	Ceramic plate
OUTSIDE DIAMETER	25,94 cm	25,94 cm	25,94 cm	26,2 cm	22,86 cm
OUTSIDE HEIGHT	8,17 cm	6,99 cm	8,17 cm	6,99 cm	2,54 cm
FULL-SIZE CAMRACK	PR59314	PR59314	PR59314	PR59314	PR314
CASE PACK	12	12	12	12	24

MDSD9, MDSLD9 and MDSHD9 Colors: Meadow (447), Wheat (457), Speckled Gray (480), Cranberry (487), Navy Blue (497), Black (110), Smoked Metal (485)*. 909CW Colors: Clear (152), Amber (153), Beige (133), Silver (486). MDSPLT9 Color: White (148). *Smoked Meal (485) only available for Harbor Dome. MDSPLT9 Sold in full cases only.



REUSABLE CAMLIDS® FOR MEAL DELIVERY SYSTEMS

- Save up to 75% in lid costs each year.
- Reduce your waste-stream significantly each year when you switch from disposables to reusables.
- Dishwasher safe.
- Made of durable polypropylene.
- Fits both Shoreline and Harbor Collection mugs and bowls.
- Contact your Cambro Sales Representative for a Customized Savings Calculator!

Reusable CamLid Color: Speckled White (490).

Camrack Wash and Store Rack Color:

Kelly Green (452).

Camrack Base Full Size Color: Soft Grey (151).

Full Rack Cover Color: Grey (180).

 ${\tt CLRWSR36} \ is \ covered \ under \ {\tt U.S.} \ patent$ D 617,069.

Full Rack Cover not NSF certified.







STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROP EAN** WAREHOUSE

CLRSB9: (490) CLRWSR36: (452) **BR578:** (110), (163), (167), (168), (184), (186), (414), (416), (119), (151) DRC2020: (180) E3: (151)


CRPHDG2878: (000)

Visit www.cambro.com/savemoney for a Customized Savings Calculator!



Camrack® Wash and Store Rack

- Designed for safe and secure washing and storing of Reusable CamLids, CLRSB9 and CLRSM8B5 only.
- Each Camrack Wash and Store Rack holds 36 Reusable CamLids.
- 2 Wash and store Racks fit in a Full Size Base Rack.



DESCRIPTION	DIMENSIONS	CASE Pack
	H x Dia.	
Fits 240 mL mug and 150 mL bowl	0,71 x 9,05 cm	240
Fits 270 mL bowl	0,71 x 11,32	240
Fits 500 mL bowl	0,71 x 13,97	240
	LxWxH	
Camrack wash and store rack to wash 36 reusable lids	20,96 x 45,4 x 13,97	4
Camrack full size base rack with 2 extenders	50 x 50 x 18,4	4
Full rack cover	50 x 50 x 2,4	1
	LxWxH	
9 x 9 peg rack with 1 extender	50,17 x 50,17 x 14,29	5
Full size open extender	50,17 x 50,17 x 2	12
Full size square hold down grid	46,67 x 46,67	6
	Fits 240 mL mug and 150 mL bowl Fits 270 mL bowl Fits 500 mL bowl Camrack wash and store rack to wash 36 reusable lids Camrack full size base rack with 2 extenders Full rack cover 9 x 9 peg rack with 1 extender Full size open extender	Fits 240 mL mug and 150 mL bowl 0,71 x 9,05 cm Fits 270 mL bowl 0,71 x 11,32 Fits 500 mL bowl 0,71 x 13,97 L x W x H Camrack wash and store rack to wash 36 reusable lids 20,96 x 45,4 x 13,97 Camrack full size base rack with 2 extenders 50 x 50 x 18,4 Full rack cover 50 x 50 x 2,4 L x W x H 9 x 9 peg rack with 1 extender 50,17 x 50,17 x 14,29 Full size open extender 50,17 x 50,17 x 2

Reusable CamLids sold in cases only. No broken cartons.

HEALTHCARE TUMBLER, SWIRL BOWL AND DISPOSABLE CAMLIDS®

Lido® Tumblers with Disposable Lids





TUMBLER CODE	LDT6	LDT9
LID CODE	CLST6	CL900P
TUMBLER CAPACITY	177 mL	266 mL
CASE PACK TUMBLER / LID	36 / 1,000	36 / 1,000
0 I T I I (100) 0 I		N I I I

Color: Translucent (190). Sold in full cases only. No broken cartons.



The 6 & 9 ounce Lido tumblers are marked with 2 ounce increments from the top down for easy patient liquid intake recording.

Laguna® Tumblers with Disposable Lids

TUMBLER CODE

TUMBLER CAPACITY

LID CODE



CLLT6

177,4 mL



CLLT10

No broken cartons.

295,7 mL



CLLT12

354,9 mL

36 / 1,000

Disposable Lids

Swirl Bowl with



SWIRL BOWL CODE	SRB5CW / SRB5
LID CODE	CLSRB5
SWIRL BOWL CAPACITY	148 mL
CASE PACK BOWL / LID	24 / 1,000

Color: Clear (152). Made of (P.E.T.). Sold in full cases only. No broken cartons.

CASE PACK TUMBLER / LID 36 / 1,500 36 / 1,000

Color: Translucent (190). Sold in full cases only.

Colorware Tumblers with Disposable Lids









TUMBLER CODE	500P / 500P2	800P / 800P2	900P / 900P2	950P/950P2
LID CODE	CLJ6	CL800P	CL900P	CL950P
TUMBLER CAPACITY	154 mL	236,6 mL	287 mL	290 mL
CASE PACK TUMBLER / LID	72 / 24 / 1,000	72 / 24 / 1,000	72 / 24 / 1,000	72 / 24 / 1,000

Color: Translucent (190). Sold in full cases only. No broken cartons.

Newport Tumblers with Disposable Lids











TUMBLER CODE	NT5	NT8	NT9	NT10	NT12
LID CODE	CLNT5	CLNT8	CLNT9	CLNT10	CLNT12
TUMBLER CAPACITY	189 mL	228 mL	266 mL	300 mL	373 mL
CASE PACK TUMBLER / LID	36 / 1,500	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,000

Color: Translucent (190). Sold in full cases only. No broken cartons.

CAMSHELVING® HYGIENIC DRYING RACKS



- Keep tray line and warewashing areas organized and prevent wet stacking by storing newly washed products upright for faster drying before storing.
- Non-corrosive, break resistant and easy to assemble.
- Mobile racks allow for easy floor clean up and maneuverability.
- Drying cradles are removable and are high temperature dishwasher safe.
- Combine individual drying cradles to build custom drying racks on 600 mm deep Camshelving units.

- · Lifetime warranty against rust and corrosion on posts and traverses.
- · Drying Cradles are made of high impact ABS material.

*Camshelving Premium Series Color: Speckled White (490).

**Drying Cradle Color: Soft Gray (151).

Casters:

4 Premium Casters: (2 swivel with total locking brake, 2 swivel with no brake).



Vertical Drying and Storage Rack

- · Securely holds various sizes of trays, cutting boards, baking sheet pans, lids and plates 20,5 to 34,3 cm.
- Drying Cradles are installed directly onto shelf traverses.
- Fits 600 mm shelves.

7-Slot Drying Cradle is covered by U.S. Patent D 663,912 S.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

CSDR7, CSDR73: (151) MPMU61117DRPKG, MPMU61317DRPKG: (490)



CODE	DESCRIPTION	DIMENSIONS D x L x H	HOLDING Capacity	CASE Pack
Camshelving Premium*				
MPMU61117DRPKG	Vertical drying rack	600 x 1180 x 1790 mm	84 Trays	1
MPMU61317DRPKG	Vertical drying rack	600 x 1380 x 1790	105	1
Drying Cradles**				
CSDR7	7-Slot drying cradle	597 x 260 x 95	_	1
CSDR73	7-Slot drying cradle	597 x 260 x 95	_	3

Drying Cradles fit on Camshelving Premium Series, mobile or stationary 600 mm deep shelves.

Package Includes: Pre-assembled mobile post kits, 6 traverses for each model, 12 or 15 drying cradles and premium swivel casters with total locking brake. Assembly required.



CAMSHELVING® HYGIENIC DRYING RACKS



Angled Drying and Storage Rack

- Securely holds up to 128 meal delivery Pellets/Bases or a variety of food pan sizes, pots and kitchen wares.
- Drying Cradles are installed directly onto shelf traverses.
- Fits 600 mm shelves.

- *Camshelving Premium Series Color: Speckled White (490).
- **Drying Cradle Color: Soft Gray (151).

8-Slot Drying Cradle is covered by U.S. Patent D739,989 S.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSDR8, CSDR84: (151) MPMU61217PDPKG: (490)



CODE	DESCRIPTION	DIMENSIONS D x L x H	HOLDING Capacity	CASE Pack
Camshelving Premiur	n*	,	'	
MPMU61217PDPKG	Angled drying rack	600 x 1280 x 1790 mm	128 pellets and bases or 16 GN 1/1 food pans	1
Drying Cradles**				
CSDR8	8-Slot drying cradle	592 x 263 x 160	_	1
CSDR84	8-Slot drying cradle	592 x 263 x 160	_	4

Individual Drying Cradles fit on Camshelving Premium Series 600 mm deep shelves only, mobile or stationary. **Package Includes:** Units ship complete with 2 mobile post kits, 8 traverses, 16 angled drying cradles and premium swivel casters with total locking brake. Assembly required.



MPMU61217PDPKG Camshelving Premium

Dome Drying and Storage Rack

- Securely holds 100 meal delivery domes.
- Drying Cradles are installed directly onto shelf traverses.
- Fits 600 mm shelves.

- *Camshelving Premium Series Color: Speckled White (490).
- **Drying Cradle Color: Soft Gray (151).

10-Slot Drying Cradle is covered by U.S. Patent D 736,488 S.











CSDDC24, CSDDC245: (151) MPMU6917DDPKG: (490)



CODE	DESCRIPTION	DIMENSIONS D x L x H	HOLDING Capacity	CASE PACK
Camshelving Premium*				
MPMU6917DDPKG	Dome drying rack	600 x 980 x 1790 mm	100 Domes	1
Drying Cradles**				
CSDDC24	10-Slot drying cradle	597 x 415 x 86	_	1
CSDDC245	10-Slot drying cradle	597 x 415 x 86	_	5

Individual Drying Cradles fit on Camshelving Premium Series 600 mm deep shelves only, mobile or stationary. **Package Includes:** Pre-assembled mobile post kits, 10 traverses, 10 drying cradles and premium swivel casters with total locking brake. Assembly required.



TABLOTHERM CAM GOBOX® MEAL DELIVERY SYSTEM

The Tablotherm Cam GoBox is the cost-effective solution for delivering single-served meals. This lightweight insulated tray separates hot and cold foods, keeping meals at safe temperatures for up to 60 minutes. Extra compartments can be used for beverages and snacks for a convenient and complete meal delivery.

Lids 122701118, 122700021 and 122700023 are BPA Free.



TABLOTHERM CAM GOBOX® MEAL DELIVERY SYSTEM



ITENEPP

EPP Tablotherm without dishes

EXTERIOR DIM. L x W x H: 37 x 53 x 11,8 cm

UNIT WEIGHT: 0,55 kg

Case Pack: 1 Color: Grey (107).



ITENEPP1118

EPP Tablotherm with dishes -2 rectangular dishes 11 x 18 cm, 2 bowls 14 cm, reusable covers

EXTERIOR DIM. L x W x H: 37 x 53 x 11,8 cm

UNIT WEIGHT: 2,53 kg

Case Pack: 1 Color: Grey (107).



ITENEPP21

EPP Tablotherm with dishes - 1 plate 21 cm, 2 bowls 14 cm, reusable covers

EXTERIOR DIM. L x W x H: $37 \times 53 \times 11.8 \text{ cm}$

UNIT WEIGHT: 2,27 kg

Case Pack: 1 Color: Grey (107).



ITENEPP23

EPP Tablotherm with dishes - 1 two-compartment plate 23 cm, 2 bowls 14 cm, reusable covers

EXTERIOR DIM. L x W x H: 37 x 53 x 11,8 cm

UNIT WEIGHT: 2,32 kg

Case Pack: 1 Color: Grey (107).



ITENEPP1118H

EPP Tablotherm with dishes - 2 rectangular dishes 11 x 18 cm, 2 Shoreline bowls MDSB16 (13,6 cm) (500 mL), 2 reusable covers CLRSB16

EXTERIOR DIM. L x W x H: 37 x 53 x 11,8 cm

UNIT WEIGHT: 1,82 kg

Case Pack: 1 Color: Grey (107).



ITENEPP21H

EPP Tablotherm with dishes - 1 plate 21 cm, 2 Shoreline bowls MDSB16 (13,6 cm) (500 mL), 2 reusable covers CLRSB16

EXTERIOR DIM. L x W x H: 37 x 53 x 11,8 cm

UNIT WEIGHT: 1,57 kg

Case Pack: 1 Color: Grey (107).



ITENEPP23H

EPP Tablotherm with dishes - 1 two-compartment plate 23 cm, 2 Shoreline bowls MDSB16 (13,6 cm) (500 mL), 2 reusable covers CLRSB16

EXTERIOR DIM. L x W x H: $37 \times 53 \times 11.8 \text{ cm}$

UNIT WEIGHT: 1,62 kg

Case Pack: 1 Color: Grey (107).



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

All TABLOTHERM CAM 60BOXES: (107) 122401118, 122601118, 122400021, 122600021, 122600023, 122500014, 122700014: (000)

MDSB16: (480)

Ceramicware



















CODE	122401118	122701118	122400021	122700021	122400023	122700023	122500014	122700014	MDSB16
DESCRIPTION	Porcelain rectangular dish	Rectangular dish cover for 122400018	Porcelain plate	Plate cover for 122400021	2-compartment porcelain plate		Porcelain bowl 14 cm	Bowl cover	Insulated Shoreline bowl - 500 mL
EXTERIOR DIM. (CM)	11 x 18	11 x 18	Ø 21	Ø 21,5	Ø 23	Ø 23,5	Ø 14 x 0,7	Ø 14,5	Ø 13,6 x 6
UNIT WEIGHT (KG)	0,45	0,06	0,58	0,18	0,6	0,2	0,44	0,04	0,13

Case Pack: 1 Color: (000)

TABLOTHERM MEAL DELIVERY SYSTEM

The ideal single-serve meal delivery system for in-home service • Transport and serve hot and cold food in one complete unit. • Maintain safe food temperatures for over 1 hour.* • Lightweight design makes transportation easy and convenient. Tablotherms stack for easy transportation and storage. • Two sizes accommodate a variety of meal options. • Dishwasher safe. Molded-in dimples secure the sealed lids on dishware to prevent Break-resistant china dishware. spills and enhances temperature retention. Compact design makes transport easy. Safely hold hot and cold meals in one unit.

	-	-	
-	-	-	1

Meal set-up is convenient with Tablotherm trays and dishes.

ITPD3253 model with Hea	ted Pellet			
85°C	80°C	77°C	74°C	71°C
ITPD3253 model without I	leated Pellet			
85°C	72°C	68°C	64°C	_
ITPD3753T model with He	ated Pellet			
89°C	75°C	70°C	65°C	62°C
ITPD3753T model without	Heated Pellet			
87°C	67°C		60°C	_
-				_
Starting Temperature	20 min.		40 min.	1 hr.

 $^{{}^{\}star}$ With heated pellet. Not for use in heated carts.

TABLOTHERM INSULATED TRAYS

Minimum Food & Plate Temperature before Plating: 85° - 90° C







Only available from Cambro European Logistics (CEL), Germany.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

IT3253, IT3753T, ITPD3253, ITPD3753T, ITPD3753TH, 112 430 000, 122 400 050, 122 450 050, 122 500 050, 122 600 050, 122 650 050, 122 700 050, 122 201 050, **122 200 050, 122 260 050**: (000) MDSB16, MDSB9: (480) **CLRSB9T, CLRSB16T:** (490) 165PW: (A42)



ITPD3253 - Gastronorm size





ITPD3753T - Euronorm size

Light gray polypropylene lid with integrated rubber seal. Lids cannot be used in microwave oven.

CODE	DESCRIPTION	DIMENSIONS W x L x H
Tablotherm – Insula	ted Tray with Porcelain Dishes, seal covers and pellet	
ITPD3753T	Euronorm insulated tray including: 1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. Pellet (165PW), 3 ea. multi-purpose bowls: 2 ea. 400 mL (122 500 050), 1 ea. 500 mL (122 450 050) and 3 ea. reusable covers: 2 ea. (122 700 050) and 1 ea. (122 650 050)	37 x 53 x 10,5 cm
ITPD3253	Gastronorm insulated tray including: 1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. pellet (165PW) 2 ea. multi-purpose bowl (122 500 050) and 2 ea. reusable cover (122 700 050)	32,5 x 48 x 10,5
Tablotherm – Insula	ted Tray without porcelain dishes, seal covers and pellet	
IT3753T	Euronorm insulated tray — empty	37 x 53 x 10,5
IT3253	Gastronorm insulated tray — empty	32,5 x 48 x 10,5
Porcelain dishes		
122 400 050	Two compartment plate. Outside ø 254 mm capacity 750 mL (white)	
122 450 050	Multi-purpose bowl. Outside ø 142,2 mm capacity 500 mL (white)	
122 500 050	Multi-purpose bowl. Outside ø 120 mm capacity 400 mL (white)	_
Reusable polypropy	lene covers, light gray with integrated rubber seal	
122 600 050	For two compartment plate	_
122 650 050	For multi-purpose bowl — 500 mL	_
122 700 050	For multi-purpose bowl — 400 mL	_
Pellet System		
165PW	SMC pellet ø 16,5 cm	_
Menu card		
112 430 000	Yellow menu cards 100 x 70 mm	
Latches		
122 201 050	Latches with menu card holder (IT3253, ITPD3253)	
122 200 050	Latches without menu card holder (IT3253, ITPD3253)	
122 260 050	Latches and screw kit: 1 ea. latch, 4 ea. screws (IT3753T, ITPD3753T)	
Tablotherm with Ins	ulated Dishware	
ITPD3753TH	1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. Pellet (165PW), 3 ea. multi-purpose bowls: 2 ea. 270 mL (MDSB9), 1 ea. 500 mL (MDSB16) and 3 ea. reusable covers: 2 ea. (CLRSB9T) and 1 ea. (CLRSB16T)	37 x 53 x 10,5
Insulated Dishware	for ITPD3753TH	
MDSB9	Insulated large bowl. Outside ø 111,1 mm — 270 mL	
MDSB16	Insulated entree bowl. Outside ø 136,5 mm — 500 mL	
CLRSB9T	Reusable CamLid®— 270 mL	_
CLRSB16T	Reusable CamLid — 500 mL	_
ITPD3753T, IT3753T	. ITPD3753TH Color: Gray and Blue. ITPD3253. IT3253 Color: Two Tone Gray. 165PW Color: (A42).	

ITPD3753T, IT3753T, ITPD3753TH Color: Gray and Blue. ITPD3253, IT3253 Color: Two Tone Gray. 165PW Color: (A42). MDSB16, MDSB9 Color: Speckled Gray (480). CLRSB16T, CLRSB9T Color: Speckled White (490). 165PW Case Pack: 1 Each.

For a complete guide to maximizing heat retention, contact your Cambro representative.

ANTIMICROBIAL CAMGUARD® VERSA TRAYS

- High performance polyester tray for ultra-intensive use.
- Built-in antibacterial protection eliminates bacteria between tray washings and will not wash off or wear away for the life of the tray.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Temperature range resistance from -40° to 140°C. ‡
- Dishwasher safe Wash as often and as frequently as needed.

‡ Not for use in heated carts.



Minimum quantity order from CEL: Non-stock item 240 pieces. No broken carton.

Only available from Cambro European Logistics (CEL), Germany.







Low Profile Design Shape






camguard

ANTIMICROBIAL TRAYS

Trays have built-in antimicrobial properties to protect against mildew growth and bacterial odors. This protection will not wash or wear off.

Unprotected Surface versus Camguard Protected Surface 24 Hour Test.





CODE	DIMENSIONS
Versa Trays – High Profile Shape	
VT1418AB	35,5 x 45,7 cm
VT3343AB	33 x 43
Versa Century™ Trays — Low Profile Design Shape	
VT3646CAB	35,5 x 45,7
VT3343CAB	32,9 x 42,9
Versa Trays – Flat Edge Shape	
GP1070AB*	26,5 x 32,5
GP1080AB*	26,5 x 37
GP3980AB*	37 x 53
GP4002AB*	32,5 x 53

Case Pack: 12

*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.



Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.



Reinforced polyester corners provide superior corner and edge protection against impact.



Stacking lugs keep trays stacked securely in place and ensure proper air flow.

Tray Color:



Granite

POLYESTER DECORATED VERSA TRAYS WITH SMOOTH OR NON-SLIP SURFACE

- Reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Your Green Initiatives will get rapid results with the elimination of up to 10 tons of trash each year.
- · High performance polyester tray for ultra-intensive use.

- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Dishwasher safe Wash as often and as frequently as needed.
- ‡ Not for use in heated carts.
- *Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application

Personalization: Contact your Cambro representative for pricing.









Minimum quantity order from CEL:

Stock item one case, Non-stock item 120 pieces. No broken carton.



Flat Edge Shape

Only available from Cambro European Logistics (CEL), Germany.

N EcoSafe



Non-Slip Trays grip firmly providing



CODE	SIZE	CASE Pack
Smooth surface – Flat	Edge Shape	
GP0540*	46 x 34,4 cm	12
GP3980*	53 x 37	12
GP4002*	53 x 32,5	12
GP4004	53 x 32.5	12

Temperature range resistance from -40° to 90°C.‡



CODE	SIZE	CASE Pack
Non-slip surface – Flat	Edge Shape	
GP3980NS*	53 x 37 cm	12
GP4002NS*	53 x 32,5	12
GP0540NS*	46 x 34,4	12
GP1080NS*	37 x 26,5	12

Only available in colors: B22, B93, B99, B100. Temperature range resistance from -40° to 80°C.‡



Patterns and **Tray Base Colors:**



Pebbled White on Light Grey Tray



Sahara on Sahara Tray



Brushed Steel on Light Grey Tray



Titan on **Granite Tray**



Light Grey Tray



Light Grey on Light Grey Tray



Pebbled Black on Terrazzo Tray



Pebbled White on Terrazzo Tray

POLYESTER NON-SLIP VERSA LITE TRAYS

- Non-Slip surface provides a better grip for safer meal delivery.
- Reduce your environmental wastestream each year when you switch from paper tray mats to Non-Slip Versa Lite Trays.
- Standard performance polyester tray for intensive use.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Temperature range resistance from -40° to 80°C.‡
- Dishwasher safe Wash up to 3 times per day.

Colors: Sahara on Sahara Tray (B22), Titan on Speckled Smoke Tray (B14), Sahara on Pearl White Tray (B11), Pebbled Black on Light Grey Tray (B99).

Personalization: Contact your Cambro representative for pricing.

‡ Not for use in heated carts.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GL4002NS: (B22)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

Only available from Cambro European Logistics (CEL), Germany.



High Profile Shape



Low Profile Design Shape



Flat Edge Shape





Versa Lite Century Trays have low edges and ergonomic corners that enhance comfort.



Stacking lugs keep trays stacked securely in place and ensure proper air flow.



Reinforced polyester corners provide superior corner and edge protection against impact.

CODE	DIMENSIONS
Versa Lite Trays – High Profile Shape	
VL1418NS	35,5 x 45,7 cm
VL3343NS	33 x 43
Versa Lite Century™ Trays — Low Profile Design Shape	
VL3646CNS	35,5 x 45,7
VL3343CNS	33 x 43
Versa Lite Trays – Flat Edge Shape	
GL3980NS*	37 x 53
GL4002NS*	32,5 x 53

Case Pack: 12



Non-Slip Trays grip firmly providing safer meal delivery service.

Tray Colors:



Sahara on Sahara Tray



Pebbled Black on Light Grey Tray

^{*}Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

NON-SLIP VERSA CAMTRAYS®

- Non-Slip Trays reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Green Initiatives will get rapid results with the elimination of tons of trash each year.
- Non-Slip Camtrays provide a better grip for safer meal delivery.
- · Dishwasher safe in low and high temperatures.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Temperature range resistance from -40° to 80°C.‡

Camtray and Dietary Tray Colors: Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).

Personalization: Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.

NSF Listed for non-direct food contact only.











Non-Slip trays grip table top items firmly.

CODE	DESCRIPTION	DIMENSIONS
1418VC	Non-Slip Versa Camtray	35,5 x 45,7 cm
1520VC	Non-Slip Versa Camtray	38 x 51

Case Pack: 12

NON-SLIP VERSA CAMTRAYS FOR ROOM SERVICE

- · Ergonomic handles allow for safe and elegant meal delivery.
- Trays fit within existing meal delivery carts that accommodate 35,5 x 45,7 or 38 x 51 cm trays.
- Non-Slip surface eliminates the need for tray mats saving time and monev.
- · Dishwasher safe at high and low temperatures.
- · Stacking lugs allow for quick drying.
- Temperature range resistance from -40° to 80°C.‡
- 38 x 51 cm tray is ideal for room service.

Room Service Tray Colors:

Black with Pebbled Black (382). Pearl Gray with Titan (381), Ivory with Sahara (380).

Personalization: Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.

Non-Slip Versa Camtrays for Room Service is covered by U.S. Patent D 683,191 S.

NSF Listed for non-direct food contact only.














Case Pack: 12





High Profile Shape

Flat Edge Shape

EcoSafe







CAMWEAR® NON-SLIP TRAY

- Ideal for healthcare patient meal delivery and in high-traffic cafeterias.
- Scratch-resistant, made of durable Camwear.
- Non-Slip eliminates the need for tray mats, saving time and money.
- · Enhances stability, providing safer transport and service.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Commercial dishwasher safe at high and low temperatures.
- Trays with handles are also available without non-slip surface.

Colors: Black (110), Dark Cranberry (488), Smoked Metal (485).

*Not recommended for use in heated

NSF Listed for non-direct food contact only.















1520CWNSH

Black

(110)

Dark

CODE	DESCRIPTION	DIMENSIONS
Non-Slip Surface		
1418CWNS	Camwear non-slip tray	35,5 x 45,7 cm
1520CWNS	Camwear non-slip tray	38 x 51
1418CWNSH*	Camwear non-slip tray with handles	35,5 x 45,7
1520CWNSH*	Camwear non-slip tray with handles	38 x 51
Smooth Surface		
1520CWH	Camwear tray with Handles	38 x 51

Case Pack: 12

CAMTRAYS® WITH HANDLES

- Enhance your tray presentation with these easy-to-grip, ergonomic, contoured handles.
- Stain, Scratch and odor resistant.
- Made of durable lightweight and high-impact fiberglass.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- · Dishwasher safe at high and low temperatures.

Available in Group I colors.

Special order item not carried in stock, non-returnable. One case order minimum.

NSF listed for non-direct food contact only.

Personalization through digital printing process only. Please refer to Camtray Personalization section for details.













CODE	DESCRIPTION	DIMENSIONS
1418H	Camtray with handles	35,5 x 45,7 cm
1520H	Camtray with handles	38 x 51

Case Pack: 12

MEAL DELIVERY CARTS FOR TRAY SERVICE

StoreSafe STORE FRESH

- Transport meal trays from the kitchen to acute care patients, nursing home residents or correctional facility inmates.
- Enhance patient satisfaction with high quality, room service style meals served quietly and efficiently.
- Tough, one-piece, double-wall polyethylene carts are easy to clean and won't rust, dent, crack, chip or break.
- Non-electric and requires no assembly.

- Features light-weight non-insulated ABS doors.
- Features four total locking quiet, non-marking nylon casters (2 rigid, 2 swivel with brake).
 MDC1411T60 comes standard with plated casters.
- Features a latching mechanism to secure the doors closed during transport and a magnetic device to hold doors open 270° when loading or serving.

Single door 10-Tray Meal Delivery Cart is covered by U.S. Patent D 723,237 S.







10-TRAY DUAL ACCESS ROOM SERVICE CART - LOW PROFILE



Center opening provides self-venting airflow, optimizing food quality and humidity.

Molded-in rails ensure quiet meal delivery, rail spacing 13,34 cm.

Holds up to ten 38 x 51 cm or Euronorm 37 x 53 cm trays.

Large, molded-in ergonomic handle makes it easy to transport and maneuver.

Molded-in marine rail provides an additional tray landing surface. Marine rail is designed for use during service, not transport.



Polyurethane insulation ensures quiet meal delivery and provides structural strength.

Durable, lightweight, self-venting, ABS doors are non-insulated and open a full 270°, providing ergonomic access to trays from both the front and back of the cart.



Menu clip holds routing directions or content lists.

Molded-in full-perimeter bottom bumper protects the cart, walls and furniture.



CODE	MDC1520S10D
TRAY SIZE	38 x 51 / 37 x 53 cm
TRAYS PER COMPARTMENT/ RAIL SPACING	5 / 13,3 cm
EXTERNAL DIMENSIONS W x D x H	77,5 x 97,5 x 109 cm
INTERNAL DIMENSIONS W x D x H	53,6 x 78,7 x 66,6 cm
CASTER TYPE	Nylon, 12,7 cm 2 rigid, 2 swivel with brake
UNIT WEIGHT	42 kg

Case Pack: 1 Colors: Granite Gray (191), Granite Sand (194).



AIRPOT AND CONDIMENT STATION

- Holds three airpots for safe transport and service.
- · Compartments are designed for stir sticks, napkins and a variety of condiments.
- Stain and odor resistant.
- Made of durable ABS material.
- Fits Cambro's 10-tray room service carts.

BSACS patent pending.





CODE	DIMENSIONS W x D x H	CASE Pack
BSACS	59 x 39 x 15,2 cm	1

Color: Black (110). Airpots not included.



10-TRAY SINGLE DOOR ROOM SERVICE CART - LOW PROFILE





One louvered vent on the back supports air circulation.

Molded-in full-perimeter bottom bumper protects the cart, walls & furniture.



quiet meal delivery, rail spacing up to 13,34 cm.

Molded-in rails ensure



Menu clip holds routing directions or content lists.

Lightweight, self-venting, ABS door is non-insulated and opens a full 270°.

Shown with four, 13 cm non-marking, offset, durable stainless steel casters (2 fixed and 2 swivel with brake). Heavy duty casters are available.

CODE	MDC1520S10 NSF.	MDC1520S10HD NSF.
TRAY SIZE	38 x 51,5 cm & 37 x 53 cm	38 x 51,5 cm & 37 x 53 cm
TRAYS PER RAIL / RAIL SPACING	2 / 13,3 cm	2 / 13,3 cm
EXTERNAL DIMENSIONS W x D x H	77,5 x 97,5 x 109 cm	77,5 x 97,5 x 110,5 cm
INTERNAL DIMENSIONS W x D x H	53,7 x 78,7 x 66,7 cm	53,7 x 78,7 x 66,7 cm
CASTER TYPE	Nylon, standard casters 12,7 x 3,2 cm	Heavy Duty casters 15,2 x 5,1 cm
UNIT WEIGHT	35,4 kg	40,8 kg

Case Pack: 1 Colors: Granite Gray (191), Granite Sand (194).

20-TRAY MEAL DELIVERY CART — LOW PROFILE





Colors: Slate Blue (401), Granite Grey (191), Granite Green (192), Granite Sand (194). (All carts with cream door.)

MDC1520T16 and MDC1418T16 are covered by U.S. Patent D 398,727.







Marine rail is designed for use during service, not transport.



MDC1520S20 Back view with louvered vents







CODE	MDC1520S20	MDC1418S20
TRAY SIZE	38 x 51,5 cm	36 x 46 cm
TRAYS PER CART	20	20
TRAYS PER COMPARTMENT	10	10
RAILS PER COMPARTMENT	5	5
TRAYS PER RAIL	2	2
RAIL SPACING	13,9 cm	13,9 cm
NUMBER OF DOORS	2	2
NUMBER OF COMPARTMENTS AND VENTS	2	2
NUMBER OF MENU CLIPS	2	2
MENU CLIPS - LOCATION	1 per door	1 per door
HANDLES - TYPE AND LOCATION	Molded in, each end	Molded in, each end
CASTER TYPE	Nylon, 15,2 cm, 2 swivel w/brake, 2 rigid, offset	Nylon, 12,7 cm, 2 swivel w/brake, 2 rigid, offset
LATCHES	2 internal nylon friction	2 internal nylon friction
EXTERNAL DIMENSIONS W x L x H	96,5 x 140 x 112,4 cm	82,6 x 123,2 x 111,8 cm
INTERNAL DIMENSIONS W x D x H	53,5 x 77 x 70 cm	47 x 71,5 x 74 cm
UNIT WEIGHT	70,31 kg	64,18 kg
0 D L 1		

Case Pack: 1

16 AND 30 TRAY MEAL DELIVERY CARTS - TALL PROFILE



Marine rail is designed for use during service, not transport.













Tall Profile

SPECIFICATIONS	MDC1520T30	MDC1520T16	MDC1418T30	MDC1418T16
TRAY SIZE	38 x 51,5 cm	38 x 51,5 cm	36 x 46 cm	36 x 46 cm
TRAYS PER CART	30	16	30	16
TRAYS PER COMPARTMENT	10	8	10	8
RAILS PER COMPARTMENT	10	4	10	4
TRAYS PER RAIL	1	2	1	2
RAIL SPACING	12,7 cm	13,3 cm	12,7 cm	13,3 cm
NUMBER OF DOORS	3	1	3	1
NUMBER OF COMPARTMENTS	3	2	3	2
NUMBER OF MENU CLIPS	5	1	5	1
MENU CLIPS - LOCATION	Each door, each end	Back of cart	Each door, each end	Back of cart
HANDLES - TYPE AND LOCATION	Heavy-duty nylon, mounted 1 per end	Molded-in, 1 per end	Heavy-duty nylon, mounted 1 per end	Molded-in, 1 per end
CASTER TYPE	Nylon, 15,2 cm, 2 rigid, 4 swivel w/brake, offset	Nylon, 15,2 cm, 2 rigid, 2 swivel w/brake	Nylon, 15,2 cm, 2 rigid, 4 swivel w/brake, offset	Nylon, 15,2 cm, 2 rigid, 2 swivel w/brake
LATCHES	Friction catch, transit latch*	Large paddle latch external security latches	Friction catch, transit latch*	Large paddle latch
EXTERNAL DIMENSIONS W x L x H	74,3 x 152,4 x 161,6 cm	99,4 x 77,8 x 147,6 cm	74,3 x 152,4 x 161,6 cm	92,7 x 71,1 x 147,6 cm
INTERNAL DIMENSIONS W x D x H	39 x 53,34 x 127 cm	52,5 x 55 x 77,5 cm	37 x 55 x 127 cm	46,5 x 55 x 74,6 cm
REQUIRED DOOR WIDTH	77 cm	79 cm	77 cm	73 cm
UNIT WEIGHT	95,25 kg	62,37 kg	97,07 kg	54,88 kg

Case Pack: 1 Colors: Slate Blue (401), Granite Grey (191), Granite Green (192), Granite Sand (194). (All carts with cream door.)

For lighter-duty applications, 30-tray carts may be ordered without the steel transit latches by using product code MDC1520T30NL or MDC1418T30NL.

^{*}Stainless steel transit latch at top of each door. MDC1520T16 and MDC1418T16 are covered by U.S. Patent D 398,727.

60-TRAY MEAL DELIVERY CART FOR CORRECTIONAL TRAY SERVICE

- For use in correctional facilities.
- Holds 60 each 1411CW or 1411CP Cambro Base Trays with 853 Insert Trays or 60 each 10146DCW or 10146DCP Separator Compartment Trays.
- Security features include security screws on handles, stop locks on door knuckles, security bolts for transit latches and caster carriage bolts with lock nuts.





1411CP base tray with 853FH insert tray

CODE	MDC1411T60
TRAY SIZE	36,5 x 26,8 cm base tray 1411CW and 1411CP
TRAYS PER CART	60
TRAYS PER COMPARTMENT	20
RAILS PER COMPARTMENT	10
TRAYS PER RAIL	2
RAIL SPACING	12,7 cm
NUMBER OF COMPARTMENTS	3
MENU CLIPS	None
HANDLES - TYPE AND LOCATION	Heavy-duty aluminum with security screws, black finish, 1 per end
CASTER TYPE	15,2 cm heavy-duty casters, 5 cm wide tread, 2 swivel with brake, 2 rigid
LATCHES	Internal friction catch, 2 per door,transit latch*
EXTERNAL DIMENSIONS W x L x H	74,3 x 152,4 x 161,6 cm
INTERNAL DIMENSIONS W x D x H	37 x 55 x 127 cm
REQUIRED DOOR WIDTH	76,2 cm
UNIT WEIGHT	97,98 kg
	· · · · · · · · · · · · · · · · · · ·

Case Pack: 1 Colors: Slate Blue (401), Granite Grey (191), Granite Green (192), Granite Sand (194). All carts with cream door.


*Stainless steel transit latch at top of each door.

MEAL DELIVERY CARTS FEATURES AND CASTER CONFIGURATIONS


Standard Caster Configurations:

These caster configurations are designed to provide stability and maneuverability over uneven surfaces.


For optional caster configurations, contact your Cambro representative.



MDC1520S20, MDC1418S20, MDC1411T60



MDC1520S10, MDC1520S10D, MDC1520T16, MDC1418T16



MDC1520T30, MDC1418T30

Lead in Casters

Handles

MDC1520S20, MDC1418S20



Molded in handles on each end for smooth transporting.

MDC1520T16, MDC1418T16



Molded in handles for easy transporting.

MDC1520T30. MDC1418T30. MDC1411T60**



Heavy duty nylon handles are securely mounted and nested into each end. **MDC1411T60 has tamper resistant heavy duty aluminum tubing handles.



Casters are offset to ease movement over uneven surfaces. This is standard on MDC1520S10, MDC1520S10D, MDC1520S20, MDC1418S20, MDC1520T30, MDC1418T30 and MDC1411T60.

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
1000	225	10CWNR	183	1216ET	228	12RS12	62
1000CW	184	10HC258	78	1216FF	240	12SFSCW	152
1000LCD	45	10HC414	78	1217FFH	240	12SFSP	154
1000LCDCVR	45	10HE1	83	12183CW	160	12SFSPP	154
1005CW	184	10HE2	83	12183P	162	12TGS	204
1007CW	184	10HPC	170	12186CW	160	1300	225
100CW	183	10HPCH	170	12186P	162	1313	224
100LCD	45,47	10HPCHN	170	12189CW	61,160	1313 (Group 3)	224
100MCCW	180	10HPD	169	12189P	162	1318	224
100MPC	27	10HS1114	77	1218CCW	160	1318 (Group 3)	224
100MPCHL	27	10HS318	77	1218CP	162	1318CC	49
100VS	184	10HS434	77	1218DSCW	161	1318MT	245
1010VS	184	10HS638	77	1218MT	245	13CLRCW	167
1012VS	184	10HS800	77	1218SCCW	61,160	13CLRHP	171
1013CW	184	10HS958	77	1219D	229	1400	225
1014	224	10PPCH	175	1220D	229	1400CT	232
1014 (Group 3)	224	10PPCWSC	166,175	122200050	261	1400ET	228
10145CW	245	10PPD	174	122201050	261	1400TL	233
10146CW	241	1100	225	1222D	229	14105CP	245
10146DCP	243	1100CT	232	122400021	259	14105CW	245
10146DCPC	243	1101CW	184	122400023	259	1411CP	244
10146DCW	243	1116	224	122400050	261	1411CW	244
10146DCWC	243	1120CBP	95	122401118	259	1418	224
1014CL	229	1120CBR	95	122450050	261	1418 (Group 3)	224
1014CT	232	112430000	261	1224MT	245	14187TRCW	245
1014ET	228	116VS	184	122500014	259	1418CL	229
1014FF	240	1200	225	122500050	261	1418CT	232
1014VS	184	1200CW	192	122600050	261	1418CW	230
1015	224	1200DIV	28,35	122650050	261	1418CWNS	230,266
1015MT	245	1200P	191	122700014	259	1418CWNSH	230,266
10302MT	245	1200P2	191	122700021	259	1418D	229
1030MT	245	1202CW	184	122700023	259	1418DC	223
103VS	184	120CWP	183	122700050	261	1418DCET	223
105VS	184	120VS	184	122701118	259	1418ET	228
106VS	184	1210PW	28,31,32,33,35	1230MT	245	1418FF	240
10CW	183	1216	224	124VS	184	1418H	225,266
10CWC	166	1216 (Group 3)	224	1252SLB250	163	1418TR	225
10CWCH	166	1216CL	229	1252SLINB250	163	1418TR (Group 3)	225
10CWCHN	166	1216CT	232	12CW	165	1418TRCW	230
10CWD	165	1216D	229	12HP	169	1418VC	265
10CWGL	166	1216DC	223	12HPH	172	1418VCH	265
10CWL	183	1216DCET	223	12PP	174	1422TR	225

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
1422TR (Group 3)	225	1622 (Group 3)	224	182612P	162	2025 (Group 3)	224
14CW	165	16225	224	182615CW	160	2025MT	245
14HP	169	16225 (Group 3)	224	182615P	162	2030UT	88
14PP	174	1622CT	232	18263CW	160	20C258	78
150CW	183	165PW	261	18263P	162	20C414	78
1520	224	16C258	78	18266CW	160	20CC	191
1520 (Group 3)	224	16C414	78	18266P	162	20CFC	176
1520CBCP	95	16C578	78	18268CLRCW	161	20CWC	166
1520CBP	95	16CW	61	18268CLRKIT	161	20CWCH	166
1520CBPF	95	16E1	82	18269CW	160	20CWCHN	166
1520CBR	95	16E2	83	18269P	162	20CWD	165
1520CL	229	16E4	83	1826CCW	160	20CWGL	166
1520CT	232	16E5	83	1826CL	229	20CWL	166
1520CW	230	16HP	169	1826CLRCW	161	20CWLN	166
1520CWH	230,266	16PP	174	1826CP	162	20E2	83
1520CWNS	230,266	16S1058	74	1826CT	232	20GE1	82
1520CWNSH	230,266	16S1114	74	1826DBC	48	20GE2	83
1520D	229	16S1214	74	1826DBCSP	48	20GE4	83
1520DC	223	16S318	74	1826DSCW	161	20GE5	83
1520DCET	223	16S418	74	1826DTC	48	20HPC	170
1520ET	228	16S434	74	1826DTCSP	48	20HPCH	170
1520H	225,266	16S534	74	1826HAR	49	20HPCHN	170
1520TR	225	16S638	74	1826LBC	49	20HPD	169
1520TR (Group 3)	225	16\$738	74	1826LBCSP	49	20HPL	170
1520VC	265	16\$800	74	1826LTC	49	20HPLN	170
1520VCRST	265	16S900	74	1826LTC3	49	20LPCWC	166
1550	225	16S958	74	1826LTCSP	49	20LPCWD	165
1550CT	232	1722CBCP	95	1826MT	201	20LPHPC	170
1596CP	242	1722CBP	95	1826MTC	49	20LPHPD	169
1596CW	242	1722CBR	95	1826SCCW	160	20PPCH	175
15CLRCW	167	17HE1	83	18CW	165	20PPCWSC	166,175
15CLRHP	171	17HE2	83	18PP	174	20PPD	174
1600	225	17HS1114	77	18SFSCW	152	20\$1058	75
1600CT	232	17HS318	77	18SFSP	154	20S1114	75
1600CW	192	17HS434	77	18SFSPP	154	20S1214	75
1600DIV	28,35,57	17HS638	77	1950	225	20S318	75
1600ET	228	17HS800	77	1950CT	232	20\$418	75
1600P	191	17HS958	77	2000P	191	20\$434	75
1600P2	191	1800CT	232	2000P2	191	20\$534	75
1600TL	233	1826	224	200MCCW	180	20\$638	75
1621CBP	95	1826 (Group 3)	224	200MCH	180	20\$738	75
1622	224	182612CW	160	2025	224	20\$800	75

CODE PAGE	CODE PAGE	CODE PAGE	CODE PAGE
20\$900 75	25MCCW 180	30HPD 169	36HP 169
20\$958 75	<u>25S1058</u> 75	30HPL 170	36PP 174
21155CBP 95	<u>25S1114</u> 75	30HPLN 170	36S1058 76
21155CBR 95	25S1214 75	30PPCH 175	36S1114 76
21157CBP 95	25S318 75	30PPCHN 175	36 \$1214 76
21157CBR 95	25S418 75	30PPCWSC 166,175	36S318 76
2115CBCP 95	25\$434 75	30PPD 174	36S418 76
2115CBCP 95	25\$534 75	30S1114 75	36\$434 76
2115CBCR 95	25\$638 75	30S318 75	36S534 76
2115CBCR 95	25\$738 75	30\$434 75	36S638 76
22CW 165	25\$800 75	30S638 75	36\$738 76
22HP 169	25\$900 75	30\$800 75	36\$800 76
22LPCW 165	25\$958 75	30S958 75	36\$900 76
22LPHP 169	25SWGF 79	3200P2 191	36\$958 76
22PP 174	2632 225	3242 225	3753 225
22SFSCW 152	26CF 176	3253 224	3853 225
22SFSP 154	26CW 165	3253CL 229	38CW 165
22SFSPP 154	26HP 169	3253CT 232	38PP 174
23CLRCW 167	26PP 174	32CC 191	400DIV 28,32,33,35
23CLRHP 171	2700 225	32CW 165	400MCCW 180
23SL 163	2700CT 232	32HP 169	400MCH 180
23SLB250 163	28CW 165	32HP1H 172	400STP 32,38,87
23SLB6250 163	28PP 174	32HP2H 172	40CWC 166
23SLINB250 163	2900CT 232	32PP 174	40CWCH 166
240MPC 26	2SFSCW 152	3343 225	40CWCHN 166
2436UTH 88	2SFSP 154	33CLRCW 167	40CWD 165
2436UTHS 88	2SFSPP 154	33CLRHP 171	40HPC 170
24CW 165	300DIV 28,35	33CLRPP 173	40HPCH 170
24HP 169	3046 225	34CW 165	40HPCHN 170
24LPCW 165	30CFC 176	34HP 169	40HPD 169
24LPHP 169	30CWC 166	34PP 174	40PPCH 175
24PP 174	30CWCH 166	350LCD 45	40PPCWSC 166,175
2500 225	30CWCHN 166	35CLRCW 167	40PPD 174
2500CT 232	30CWD 165	35CLRHP 171	415CBP 95
250LCD 45	30CWGL 166	35CLRPP 173	42CW 165
250LCDCVR 45	30CWL 166	35CW 183	42HP 169
25CLRCW 167	30CWLN 166	36CF 176	42PP 174
25CLRHP 171	30GE1 82	36CW 165	44CW 165
25E1 82	30GE2 83	36E1 82	44HP 169
25E2 83	30HPC 170	36E2 83	44PP 174
25E4 83	30HPCH 170	36E4 83	45CW 183
25E5 83	<u>30HPCHN</u> <u>170</u>	<u>36E5</u> 83	46 224

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
46 (Group 3)	224	60HPLN	170	80CWC	166	8HS800	77
46CW	165	60PPCH	175	80CWCH	166	8HS958	77
46HP	169	60PPCHN	175	80CWCHN	166	8RS8	62
46PP	174	60PPCWSC	166,175	80CWD	165	8SFSCW	152
49E1	82	60PPD	174	80HPC	170	8SFSP	154
49E2	83	62CW	165	80HPCH	170	8SFSPP	154
49S1114	76	62HP	169	80HPCHN	170	900	225
49S318	76	62PP	174	80HPD	169	900CT	232
49\$434	76	6302MT	245	80PPCWSC	166	900CW	184
49\$638	76	630MT	245	810	224	900P	191,255
49\$800	76	63CLRCW	167	810 (Group 3)	224	900P2	191,255
49S958	76	63CLRHP	171	825CWNR	183	9011CW	184
4FBRTT	55	63CLRPP	173	8262MT	245	9013CW	184
4SFSCW	152	64CW	165	826MT	245	901CW	184
4SFSP	154	64HP	169	82CW	165	905CW	184
4SFSPP	154	64PP	174	82HP	169	909CW	184,253
500CW	192	650WS	65	8302MT	245	90CWC	166
500LCD	45	65CLRCW	167	830MT	245	90CWCN	166
500LCDCVR	45	65CLRHP	171	84CW	165	90CWD	165
500P	191,255	65CLRPP	173	84HP	169	90HPC	170
500P2	191,255	65CWNR	183	850CW	192	90HPD	169
50CW	183	66CF	176	853FCP	244	90PPC	175
50MCCW	180	66CW	165	853FCPC	244	90PPCWSC	166,175
5412CBP	47,62	66HP	169	853FCW	244	90PPD	174
55CWNR	183	66PP	174	853FCWC	244	90SPCW	183
57	224	68VS	184	853FH	244	9113CP	243
57 (Group 3)	224	6F	200	853FHC	244	9113CW	243
5FBRTT	55	6FBRTT	55	85SFVS	184	9114CP	243
60CFC	176	6RS6	62	86CW	165	9114CW	243
60CW	183	6SFSCW	152	86HP	169	911CPC	243
60CWC	166	6SFSP	154	86VS	184	911CWC	243
60CWCH	166	6SFSPP	154	8F	200	911VS	184
60CWCHN	166	6TGS	204	8FB434	81	912CBP	95
60CWD	165	725CWNR	183	8FBNH434	81	913MT	245
60CWGL	166	730SR	65	8HC258	78	913VS	184
60CWL	166	730STP	60	8HC414	78	915	224
60CWLN	166	730WS	65	8HE1	83	915 (Group 3)	224
60HPC	170	75CW	183	8HE2	83	915CP	242
60HPCH	170	800CW	192	8HS1114	77	915CW	242
60HPCHN	170	800P	191,255	8HS318	77	918MT	245
60HPD	169	800P2	191,255	8HS434	77	91VS	184
60HPL	170	806CW	184	8HS638	77	926	224

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
926 (Group 3)	224	ADCSC8PKG	91	BC331KDSH	97	CA4300	236
92615MT	245	ADCSCT4	90	BC331KDTC	97	CA4361	236
926MT	245	BAR540	70	BC340KD	97	CB1220	57,58,60
92CW	165	BAR540DS	70	BC340KDP	97	CBA143064V4	132
92HP	169	BAR54SR	65	BCT1014	241	CBA143072V4	132
92PP	174	BAR650	70	BK60406	48	CBA143664V4	132
93CW	183	BAR650CP	70	BK60407	48	CBA143672V4	132
94CW	165	BAR650DS	70	BR258	80	CBA144264V4	132
94HP	169	BAR650DSCP	70	BR414	80	CBA144272V4	132
94PP	174	BAR650DSDX	69	BR578	80,253	CBA144864V4	132
950CW	192	BAR650DSPM	69	BR712	80	CBA144872V4	132
950P	191,255	BAR650DSPMT	69	BSACS	268	CBA183064V4	132
950P2	191,255	BAR650DSPMT2	69	BSB10	200	CBA183072V4	132
95VS	184	BAR650DX	69	BSB12	200	CBA183084V5	133
96CW	183	BAR650PM	69	BSB18	200	CBA183664V4	132
96PCW	165	BAR650PMT	69	BUF48	55	CBA183672V4	132
96PHP	169	BAR650PMT220	69	BUF72	55	CBA183684V5	133
96SKRC	205	BAR730	68	BV6CW	194	CBA184264V4	132
96SKRD	205	BAR730CP	68	BWB16CW	187	CBA184272V4	132
96SKRLC	205	BAR730DS	68	BWM10CW	187	CBA184284V5	133
96SKRLD	205	BAR730DSCP	68	BWP14CW	187	CBA184864V4	132
96SKRLM	205	BAR730DSDX	67	BWW10CW	187	CBA184872V4	132
96SKRLP	205	BAR730DSPM	67	CA1300	236	CBA184884V5	133
96SKRM	205	BAR730DSPMT	67	CA1623	236	CBA185464V4	132
96SKRP	205	BAR730DSPMT2	67	CA2026	236	CBA185472V4	132
978SFVS	184	BAR730DX	67	CA2028	236	CBA185484V5	133
99VS	184	BAR730PM	67	CA2129	236	CBA186064V4	132
9CWNR	183	BAR730PMT	67	CA2632	236	CBA186072V4	132
9E1	82	BAR730PMT220	67	CA2738	236	CBA186084V5	133
9E2	83	BBR480	55	CA2836	236	CBA187264V4	132
9RS9	62	BBR720	55	CA3200	236	CBA187272V4	132
9S1114	74	BC1115SH	98	CA3244	236	CBA213064V4	132
9S318	74	BC11TC	98	CA3247TR	236	CBA213072V4	132
9S434	74	BC225	98	CA3253	236	CBA213084V5	133
9\$638	74	BC2254S	98	CA3343	236	CBA213664V4	132
9\$800	74	BC230	98	CA3446	236	CBA213672V4	132
9S958	74	BC2304S	98	CA3646	236	CBA213684V5	133
9TGS	204	BC235	98	CA3748	236	CBA214264V4	132
ADC33	93	BC2354S	98	CA3753	236	CBA214272V4	132
ADCS	92	BC330	98	CA3800	236	CBA214284V5	133
ADCSC	91	BC3304S	98	CA3952	236	CBA214864V4	132
ADCSC12PKG	91	BC331KD	97	CA4064H	236	CBA214872V4	132

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
CBA214884V5	133	CBR14363	136	CBR2448	136	CBU184264V4	132
CBA215464V4	132	CBR1442	136	CBR24483	136	CBU184272V4	132
CBA215472V4	132	CBR14423	136	CBR2454	136	CBU184284V5	133
CBA215484V5	133	CBR1448	136	CBR24543	136	CBU184864V4	132
CBA216064V4	132	CBR14483	136	CBR2460	136	CBU184872V4	132
CBA216072V4	132	CBR14E	136	CBR24603	136	CBU184884V5	133
CBA216084V5	133	CBR1830	136	CBR2472	136	CBU185464V4	132
CBA217264V4	132	CBR18303	136	CBR24723	136	CBU185472V4	132
CBA217272V4	132	CBR1836	136	CBR24E	136	CBU185484V5	133
CBA243064V4	132	CBR18363	136	CBR30S	136	CBU186064V4	132
CBA243072V4	132	CBR1842	136	CBR36S	136	CBU186072V4	132
CBA243084V5	133	CBR18423	136	CBR42S	136	CBU186084V5	133
CBA243664V4	132	CBR1848	136	CBR48S	136	CBU187264V4	132
CBA243672V4	132	CBR18483	136	CBR54S	136	CBU187272V4	132
CBA243684V5	133	CBR1854	136	CBR60S	136	CBU213064V4	132
CBA244264V4	132	CBR18543	136	CBR72S	136	CBU213072V4	132
CBA244272V4	132	CBR1860	136	CBTR30	134	CBU213084V5	133
CBA244284V5	133	CBR18603	136	CBTR302PK	134	CBU213664V4	132
CBA244864V4	132	CBR1872	136	CBTR36	134	CBU213672V4	132
CBA244872V4	132	CBR18723	136	CBTR362PK	134	CBU213684V5	133
CBA244884V5	133	CBR18E	136	CBTR42	134	CBU214264V4	132
CBA245464V4	132	CBR2130	136	CBTR422PK	134	CBU214272V4	132
CBA245472V4	132	CBR21303	136	CBTR48	134	CBU214284V5	133
CBA245484V5	133	CBR2136	136	CBTR482PK	134	CBU214864V4	132
CBA246064V4	132	CBR21363	136	CBTR54	134	CBU214872V4	132
CBA246072V4	132	CBR2142	136	CBTR542PK	134	CBU214884V5	133
CBA246084V5	133	CBR21423	136	CBTR60	134	CBU215464V4	132
CBA247264V4	132	CBR2148	136	CBTR602PK	134	CBU215472V4	132
CBA247272V4	132	CBR21483	136	CBU143064V4	132	CBU215484V5	133
CBCC1	134	CBR2154	136	CBU143072V4	132	CBU216064V4	132
CBCC10	134	CBR21543	136	CBU143664V4	132	CBU216072V4	132
CBCC8	134	CBR2160	136	CBU143672V4	132	CBU216084V5	133
CBDS18H10	134	CBR21603	136	CBU144264V4	132	CBU217264V4	132
CBDS18H6	134	CBR2172	136	CBU144272V4	132	CBU217272V4	132
CBDS21H10	134	CBR21723	136	CBU144864V4	132	CBU243064V4	132
CBDS21H6	134	CBR21E	136	CBU144872V4	132	CBU243072V4	132
CBDS24H10	134	CBR2430	136	CBU183064V4	132	CBU243084V5	133
CBDS24H6	134	CBR24303	136	CBU183072V4	132	CBU243664V4	132
CBID6	135	CBR2436	136	CBU183084V5	133	CBU243672V4	132
CBR1430	136	CBR24363	136	CBU183664V4	132	CBU243684V5	133
CBR14303	136	CBR2442	136	CBU183672V4	132	CBU244264V4	132
CBR1436	136	CBR24423	136	CBU183684V5	133	CBU244272V4	132

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
CBU244284V5	133	CD4060EPP	15	CFRC18	176	CP12	202
CBU244864V4	132	CDR2020	79,86	CFRSC18	176	CP1210	28
CBU244872V4	132	CDR2020H	79,86	CGH100WEU	10	CP1220	28,31,32,33
CBU244884V5	133	CECBE6	85	CGH100WUK	10		35,47,57,60
CBU245464V4	132	CECBL6	85	CGH1W12VCAR	10	CP15	202
CBU245472V4	132	CECBM6	85	CGH200WEU	10	CP2632	10
CBU245484V5	133	CECBR6	85	CGH200WUK	10	CP27	202
CBU246064V4	132	CECCF6	85	C180CM	205	CP3253	10,15
CBU246072V4	132	CECCH6	85	CL800P	191,255	CP6040	48
CBU246084V5	133	CECCL6	85	CL900P	188,191,192,255	CP814	28,57,61,162
CBU247264V4	132	CECCM6	85	CL950P	191,255	CPA243672C96	141
CBU247272V4	132	CECCO6	85	CLAM8B5	189,190	CPB1220	54
CBUPR1826S6	137	CECCP6	85	CLJ6	191,255	CPFWSC244860	145
CBUPR6040S6	137	CECCR6	85	CLLT10	190,255	СРН3	54
CBUPRCLIPS	137	CECDC6	85	CLLT12	190,255	CPL12	202
CC32	179	CECFL6	85	CLLT6	190,255	CPL27	202
CCP12	202	CECG06	85	CLLT8	190,255	CPMPK2467	61
CCP15	202	CECGR6	85	CLNT10	188,189,192,255	CPMU244867FXPKG	147
CCP27	202	СЕСНВ6	85	CLNT12	188,189,255	CPMU244867SUPKG	145
CCPL12	202	СЕСНИ6	85	CLNT5	189,255	CPSK2448S1	61
CCPL27	202	CECIC6	85	CLNT8	189,255	CPTR482PK	61
CD100	87	CECIT6	85	CLNT9	189,255	CPU243672C96	141
CD100H	87	CECJU6	85	CLRSB16	254	CPU244864SUPKG	145
CD100HB	87	CECMG6	85	CLRSB16T	261	CR12	89
CD1313	88	CECMT6	85	CLRSB9	254	CRPHDG2878	80,253
CD1327	88	CECOF6	85	CLRSB9T	261	CSDBA	61,137
CD1420	88	CECP16	85	CLRSM8B5	254	CSDBS	136
CD160	26	CECP06	85	CLRWSR36	254	CSDDC24	146,257
CD1826H	86	CECRF6	85	CLSB9	252	CSDDC245	146,257
CD1826HB	86	CECRT6	85	CLSM8B5	188, 189, 252	CSDR7	145,255
CD1826MTC	49,87	CECRW6	85	CLSRB5	193	CSDR73	145,255
CD1826MTCHB	49,87	CECSB6	85	CLSSM8B5	252	CSDR8	146,257
CD1826PDB	86,177	CECSG6	85	CLST6	188	CSDR84	146,257
CD2020	86	CECSH6	85	CLST9	188,190	CSFF	135
CD2020H	86	CECWF6	85	<u>C02632</u>	235	CSHDFF	118,135
CD2020HB	86	CECWI6	85	C03200	235	CSID3	135
CD2028	88	CECWT6	85	C03253	235	CSID6	61,135
CD300	31,48,87	CECWW6	85	<u>C03343</u>	235	CSMHDDB	135
CD300H	87	CFPFRC10	176	<u>C03646</u>	235	CSMHDTK10	118
CD300HB	87	CFPMRC10	176	<u>C03753</u>	235	CSMHDTK12	118
CD3253EPP	11	CFPSRC10	176	C03800	235	CSMHDTK145	118
CD400	32,33,38,87	CFR18	176	<u>C04300</u>	235	CSMHDTKE4	118

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
CSMHDTKE5	118	DCS950	94	EA186072V4	124	EA244864V4	124
CSMHDTKE6	118	DD1220BECW	201	EA186084V5	125	EA244872V4	124
CSR3	45	DD1220CW	201	EA187264V4	124	EA244884V5	125
CSR5	45	DD1220ECW	201	EA187272V4	124	EA245464V4	124
CSSC244818	137	DD1220SCW	201	EA187284V5	125	EA245472V4	124
CSSD188	136	DD1826CW	201	EA212464V4	124	EA245484V5	125
CSSD218	136	DG3CW	187	EA212472V4	124	EA246064V4	124
CSSD248	136	DIV12	27,60	EA212484V5	125	EA246072V4	124
CSUPR1826S6	137	DIV20	27	EA213064V4	124	EA246084V5	125
CSUPR6040S6	137	DP15	196	EA213072V4	124	EA247264V4	124
CSUPRCLIPS	137	DRC2020	79,253	EA213084V5	125	EA247272V4	124
CSWF	135	DRLNK	149	EA213664V4	124	EA247284V5	125
CSWS1436SK	148	DRS30	149	EA213672V4	124	ECC1	126
CSWS1436VK	148	DRS300	149	EA213684V5	125	ECC10	126
CSWS1448SK	148	DRS36	149	EA214264V4	124	ECC8	126
CSWS1448VK	148	DRS360	149	EA214272V4	124	EDBA	61,136
CSWS1836SK	148	DRS48	149	EA214284V5	125	EDBS	136
CSWS1848SK	148	DRS480	149	EA214864V4	124	EDS14H10	126
CSWS36EK	148	DRS60	149	EA214872V4	124	EDS14H6	126
CSWS48EK	148	DRS600	149	EA214884V5	125	EDS18H10	126
CVC55	59	DSPR6	193	EA215464V4	124	EDS18H6	126
CVC72	59	DT1220CW	201	EA215472V4	124	EDS21H10	126
CVC724	59	E3	83,253	EA215484V5	125	EDS21H6	126
D12	190	EA182464V4	124	EA216064V4	124	EDS24H10	126
D14	190	EA182472V4	124	EA216072V4	124	EDS24H6	126
D16	190	EA182484V5	125	EA216084V5	125	EMCWB	135
D24	190	EA183064V4	124	EA217264V4	124	EMPK2470	61
D8	190	EA183072V4	124	EA217272V4	124	EMSK2448S1	61
DB18263CW	177	EA183084V5	125	EA217284V5	125	EMTR36	127
DB18263P	177	EA183664V4	124	EA242464V4	124	EMTR362PK	127
DB18266CW	177	EA183672V4	124	EA242472V4	124	EMTR42	127
DBC1826CW	177	EA183684V5	125	EA242484V5	125	EMTR422PK	127
DBC1826P	177	EA184264V4	124	EA243064V4	124	EMTR48	127
DC10	196	EA184272V4	124	EA243072V4	124	EMTR482PK	61
DC1225	94	EA184284V5	125	EA243084V5	125	EMTR482PK	127
DC5	196	EA184864V4	124	EA243664V4	124	EMTR54	127
DC575	94	EA184872V4	124	EA243672C96	141	EMTR542PK	127
DC700	94	EA184884V5	125	EA243672V4	124	EMTR60	127
DC825	94	EA185464V4	124	EA243684V5	125	EMTR602PK	127
DCC10	196	EA185472V4	124	EA244264V4	124	EMU142427V2	147
DCC5	196	EA185484V5	125	EA244272V4	124	EMU143627V2	147
DCS1125	94	EA186064V4	124	EA244284V5	125	EMU144827V2	147

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
EMU183670V4	125	EPP260	7	ESR21E	136	ESU212464V4	124
EMU183678V4	125	EPP280	7	ESR2436	136	ESU212472V4	124
EMU184270V4	125	EPP280BKST	7	ESR24363	136	ESU212484V5	125
EMU184278V4	125	EPP280RDST	7	ESR2442	136	ESU213064V4	124
EMU184870V4	125	EPP300	9	ESR24423	136	ESU213072V4	124
EMU184878V4	125	EPP3253DIV	10	ESR2448	136	ESU213084V5	125
EMU185470V4	125	EPP3253LID	11	ESR24483	136	ESU213664V4	124
EMU185478V4	125	EPP400	9	ESR24E	136	ESU213672V4	124
EMU186070V4	125	EPP4060F6R	15	ESR24S	136	ESU213684V5	125
EMU186078V4	125	EPP4060F9R	15	ESR30S	136	ESU214264V4	124
EMU213670V4	125	EPP4060FADJR	13	ESR36S	136	ESU214272V4	124
EMU213678V4	125	EPP4060FAR	15	ESR42S	136	ESU214284V5	125
EMU214270V4	125	EPP4060FNR	13	ESR48S	136	ESU214864V4	124
EMU214278V4	125	EPP4060FPR1	15	ESR54S	136	ESU214872V4	124
EMU214870V4	125	EPP4060T200	14	ESR60S	136	ESU214884V5	125
EMU214878V4	125	EPP4060T300	14	ESR72S	136	ESU215464V4	124
EMU215470V4	125	EPPBEVBKST	17	ESU182464V4	124	ESU215472V4	124
EMU215478V4	125	EPPBEVH1	17	ESU182472V4	124	ESU215484V5	125
EMU216070V4	125	EPPBEVH2	17	ESU182484V5	125	ESU216064V4	124
EMU216078V4	125	EPPBEVH5	17	ESU183064V4	124	ESU216072V4	124
EMU243670V4	125	EPPBEVRDST	17	ESU183072V4	124	ESU216084V5	125
EMU243678V4	125	EPPCTL	10	ESU183084V5	125	ESU217264V4	124
EMU244270V4	125	EPPCTLPKG110	10	ESU183630V2	147	ESU217272V4	124
EMU244278V4	125	EPPCTS	10	ESU183664V4	124	ESU217284V5	125
EMU244870V4	125	EPPCTSPKG110	10	ESU183672V4	124	ESU242464V4	124
EMU244878V4	125	EPPID5	11	ESU183684V5	125	ESU242472V4	124
EMU245470V4	125	EPPMD4835	19	ESU184264V4	124	ESU242484V5	125
EMU245478V4	125	EPPZ35100	16	ESU184272V4	124	ESU243064V4	124
EMU246070V4	125	EPPZ35175	16	ESU184284V5	125	ESU243072V4	124
EMU246078V4	125	EPPZ35175BST	16	ESU184830V2	147	ESU243084V5	125
EPP140	7	EPPZ35175RST	16	ESU184864V4	124	ESU243664V4	124
EPP160	7	EPPZ35265	16	ESU184872V4	124	ESU243672C96	141
EPP160CL	7	EPPZ35265BST	16	ESU184884V5	125	ESU243672V4	124
EPP180	7	EPPZ35265RST	16	ESU185464V4	124	ESU243684V5	125
EPP180CL	7	EPPZ35330	16	ESU185472V4	124	ESU244264V4	124
EPP180LH	7	EPPZ35330BST	16	ESU185484V5	125	ESU244272V4	124
EPP180PKG	10	EPPZ35330RST	16	ESU186064V4	124	ESU244284V5	125
EPP180S	7	EPPZ35LID	16	ESU186072V4	124	ESU244864V4	124
EPP180SPKG	10	ES28	58	ESU186084V5	125	ESU244872V4	124
EPP180X	18	ES28RL	58	ESU187264V4	124	ESU244884V5	125
EPP180XL	7	ESR14E	136	ESU187272V4	124	ESU245464V4	124
EPP180XLT	18	ESR18E	136	ESU187284V5	125	ESU245472V4	124

CODE	PAGE
ESU245484V5	125
ESU246064V4	124
ESU246072V4	124
ESU246084V5	125
ESU247264V4	124
ESU247272V4	124
ESU247284V5	125
ETR24	127
ETR30	127
ETR36	127
ETR362PK	127
ETR42	127
ETR422PK	127
ETR48	127
ETR482PK	127
ETR54	127
ETR542PK	127
ETR60	127
ETR602PK	127
ETR72	127
FR258	81
FSG480	55
FSG720	55
FWC56	81,89
GB1200CW	187
GB850CW	187
GBBP111417	25
GBBP151417	25
GBCRC272165	144
GBD101011	24
GBD121515	24
GBD13913	24
GBD151212	24
GBD211414	24
GBD211417	24
GBIRC272165	144
GBP216	23
GBP220	23
GBP318	23
GBP518	23
GK2000	78
GL0540	220

CODE	PAGE
GL1070	220
GL1070 GL1070RNS	220
	220
GL1080	
GL210P	221
GL220P	221
GL3074	220
GL3980	
GL3980NS	264
GL3980RNS	222
GL4002	220
GL4002NS	264
GL4002RNS	222
GL4060	48,220
GL4210	220
GL4701	220
GP0540	219,263
GP0540NS	262
GP1070	217,219
GP1070AB	262
GP1080	219
GP1080AB	262
GP1080NS	262
GP3074	219
GP3788	219
GP3980	217,219,263
GP3980AB	262
GP3980NS	262
GP4002	217,219,263
GP4002AB	262
GP4002NS	262
GP4004	217,219,263
GP4210	219
GP4410	219
GP4701	219
GP4709	219
GP4853	219
GP4856	219
GP55653	219
GP55702	219
GP55703	219
GPE0540	217
GPE3980	217

CODE	PAGE
GPE4002	217
GPE4004	217
HBR258	80
HBR414	80
HBR578	80
HBR712	80
HE3	83
HFR258	81
HK39	183
НК39В	250
HK93BCW	183
HK93CW	183
HP2632	10,28
HP3253	10,15,31,32,33,35
HT10CW	189
HT120CW	189
HT12CW	189
HT14CW	189
HT16CW	189
HT22CW	189
HT5CW	189
HT8CW	189
HWAPR	46
HWATD	46
IB32	178
IB36	178
IB44	178
IBS20	178
IBS27	178
IBS37	178
IBSD37	179
IBSF27	178
ICS100L	71
ICS100L4S	71
ICS125L	71
ICS125LB	71
ICS125T	71
ICS175L	71
ICS175LB	71
ICS175T	71
ICS175TB	71
ICS200TB	71

CODE	PAGE
IT3253	261
IT3753T	261
ITENEPP	259
ITENEPP1118	259
ITENEPP1118H	259
ITENEPP21	259
ITENEPP21H	259
ITENEPP23	259
ITENEPP23H	259
ITPD3253	261
ITPD3753T	261
ITPD3753TH	261
KK1200	78
KSC402	58
KVC854	57
KVC854C	57
KVC856	57
KVC856C	57
KWS40	58
LCDCH	46
LCDCH10	46
LCDES	46
LD105	202
LD105A	202
LD130	202
LD85	202
LD85A	202
LDT10	188
LDT12	188
LDT16	188
LDT22	188
LDT5	188
LDT6	188,255
LDT9	188,255
LT10	190,255
LT12	190,255
LT14	190
LT16	190
LT22	190
LT6	190,255
LT8	190
MA2028	239

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
MA2435	239	MPA41017V4PKG	112	MPA51217V4PKG	112	MPA61417V4PKG	112
MA3142H	239	MPA41018V4PKG	112	MPA51218V4PKG	112	MPA61418V4PKG	112
MA3200	239	MPA41018V5PKG	113	MPA51218V5PKG	113	MPA61418V5PKG	113
MA3343	239	MPA41117V4PKG	112	MPA51317V4PKG	112	MPA61517V4PKG	112
MA3646	239	MPA41118V4PKG	112	MPA51318V4PKG	112	MPA61518V4PKG	112
MA3652TR	239	MPA41118V5PKG	113	MPA51318V5PKG	113	MPA61518V5PKG	113
MA3753	239	MPA41217V4PKG	112	MPA51417V4PKG	112	MPA61617V4PKG	112
MA3800	239	MPA41218V4PKG	112	MPA51418V4PKG	112	MPA61618V4PKG	112
MA4300	239	MPA41218V5PKG	113	MPA51418V5PKG	113	MPA61618V5PKG	113
MA4361	239	MPA41317V4PKG	112	MPA51517V4PKG	112	MPA61717V4PKG	112
MCCH	180	MPA41318V4PKG	112	MPA51518V4PKG	112	MPA61718V4PKG	112
MDC1411T60	271	MPA41318V5PKG	113	MPA51518V5PKG	113	MPA61718V5PKG	113
MDC1418S20	269	MPA41417V4PKG	112	MPA51617V4PKG	112	MPA6617V4PKG	112
MDC1418T16	270	MPA41418V4PKG	112	MPA51618V4PKG	112	MPA6618V4PKG	112
MDC1418T30	270	MPA41418V5PKG	113	MPA51618V5PKG	113	MPA6618V5PKG	113
MDC1520S10	268	MPA41517V4PKG	112	MPA51717V4PKG	112	MPA6717V4PKG	112
MDC1520S10D	267	MPA41518V4PKG	112	MPA51718V4PKG	112	MPA6718V4PKG	112
MDC1520S10HD	268	MPA41518V5PKG	113	MPA51718V5PKG	113	MPA6718V5PKG	113
MDC1520S20	269	MPA41617V4PKG	112	MPA5617V4PKG	112	MPA6817V4PKG	112
MDC1520T16	270	MPA41618V4PKG	112	MPA5618V4PKG	112	MPA6818V4PKG	112
MDC1520T30	270	MPA41618V5PKG	113	MPA5618V5PKG	113	MPA6818V5PKG	113
MDC24	47	MPA41717V4PKG	112	MPA5717V4PKG	112	MPA6917V4PKG	112
MDC24F	47	MPA41718V4PKG	112	MPA5718V4PKG	112	MPA6918V4PKG	112
MDC24R	47	MPA41718V5PKG	113	MPA5718V5PKG	113	MPA6918V5PKG	113
MDCPC9CW	184	MPA4617V4PKG	112	MPA5817V4PKG	112	MPCC1	114
MDSB16	252,259,261	MPA4618V4PKG	112	MPA5818V4PKG	112	MPCC10	114
MDSB5	252	MPA4618V5PKG	113	MPA5818V5PKG	113	MPCC8	114
MDSB9	252,261	MPA4717V4PKG	112	MPA5917V4PKG	112	MPDS30H16	114
MDSCDB9EU24V	248,250	MPA4718V4PKG	112	MPA5918V4PKG	112	MPDS30H30	114
MDSCDC9X5EU24V	248	MPA4718V5PKG	113	MPA5918V5PKG	113	MPDS40H16	114
MDSD9	252,253	MPA4817V4PKG	112	MPA61017V4PKG	112	MPDS40H30	114
MDSHB5	251	MPA4818V4PKG	112	MPA61018V4PKG	112	MPDS50H16	114
MDSHB9	251	MPA4818V5PKG	113	MPA61018V5PKG	113	MPDS50H30	114
MDSHD9	251,253	MPA4917V4PKG	112	MPA61117V4PKG	112	MPDS60H16	114
MDSHM8	251	MPA4918V4PKG	112	MPA61118V4PKG	112	MPDS60H30	114
MDSL9	252,253	MPA4918V5PKG	113	MPA61118V5PKG	113	MPHU51017S4PKG	119
MDSLD9	252,253	MPA51017V4PKG	112	MPA61217V4PKG	112	MPHU51017V4PKG	119
MDSM8	252	MPA51018V4PKG	112	MPA61218V4PKG	112	MPHU51117S4PKG	119
MDSP9	253	MPA51018V5PKG	113	MPA61218V5PKG	113	MPHU51117V4PKG	119
MDSPC9	253	MPA51117V4PKG	112	MPA61317V4PKG	112	MPHU51217S4PKG	119
MDSPL	253	MPA51118V4PKG	112	MPA61318V4PKG	112	MPHU51217V4PKG	119
MDSPLT9	253	MPA51118V5PKG	113	MPA61318V5PKG	113	MPHU51317S4PKG	119

MPHU51317V4PKG 119 MPHU5917S4PKG 119 MPHU5917V4PKG 119 MPHU61017S4PKG 119 MPHU61017V4PKG 119 MPHU61117S4PKG 119 MPHU61217S4PKG 119 MPHU61217V4PKG 119 MPHU61317S4PKG 119 MPHU6317V4PKG 119 MPHU6917S4PKG 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41017V4PKG 113 MPMU41117V4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017S4PKG 113 MPMU51117V4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG	CODE	PAGE
MPHU5117V4PKG 119 MPHU61017V4PKG 119 MPHU61017V4PKG 119 MPHU61117S4PKG 119 MPHU61117V4PKG 119 MPHU61217S4PKG 119 MPHU61217V4PKG 119 MPHU61317V4PKG 119 MPHU61317V4PKG 119 MPHU61317V4PKG 119 MPHU6917V4PKG 119 MPHU6917V4PKG 119 MPMCWB 136 MPMU41017V4PKG 119 MPMU41017V4PKG 113 MPMU41017V4PKG 113 MPMU41117V4PKG 113 MPMU41217V4PKG 113 MPMU41217V4PKG 113 MPMU41317V4PKG 113 MPMU51017V4PKG 113 MPMU51117V4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG 113 MPMU61117S4PKG 113 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113	MPHU51317V4PKG	119
MPHU61017S4PKG 119 MPHU61017V4PKG 119 MPHU61117S4PKG 119 MPHU61117V4PKG 119 MPHU61217V4PKG 119 MPHU61217V4PKG 119 MPHU61317S4PKG 119 MPHU6917S4PKG 119 MPHU6917V4PKG 119 MPMCHD 119 MPMCWB 136 MPMU41017V4PKG 113 MPMU41017V4PKG 113 MPMU41117V4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917V4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017S4PKG 113 MPMU51117V4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51017V4PKG	MPHU5917S4PKG	119
MPHU61017V4PKG 119 MPHU61117S4PKG 119 MPHU61217S4PKG 119 MPHU61217S4PKG 119 MPHU61317S4PKG 119 MPHU61317V4PKG 119 MPHU6917S4PKG 119 MPHU6917V4PKG 119 MPMCHD 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117S4PKG 113 MPMU41217V4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5117PAPKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017V4PKG <	MPHU5917V4PKG	119
MPHU61117S4PKG 119 MPHU61117V4PKG 119 MPHU61217S4PKG 119 MPHU61217V4PKG 119 MPHU61317V4PKG 119 MPHU61317V4PKG 119 MPHU6917V4PKG 119 MPHU6917V4PKG 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117S4PKG 113 MPMU41217S4PKG 113 MPMU41217S4PKG 113 MPMU41317S4PKG 113 MPMU4917S4PKG 113 MPMU4917S4PKG 113 MPMU51017S4PKG 113 MPMU51017S4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51317S4PKG 113 MPMU51317S4PKG 113 MPMU5117S4PKG 113 MPMU5117S4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017V4PKG	MPHU61017S4PKG	119
MPHU61117V4PKG 119 MPHU61217S4PKG 119 MPHU61217V4PKG 119 MPHU61317S4PKG 119 MPHU6917S4PKG 119 MPHU6917V4PKG 119 MPMCHD 119 MPMCWB 136 MPMU41017V4PKG 113 MPMU41017V4PKG 113 MPMU41117V4PKG 113 MPMU41217V4PKG 113 MPMU41217V4PKG 113 MPMU41317V4PKG 113 MPMU41317V4PKG 113 MPMU4917V4PKG 113 MPMU4917V4PKG 113 MPMU51017V4PKG 113 MPMU51017V4PKG 113 MPMU51117V4PKG 113 MPMU51217V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5117V4PKG 113 MPMU5117V4PKG 113 MPMU5117V4PKG 113 MPMU5117V4PKG 113 MPMU61017V4PKG <td< td=""><td>MPHU61017V4PKG</td><td>119</td></td<>	MPHU61017V4PKG	119
MPHU61217S4PKG 119 MPHU61217V4PKG 119 MPHU61317S4PKG 119 MPHU61317V4PKG 119 MPHU6917V4PKG 119 MPHU6917V4PKG 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117V4PKG 113 MPMU41217S4PKG 113 MPMU41317S4PKG 113 MPMU41317S4PKG 113 MPMU4917S4PKG 113 MPMU4917S4PKG 113 MPMU51017S4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51317S4PKG 113 MPMU51317S4PKG 113 MPMU51317S4PKG 113 MPMU51317S4PKG 113 MPMU5117S4PKG 113 MPMU5117S4PKG 113 MPMU5117S4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG	MPHU61117S4PKG	119
MPHU61217V4PKG 119 MPHU61317S4PKG 119 MPHU61317V4PKG 119 MPHU6917S4PKG 119 MPHU6917V4PKG 119 MPMCHD 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117S4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU4917S4PKG 113 MPMU4917S4PKG 113 MPMU51017S4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG <td< td=""><td>MPHU61117V4PKG</td><td>119</td></td<>	MPHU61117V4PKG	119
MPHU61317S4PKG 119 MPHU61317V4PKG 119 MPHU6917S4PKG 119 MPHU6917V4PKG 119 MPMCHD 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117V4PKG 113 MPMU41217V4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU4917S4PKG 113 MPMU4917S4PKG 113 MPMU51017S4PKG 113 MPMU51017S4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217S4PKG 113 MPMU51317S4PKG 113 MPMU51317S4PKG 113 MPMU51317S4PKG 113 MPMU5917S4PKG 113 MPMU5117S4PKG 113 MPMU5117S4PKG 113 MPMU61017S4PKG 113 MPMU61017S4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG	MPHU61217S4PKG	119
MPHU61317V4PKG 119 MPHU6917S4PKG 119 MPHU6917V4PKG 119 MPMCHD 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117S4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU61017V4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG	MPHU61217V4PKG	119
MPHU6917S4PKG 119 MPHU6917V4PKG 119 MPHU6917V4PKG 119 MPMCHD 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117V4PKG 113 MPMU41217S4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917S4PKG 113 MPMU51017S4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51217S4PKG 113 MPMU51217S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51117V4PKG 113 MPMU51117V4PKG 113 MPMU51117V4PKG 113 MPMU51217V4PKG 113 MPMU61017V4PKG 113	MPHU61317S4PKG	119
MPHU6917V4PKG 119 MPMCHD 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117S4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 145,256 MPMU61217PDPKG 146,257	MPHU61317V4PKG	119
MPMCHD 119 MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117S4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU4917S4PKG 113 MPMU4917S4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPHU6917S4PKG	119
MPMCWB 136 MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117S4PKG 113 MPMU41117V4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU4917S4PKG 113 MPMU4917S4PKG 113 MPMU51017S4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPHU6917V4PKG	119
MPMU41017S4PKG 113 MPMU41017V4PKG 113 MPMU41117S4PKG 113 MPMU41117V4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017S4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMCHD	119
MPMU41017V4PKG 113 MPMU41117S4PKG 113 MPMU41117V4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG 113 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 145,256 MPMU61217PDPKG 146,257	MPMCWB	136
MPMU41117S4PKG 113 MPMU41117V4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU41017S4PKG	113
MPMU41117V4PKG 113 MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU41017V4PKG	113
MPMU41217S4PKG 113 MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917V4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU41117S4PKG	113
MPMU41217V4PKG 113 MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 145,256 MPMU61217PDPKG 146,257	MPMU41117V4PKG	113
MPMU41317S4PKG 113 MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217S4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU41217S4PKG	113
MPMU41317V4PKG 113 MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917V4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU41217V4PKG	113
MPMU4917S4PKG 113 MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51117V4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU41317S4PKG	113
MPMU4917V4PKG 113 MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51117V4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU41317V4PKG	113
MPMU51017S4PKG 113 MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51117V4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117V4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU4917S4PKG	113
MPMU51017V4PKG 113 MPMU51117S4PKG 113 MPMU51117V4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU4917V4PKG	113
MPMU51117S4PKG 113 MPMU51117V4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU51017S4PKG	113
MPMU51117V4PKG 113 MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU51017V4PKG	113
MPMU51217S4PKG 113 MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU51117S4PKG	113
MPMU51217V4PKG 113 MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU51117V4PKG	113
MPMU51317S4PKG 113 MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU51217S4PKG	113
MPMU51317V4PKG 113 MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU51217V4PKG	113
MPMU5917S4PKG 113 MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU51317S4PKG	113
MPMU5917V4PKG 113 MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU51317V4PKG	113
MPMU61017S4PKG 113 MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU5917S4PKG	113
MPMU61017V4PKG 113 MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU5917V4PKG	113
MPMU61117DRPKG 145,256 MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU61017S4PKG	113
MPMU61117S4PKG 113 MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU61017V4PKG	113
MPMU61117V4PKG 113 MPMU61217PDPKG 146,257	MPMU61117DRPKG	145,256
MPMU61217PDPKG 146,257	MPMU61117S4PKG	113
	MPMU61117V4PKG	113
MPMU61217S4PKG 113	MPMU61217PDPKG	146,257
	MPMU61217S4PKG	113

CODE	PAGE
MPMU61217V4PKG	113
MPMU61317DRPKG	145,256
MPMU61317S4PKG	113
MPMU61317V4PKG	113
MPMU6917DDPKG	146,257
MPMU6917S4PKG	113
MPMU6917V4PKG	113
MPR1000S	136
MPR1100S	136
MPR1200S	136
MPR1300S	136
MPR1400S	136
MPR1500S	136
MPR1600S	136
MPR1700S	136
MPR300E	136
MPR400E	136
MPR500E	136
MPR6001000	136
MPR60010003	136
MPR6001100	136
MPR60011003	136
MPR600900	136
MPR6009003	136
MPR600E	136
MPR600S	136
MPR700S	136
MPR800S	136
MPR900S	136
MPTR100	114
MPTR1002PK	114
MPTR110	114
MPTR1102PK	114
MPTR120	114
MPTR1202PK	114
MPTR130	114
MPTR1302PK	114
MPTR140	114
MPTR150	114
MPTR160	114
MPTR170	114
MPTR60	114

CODE	PAGE	CODE
MPTR70	114	MPU510
MPTR80	114	MPU51
MPTR90	114	MPU51
MPTR902PK	114	MPU51
MPU41017V4PKG	112	MPU512
MPU41018V4PKG	112	MPU512
MPU41018V5PKG	113	MPU512
MPU41117V4PKG	112	MPU513
MPU41118V4PKG	112	MPU513
MPU41118V5PKG	113	MPU513
MPU41217V4PKG	112	MPU514
MPU41218V4PKG	112	MPU514
MPU41218V5PKG	113	MPU514
MPU41317V4PKG	112	MPU51
MPU41318V4PKG	112	MPU51
MPU41318V5PKG	113	MPU51
MPU41417V4PKG	112	MPU516
MPU41418V4PKG	112	MPU516
MPU41418V5PKG	113	MPU516
MPU41517V4PKG	112	MPU517
MPU41518V4PKG	112	MPU517
MPU41518V5PKG	113	MPU517
MPU41617V4PKG	112	MPU56
MPU41618V4PKG	112	MPU56
MPU41618V5PKG	113	MPU56
MPU41717V4PKG	112	MPU57
MPU41718V4PKG	112	MPU57
MPU41718V5PKG	113	MPU57
MPU4617V4PKG	112	MPU58
MPU4618V4PKG	112	MPU58
MPU4618V5PKG	113	MPU58
MPU4717V4PKG	112	MPU59
MPU4718V4PKG	112	MPU59
MPU4718V5PKG	113	MPU59
MPU4817V4PKG	112	MPU610
MPU4818V4PKG	112	MPU610
MPU4818V5PKG	113	MPU610
MPU4917V4PKG	112	MPU61
MPU4918V4PKG	112	MPU61
MPU4918V5PKG	113	MPU61
MPU51017V4PKG	112	MPU612
MPU51018V4PKG	112	MPU61

MPU51117V4PKG MPU51118V4PKG MPU512118V5PKG MPU51218V4PKG MPU51218V4PKG MPU51218V5PKG MPU51318V4PKG MPU51318V4PKG MPU51318V5PKG MPU51417V4PKG MPU51418V4PKG MPU51418V5PKG MPU51518V4PKG MPU51518V5PKG MPU51617V4PKG MPU51618V4PKG MPU51618V4PKG MPU51718V4PKG MPU51718V4PKG MPU51718V4PKG MPU51718V4PKG MPU51718V5PKG MPU5618V5PKG MPU57178V4PKG MPU5618V5PKG MPU5718V5PKG MPU5718V4PKG MPU5818V4PKG MPU5918V5PKG MPU5918V4PKG MPU61017V4PKG MPU61018V4PKG MPU61118V4PKG MPU61118V4PKG	DE	PAGE
MPU51118V4PKG MPU51118V5PKG MPU51217V4PKG MPU51218V4PKG MPU51218V5PKG MPU51317V4PKG MPU51318V4PKG MPU51318V4PKG MPU51318V5PKG MPU51418V4PKG MPU51418V5PKG MPU51518V4PKG MPU51518V4PKG MPU51618V4PKG MPU51618V4PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5618V5PKG MPU5618V5PKG MPU5618V5PKG MPU5618V5PKG MPU5618V5PKG MPU5617V4PKG MPU5618V5PKG MPU5618V5PKG MPU5618V5PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5188V5PKG MPU5188V5PKG MPU5818V4PKG MPU5818V5PKG MPU5918V4PKG MPU5918V4PKG MPU5918V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61118V4PKG MPU61118V4PKG MPU61118V4PKG MPU61118V4PKG MPU61118V5PKG	U51018V5PKG	113
MPU51118V5PKG MPU51217V4PKG MPU51218V4PKG MPU51218V5PKG MPU51318V4PKG MPU51318V4PKG MPU51318V5PKG MPU51318V5PKG MPU51417V4PKG MPU51418V5PKG MPU51418V5PKG MPU51517V4PKG MPU51518V5PKG MPU51618V5PKG MPU51618V4PKG MPU51618V4PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5618V5PKG MPU5618V5PKG MPU5618V5PKG MPU5618V5PKG MPU5618V5PKG MPU5618V5PKG MPU5718V4PKG MPU5818V5PKG MPU5818V5PKG MPU5917V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V5PKG MPU61018V5PKG MPU61018V4PKG MPU61018V4PKG MPU61118V4PKG MPU61118V4PKG MPU61118V4PKG MPU61118V5PKG MPU61118V5PKG	U51117V4PKG	112
MPU51217V4PKG MPU51218V4PKG MPU51218V5PKG MPU51318V4PKG MPU51318V4PKG MPU51318V5PKG MPU51318V5PKG MPU51418V4PKG MPU51418V5PKG MPU51518V5PKG MPU51518V4PKG MPU51618V5PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V4PKG MPU51718V5PKG MPU5618V5PKG MPU5618V5PKG MPU5617V4PKG MPU5618V4PKG MPU5618V4PKG MPU5618V4PKG MPU5618V4PKG MPU5618V5PKG MPU5618V5PKG MPU5618V4PKG MPU5918V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61117V4PKG MPU61118V4PKG MPU61118V4PKG MPU61118V5PKG	U51118V4PKG	112
MPU51218V4PKG MPU51218V5PKG MPU51317V4PKG MPU51318V4PKG MPU51318V5PKG MPU51417V4PKG MPU51418V5PKG MPU51418V5PKG MPU51517V4PKG MPU51518V4PKG MPU51618V4PKG MPU51618V4PKG MPU51717V4PKG MPU51718V4PKG MPU51718V4PKG MPU5618V4PKG MPU5618V4PKG MPU5618V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5717V4PKG MPU5618V4PKG MPU5618V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5917V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61118V4PKG MPU61118V4PKG MPU61118V5PKG MPU61118V5PKG	U51118V5PKG	113
MPU51218V5PKG MPU51317V4PKG MPU51318V4PKG MPU51318V5PKG MPU51418V4PKG MPU51418V4PKG MPU51418V5PKG MPU51518V5PKG MPU51518V5PKG MPU51618V4PKG MPU51618V4PKG MPU51718V4PKG MPU51718V4PKG MPU51718V4PKG MPU51718V4PKG MPU5617V4PKG MPU5717V4PKG MPU5717V4PKG MPU5718V4PKG MPU5717V4PKG MPU5717V4PKG MPU5717V4PKG MPU5718V5PKG MPU5718V5PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V5PKG MPU5718V5PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V5PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61117V4PKG MPU61117V4PKG MPU61118V4PKG MPU61118V5PKG	U51217V4PKG	112
MPU51317V4PKG MPU51318V4PKG MPU51318V5PKG MPU51417V4PKG MPU51418V5PKG MPU51418V5PKG MPU51517V4PKG MPU51518V4PKG MPU51618V4PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5618V4PKG MPU5618V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5818V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V5PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5917V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61117V4PKG MPU61118V5PKG MPU61118V5PKG	U51218V4PKG	112
MPU51318V4PKG MPU51318V5PKG MPU51417V4PKG MPU51418V4PKG MPU51418V5PKG MPU51517V4PKG MPU51518V5PKG MPU51518V4PKG MPU51618V4PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V4PKG MPU51718V4PKG MPU5617V4PKG MPU5618V4PKG MPU5717V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5818V4PKG MPU5817V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V5PKG MPU5918V4PKG MPU5918V5PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V5PKG MPU61117V4PKG MPU61118V4PKG MPU61118V4PKG MPU61118V4PKG MPU61118V5PKG	U51218V5PKG	113
MPU51318V5PKG MPU51417V4PKG MPU51418V4PKG MPU51418V5PKG MPU51517V4PKG MPU51518V4PKG MPU51518V5PKG MPU51618V5PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5618V4PKG MPU5618V4PKG MPU5717V4PKG MPU5717V4PKG MPU5717V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5917V4PKG MPU5917V4PKG MPU5918V5PKG MPU61018V5PKG MPU61018V4PKG MPU61018V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51317V4PKG	112
MPU51417V4PKG MPU51418V4PKG MPU51418V5PKG MPU51517V4PKG MPU51518V5PKG MPU51518V5PKG MPU51618V4PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V4PKG MPU5617V4PKG MPU5618V5PKG MPU571718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V5PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V5PKG MPU61118V4PKG MPU61118V5PKG MPU61118V5PKG	U51318V4PKG	112
MPU51418V4PKG MPU51418V5PKG MPU51517V4PKG MPU51518V4PKG MPU51518V5PKG MPU51617V4PKG MPU51618V5PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5618V4PKG MPU5618V4PKG MPU5717V4PKG MPU5717V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5917V4PKG MPU5917V4PKG MPU5918V5PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61117V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51318V5PKG	113
MPU51418V5PKG MPU51517V4PKG MPU51518V5PKG MPU51518V5PKG MPU51618V4PKG MPU51618V4PKG MPU51618V5PKG MPU51717V4PKG MPU51718V5PKG MPU51718V4PKG MPU5618V4PKG MPU5618V4PKG MPU571718V4PKG MPU571718V4PKG MPU571718V4PKG MPU571718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V5PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61117V4PKG MPU61117V4PKG MPU61118V5PKG MPU61118V5PKG	U51417V4PKG	112
MPU51517V4PKG MPU51518V4PKG MPU51518V5PKG MPU51617V4PKG MPU51618V5PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5618V4PKG MPU5618V4PKG MPU5717V4PKG MPU5717V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V5PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5917V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51418V4PKG	112
MPU51518V4PKG MPU51518V5PKG MPU51618V4PKG MPU51618V4PKG MPU51618V5PKG MPU51717V4PKG MPU51718V5PKG MPU51718V5PKG MPU5618V4PKG MPU5618V5PKG MPU571718V4PKG MPU571718V4PKG MPU571718V4PKG MPU5718V4PKG MPU5718V4PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V5PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51418V5PKG	113
MPU51518V5PKG MPU51617V4PKG MPU51618V4PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5617V4PKG MPU5618V4PKG MPU5618V5PKG MPU5717V4PKG MPU5718V4PKG MPU5718V4PKG MPU5718V5PKG MPU5718V4PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5917V4PKG MPU5918V4PKG MPU5918V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51517V4PKG	112
MPU51617V4PKG MPU51618V5PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5617V4PKG MPU5618V5PKG MPU5717V4PKG MPU5717V4PKG MPU5718V5PKG MPU5718V5PKG MPU5718V5PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V4PKG MPU61018V5PKG MPU61018V4PKG MPU61018V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51518V4PKG	112
MPU51618V4PKG MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5617V4PKG MPU5618V5PKG MPU5618V5PKG MPU5718V4PKG MPU5717V4PKG MPU5718V4PKG MPU5718V5PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V4PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61118V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51518V5PKG	113
MPU51618V5PKG MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5617V4PKG MPU5618V5PKG MPU5618V5PKG MPU5717V4PKG MPU5717V4PKG MPU5718V5PKG MPU5817V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V5PKG MPU61018V4PKG MPU61018V4PKG MPU61018V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51617V4PKG	112
MPU51717V4PKG MPU51718V4PKG MPU51718V5PKG MPU5617V4PKG MPU5618V4PKG MPU5618V5PKG MPU5717V4PKG MPU5718V5PKG MPU5718V5PKG MPU5718V4PKG MPU5818V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V4PKG MPU5918V5PKG MPU61018V4PKG MPU61018V4PKG MPU61018V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51618V4PKG	112
MPU51718V4PKG MPU51718V5PKG MPU5617V4PKG MPU5618V5PKG MPU5618V5PKG MPU5717V4PKG MPU5718V5PKG MPU5718V4PKG MPU5718V4PKG MPU5818V4PKG MPU5818V4PKG MPU5917V4PKG MPU5917V4PKG MPU5918V5PKG MPU61017V4PKG MPU61018V5PKG MPU61018V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51618V5PKG	113
MPU51718V5PKG MPU5617V4PKG MPU5618V4PKG MPU5618V5PKG MPU5717V4PKG MPU5718V5PKG MPU5718V5PKG MPU5817V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V4PKG MPU61017V4PKG MPU61018V4PKG MPU61018V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51717V4PKG	112
MPU5617V4PKG MPU5618V5PKG MPU5717V4PKG MPU5718V4PKG MPU5718V5PKG MPU5718V5PKG MPU5817V4PKG MPU5818V4PKG MPU5917V4PKG MPU5917V4PKG MPU5917V4PKG MPU5918V5PKG MPU61017V4PKG MPU61018V5PKG MPU61018V4PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U51718V4PKG	112
MPU5618V4PKG MPU5618V5PKG MPU5717V4PKG MPU5718V4PKG MPU5718V5PKG MPU5817V4PKG MPU5818V4PKG MPU5818V4PKG MPU5918V4PKG MPU5918V5PKG MPU61017V4PKG MPU61018V4PKG MPU61118V4PKG MPU61118V5PKG MPU61118V5PKG	U51718V5PKG	113
MPU5618V5PKG MPU5717V4PKG MPU5718V4PKG MPU5718V5PKG MPU5818V5PKG MPU5818V5PKG MPU5917V4PKG MPU5918V5PKG MPU5918V5PKG MPU61017V4PKG MPU61018V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U5617V4PKG	112
MPU5717V4PKG MPU5718V4PKG MPU5718V5PKG MPU5817V4PKG MPU5818V4PKG MPU5818V5PKG MPU5917V4PKG MPU5918V4PKG MPU61017V4PKG MPU61018V4PKG MPU61018V4PKG MPU61118V4PKG MPU61118V5PKG MPU61118V5PKG	U5618V4PKG	112
MPU5718V4PKG MPU5718V5PKG MPU5817V4PKG MPU5818V4PKG MPU5818V5PKG MPU5917V4PKG MPU5918V4PKG MPU61017V4PKG MPU61018V5PKG MPU61118V5PKG MPU61118V5PKG MPU61118V5PKG	U5618V5PKG	113
MPU5718V5PKG MPU5817V4PKG MPU5818V4PKG MPU5818V5PKG MPU5917V4PKG MPU5918V4PKG MPU5918V5PKG MPU61017V4PKG MPU61018V4PKG MPU61117V4PKG MPU61118V5PKG MPU61118V5PKG	U5717V4PKG	112
MPU5817V4PKG MPU5818V4PKG MPU5818V5PKG MPU5917V4PKG MPU5918V4PKG MPU61017V4PKG MPU61018V5PKG MPU61018V5PKG MPU611118V5PKG MPU61118V4PKG MPU61118V5PKG	U5718V4PKG	112
MPU5818V4PKG MPU5818V5PKG MPU5917V4PKG MPU5918V4PKG MPU61017V4PKG MPU61018V4PKG MPU61018V5PKG MPU61117V4PKG MPU61118V5PKG MPU61118V5PKG	U5718V5PKG	113
MPU5818V5PKG MPU5917V4PKG MPU5918V4PKG MPU5918V5PKG MPU61017V4PKG MPU61018V4PKG MPU611118V5PKG MPU61118V4PKG MPU61118V4PKG	U5817V4PKG	112
MPU5917V4PKG MPU5918V4PKG MPU5918V5PKG MPU61017V4PKG MPU61018V4PKG MPU61018V5PKG MPU61117V4PKG MPU61118V5PKG MPU61118V4PKG	U5818V4PKG	112
MPU5918V4PKG MPU5918V5PKG MPU61017V4PKG MPU61018V4PKG MPU61018V5PKG MPU61117V4PKG MPU61118V5PKG MPU61118V5PKG	U5818V5PKG	113
MPU5918V5PKG MPU61017V4PKG MPU61018V4PKG MPU61018V5PKG MPU61117V4PKG MPU61118V4PKG MPU61118V5PKG	U5917V4PKG	112
MPU61017V4PKG MPU61018V4PKG MPU61018V5PKG MPU61117V4PKG MPU61118V4PKG MPU61118V5PKG	U5918V4PKG	112
MPU61018V4PKG MPU61018V5PKG MPU61117V4PKG MPU61118V4PKG MPU61118V5PKG	U5918V5PKG	113
MPU61018V5PKG MPU61117V4PKG MPU61118V4PKG MPU61118V5PKG	U61017V4PKG	112
MPU61117V4PKG MPU61118V4PKG MPU61118V5PKG	U61018V4PKG	112
MPU61118V4PKG MPU61118V5PKG	U61018V5PKG	113
MPU61118V5PKG	U61117V4PKG	112
	U61118V4PKG	112
	U61118V5PKG	113
MPU6121/V4PKG	U61217V4PKG	112
MPU61218V4PKG	U61218V4PKG	112

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
MPU61218V5PKG	113	MY3343	238	PCULP	43	PR500	81,253
MPU61317V4PKG	112	MY3446	238	PCUPC	43	PR59314	81
MPU61318V4PKG	112	MY3646	238	PCUPC*	43	PR59500	81
MPU61318V5PKG	113	MY3753	238	PCUPH	43	PS1014	241
MPU61417V4PKG	112	MY3800	238	PCUPH*	43	PSB10	198
MPU61418V4PKG	112	MY3952	238	PCUPP	43	PSB12	198
MPU61418V5PKG	113	MY4300	238	PCUTOW	43	PSB15	199
MPU61517V4PKG	112	MY4361	238	PCUTOWSP	43	PSB18	199
MPU61518V4PKG	112	NT10	189,255	PE600CW	186	PSB23	199
MPU61518V5PKG	113	NT12	189,255	PH556010	234	PSB6	198
MPU61617V4PKG	112	NT14	189	PH556016	234	PSB8	198
MPU61618V4PKG	112	NT16	189	PH556020	234	PT1014	233
MPU61618V5PKG	113	NT20	189	PH556026	234	PT1100	233
MPU61717V4PKG	112	NT5	189,255	PH556030	234	PT1216	233
MPU61718V4PKG	112	NT8	189,255	PH556036	234	PT1400	233
MPU61718V5PKG	113	NT9	189,255	PH556040	234	PT1418	233
MPU6617V4PKG	112	0ETR314	81	PH556046	234	PT1600	233
MPU6618V4PKG	112	P320CW	186	PH556050	234	PWB22	46,193
MPU6618V5PKG	113	P34CW	186	PH556056	234	QCSB	96
MPU6717V4PKG	112	P34LCW	186	PH556510	234	QCTB	96
MPU6718V4PKG	112	P480CW	186	PH556516	234	R1000LCD	46
MPU6718V5PKG	113	P600CW	186	PH556520	234	R500LCD	46
MPU6817V4PKG	112	P60CW	186	PH556526	234	RD1200CW	201
MPU6818V4PKG	112	P64CW	186	PH557010	234	RD1220CW	201
MPU6818V5PKG	113	PC34CW	186	PH557016	234	RD1220CWH	201
MPU6917V4PKG	112	PC64CW	186	PH557020	234	RD1826CW	201
MPU6918V4PKG	112	PCMC	43	PH557026	234	RD1826CWH	201
MPU6918V5PKG	113	PCMC*	43	PH557030	234	RD926CW	201
MW2129	235	PCMH	43	PH557036	234	RFS1	158
MW3200	235	PCMH*	43	PH557040	234	RFS12	158
MW3245	235	PCUCC	43	PH557046	234	RFS12PP	158
MW3600	235	PCUCC*	43	PH558510	234	RFS12SCPP	156
MW3646	235	PCUCH	43	PH558516	234	RFS18	158
MW3858	235	PCUCH*	43	PH558520	234	RFS18PP	158
MW4200	235	PCUHC	43	PH558526	234	RFS1PP	158
MY2026	238	PCUHC*	43	PH558530	234	RFS1SCPP	156
MY2129	238	PCUHH	43	PH558536	234	RFS2	158
MY2632	238	PCUHH*	43	PL60CW	186	RFS22	158
MY2738	238	PCULC	43	PPB15	194	RFS22PP	158
MY3200	238	PCULC*	43	PPB18	194	RFS2PP	158
MY3244	238	PCULH	43	PPB23	194	RFS2SCPP	156
MY3253	238	PCULH*	43	PR314	81	RFS4	158

CODE	PAGE
RFS4PP	158
RFS6	158
RFS6PP	158
RFS6SCPP	156
RFS8	158
RFS8PP	158
RFSC1	158
RFSC12	158,193
RFSC12PP	158
RFSC1PP	158
RFSC2	158
RFSC2PP	158
RFSC6	158
RFSC6PP	158
RFSCW1	156
RFSCW12	156
RFSCW18	156
RFSCW2	156
RFSCW22	156
RFSCW4	156
RFSCW6	156
RFSCW8	156
RFSCWC1	156
RFSCWC12	156
RFSCWC2	156
RFSCWC6	156
RSB1014CW	199
RSB10CW	199
RSB12CW	199
RSB1419CW	199
RSB15CW	199
RSB18CW	199
RSB23CW	199
RSB6CW	199
RSB8CW	199
SB55	200
SB60	200
SB80	200
SBH15	54
SBH18	54
SC337	96
SC337S	96

0005	2405
CODE	PAGE
SCP12CW	178
SCP24CW	178
SCP64CW	178
SCP6CW	178
SFC12	154
SFC12SCPP	152
SFC2	154
SFC2SCPP	152
SFC6	154
SFC6SCPP	152
SFG1012	197
SFG1015	197
SFG1220	197
SFG820	197
SFR1012	197
SFV1015	197
SLL30	163
SPA14	203
SPASL14	203
SP010CW	203
SP011CW	203
SP013	203
SP013CW	203
SP08CW	203
SP0P10CW	203
SP0P11CW	203
SP0P13	203
SP0P13CW	203
SRB13	193
SRB13CW	193
SRB5	193,255
SRB5CW	193,255
SSR1	43
SSR8	43
TC1418	89
TDC2029	89
TDC30	89
TDCR12	89
TG6	204
TG9	204
TGA11	204
TGA8	204

CODE	PAGE
TGG6	204
TGG9	204
UC1000	45
UC1000CVR	45
UC250	45
UC250CVR	45
UC500	45
UC500CVR	45
UCR10AR8	141
UCR10R8	141
UPC100	27
UPC1200	35
UPC140	27
UPC160	27
UPC1600	35
UPC1600HD	35
UPC1600SP	35
UPC180	27
UPC300	31
UPC300DIV	28,31
UPC400	32
UPC400SP	32
UPC600	35
UPC800	35
UPC800SP	35
UPCGL1600SP	35
UPCH16002	38
UPCH16002HD	38
UPCH16002UK	38
UPCH4002	38
UPCH4002UK	38
UPCH8002	38
UPCH8002UK	38
UPCHT16002HD	38
UPCHT8002	38
UPCHW4002	38
UPCS140	27
UPCS160	27
UPCS180	27
UPCS400	33
UPCS400CK	33
UPR1826F20	143

UPR1826F40 143 UPR1826FA20 143 UPR1826FA40 143 UPR1826FP20 143 UPR1826FP40 143 UPR1826FPA20 143 UPR1826H12 144 UPR1826H12 144 UPR1826HP12 144 UPR1826HP20 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL5 53 VBRL6 53 VBRLB 54 VBRRF5 54 VBRRF6 54 VBRTD 53 VBRTBL 54 VBRTDF 53 VBRTDF 53 VBRTG 54 VBRTDF 53 VBRTLDF 53 VBRTLDF <th>CODE</th> <th>PAGE</th>	CODE	PAGE
UPR1826FA40 143 UPR1826FP20 143 UPR1826FP40 143 UPR1826FPA20 143 UPR1826FPA40 143 UPR1826H12 144 UPR1826HP20 144 UPR1826HP20 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBR6 53 VBRC 53 VBRCP0 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL6 53 VBRLB 53 VBRLB 54 VBRRF5 54 VBRRF6 54 VBRTS 54 VBRTS 54 VBRTG 53 VBRTG 53 VBRTG 53 VBRTG 54 VBRTDS 53 VBRTG 54 VBRTDS 53 VBRTLDS 5	UPR1826F40	143
UPR1826FP20 143 UPR1826FP40 143 UPR1826FPA20 143 UPR1826FPA40 143 UPR1826H12 144 UPR1826H20 144 UPR1826HP12 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBR6 53 VBRCVR5 54 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL6 53 VBRL6 53 VBRLB 53 VBRLHDG 53 VBRRF5 54 VBRRF5 54 VBRRF6 54 VBRTS 54 VBRTG 53 VBRTG 54 VBRTDS 53 VBRTG 54 VBRTG 54 VBRTDS 53 VBRTLDS 53 VBRTLDS 53 VBRTLG 5	UPR1826FA20	143
UPR1826FP40 143 UPR1826FPA20 143 UPR1826FPA40 143 UPR1826H12 144 UPR1826HP12 144 UPR1826HP20 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL5 53 VBRL6 53 VBRLB 53 VBRLHD6 53 VBRRF5 54 VBRRF5 54 VBRRF6 54 VBRTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTD5 53 VBRTG 54 VBRTD5 53 VBRTCVR6 54 VBRTL5 53 VBRTL6 53 VBRTL6 53 <td>UPR1826FA40</td> <td>143</td>	UPR1826FA40	143
UPR1826FPA20 143 UPR1826FPA40 143 UPR1826H12 144 UPR1826HP12 144 UPR1826HP12 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRHD5 53 VBRHD6 53 VBRL5 53 VBRL6 53 VBRLHD5 53 VBRLHD5 53 VBRLHD5 53 VBRRF 54 VBRRS 54 VBRRF 54 VBRTS 54 VBRTS 54 VBRTG 53 VBRTG 53 VBRTDS 53 VBRTDS 53 VBRTLDS 53 VBRTLDS 53 VBRTLG 53 VBRTLG 53 <td>UPR1826FP20</td> <td>143</td>	UPR1826FP20	143
UPR1826FPA40 143 UPR1826H12 144 UPR1826H20 144 UPR1826HP12 144 UPR1826HP20 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL5 53 VBRL6 53 VBRLB 53 VBRLHD5 53 VBRRB 54 VBRRB 54 VBRRSHTS 54 VBRTS 54 VBRTB 54 VBRTG 53 VBRTG 53 VBRTBL 54 VBRTDS 53 VBRTHD5 53 VBRTLD5 53 VBRTLD5 53 VBRTLG 53 VBRTLG 53 <td>UPR1826FP40</td> <td>143</td>	UPR1826FP40	143
UPR1826H12 144 UPR1826H20 144 UPR1826HP12 144 UPR1826HP20 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL6 53 VBRL6 53 VBRLHD5 53 VBRRC 54 VBRRC 54 VBRRF5 54 VBRRF6 54 VBRTS 54 VBRTS 54 VBRTG 53 VBRTG 54 VBRTG 53 VBRTLD5 53 VBRTLG 53 VBRTLG 53	UPR1826FPA20	143
UPR1826H20 144 UPR1826HP12 144 UPR1826HP20 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL5 53 VBRL6 53 VBRLHD5 53 VBRRHD6 53 VBRRF5 54 VBRRF5 54 VBRRF6 54 VBRTS 54 VBRTF5 53 VBRTBL 54 VBRTCVR5 54 VBRTD5 53 VBRTHD5 53 VBRTL5 53 VBRTL6 53 VBRTL6 53 VBRTL6 53 VBRTL6 53 VBRTL6 53 VBRTL6 53	UPR1826FPA40	143
UPR1826HP12 144 UPR1826HP20 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL5 53 VBRL6 53 VBRLB 53 VBRRHD6 53 VBRRHDB 53 VBRRF 54 VBRRF 54 VBRRF 54 VBRTS 54 VBRTB 54 VBRTG 53 VBRTG 53 VBRTG 54 VBRTG 54 VBRTG 54 VBRTG 54 VBRTG 54 VBRTG 54 VBRTG 53 VBRTG 53 VBRTLG 53 VBRTLG	UPR1826H12	144
UPR1826HP20 144 UPR1826U15 144 UPR1826U8 144 VBR5 53 VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL5 53 VBRL6 53 VBRLHD5 53 VBRRHD6 53 VBRRF 54 VBRRF 54 VBRRF 54 VBRTS 54 VBRTF 53 VBRTG 53 VBRTBL 54 VBRTCVR5 54 VBRTD5 53 VBRTLD5 53 VBRTLD5 53 VBRTL6 53 VBRTL6 53 VBRTLD5 53 VBRTLD5 53 VBRTLD6 53 VBRTLD5 53 VBRTLHD6 53	UPR1826H20	144
UPR1826U15 144 UPR1826U8 144 VBR5 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL5 53 VBRL6 53 VBRLHD5 53 VBRLHD6 53 VBRRF 54 VBRRF 54 VBRRF 54 VBRTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTL6 53 VBRTLD5 53 VBRTLG 53	UPR1826HP12	144
UPR1826U8 144 VBR5 53 VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRL5 53 VBRL6 53 VBRLHD5 53 VBRRHD6 53 VBRRF 54 VBRRF 54 VBRRF 54 VBRTS 54 VBRTF 53 VBRTG 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTLD5 53 VBRTLD5 53 VBRTL6 53 VBRTL6 53 VBRTLD5 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	UPR1826HP20	144
VBR5 53 VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRLD6 53 VBRLB 53 VBRLHD5 53 VBRLHD6 53 VBRRF 54 VBRRF 54 VBRTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTLB 53 VBRUG <td>UPR1826U15</td> <td>144</td>	UPR1826U15	144
VBR6 53 VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRLD6 53 VBRL5 53 VBRLHD5 53 VBRLHD6 53 VBRRF 54 VBRRF 54 VBRSHTS 54 VBRTF 53 VBRTG 53 VBRTG 54 VBRTG 53 VBRTLD5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53 VBRU6	UPR1826U8	144
VBRC 53 VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRHD6 53 VBRL5 53 VBRL6 53 VBRLHD5 53 VBRLHD6 53 VBRRF 54 VBRRF 54 VBRTS 53 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL6 53 VBRTL6 53 VBRTLG 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBR5	53
VBRC90 53 VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRLD6 53 VBRL5 53 VBRL6 53 VBRLHD5 53 VBRRHD6 53 VBRRF 54 VBRRF 54 VBRSHTS 54 VBRTF 53 VBRTG 53 VBRTG 54 VBRTCVR5 54 VBRTLD5 53 VBRTLG 53 VBRTLG 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBR6	53
VBRCVR5 54 VBRCVR6 54 VBRHD5 53 VBRHD6 53 VBRL5 53 VBRL6 53 VBRLHDD5 53 VBRRHD6 53 VBRRF5 54 VBRRR6 54 VBRTS 53 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL6 53 VBRTLG 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRC	53
VBRCVR6 54 VBRHD5 53 VBRHD6 53 VBRL5 53 VBRL6 53 VBRLHD5 53 VBRRHD6 53 VBRRS 54 VBRRG 54 VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHD5 53 VBRU5 53 VBRU6 53	VBRC90	53
VBRHD5 53 VBRLD5 53 VBRLC6 53 VBRLHDD5 53 VBRLHDC6 53 VBRRS5 54 VBRRC6 54 VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHDD5 53 VBRTHD6 53 VBRTLC 53 VBRU5 53 VBRU6 53	VBRCVR5	54
VBRHD6 53 VBRL5 53 VBRL6 53 VBRLHD5 53 VBRRHD6 53 VBRRS 54 VBRRG 54 VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTLG 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU5 53 VBRU6 53	VBRCVR6	54
VBRL5 53 VBRL6 53 VBRLHD5 53 VBRLHD6 53 VBRR5 54 VBRR6 54 VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHD5 53 VBRU5 53 VBRU5 53 VBRU6 53	VBRHD5	53
VBRL6 53 VBRLHD5 53 VBRRHD6 53 VBRR5 54 VBRR6 54 VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTLG 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU5 53 VBRU6 53	VBRHD6	53
VBRLHD5 53 VBRRHD6 53 VBRRS 54 VBRRG 54 VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTLG 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHDD5 53 VBRUG 53 VBRUG 53	VBRL5	53
VBRLHD6 53 VBRR5 54 VBRR6 54 VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTLG 53 VBRTLHD5 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRL6	53
VBRR5 54 VBRR6 54 VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRLHD5	53
VBRR6 54 VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD5 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRLHD6	53
VBRSHTS 54 VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRR5	54
VBRT5 53 VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRR6	54
VBRT6 53 VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRSHTS	54
VBRTBL 54 VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRTLHD6 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRT5	53
VBRTCVR5 54 VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRT6	53
VBRTCVR6 54 VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRTBL	54
VBRTHD5 53 VBRTHD6 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRTCVR5	54
VBRTHD6 53 VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRTCVR6	54
VBRTL5 53 VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRTHD5	53
VBRTL6 53 VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRTHD6	53
VBRTLHD5 53 VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRTL5	53
VBRTLHD6 53 VBRU5 53 VBRU6 53	VBRTL6	53
VBRU5 53 VBRU6 53	VBRTLHD5	53
VBRU6 53	VBRTLHD6	53
	VBRU5	53
VBRUHD5 53	VBRU6	53
	VBRUHD5	53

CODE	PAGE	CODE	PAGE
VBRUHD6	53	VL1418TR	221
VBRUT5	53	VL1520	221
VBRUT6	53	VL1520TR	221
VBRUTHD5	53	VL2129RNS	222
VBRUTHD6	53	VL2632	221
VBRWC	54	VL3200RNS	222
VCS	53	VL3253	221
VCS32CNT	53	VL3343	221
VCS32KEYT	54	VL3343C	216,221
VCS32R	54	VL3343CNS	264
VCSCNL	53	VL3343NS	264
VCSCVR	54	VL3600RNS	222
VCSHD	53	VL3646C	216,221
VCSWR	53	VL3646CNS	264
VCSWRHD	53	VL3753	221
VL1014	221	VT1216	218
VL1216	221	VT1418	216,217,218
VL1418	216,221	VT1418AB	262
VL1418NS	264	VT1418TR	218
VL1418RNS	222	VT1520	218

CODE	PAGE
VT1520TR	218
VT2632	217
VT3253	217
VT3343	217,218
VT3343AB	262
VT3343C	216,218
VT3343CAB	262
VT3646C	216,217,218
VT3646CAB	262
VT3753	217
VT3853	218
VTC3253T	215
VTC3253TNS	215
VTC3343T	215
VTC3343TNS	215
VTC3646T	215
VTC3646TNS	215
VTC3753T	215
VTC3753TNS	215
VTCT3253T	215

CODE	PAGE
VTCT3343T	215
VTCT3646T	215
VTCT3753T	215
VTE1418	217
VTE3253	217
VTE3343	217
VTE3646C	217
VTE3753	217
WC100CW	194
WC100CWNH	194
WCR1220	57,60
WR60406	48
WR60407	48
WW1000	192
WW1000L	192
WW1000LS	192
WW1500	192
WW250	192
WW250L	192
WW500	192

Cambro® Warranty

Cambro Camtrays® and Camwear® Dinnerware have a five year guarantee against breakage. Camtherm Bulk Food Holding Cabinets hold a one-year warranty. Camwear food storage products are guaranteed for two years under normal usage. Camshelving® has a one-year warranty on workmanship and a lifetime limited warranty against rust and corrosion, excluding mobile posts. For all other Cambro products, Cambro warrants to the original buyer a three-year pro-rated guarantee. If product proves defective during this time, Cambro grants a pro-rated credit of the original price toward replacement product. The warranty applies on all Cambro products only when used under normal foodservice industry conditions.

Specifications, features and equipment shown are based upon the latest information available. Cambro Manufacturing Company reserves the right to make changes at any time, without notice, to price, colors, specifications, accessories and materials. For additional information, please contact your authorized Cambro representative.


Note: Temperature ranges noted throughout this catalog are based on specific test criteria and provide a general guideline. Individual use may vary due to differences in loading temperatures or ambient temperature.

Product Accessories: Contents and accessories shown in photos are not included, except where noted.

Photo credits:

Cambro products help foodservice operators throughout the world. To represent our global presence, images of Cambro products in use have been taken on locations throughout southern California, USA; in Cancun, Mexico; on the island of Rugen, Germany; and in the city of Huizhou, China. In particular, special thanks to the staffs of the Ambience Hotel, Rugen; Jin Hua Palace Hotel, Huizhou; Southern California Gas Company, Downey; Orange Coast College, Santa Ana and California Hospital, Los Angeles for their assistance in our photo shoots.

STEMWARE AND GLASS SIZING REFERENCE GUIDE



To Determine Compartment Size

• Half Size Racks:


Place glass or stemware upside down over circle chart. Look down on the glass. Whatever circle the largest diameter of the glass fits within will determine the number of compartments.


• Full Size Racks:

Place glass or stemware upside down over circle chart. Look down on the glass. Whatever circle the largest diameter of the glass fits within will determine the number of compartments.


Use the vertical guide marks at right to determine item height and appropriate rack number.







CAMRACK® CUP RACK REFERENCE GUIDE



To determine Cup compartment size:

Turn cup or coffee mug upside down and place diagonally in square. Align handle with arrow in square. Cup or mug and handle must fit completely within boundaries of a square in order to ensure the right rack.



7

COMPARTMENT 11,1 x 8 cm

Maximum Number Maximum Cup Height Cup of Width Compartments 6,6 cm 10,7 cm 14,9 cm 11,1 cm 16 16C258 16C414 16C578 8.8 cm 20 20C258 20C414 20C578

HALF RACK

Full Size Cup Racks (C)

C O M P A R T M E N T 10,4 x 8,8 cm





COMPARTMENT 11,3 x 10,4 cm

QUICK GUIDE Full Size Cup Racks (C)

Maximum Cup	Number of	Maximum Cup Height	
	Compartments	6,6 cm	10,7 cm
10,4 cm	8	8HC258	8HC414
8,8 cm	10	10HC258	10C414

To Determine Cup Height:

Place base of cup or coffee mug on flat surface hold ruler vertically next to it to determine height in inches or millimeters. If the height is greater than 108 mm, additional 41 mm E2 and HE2 extenders may be ordered.

CAMBRO® EQUIPMENT COLOR CHART



Gray



Coffee Beige



Hot Red



Cold Blue



Speckled Gray



Dark Taupe



Brick Red



Navy Blue



Granite Gray



Granite Sand



Due to the printing process, the colors shown may not be exact. For exact colors, contact Cambro or a Cambro Sales Representative for a color chip.



Slate Blue



Charcoal Gray




Dark Brown



Granite Green



Black





Kentucky Green

NEW FROM CAMBRO®



Cam GoBox® for Delivery



Camchiller® Insert Kits, Color Lids and Cam GoHeat $^{\mathsf{TM}}$ 14



Cam GoBox Pizza Carrier, Beverage Carrier and Cup Holder **16, 17**



Cambro GoBags® Pizza Bags, Delivery Bags and Backpacks **22 - 25**



Compact Dish Caddy S-Series 90, 91



Service Cart Pro 96



Basics Plus Shelf Rail Kit 136



Ultimate Sheet Pan Rack for Single Shelf **137**



Ultimate #10 Can Rack **139 - 141**



Ultimate Sheet Pan Rack 142 - 144



Undercounter Shelving 147



High Heat Measuring Cups and Cover 180



Century™ Textured Wood Trays 215



Décor Series Camtrays® and EpicTread™ Camtrays **223**



Rectangular EpicTread Trays 228



CAMBRO U.S.A.

5801 Skylab Road, Huntington Beach, CA 92647
P.O. Box 2000, Huntington Beach, CA 92647-2000
TEL: 1(714) 848-1555 FAX: 1(714) 843-2630
international@cambro.com

C.E.L. TEL: (49) 7022 90 100 0 FAX: (49) 7022 90100 19 cambroeurope@cambro.com

© Copyright Cambro Manufacturing Company. Printed in the U.S.A.

IRELAND

CAMBRO UK

FAX: 0845 280 3411

cambrouk@cambro.com

TEL: 1800 509 046 Toll Free **FAX:** 01 633 55 76 cambroireland@cambro.com

TEL: 0800 587 0057 Toll Free





Cambro is a proud recipient of the U.S. President's E-Award for Excellence in Exporting.