



# QUATTRO COLLECTION



**husseyseating**<sup>™</sup>

YOUR PARTNER FOR SEATING SOLUTIONS

**Quattro**<sup>®</sup>

different. by design.

---

# QUATTRO® - MODULAR DESIGN, ENDLESS POSSIBILITIES

**Epitome of Versatility and Style** - Crafted with innovation and elegance in mind, Quattro features a sleek design that serves as the perfect canvas for your unique preferences. With endless possibilities, you have the power to create your ideal seating experience by customizing every aspect of your chair.

Choose from the contemporary Modern stanchion and end panels to the classic Art stanchion and end panels, each combination allows you to create the look and feel your vision desires.

Not only does Quattro offer endless customization, but it also boasts exceptional quality and durability. Crafted from premium materials and engineered with precision, each component is built to withstand the test of time, ensuring years of reliable use and enjoyment.

No matter which configuration you land on, every Quattro seat is backed by the Hussey Seating Limited Lifetime Warranty – **the best in the business.**







# QUATTRO COLLECTION



ART



MODERN



TRADITIONAL



NOSTALGIA



STACKING

# QUATTRO - CHAIR COMPONENTS

## BACK SHAPE & MATERIAL

Experience the elegance of sculpted lines and superior ergonomic comfort with our four sleek, modular back designs. Choose from a variety of materials tailored to your preferences.

## ARMRESTS

Enhance your audience's comfort with our range of full-length armrests, available in various materials to suit all preferences.

## END PANEL

Experience the perfect combination of elegance and practicality with our exceptional end panels. Designed to elevate your venue's aesthetic, these panels are available in various finishes to match any style effortlessly.

## SEAT RETURN

Our seats glide back effortlessly, eliminating distracting noise and enhancing your venue's ambiance and an uninterrupted audience experience. Available in Spring or Gravity Fold options for unparalleled comfort and silence.

## STANCHIONS

Our meticulously crafted stanchions offer both reliability and elegance. Available in aluminum for outdoor use and steel for indoor applications, they come in four distinct styles, each providing unique charm, durable support, and visual appeal to your venue.

## FOOTCAPS

Easy to install footcaps offer combination of durability, functionality and style to your venue.



## FABRIC

Our selection of premium fabrics provides unmatched comfort, durability, and style to complement any design vision and add dimension to the spectator experience. With extensive color and material options, including indoor and marine-grade fabrics for outdoor use, we have the ideal solution for every need.

## TAILORING

Our crafted tailoring options range from standard designs to custom creations, ensure a truly bespoke seating experience that reflects your venue's unique character.

## ADA

Our ADA-compliant armrests ensure accessibility and comfort for all patrons. Designed to meet ADA standards, they provide essential support, convenience, and inclusivity.

## SEAT FOAM

Discover our meticulously crafted seat foam, designed for optimal support and relaxation. Our premium foam options provide a luxurious seating experience customized to your needs.

## IDENTIFICATION

Our seat identification plates add precision for your guests.

## SEAT PAN

Engineered with precision, our seat pans are designed to offer unparalleled support and resilience against the rigors of frequent use.

# QUATTRO - *BACK SHAPES*



## RADIUS

### MATERIALS:

Wood

### WIDTHS:

19", 20", 21", 22", 23" & 24"  
500mm, 525mm, 550mm,  
575mm & 600mm

### HEIGHTS:

Low: 33" | 838 mm  
High: 36" | 914 mm

### DESIGNS:



No Reveal

Top Reveal

Full Reveal



Top Reveal  
Integral Design

Full Reveal  
Integral Design

## LINEAR

### MATERIALS:

Wood

### WIDTHS:

19", 20", 21", 22", 23" & 24"  
500mm, 525mm, 550mm,  
575mm & 600mm

### HEIGHTS:

Low: 33" | 838 mm  
High: 36" | 914 mm

### DESIGNS:



No Reveal

Top Reveal

Full Reveal



Top Reveal  
Integral Design

Full Reveal  
Integral Design



### SOFT SQUARE

**MATERIALS:**

Wood  
Laminate  
Polymer  
Upholstered

**WIDTHS:**

19", 20", 21", 22", 23" & 24"  
500mm, 525mm, 550mm, 575mm & 600mm

**HEIGHTS:**

Low: 33" | 838 mm  
High: 36" | 914 mm



### ROUND

**MATERIALS:**

Wood  
Laminate  
Polymer  
Upholstered

**WIDTHS:**

19", 20", 21", 22", 23" & 24"  
500mm, 525mm, 550mm, 575mm & 600mm

**HEIGHTS:**

Low: 33" | 838 mm  
High: 36" | 914 mm



### SOFT SQUARE PLYFORM & POLYMER

**MATERIALS:**

Wood  
Polymer

**WIDTHS:**

19", 20", 21", 22"

**HEIGHTS:**

Low

**DESIGNS:**



Plyform (shown) Polymer



Polymer Crescent Polymer Jungle



# RADIUS & LINEAR - *BACK MATERIALS*



**WOOD** (Art)

**WOOD** (Art)

## SPECIES:



Ash

Birch

Cherry

Grasswood

Maple

Red Oak

## STAINS:



Natural Finish  
(7909-60)

Natural Pear  
(7061-60)

Wild Cherry  
(7054-60)

Versailles Anigre  
(7923-07)

Brighton Walnut  
(7922-07)

Ebony



Scan QR Code to  
go to our Surface  
Material Selector



# SOFT SQUARE - *BACK MATERIALS*



## WOOD *(Designer)*

### SPECIES:



Ash

Birch

Cherry



Maple

Red Oak

Grasswood

## LAMINATE *(Designer)*

### AVAILABLE LAMINATES:

For a list of our most up-to-date laminates please visit our Surface Material Selector.

[www.husseyseating.com/surface-material](http://www.husseyseating.com/surface-material)



*Scan QR Code to go to our Surface Material Selector*

## POLYMER *(Classic)*

### STANDARD COLORS:




452 Sand

Platinum

Titanium



Graphite



411 Slate

Available for indoor and outdoor use.

## FULLY UPHOLSTERED *(Softside)*

### AVAILABLE FABRICS:

For a list of our most up-to-date fabrics please visit our Surface Material Selector.

[www.husseyseating.com/surface-material](http://www.husseyseating.com/surface-material)



*Scan QR Code to go to our Surface Material Selector*

# ROUND - *BACK MATERIALS*



## **WOOD** (Designer)

### SPECIES:



Ash



Birch



Cherry



Maple



Red Oak



Grasswood

## **LAMINATE** (Designer)

### AVAILABLE LAMINATES:

For a list of our most up-to-date laminates please visit our Surface Material Selector.

[www.husseyseating.com/surface-material](http://www.husseyseating.com/surface-material)



Scan QR Code to go to our Surface Material Selector

## **POLYMER** (Classic)

### STANDARD COLORS:



452 Sand



Platinum



Titanium



Graphite



411 Slate

Available for indoor and outdoor use.

## **FULLY UPHOLSTERED** (Softside)

### AVAILABLE FABRICS:

For a list of our most up-to-date fabrics please visit our Surface Material Selector.

[www.husseyseating.com/surface-material](http://www.husseyseating.com/surface-material)



Scan QR Code to go to our Surface Material Selector

# SOFT SQUARE PLYFORM & POLYMER - *BACK MATERIALS*



## **PLYFORM** *(Performance)*

### SPECIES:



Ash

Birch

Cherry

Grasswood



Maple

Red Oak

## **POLYMER** *(Performance)*

### STANDARD COLORS:



# ART - STANCHION ACCESSORIES



## ART

### BACK SHAPES:



Radius    Linear    Soft Square    Round    Small Soft Square Polymer

### END PANELS SHAPES:



Linear Full Wrap    Linear Half Wrap    Radius Full Wrap    Radius Half Wrap    Full Wrap - Full Length    Half Wrap - Full Length

### END PANEL MATERIALS:



Wood

### STANCHION MATERIAL:




Steel

### ARMRESTS:



Radius - Wood    Linear - Wood

### ADA:



Easy Access Arm    Transfer End Standard

### LIGHTING:



Dome    Strip

### CUP HOLDERS: BRANDING:



Rear Mount    Live Area

### FOOTCAPS:



Polymer

### TABLET ARMS:



Intermediate Tablet  
(Available w/ polymer seat pan)

### ID:



Panel ID



# MODERN - STANCHION ACCESSORIES



## MODERN

### BACK SHAPES:



Radius    Linear    Soft Square    Round    Small Soft Square Polymer

### END PANELS SHAPES:



Tapered    Soft Square    Round    Tablet Arm    Custom

### END PANEL MATERIALS:



Wood    Upholstered    Laminate

### STANCHION MATERIALS:



Steel    Cast Aluminum (Indoor / Outdoor)

### LOGO:



Graphic

### ARMRESTS:



Polymer    Wood    Upholstered

### ADA:



Easy Access Arm    Armless

### LIGHTING:



High Mount    Low Mount

### CUP HOLDERS:



Front Mount    Rear Mount

### FOOTCAPS:



Polymer

### TABLET ARMS:



Writing - T1 35" | 889 mm (min row spacing) (stowed)    Laptop - T2M 36" | 914 mm (min row spacing) (stowed)    Large Laptop - T2 42" | 1067 mm (min row spacing) (stowed)

# TRADITIONAL - *STANCHION ACCESSORIES*




## END PANELS SHAPES:



Tapered      Swept Style      Soft Square      Round      Custom

## END PANEL MATERIALS:



Wood      Upholstered      Laminate

## STANCHION MATERIALS:



Steel

## ARMRESTS:



Wood      Upholstered      Polymer

## ADA:



Easy Access Arm      Transfer End Standard

## LIGHTING:



High Mount



Low Mount



Rear Mount

## CUP HOLDERS:



## TRADITIONAL

### BACK SHAPES:



Radius      Linear      Soft Square      Round      Small Soft Square Polymer      Small Soft Square Plyform

## TABLET ARMS:



Writing - T1  
35" | 889 mm  
(min row spacing)

(stowed)

## FOOTCAPS:



Polymer

# NOSTALGIA & STACKING - ACCESSORIES



## NOSTALGIA

### BACK SHAPES:



Radius



Linear



Soft Square



Round



Small Soft Square Polymer

### ARMREST:



Wood

### BRANDING:



Standard



Custom

### STANCHION MATERIAL:



Cast Iron



## STACKING (PORTABLE)

### BACK SHAPES:



Soft Square



Round

### ARMREST:



No Armrest



Polymer



Cup holder

### GANGING HARDWARE:



Upper (red is for display only)



Lower (red is for display only)

### STANCHION MATERIAL:



Steel

# UNIVERSAL - ACCESSORIES

## BACK TAILORING



Waterfall




Horizontal Pleat



Quilting Style 1



Quilting Style 2



Quilting Style 3



Quilting Style 4

## BACK FOAM



Standard



Plush

## BACK HEIGHT



Ultra Plush



High



Low

## SEAT FOAM



Standard



Plush



Ultra Plush

## SEAT PAN



Polymer



Fully Enveloped Uph.

## SEAT TAILORING



Wood



Custom Wood



Waterfall



Quilting Style 1



Quilting Style 2




Quilting Style 3



Quilting Style 4

## SEAT PLATES




Lexan


## ARM PLATES



Brushed Aluminum



Bronzed Anodized




Brass



Stainless Steel




Ecoglo



Lexan



Brushed Aluminum



Bronzed Anodized



# UNIVERSAL - ACCESSORIES

## DONOR PLATES



Brass



Stainless Steel



Ecoglo



Brushed Aluminum



Bronzed Anodized



Brass



Stainless Steel



Quick-Link

## USB POWER

## ORGANIZATION



Organizer I



Organizer II

## BRANDING



Embroidery



Custom Fabric

## ADA



Removable Chairs

## STANDARD PAINT & POLYMER COLORS




452 Sand




Platinum



Titanium



411 Slate



Graphite

## PHYSICAL SAMPLES

Looking to get samples before you place an order for your seating needs? Order samples of our seating option materials for armrests, fabrics, wood, laminate, decking, and more go to:

[WWW.HUSSEYSEATING.COM/SURFACE-MATERIAL](http://WWW.HUSSEYSEATING.COM/SURFACE-MATERIAL)

For Fabric Cards, please contact the appropriate fabric supplier. Mills occasionally discontinue fabrics, so check with them before making your final choice.

## WOOD SPECIES



Ash



Birch



Cherry



Grasswood



Maple



Red Oak



Scan QR Code to go to our Surface Material Selector

# AUDITORIUMS





# PERFORMING ARTS





# PLACES OF WORSHIP



Scan QR Code  
to see more  
Places of  
Worship  
venues





# EDUCATION



Scan QR Code  
to see more  
Education  
venues





# CORPORATE & GOVERNMENT SEATING



Scan QR Code  
to see more  
Corp. & Gov.  
venues





# SPORTS & ENTERTAINMENT



Scan QR Code  
to see more  
Sports & Enter.  
venues





# ADDITIONAL VENUES







Scan QR Code  
to see more  
venues



 TEAM ROOMS



 CASINOS



# ADDITIONAL VENUES









Scan QR Code  
to see more  
venues



# Seating Layout


## Row Lengths and Row Spacing

To help facilitate your design solution, calculate seating row lengths and row spacing by using the example below. Pick your chair series and width from the appropriate dimensional data, multiply by the number of chairs in the row and add A for each end.




## Seat Width Dimensional Data

U.S. Dimensions  
in inches




Metric Dimensions  
in millimeters (mm)



# Dimensional Data


## Quattro Collection: Modern



A°	B	C	D	E	F	G	H
21°	33" : 838 mm	19 7/8" : 505 mm	27 7/8" : 709 mm	22 3/4" : 578 mm	30 7/8" : 784 mm	31 5/8" : 803 mm	16" : 406 mm
18°	33 3/4" : 857 mm	18 3/4" : 476 mm	26 3/4" : 680 mm	21 5/8" : 549 mm	29 3/4" : 756 mm	30 1/2" : 775 mm	14 7/8" : 378 mm
15°	34 1/2" : 876 mm	17 5/8" : 448 mm	25 5/8" : 651 mm	20 1/2" : 521 mm	28 5/8" : 727 mm	29 3/8" : 746 mm	13 3/4" : 349 mm
21°	36" : 915 mm	21" : 534 mm	29" : 734 mm	23 7/8" : 607 mm	32" : 813 mm	32 3/4" : 832 mm	17 1/8" : 435 mm
18°	36 3/4" : 934 mm	19 3/4" : 502 mm	27 3/4" : 705 mm	22 5/8" : 575 mm	30 3/4" : 781 mm	31 1/2" : 800 mm	15 7/8" : 403 mm
15°	37 1/2" : 953 mm	18 1/2" : 470 mm	26 1/2" : 673 mm	21 3/8" : 543 mm	29 1/2" : 749 mm	30 1/4" : 768 mm	14 5/8" : 372 mm

Maximum rise 24" (610 mm) | Minimum rise 6" (152 mm)

## Quattro Collection: Modern w/ Soft Square Polymer




A°	B	C	D	E	F	G	H
21°	31 1/2" : 800 mm	16 1/2" : 419 mm	23 7/8" : 606 mm	19 3/8" : 492 mm	30 7/8" : 784 mm	27 1/8" : 689 mm	12 5/16" : 313 mm
18°	32" : 813 mm	15 1/2" : 394 mm	22 7/8" : 581 mm	18 3/8" : 467 mm	29 3/4" : 756 mm	26 1/8" : 664 mm	11 5/16" : 287 mm
15°	32 5/8" : 829 mm	N/A : N/A	N/A : N/A	17 1/4" : 438 mm	25" : 635 mm	N/A : N/A	10 1/2" : 267 mm

Maximum rise 24" (610 mm) | Minimum rise 6" (152 mm)





### Quattro Collection: Traditional




A°	B	C	D	H
21°	33 1/2" : 851 mm	19 7/8" : 505 mm	27 7/8" : 709 mm	16" : 406 mm
18°	34" : 864 mm	18 3/4" : 476 mm	26 3/4" : 680 mm	14 7/8" : 378 mm
15°	34 1/2" : 876 mm	17 5/8" : 448 mm	25 5/8" : 651 mm	13 3/4" : 349 mm
12°	35" : 889 mm	16 1/2" : 419 mm	24 1/2" : 623 mm	12 5/8" : 319 mm
21°	36" : 915 mm	21" : 534 mm	29" : 734 mm	17 1/8" : 435 mm
18°	36 3/4" : 934 mm	19 3/4" : 502 mm	27 3/4" : 705 mm	15 7/8" : 397 mm
15°	37 1/2" : 953 mm	18 1/2" : 470 mm	26 1/2" : 673 mm	14 5/8" : 371 mm
12°	38" : 965 mm	17 3/8" : 441 mm	25 3/8" : 645 mm	13 1/2" : 300 mm

Maximum rise 24" (610 mm) | Minimum rise 6" (152 mm)

### Stacking Quattro



### Quattro Collection: Modern w/ Soft Square Plyform & Polymer



**Plyform**

A°	B	C	D	H
21°	31 1/2" : 800 mm	16 1/4" : 413 mm	23 1/8" : 587 mm	11 7/8" : 302 mm
18°	31 7/8" : 810 mm	15 3/8" : 391 mm	22 1/4" : 565 mm	11" : 279 mm
15°	32 1/4" : 819 mm	14 1/2" : 368 mm	21 3/8" : 543 mm	10 1/8" : 257 mm
12°	32 1/2" : 826 mm	13 5/8" : 346 mm	20 1/2" : 521 mm	9 1/4" : 235 mm


**Polymer**

A°	B	C	D	H
21°	31 1/4" : 794 mm	17 1/4" : 438 mm	24 1/2" : 622 mm	12 7/8" : 327 mm
18°	31 3/4" : 806 mm	16 3/8" : 416 mm	23 5/8" : 600 mm	12 1/8" : 308 mm
15°	32 1/8" : 816 mm	15 5/8" : 397 mm	22 7/8" : 581 mm	11 1/4" : 286 mm
12°	32 3/8" : 822 mm	14 5/8" : 371 mm	21 7/8" : 556 mm	10 3/8" : 264 mm

Maximum rise 24" (610 mm) | Minimum rise 6" (152 mm)

### Principle of Visibility

Angle B is commonly used in determining floor slope for auditorium, performing arts, or theatre type seating configurations. When angle B profile is used in conjunction with staggered seating arrangement (chair staggered or alternated in arrangements of sizes opposite every other row) it allows unobstructed view of spectators to a determined focal point at the screen or stage. The objective is that all sight lines intersect at the desired focal point.




Angle C is most commonly used in determining riser or stepped applications for gymnasiums, arena, or stadium type seating configurations. When angle B profile is used (generally associated with an aligned seating arrangement) it allows for unobstructed view of spectators to a determined focal point at court line or line of play. The objective is that all critical sightlines intersect the focal point or line of play at generally a maximum elevation of 4' (122).


# Seating Layout

## Row Lengths and Row Spacing

To help facilitate your design solution, calculate seating row lengths and row spacing by using the example below. Pick your chair series and width from the appropriate dimensional data, multiply by the number of chairs in the row and add A for each end.




## Seat Width Dimensional Data




# Dimensional Data

## Linear and Radius Style Backs



## Linear and Radius Style Backs with Reveal



## Linear and Radius Style Backs

### Linear

A°	B	C	D	H				
21	33 7/8"	860 mm	19 3/4"	502 mm	27 3/4"	703 mm	15 3/8"	391 mm
18	34 1/4"	871 mm	18 7/8"	478 mm	26 3/4"	680 mm	14 1/2"	367 mm
15	34 3/4"	881 mm	17 7/8"	453 mm	25 3/4"	655 mm	13 1/2"	343 mm
12	35 1/8"	891 mm	16 5/8"	424 mm	24 5/8"	625 mm	12 3/8"	313 mm
21	36 7/8"	936 mm	20 7/8"	530 mm	28 7/8"	732 mm	16 1/2"	420 mm
18	37 3/8"	948 mm	19 3/4"	502 mm	27 3/4"	704 mm	15 3/8"	392 mm
15	37 3/4"	960 mm	18 5/8"	474 mm	26 5/8"	675 mm	14 1/4"	363 mm
12	38 1/4"	971 mm	17 1/4"	439 mm	25 1/4"	641 mm	13"	329 mm

Maximum rise 24" (610 mm) | Minimum rise 6" (152 mm)

### Radius

A°	B	C	D	H				
21	33" 1/4"	846 mm	19 3/4"	502 mm	27 3/4"	703 mm	15 3/8"	391 mm
18	33 7/8"	859 mm	18 7/8"	478 mm	26 3/4"	680 mm	14 1/2"	367 mm
15	34 1/4"	871 mm	17 7/8"	453 mm	25 3/4"	655 mm	13 1/2"	343 mm
12	34 3/4"	883 mm	16 5/8"	424 mm	24 5/8"	625 mm	13"	329 mm
21	36 1/4"	922 mm	20 7/8"	530 mm	28 7/8"	732 mm	16 1/2"	420 mm
18	36 7/8"	936 mm	19 3/4"	502 mm	27 3/4"	704 mm	15 3/8"	392 mm
15	37 3/8"	949 mm	18 5/8"	474 mm	26 5/8"	675 mm	14 1/4"	363 mm
12	37 7/8"	963 mm	17 1/4"	439 mm	25 1/4"	641 mm	12 3/8"	313 mm

Maximum rise 24" (610 mm) | Minimum rise 6" (152 mm)

## Reveal Linear and Radius Style Backs

### Linear with Reveal

A°	B	C	D	H				
21	35 1/2"	900 mm	20 1/2"	519 mm	28 3/8"	721 mm	16 1/8"	409 mm
18	36"	913 mm	19 3/8"	493 mm	27 3/8"	695 mm	15"	382 mm
15	36 3/8"	925 mm	18 3/8"	466 mm	26 1/4"	667 mm	14"	355 mm
12	36 7/8"	937 mm	17"	433 mm	25"	635 mm	12 3/4"	323 mm
21	38 3/8"	976 mm	21 5/8"	548 mm	29 1/2"	749 mm	17 1/4"	437 mm
18	39"	991 mm	20 3/8"	517 mm	28 1/4"	719 mm	16"	407 mm
15	39 1/2"	1003 mm	19 1/8"	486 mm	27 1/8"	688 mm	14 3/4"	376 mm
12	40"	1016 mm	17 5/8"	449 mm	25 5/8"	650 mm	13 3/8"	338 mm

Maximum rise 24" (610 mm) | Minimum rise 6" (152 mm)

### Radius with Reveal

A°	B	C	D	H				
21	34 7/8"	886 mm	20 1/2"	519 mm	28 3/8"	721 mm	16 1/8"	409 mm
18	35 1/2"	901 mm	19 3/8"	493 mm	27 3/8"	695 mm	15"	382 mm
15	36"	915 mm	18 3/8"	466 mm	26 1/4"	667 mm	14"	355 mm
12	36 5/8"	929 mm	17"	433 mm	25"	635 mm	12 3/4"	323 mm
21	37 7/8"	962 mm	21 5/8"	548 mm	29 1/2"	749 mm	17 1/4"	437 mm
18	38 1/2"	979 mm	20 3/8"	517 mm	28 1/4"	719 mm	16"	407 mm
15	39 1/8"	993 mm	19 1/8"	486 mm	27 1/8"	688 mm	14 3/4"	376 mm
12	39 3/4"	1009 mm	17 5/8"	449 mm	25 5/8"	650 mm	13 3/8"	338 mm

Maximum rise 24" (610 mm) | Minimum rise 6" (152 mm)



Restored Hussey Plow Co. Model No. 25, ca 1895  
Main Campus • North Berwick, ME  
Photo by Ron Bilodeau

## About Hussey Seating Company

Hussey Seating Company, founded in 1835, is a leading global provider of spectator seating solutions for the sports and entertainment, education, esports, and performing arts markets. Through customer-centric engineering and design, Hussey Seating is committed to creating exceptional seating that brings families and communities together to create lasting memories. Hussey Seating products can be found in more than 75 countries and are available from more than 60 representative dealerships around the world. Learn more at [www.husseyseating.com](http://www.husseyseating.com).

## Sustainability

At Hussey Seating Company we know green business is good business. Our seating solutions come in a wide range of colors—but every day our seats get greener. To learn more about our sustainability efforts, please visit our website at [www.husseyseating.com/sustainability](http://www.husseyseating.com/sustainability)

## Resources

For all of Quattro's accessories, surface materials, fast facts, environmental data sheets and more go to [www.husseyseating.com](http://www.husseyseating.com).

## Warranty

Our factory-backed warranty is the best in the industry.

### Interior Warrant

Limited Lifetime: Structural Standards, Cast Seat Supports & Brackets, Dual Action Seat Return Springs

5 Years: Components

### Exterior Warranty

Limited Lifetime: Structural Standards, Cast Seat Supports & Brackets, Dual Action Seat Return Springs

5 years: Components

3 years: Foam, Powder coat finish

1 year: Upholstery stitching and thread, polymer finish

## Partnerships & Associations



## News & Updates

Web: [HusseySeating.com](http://HusseySeating.com)

Facebook: [facebook.com/HusseySeating](https://facebook.com/HusseySeating)

X: [x.com/husseyseating](https://x.com/husseyseating)

YouTube: [youtube.com/user/hscpublic](https://youtube.com/user/hscpublic)

LinkedIn: [linkedin.com/company/hussey-seating-company](https://linkedin.com/company/hussey-seating-company)

## Expert Support

It's standard equipment on every Hussey product.

- Safety Inspections
- Custom Fabrication
- Service Contracts
- Factory-Certified Parts
- Accessories
- Renovation & Repair

Toll-Free (USA) 1.800.353.3308





**Quattro**  
different. by design.



**NORTH AMERICA**

**EUROPE**

**ASIA-PACIFIC &  
MIDDLE EAST**



**husseyseating**<sup>TM</sup>

YOUR PARTNER FOR SEATING SOLUTIONS

38 Dyer Street Extension  
North Berwick, Maine 03906 USA  
Toll Free (USA) 1.800.341.0401  
Tel: +1.207.676.2271  
Fax: +1.207.676.2222  
info@husseyseating.com  
[www.husseyseating.com](http://www.husseyseating.com)

Regional Offices:  
Europe  
Hussey Seatway  
[www.husseyseatway.com](http://www.husseyseatway.com)  
Asia-Pacific & Middle East  
Hussey Asia-Pacific  
[www.husseyasiapacific.com](http://www.husseyasiapacific.com)



Contact your local dealer  
to schedule a consultation  
by scanning the QR code.