

 symmetry surgical® | **Instruments & Solutions**

KERRISON CATALOG



CONTENTS

KERRISON® PORTFOLIO OVERVIEW 4 - 5

SYMMETRY SHARP KERRISONS 6 - 8

- Reusable Handles 8
- Single-Use Tips 8

RAPID CLEAN® CONVERTIBLE KERRISONS 9 - 11

- Ceramic Coated 10
- Stainless Steel 11

RAPID CLEAN® DETACHABLE KERRISONS 12 - 13

- Ceramic Coated 13

ONE-PIECE KERRISONS 14 - 23

- Ceramic Coated 15 - 16
- Ceramic Coated - Opti-Length® 17
- Classic® Stainless Steel 18
- Stainless Steel 19 - 20
- Stainless Steel - Extended Length 21
- Stainless Steel - Spurling Handle 22
- Ultra Coat - Titanium Nitride Coating 23

SPECIALTY KERRISONS 24 - 25

- Bayonet-Shaped 24
- Curved-Up 24
- Laminectomy 25
- Schlesinger Cervical Laminectomy 25

CUSTOMER SUPPORT 26



OVERVIEW

Symmetry Surgical has a rich heritage in Kerrison design dating back to the early 1900s. Collaborations between Thomas Codman and Harvey Cushing M.D. yielded unique insight into the needs of surgeons. Dr. Cushing was one of the first surgeons to specialize in neurosurgery and his initial input and designs are evident in modern day Kerrisons.

Our Kerrison designs, materials and performance have resulted in products that have stood the test of time. Our Kerrison portfolio has a pedigree of breadth and quality.

Symmetry Surgical

Antioch, TN 37013, USA

U.S. Phone 1-800-251-3000

symmetrysurgical.com

customerservice@symmetrysurgical.com



KERRISON® PORTFOLIO

Kerrison® Anatomy



Bite



A bone ejector stops bone from entering the jaw allowing for quick and easy removal of bone fragments.



SYMMETRY SHARP KERRISONS

WHAT IF...

Your biggest Kerrison challenges could be solved with one product?



Single-Use or Reusable Tip



You could have a productive bite every time?

You never had to use a dull kerrison again?

You could minimize the risk of dural tears?

You could reduce hand and arm fatigue?

You could easily open the kerrison for cleaning?

You no longer had to open multiple trays?

Introducing the
RapidClean[®]
Symmetry Sharp Kerrison[®]

SYMMETRY SHARP KERRISONS

Features & Benefits



Single-Use 2" tips:
1mm, 2mm, 3mm and
4mm

Reusable handles come in 5",
6" and 7" sizes for 7", 8" and
9" overall lengths

Handles are available in two
styles: RapidClean® Convertible
and One-Piece

Locking mechanisms
securely hold detachable tips
in place

“I choose to use the Symmetry Sharp Kerrisons for my ACD cases because they reduce the decompression time and improve the efficiency of the procedure.”
Neurosurgeon, Louisiana

“If one has to tug and twist the Kerrison, the risk of a dural tear is much higher.”
Neurosurgeon, Virginia

SYMMETRY SHARP KERRISONS

Reusable Handles

- Ceramic Coated



Description	Rapidclean®	One-piece
5" (125mm) Handle for 7" (178mm) Kerrison®	53-1674RC	53-1674
6" (152mm) Handle for 8" (203mm) Kerrison®	53-1675RC	53-1675
7" (178mm) Handle for 9" (229mm) Kerrison®	53-1676RC	53-1676

Single-use Tips

- 40° Up, 9mm opening, 2" (50mm) tip length
- Single-use, packaged sterile, 3 per box



Description	Thin footplate	Standard footplate
1mm Tip	53-1661T	53-1661
2mm Tip	53-1662T	53-1662
3mm Tip	53-1663T	53-1663
4mm Tip	53-1664T	53-1664

RAPIDCLEAN® CONVERTIBLE KERRISONS

Our RapidClean® Convertible Kerrisons are designed to allow for thorough cleaning and decontamination. These Kerrisons offer a convenient hinge design that opens easily for cleaning, inspection and lubrication while eliminating the risk of misplacing pieces during processing.



RAPIDCLEAN® CONVERTIBLE KERRISONS

Ceramic Coated

- Smooth, wear-resistant surface
- Reduces glare
- Optimal gliding
- Stays sharp longer



59-3200J-BD

		Bite (mm)	Opening (mm)	7" (178 mm)	8" (203 mm)	9" (229 mm)
40° Up	Without Ejector	Thin Footplate				
		1	9	58-1180-BD	58-1200-BD	58-1230-BD
		2	9	58-2180-BD	58-2200-BD	58-2230-BD
		3	9	58-3180-BD	58-3200-BD	58-3230-BD
		4	9	58-4180-BD	58-4200-BD	58-4230-BD
		5	9	58-5180-BD	58-5200-BD	58-5230-BD
		6	9			58-6230-BD
		Standard Footplate				
		1	9	59-1180-BD	59-1200-BD	59-1230-BD
		2	9	59-2180-BD	59-2200-BD	59-2230-BD
	3	9	59-3180-BD	59-3200-BD	59-3230-BD	
	4	9	59-4180-BD	59-4200-BD	59-4230-BD	
	5	9	59-5180-BD	59-5200-BD	59-5230-BD	
	2	15		58-2262-BD		
	3	15		58-2263-BD		
	4	15		58-2264-BD		
	5	15		58-2265-BD		
	With Ejector	Thin Footplate				
		2	9		58-23200J-BD	
		3	9	58-3180J-BD	58-3200J-BD	58-3230J-BD
4		9	58-4180J-BD	58-4200J-BD	58-4230J-BD	
5		9	58-5180J-BD	58-5200J-BD	58-5230J-BD	
Standard Footplate						
3		9		59-3200J-BD		
4		9		59-4200J-BD		
5		9		59-5200J-BD		

RAPIDCLEAN® CONVERTIBLE KERRISONS

Stainless Steel

- Durable
- Economical



58-1180

		Bite (mm)	Opening (mm)	7" (178 mm)	8" (203 mm)	9" (229 mm)
40° Up	Without Ejector	Thin Footplate				
		1	9	58-1180	58-1200	
		2	9	58-2180	58-2200	
		3	9	58-3180	58-3200	
		4	9		58-4200	
		Standard Footplate				
		1	9	59-1180	59-1200	59-1230
		2	9	59-2180	59-2200	59-2230
		3	9	59-3180	59-3200	59-3230
		4	9		59-4200	59-4230
		5	9		59-5200	59-5230
		2	15		58-2262	
		3	15		58-2263	
		4	15		58-2264	
	5	15		58-2265		
	With Ejector	Thin Footplate				
		3	9		58-3200J	
		4	9	58-4180J	58-4200J	
		5	9		58-5200J	

RAPIDCLEAN® DETACHABLE KERRISONS

Symmetry's RapidClean® Detachable Kerrisons are easily disassembled into two pieces for cleaning and inspection. They feature a frictionless channel, secondary safety locks to ensure secure latching and unique markings on the top and bottom segments to ensure straight-forward reassembly.



Secondary safety lock
to ensure latch is secure

Unique markings on top and bottom
segments to ensure proper match for
re-assembly

RAPIDCLEAN® DETACHABLE KERRISONS

Ceramic Coated

- Smooth, wear-resistant surface
- Reduces glare
- Optimal gliding
- Stays sharp for longer



53-1572CD

		Bite (mm)	Opening (mm)	7" (178 mm)	8" (203 mm)	9" (229 mm)	
		Thin Footplate					
40° Up	Without Ejector	1	10	53-1540CD	53-1570CD	53-1548CD	
		2	10	53-1542CD	53-1572CD	53-1550CD	
		3	10	53-1544CD	53-1574CD		
		4	10	53-1546CD	53-1576CD		
	Standard Footplate						
	With Ejector	2	10		53-1624LD	53-1642LD	
		2	12	53-1612LD			
		3	10	53-1615LED	53-1627LED	53-1645LED	
4		10	53-1618LED	53-1630LED	53-1648LED		
5		10	53-1621LED	53-1633LED	53-1651LED		
6		10		53-1636LED	53-1654LED		

ONE-PIECE KERRISONS

Symmetry's one-piece Kerrisons have the standard Kerrison design that you have known and trusted for years. We offer a variety of bite sizes, lengths and finishes for any preference or procedure.



ONE-PIECE KERRISONS

Ceramic Coated

- Smooth, wear-resistant surface
- Reduces glare
- Optimal gliding
- Stays sharp for longer



57-0761-BD

		Bite (mm)	Opening (mm)	7" (178 mm)	8" (203 mm)	9" (229 mm)	
40° Up	Without Ejector	Thin Footplate					
		1	9	57-0721-BD	57-0761-BD		
		2	9	57-0722-BD	57-0762-BD		
		3	9	57-0723-BD	57-0763-BD		
		4	9	57-0724-BD	57-0764-BD		
		5	9	57-0725-BD	57-0765-BD		
		6	9		57-0766-BD		
		Standard Footplate					
		2	9			57-0891-BD	
		2	9			57-0892-BD	
		3	9			57-0893-BD	
		4	9			57-0894-BD	
	5	9			57-0895-BD		
	6	9			57-0896-BD		
		15			57-0022-BD		
		15			57-0023-BD		
		15			57-0024-BD		
		15			57-0025-BD		
		With Ejector	Standard Footplate				
			2	9	57-0392-BD		
	3		9	57-0393-BD			
	4		9	57-0394-BD			
	5		9	57-0395-BD			
	6		9	57-0396-BD			
40° Down	Without Ejector	Thin Footplate					
		1	9		57-0801-BD		
		2	9		57-0802-BD		
		3	9		57-0803-BD		
		4	9		57-0804-BD		

ONE-PIECE KERRISONS

Ceramic Coated

- Smooth, wear-resistant surface
- Reduces glare
- Optimal gliding
- Stays sharp for longer



57-0740-BD

		Bite (mm)	Opening (mm)	7" (178 mm)	8" (203 mm)	9" (229 mm)
90° Up	Without Ejector	Thin Footplate				
		1	9	57-0701-BD	57-0739-BD	
		2	9	57-0702-BD	57-0740-BD	
		3	9	57-0703-BD		
		4	9	57-0704-BD		
		5	9	57-0705-BD		
90° Down	Without Ejector	Thin Footplate				
		1	9		57-0751-BD	
		2	9		57-0750-BD	
		3	9		57-0752-BD	
		4	9		57-0754-BD	

ONE-PIECE KERRISONS

Ceramic Coated - Opti-Length®

- Smooth, wear-resistant surface
- Reduces glare
- Optimal gliding
- Stays sharp for longer
- Extended Length



67-7267

		Bite (mm)	Opening (mm)	10" (254 mm)	12" (305 mm)	15" (381 mm)
40° Up	Without Ejector	Standard Footplate*				
		1	10			67-7325
		2	10	67-7267	67-7282	67-7326
		3	10	67-7270	67-7285	67-7327
		4	10	67-7273	67-7288	67-7328
		5	10	67-7276		67-7329
90° Up		Standard Footplate*				
		2	10			67-7330
		2	10			67-7331
		3	10			67-7332
		4	10			67-7333
	5	10			67-7334	

*Includes drainage holes for flushing

CLASSIC® ONE-PIECE KERRISONS

Classic® Stainless Steel Thin Footplate

- Gold screw for easy identification of thin footplate designed to easily fit under the cervical lamina



53-1506

		Bite (mm)	Opening (mm)	6" (152 mm)	7" (178 mm)	8" (203 mm)
40° Up	Without Ejector	Cervical Footplate*				
		0.6	9		53-1536	53-1538
		1	9		53-1537	53-1539
		2	9	53-1500C	53-1512	53-1524
		3	9	53-1503	53-1515	53-1527
		4	9	53-1506	53-1518	53-1530
5		9	53-1509	53-1521	53-1533	
90° Up		Cervical Footplate*				
		2	9	53-1501	53-1513	53-1525
		3	9	53-1504	53-1516	53-1528
		4	9	53-1507	53-1519	53-1531
	5	9	53-1510	53-1522	53-1534	
90° Down	Cervical Footplate*					
	2	9	53-1502	53-1514	53-1526	
	3	9	53-1505	53-1517	53-1529	
	4	9	53-1508	53-1520	53-1532	
	5	9	53-1511	53-1523	53-1535	

*Includes drainage holes for flushing

ONE-PIECE KERRISONS

Stainless Steel

- Durable
- Economical



57-0892

		Bite (mm)	Opening (mm)	7" (178 mm)	8" (203 mm)	9" (229 mm)	11" (280 mm)
40° Up	Without Ejector	Thin Footplate*					
		1	9	57-0721	57-0761	57-0891	
		2	9	57-0722	57-0762	57-0892	
		3	9	57-0723	57-0763	57-0893	
		4	9	57-0724	57-0764	57-0894	
		5	9	57-0725	57-0765	57-0895	
		6	9	57-0726	57-0766	57-0896	
		Standard Footplate*					
		2	10	53-1400	53-1480	53-1482	
		3	10	53-1402	54-1414	53-1484	53-1426
		4	10	53-1405	54-1417	54-1485	53-1427
		5	10	53-1408	53-1420C	53-1486	53-1428
	6	10	53-1411	53-1423	53-1487	53-1429	
	With Ejector	Standard Footplate					
		2	9	57-0392	57-0692		
		3	9	57-0393	57-0693		
		4	9	57-0394	57-0694		
		5	9	57-0395	57-0695		

*Includes drainage holes for flushing

ONE-PIECE KERRISONS

Stainless Steel

- Durable
- Economical



57-0701

		Bite (mm)	Opening (mm)	7" (178 mm)	8" (203 mm)	9" (229 mm)
40° Up	Without Ejector	Thin Footplate				
		1	9	57-0701	57-0739	57-0901
		2	9	57-0702	57-0740	57-0902
		3	9	57-0703	57-0743	57-0903
		4	9	57-0704	57-0744	57-0904
		5	9	57-0705	57-0745	57-0905
		Standard Footplate*				
		2	10		53-1481	
		3	10	53-1403	53-1415	
		4	10	53-1406	53-1418	
		5	10	53-1409	53-1421	
6	10		53-1424			
90° Down	Without Ejector	Thin Footplate				
		2	9	57-0712	57-0750	
		3	9	57-0713	57-0752	
		4	9		57-0754	
		5	9		57-0755	
		6	9		57-0756	
		Standard Footplate*				
		3	10	53-1404	53-1416	
		4	10	53-1407	53-1419	
		5	10	53-1410	53-1422	
		6	10		53-1425	

*Includes drainage holes for flushing

ONE-PIECE KERRISONS

Stainless Steel - Extended Length

- Durable
- Economical



57-0991

		Bite (mm)	Opening (mm)	10" (254 mm)	11" (280 mm)	12" (305 mm)		
40° Up	Without Ejector	Thin Footplate						
		1	9	57-0101	57-0991			
		2	9	57-0102	57-0992			
		3	9	57-0103	57-0993			
		4	9	57-0104	57-0994			
		5	9	57-0105	57-0995			
		6	9		57-0996			
		Standard Footplate						
		2	9			57-0112		
		3	9			57-0113		
		4	9			57-0114		
		5	9			57-0115		
		90° Up		Thin Footplate				
				1	9	57-0911		
				2	9	57-0912		
3	9			57-0913				

ONE-PIECE KERRISONS

Stainless Steel - Spurling Handle

- Durable
- Economical



57-0582

		Bite (mm)	Opening (mm)	7" (178 mm)	8" (203 mm)	9" (229 mm)	11" (280 mm)
40° Up	Without Ejector	Thin Footplate					
		2	15	57-0552	57-0582	57-0782	57-0592
		3	15	57-0553	57-0583	57-0783	57-0593
		4	15	57-0554	57-0584	57-0784	57-0594
		5	15	57-0555	57-0585	57-0785	57-0595
		6	15	57-0556	57-0586	57-0786	57-0596
90° Up		Thin Footplate					
		3	15	57-0533	57-0563		
		4	15	57-0534	57-0564		
		5	15	57-0535	57-0565		
		6	15	57-0536	57-0566		
		90° Down	Thin Footplate				
2	15			57-0572			
3	15		57-0543	57-0573			
4	15		57-0544	57-0574			
5	15		57-0545	57-0575			

ONE-PIECE KERRISONS

Ultra Coat - Titanium Nitride Coating

- Increases strength of metal
- Stays sharp for longer than stainless steel



57-0761UC

		Bite (mm)	Opening (mm)	8" (203 mm)	9" (229 mm)	11" (280 mm)
40° Up	Without Ejector	Thin Footplate				
		1	9	57-0761UC	57-0891UC	
		2	9	57-0762UC	57-0892UC	57-0992UC
		3	9	57-0763UC	57-0893UC	57-0993UC
		4	9	57-0764UC	57-0894UC	57-0994UC
		5	9	57-0765UC	57-0895UC	57-09945UC

SPECIALTY KERRISONS

Bayonet

- One-piece Kerrisons®
- Ceramic coated
- Tips are offset from the handle's axis



56-1002-BD

		Bite (mm)	Opening (mm)	Working Length 6.25" (160 mm)
40° Up	Without Ejector	Standard Footplate		
		1	9	56-1001-BD
		2	9	56-1002-BD
		3	9	56-1003-BD
		4	9	56-1004-BD
5		9	56-1005-BD	
90° Up		Standard Footplate		
		1	9	56-1201-BD
		2	9	56-1202-BD
		3	9	56-1203-BD
	4	9	56-1204-BD	
	5	9	56-1205-BD	

Curved-up

- One-piece Kerrisons®
- Ceramic coated
- Tips are offset from the handle's axis



57-1100

		Bite (mm)	Opening (mm)	8" (203 mm)
70° Up	Without Ejector	Thin Footplate		
		2	9	57-1100
		3	9	57-1102
		4	9	57-1104
		5	9	57-1105

SPECIALTY KERRISONS

Laminectomy

- One-piece Kerrisons®
- Stainless steel



53-1385

		Bite (mm)	Opening (mm)	6" (152 mm)	7.5" (192 mm)
		40° Up	Thin Footplate		
		3	12.5	53-1385	53-1387
		5	12.5	53-1386	53-1388
90° Up	Without Ejector	Standard Footplate			
		3	12.5	53-1370	53-1372
		5	12.5	53-1371	53-1373
40° Down		Standard Footplate			
		3	12.5	53-1374	53-1376
		5	12.5	53-1375	53-1377

Schlesinger Cervical Laminectomy

- One-piece Kerrisons®
- Stainless steel



53-1380

		Bite (mm)	Opening (mm)	6" (152 mm)
		90° Up	Standard Footplate	
		3	12.5	53-1380
		5	12.5	53-1381
90° Down	Without Ejector	Standard Footplate		
		3	12.5	53-1382
		5	12.5	53-1383

Our highly-trained customer support team is available to take your calls from 7:00 am to 5:30 pm (CST), Monday - Friday. This group is dedicated to providing a full range of support services, including:

- Order Placement
- Order Inquiries
- Delivery Information
- Product Information
- Pricing Inquiries

If we can be of assistance, please contact us using the methods below:

PHONE

US & Canada: +1 800-251-3000

International: +1 615-964-5532

EMAIL

customerservice@symmetrysurgical.com

orders@symmetrysurgical.com

WEB

www.symmetrysurgical.com

Live Chat on symmetrysurgical.com:

Click the "Can We Help You" window in the bottom corner of any page on symmetrysurgical.com to be connected directly to a member of our sales or customer service team.

We can chat in real time and answer your questions about our company and surgical instrument portfolio.

(Available Monday through Friday, 7:30 am - 5:30 pm CST)

MAILING ADDRESS

Symmetry Surgical Inc.

Attn: Customer Service

3034 Owen Drive

Antioch, TN 37013



3034 Owen Drive | Antioch, TN 37013 | +1 615-964-5532 (INTL) | +1 800-251-3000 (US)
customerservice@symmetrysurgical.com | [symmetrysurgical.com](https://www.symmetrysurgical.com)
©2022 Symmetry Surgical Inc. All rights reserved.
SHARP KERRISON CAT 06.23.2022 v1