

EQUASHIELD®

Luer Lock Adaptors



Luer Lock Adaptor

Product Overview

EQUASHIELD®'s Luer Lock Adaptors and connectors are designed to convert any standard Luer Lock port into a closed system connection for leak-free and dry connection.

Product Features

/ Luer Lock Adaptors (LL-2) and Luer Lock Adaptor Swivel (LL-2S) are secured onto a patient line for safe injection via an EQUASHIELD® Syringe Unit (SU) or safe infusion via a Female Connector (FC-1 or FC-1S).

/ While LL-2 and LL-2S safely and securely attach to any standard Luer lock access port, the LL-2 remains stationary, and the LL-2S spins freely when attached; both are designed for safe and secure administration of hazardous drugs.

/ Dry disconnections are provided by an innovative elastomeric designed to prevent contamination from drug residue.

Fluid Pathway

- | | |
|-----------------|-----------------|
| LL-2: | LL-2S: |
| - Polypropylene | - Polypropylene |
| - Polyisoprene | - Silicone |
| | - Polyisoprene |

Technical Specification

- **Priming Volume:** 0.11 ml for LL-2 and 0.10 ml for LL-2S
- **Gravity Flow Rate:** A minimum flow rate of 1000 ml of sodium chloride in 10 minutes, according to ISO 8536-4

Online Resources

[Product Page](#)

[How to videos](#)

[EQ Academy](#)

Use With

EQUASHIELD® Female Connector or Female Connector Swivel and Syringe Unit.

Ordering Information

Luer Lock Adaptors

LL-2
Luer Lock
Adaptor 2



120



480

LL-2S
Luer Lock
Adaptor 2 Swivel



120



480



[Find a US Sales Representative](#)

[Find a local Distributor](#)

[Contact EQUASHIELD](#)