

NEW

# Unmatched Versatility in Food Mobility

The Power of **Hot** & **Cold** Transportation

## Pro Cart Ultra<sup>®</sup> STAINLESS STEEL GN Pan Carrier

**HOT & COLD**  
in the same cart,  
at the same time

Save Up to  
**30%**  
on energy cost  
vs. other electric cabinets.

- ✓ Total Capacity: 8, 10 cm deep GN 1/1 Food Pans
- ✓ Interchangeable Modules with Thermoelectric Cooling
- ✓ Corrosion-Free 304 Stainless Steel Cabinet

**CAMBRO**  
TRUSTED DURABILITY

[www.cambro.com](http://www.cambro.com)



PCUS800

ETL  
MODULE  
ONLY

CE

# Customize Your Food Pan Transporter to Match Your Needs

Order your Stainless Steel Pro Cart Ultra® in Any Combination of Hot or Cold Modules



## Hot Module PCMHX

- ✓ Safely maintain food temperatures between 65,6°C to 73,9°C with gentle, non-radiant heat
- ✓ Adjustable temperature to maximum of 85°C
- ✓ Heats from room temperature to 73,9°C in 15 minutes



## Cold Module PCMCX

- ✓ Thermoelectric cooling technology is safe for transport
- ✓ Cools down to 0,3°C without a compressor
- ✓ Adjustable temperature to 0,3°C



\*Average recovery time based on ambient temperature of 23,3°C, empty compartments - Door open for 30 seconds.



## Electrical Specifications

(Per Compartment)

	HOT MODULE	COLD MODULE
REQUIRED VOLTAGE	115-230 VAC	115-230 VAC
AMPS	3.19a @ 115v 2.17a @ 220v	3.6a @ 115v 1.7a @ 230v
WATTS	450w @ 115v 500w @ 230v	414w @ 115v 393w @ 230v
HERTZ	50/60	50/60
PHASE	Single	Single
PLUG BODY FOR THESE COUNTRIES ADD COUNTRY CODE TO PRODUCT CODE WHEN ORDERING	4:Europe 5:UK	




If country is not listed, please call Cambro Customer Service for details.




# HOT & COLD

in the same cart, at the same time

## Holding Capacity

GN FOOD PANS	FOOD PAN DEPTH			
	6,5 cm	10 cm	15 cm	20 cm
GN 1/1 	12	8	6	4
GN 1/2 	24	16	12	8
GN 1/3 	36	24	18	12

## Rust-Free and Quiet Nylon Casters



CODE	DESCRIPTION	DIMENSIONS W x D x H (CM)	LIST PRICE	LIST PRICE
PCUS800HH	Hot/Hot Unit	59,2 x 81,2 x 165,2	€9,555.00	\$10,275.00
PCUS800HC	Hot/Cold Unit	59,2 x 81,2 x 165,2	11,475.00	12,335.00
PCUS800CC	Cold/Cold Unit	59,2 x 81,2 x 165,2	10,515.00	11,305.00
PCMCX	Cold Module	—	1,785.00	1,920.00
PCMHX	Hot Module	—	2,745.00	2,950.00

**Case Pack: 1 Cabinet Color:** Stainless Steel (000).  
**Module Color:** Charcoal Gray (615).  
**Voltage/Phase:** 220V/Single, EU/UK Plug Cord.  
 Modules transition to standby mode when optimal temperature is reached, saving energy.



**CAMBRO U.S.A.**  
 TEL: 1(714) 848-1555  
 FAX: 1(714) 230-4375  
 international@Cambro.com

**CAMBRO EUROPEAN LOGISTICS**  
 TEL: (49) 7022 90 100 0  
 FAX: (49) 7022 90100 19  
 cambroeuropa@cambro.com

**CAMBRO UK**  
 TEL: 0800 587 0057 Toll Free  
 FAX: 0845 280 3411  
 cambrouk@cambro.com

www.cambro.com

© Copyright Cambro Manufacturing Company. Printed in the U.S.A. All prices are subject to change without prior notice.  
 LITX2403

1012405