

Custom **BEDDING** *Program*



kravetbedding






TABLE *of* CONTENTS

PRODUCT GUIDE	4
DUVET COVERS.....	6
BED SKIRTS	14
PILLOWS	22




PROGRAM OVERVIEW


DUVET COVERS




Solid Up Bolt 3



Solid Railroaded 4




Mitered Insert 5




Mitered Edge 6


BED SKIRTS




Straight 13



Pleated 14




Ruffled 15




Box Pleat 16


PILLOWS




Square 19



Rectangular 20



Boxed 21



Bolster 22

DETAILED DUVET COVER INFORMATION

DUVET COVER STYLES

- Available styles:
 - Solid Up Bolt
 - Solid Railroaded
 - Mitered Insert
 - Mitered Edge

DUVET COVER SIZES AND INFORMATION

- Available sizes:

Daybed	99"W x 52"L
Twin	63"W x 88"L
Full	78"W x 88"L
Queen	88"W x 90"L
Super Queen	96"W x 98"L
King	102"W x 90"L
Super King	114"W x 98"L
Cal King	104"W x 100"L
- Down inserts available
- "Super" sizes available to accommodate pillowtop mattresses

DUVET COVER SPECIFICATIONS

- Reversible with decorative fabric on both sides
- Fabric pattern will be matched at the seams, on both front and back of the duvet cover
- Ties located inside all four corners for easy attachment to down inserts
- All duvet cover styles (except the Solid Railroaded style) feature a fabric covered button closure on top; Solid Railroaded style duvet cover features a fabric covered button closure on either the face or the top (designer's choice)


DUVET COVER FABRIC SELECTION

- Fabrics with a vertical repeat of 36" or larger are not suitable for use in duvet covers.
- Fabrics with a horizontal repeat of 30" or larger are also not suitable for use in duvet covers.
- For face, coordinate, and back fabrics of the duvet cover, fabric width must be at least 39".
- For silk and lighter-weight fabrics, lining may be required. Consult your Kravet design associate for more information.

RAILROADED vs. UP BOLT FABRICS


RAILROADED FABRICS

Fabric pattern or grain runs across the roll horizontally, from selvage to selvage.



UP BOLT FABRICS

Fabric pattern or grain runs up the roll vertically, parallel to the selvages.



HOW TO MEASURE A MATTRESS FOR A DUVET COVER

This guide will help you measure your mattress to determine which duvet cover size to order. To measure a mattress accurately, use a fabric measuring tape and follow the instructions below:

1. START WITH A BARE MATTRESS

2. DETERMINE MATTRESS WIDTH

Using the tape, measure from the left side to the right side of the mattress to determine mattress width.

3. DETERMINE MATTRESS HEIGHT

Next, measure the mattress thickness from the top of the mattress to the bottom of the mattress. This is the mattress height.

4. DETERMINE DUVET COVER WIDTH

Multiply the mattress height by two and add that number to the mattress width. This amount will determine the width of duvet cover that you need to fit your mattress. For instance, if your mattress width total is 108", you will need a Super King size duvet cover. Always round up to the next size.

5. SELECT DUVET COVER SIZE

Please refer to the chart below to select the appropriate duvet cover size for your bed.


Daybed	Twin	Full	Queen	Super Queen*	King	Super King*	Cal King
99" x 52"	63" x 88"	78" x 88"	88" x 90"	96" x 98"	102" x 90"	114" x 98"	104" x 100"

*Super sizes are designed for pillowtop or particularly thick mattresses.




DUVET COVER OPTIONS

EDGE FINISH OPTIONS




A. Add Trimming to Edge

This option involves adding a decorative trimming (with lip) of your choice to all three outer edges of the duvet cover. Choose from bullion/ fringe, cut fringe, cord with lip, loop fringe, moss/brush fringe, ruching, skirt fringe, and tassel fringe.




B. Add Small Welt

You may add a small welt (.25") to the three outer edges of the duvet cover for a decorative accent.



C. Add Medium Welt


For a decorative touch, add a medium welt (.5") to the three outer edges of the duvet cover.



D. Add 3" Flange **Not applicable to Mitered Edge Duvet Cover*


Give your duvet cover a clean, polished look by adding a 3" flange to the bottom and 2 outer edges of the duvet cover.

FACE FINISH OPTIONS



E. Add Trimming to Face


Give your duvet cover a polished look by adding a decorative trimming (with or without lip) of your choice to the face. Placement options for the trimming may vary depending on duvet cover style. Choose from gimp, braid, scallop/fan trimming, and tape.



F. Add Cuff **Only applicable to Solid Up Bolt Duvet Cover*

For a subtle accent, consider adding a cuff to the face of your duvet cover. Placement options for the cuff may vary depending on duvet cover style.

SOLID UP BOLT DUVET COVER




STANDARD FEATURES

- Interior ties for easy attachment to down inserts
- Top button closure (fabric covered buttons)
- Inserts sold separately

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Face fabric must be up bolt or solid
- Back fabric may be up bolt, railroaded, or solid

SOLID RAILROADED DUVET COVER




STANDARD FEATURES

- Interior ties for easy attachment to down inserts
- Top or face button closure---designer's choice (fabric covered buttons)
- Inserts sold separately

FABRIC REQUIREMENTS

- Fabric must be at least 54" wide
- Face fabric must be railroaded or solid
- Back fabric may be up bolt, railroaded, or solid

MITERED INSERT DUVET COVER




STANDARD FEATURES

- Interior ties for easy attachment to down inserts
- Top button closure (fabric covered buttons)
- 6.5" - 7" insert band
- Inserts sold separately

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Face fabric must be up bolt or solid
- Coordinate fabric must be up bolt or solid
- Back fabric may be up bolt, railroaded, or solid

MITERED EDGE DUVET COVER



STANDARD FEATURES

- Interior ties for easy attachment to down inserts
- Top button closure (fabric covered buttons)
- 6.5" - 7" mitered band
- Inserts sold separately

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Face fabric must be up bolt or solid
- Coordinate fabric must be up bolt or solid
- Back fabric may be up bolt, railroaded, or solid

DETAILED BED SKIRT INFORMATION

BED SKIRT STYLES

- Available styles:
 Straight
 Pleated
 Ruffled
 Box Pleat

BED SKIRT SIZES

- Available sizes:

Daybed	75"W x 39"L
Twin	39"W x 75"L
Full	54"W x 79"L
Queen	60"W x 80"L
King	78"W x 80"L
Cal King	72"W x 84"L

BED SKIRT SPECIFICATIONS

- Bed skirts have a standard 3" decking border
- Split corners with kick pleats
- Choice of drop from 5" - 30"




BED SKIRT FABRIC SELECTION

- Fabric width for bed skirts (for all styles) must be at least 39".
- Face fabric (for all styles) may be up bolt, railroaded, or solid.
- For fabrics with a vertical repeat of 36" or greater, additional yardage may be required. Consult your Kravet design associate for more information.
- Horizontal repeats of all sizes work for all bed skirt styles.
- Lining may be required for silk and lighter-weight fabrics. Consult your Kravet design associate for more information..

RAILROADED vs. UP BOLT FABRICS





RAILROADED FABRICS

Fabric pattern or grain runs across the roll horizontally, from selvage to selvage.



UP BOLT FABRICS

Fabric pattern or grain runs up the roll vertically, parallel to the selvages.



HOW TO MEASURE A BED FOR A BED SKIRT

This guide will help you measure your box spring to determine which bed skirt size to order. To measure a box spring accurately, use a fabric measuring tape and follow the instructions below:

1. DETERMINE BOX SPRING WIDTH

Using the tape, measure the box spring from the left edge to the right edge. This is the box spring width.

2. DETERMINE BOX SPRING HEIGHT

Next, measure the box spring from the head of the bed to the foot of the bed. This is the box spring length.

3. DETERMINE BED SKIRT DROP

Finally, measure from the top of the box spring to the floor. This is the bed skirt drop.

4. SELECT BED SKIRT SIZE


Match the box spring width and length to the chart below.

Daybed	Twin	Full	Queen	King	Cal King
75" x 39"	39" x 75"	54" x 79"	60" x 80"	78" x 80"	72" x 84"


*Super sizes are designed for pillowtop or particularly thick mattresses.

BED SKIRT OPTIONS

BOTTOM EDGE FINISH OPTIONS




A. Add 3.5" Banding **Only applicable to Pleated and Straight Bed Skirt*
Add a striking accent to your bed skirt with a 3.5" band along all three sides of the skirt.



B. Add Ribbon/Gimp
Enhance the look of your bed skirt with the addition of a horizontal ribbon or gimp along all three sides of the skirt.

FACE FINISH OPTIONS




C. Add Ribbon/Gimp
This option involves adding horizontal trimming to all three sides of the bed skirt, located approximately 3.5" from the bottom edge of the skirt. Choose from gimp, scallop/fan edge trimming, and tape.

LINING OPTIONS

D. Add Lining
For silk and lighter-weight fabrics, we recommend adding lining to your bed skirt for durability and coverage. Our lining is a 100% cotton lining.

STRAIGHT BED SKIRT




STANDARD FEATURES

- 3" decking border
- Split corners with kick pleats
- Choice of drop from 5" - 30"

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Face fabric may be up bolt, railroaded, or solid

PLEATED BED SKIRT




STANDARD FEATURES

- 3" decking border
- Split corners with kick pleats
- Choice of drop from 5" - 30"

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Face fabric may be up bolt, railroaded, or solid

RUFFLED BED SKIRT




STANDARD FEATURES

- 3" decking border
- Split corners with kick pleats
- Choice of drop from 5" - 30"

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Face fabric may be up bolt, railroaded, or solid

BOX PLEAT BED SKIRT



STANDARD FEATURES

- 3" decking border
- Split corners with kick pleats
- Choice of drop from 5" - 30"

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Face fabric may be up bolt, railroaded, or solid

DETAILED PILLOW INFORMATION

PILLOW STYLES AND SIZES

- Available pillow styles and sizes:
Square (16"x16", 18"x18", 20"x20", 22"x22", and 27"x27")
Rectangular (13"x19", 15"x26", 20"x27", and 21"x37")
Boxed (18"x18"x3", 11"x17"x3", and 26"x26"x5")
Bolster (6"Dx22" and 9"Dx24")

PILLOW SPECIFICATIONS

- Each pillow has a zippered closure
- Every pillow is fully lined
- Fabric pattern will be centered on pillow

PILLOW FABRIC SELECTION

- Fabric width for pillows must be at least 39".


PILLOW INSERTS - AVAILABLE UPON REQUEST

- Down inserts standard
- Poly fill optional




DETAILED PILLOW OPTIONS

EDGE FINISH OPTIONS




A. Add Trimming to Edge

Embellish your pillow with a trimming added to the edge of the pillow. Choose from braid, gimp, loop fringe, ruching, scallop/fan edge trimming, tape, and tassel fringe. For self flange styles, choose from gimp, braid, ribbon, scallop/fan edge trimming, tape, and tassel fringe.




B. Add Small Self Welt

Give a subtle flair to your pillow by adding a small self welt (.25") to the edge of the pillow. The welt will be made using the pillow's main fabric.




C. Add Medium Self Welt

Enhance your pillow by adding a medium self welt (.5") to the edge of the pillow. The welt will be made using the pillow's main fabric.




D. Add 1.5" Self Flange

Complete your pillow by adding a sleek, 1.5" self flange to the edge of the pillow. The flange will be made using the pillow's main fabric.



E. Add 3" Self Flange


This option involves adding a 3" self flange to the edge of the pillow. The flange will be made using the pillow's main fabric.



F. Add Tassels to Corners

Finish your pillow in style by adding an elegant tassel of your choice to each of the pillow's four corners.


LEFT & RIGHT SIDES FINISH OPTION



G. Add Trimming to Edge


Dress up your pillow by adding trimming to two sides of the pillow. Choose from braid, gimp, loop fringe, ruching, scallop/fan edge trimming, tape, and tassel fringe.

FACE FINISH OPTIONS



H. Add Frame Design


Create a unique look by adding a ribbon or gimp to the face of a pillow, in a frame design. The frame is set in from the edges of the pillow.



I. Add Geometric Design


Consider adding a ribbon or gimp to the face of the pillow, in a sophisticated geometric design.

TUFTING OPTIONS




J. Tufting with 1 Button

A single fabric covered button will be centered on the face and back of the pillow in this design. The button will be made using the pillow's main fabric.



K. Tufting with 2 Buttons

Two fabric covered buttons will be added to the face and back of the pillow in this design. The buttons will be made using the pillow's main fabric.



L. Tufting with 4 Buttons

Four fabric covered buttons will be added to the face and back of the pillow in this design. The buttons will be made using the pillow's main fabric.

SQUARE PILLOW OPTIONS

See page 24-25 for complete pillow option details.

EDGE FINISH OPTIONS

- A. Add Trimming to Edge
Embellish your pillow with a trimming of your choice. In this option, trimming will be added to the edge of the pillow.
- B. Add Small Self Welt
Give a subtle flair to your pillow by adding a small self welt (.25") to the edge of the pillow.
- C. Add Medium Self Welt
Enhance your pillow by adding a medium self welt (.5") to the edge.
- D. Add 1.5" Self Flange
Complete your pillow by adding a sleek, 1.5" self flange to the edge.
- E. Add 3" Self Flange
This option involves adding a 3" self flange to the edge of the pillow.
- F. Add Tassels to Corners
Finish your pillow in style by adding an elegant tassel of your choice to each of the pillow's four corners.

LEFT & RIGHT SIDES FINISH OPTION

- G. Add Trimming to Edge
Dress up your pillow by adding trimming to two sides of the pillow.


FACE FINISH OPTIONS

- H. Add Frame Design
Create a unique look by adding a ribbon or gimp to the face of your pillow, in a frame design.
- I. Add Geometric Design
Consider adding a ribbon or gimp to the face of the pillow, in a sophisticated geometric design.

TUFTING OPTIONS

- J. Tufting with 1 Button
A single fabric covered button will be centered on the face and back of the pillow in this design.
- L. Tufting with 4 Buttons
Four fabric covered buttons will be added to the face and back of the pillow in this design.

SQUARE PILLOW



PROGRAMMED PILLOW SIZES

- 16" x 16"
- 18" x 18"
- 20" x 20"
- 22" x 22"
- 27" x 27" (Euro sham)
- Custom pillow sizes available. *Please contact Kravet Bedding for a quote.*

STANDARD FEATURES

- Zipper closure
- Fully lined
- Inserts sold separately

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Main fabric may be up bolt, railroaded, or solid

RECTANGULAR PILLOW OPTIONS

See page 24-25 for complete pillow option details.

EDGE FINISH OPTIONS

- A. Add Trimming to Edge
Embellish your pillow with a trimming of your choice. In this option, trimming will be added to the edge of the pillow.
- B. Add Small Self Welt
Give a subtle flair to your pillow by adding a small self welt (.25") to the edge of the pillow.
- C. Add Medium Self Welt
Enhance your pillow by adding a medium self welt (.5") to the edge.
- D. Add 1.5" Self Flange
Complete your pillow by adding a sleek, 1.5" self flange to the edge.
- E. Add 3" Self Flange
This option involves adding a 3" self flange to the edge of the pillow.
- F. Add Tassels to Corners
Finish your pillow in style by adding an elegant tassel of your choice to each of the pillow's four corners.

LEFT & RIGHT SIDES FINISH OPTION

- G. Add Trimming to Edge
Dress up your pillow by adding trimming to two sides of the pillow.


FACE FINISH OPTIONS

- H. Add Frame Design
Create a unique look by adding a ribbon or gimp to the face of your pillow, in a frame design.
- I. Add Geometric Design
Consider adding a ribbon or gimp to the face of the pillow, in a sophisticated geometric design.

TUFTING OPTIONS

- J. Tufting with 1 Button
A single fabric covered button will be centered on the face and back of the pillow in this design.
- K. Tufting with 2 Buttons
Two fabric covered buttons will be added to the face and back of the pillow in this design.
- L. Tufting with 4 Buttons
Four fabric covered buttons will be added to the face and back of the pillow in this design.

RECTANGULAR PILLOW



PROGRAMMED PILLOW SIZES

- 13" x 19"
- 15" x 26"
- 20" x 27" (standard sham)
- 21" x 37" (king sham)
- Custom pillow sizes available. *Please contact Kravet Bedding for a quote.*

STANDARD FEATURES

- Zipper closure
- Fully lined
- Inserts sold separately

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Main fabric may be up bolt, railroaded, or solid

BOXED PILLOW OPTIONS

See page 24-25 for complete pillow option details.


EDGE FINISH OPTIONS

- A. Add Trimming to Edge
Embellish your pillow with a trimming of your choice. In this option, trimming will be added to the edge of the pillow.
- B. Add Small Self Welt
Give a subtle flair to your pillow by adding a small self welt (.25") to the edge of the pillow.
- C. Add Medium Self Welt
Enhance your pillow by adding a medium self welt (.5") to the edge.
- D. Add 1.5" Self Flange
Complete your pillow by adding a sleek, 1.5" self flange to the edge.
- E. Add 3" Self Flange
This option involves adding a 3" self flange to the edge of the pillow.

TUFTING OPTIONS

- J. Tufting with 1 Button
A single fabric covered button will be centered on the face and back of the pillow in this design.
- L. Tufting with 4 Buttons
Four fabric covered buttons will be added to the face and back of the pillow in this design.

BOXED PILLOW



PROGRAMMED PILLOW SIZES

- 18" x 18" x 3"
- 11" x 17" x 3"
- 26" x 26" x 5"
- Custom pillow sizes available. *Please contact Kravet Bedding for a quote.*

STANDARD FEATURES

- Zipper closure
- Fully lined
- Inserts sold separately

FABRIC REQUIREMENTS


- Fabric must be at least 39" wide
- Main fabric may be up bolt, railroaded, or solid

BOLSTER PILLOW OPTIONS

See page 24-25 for complete pillow option details.

EDGE FINISH OPTIONS

- A. Add Trimming to Edge
Embellish your pillow with a trimming of your choice. In this option, trimming will be added to the edge of the pillow.
- B. Add Small Self Welt
Give a subtle flair to your pillow by adding a small self welt (.25") to the edge of the pillow.
- C. Add Medium Self Welt
Enhance your pillow by adding a medium self welt (.5") to the edge.



AVAILABLE SIZES

- 6"D x 22"
- 9"D x 24"

STANDARD FEATURES

- Zipper closure
- Fully lined
- Inserts sold separately

FABRIC REQUIREMENTS

- Fabric must be at least 39" wide
- Main fabric may be up bolt, railroaded, or solid



TERMS AND CONDITIONS OF SALE

POLICIES

- It is the purchaser's responsibility to ensure they are ordering the correct style, color, dimensions and options.
- Prices are net and are subject to change without notice.
- Quotes are honored for 30 days.

GRADED-IN FABRICS AND TRIMMINGS

- The kravetbedding graded-in fabric offering contains thousands of Kravet and Lee Jofa fabrics and trimmings. Leathers and suedes sold by the hide are not graded into kravetbedding.
- No C.O.M. fabrics and trimmings will be accepted by kravetbedding.

TERMS OF PAYMENT

- Prepayment is required when placing a kravetbedding order.
- C.O.D. orders are not accepted.

PRODUCTION

- Orders will not go into production until payment is collected and all fabrics and trimmings are received at the workroom.

SHIPPING

- Orders will be shipped complete via UPS Ground Service unless otherwise specified.
- Kravetbedding is not responsible for delivery delays due to causes beyond our control.

CANCELLATIONS


- No cancellations are allowed once fabric for the order has been cut.
- Phone cancellations will not be honored.
- A written notice of cancellation must be received.

CLAIMS

- If your product is damaged, please contact kravetbedding immediately.
- Claims must be made within 14 days from delivery date.
- Keep original packaging and cartons.
- If applicable, a photograph of the damaged product may be requested.
- If appropriate, merchandise claimed to be defective may be inspected by an authorized repair professional in your area.

RETURNS

- No returns are allowed without written authorization from kravetbedding.



PHONE # _____

SPECIAL SHIPPING INSTRUCTIONS

Check #:	_____	<input type="checkbox"/> AMEX	<input type="checkbox"/> VISA	<input type="checkbox"/> MASTERCARD	TOTAL	_____
Credit Card #:	_____	Expiration Date: _____			DEPOSIT	_____
Name on Credit Card:	_____				FREIGHT	_____
Signature:	_____				BALANCE	_____
<div>PRICE QUOTES WILL BE HONORED FOR 30 DAYS.</div>						

Thank you for choosing Kravet. Please visit us at kravet.com



1 0 1 3 5 . S B . 0