



# kravetdraperyhardware Volume III



## CAPTURE YOUR IMAGINATION.

## Tell your story.

## CREATE A LIFESTYLE...

KRAVET DEBUTS THEIR NEWEST COLLECTIONS OF DRAPERY HARDWARE; EACH EMBODIES ITS OWN UNIQUE CHARACTER FROM TRADITIONAL STYLING TRANSCENDING TO MODERN CHIC. ALL OFFER THE FINEST OF QUALITY, DIVERSITY AND VERSATILITY. COUNTLESS OPTIONS ARE AVAILABLE FROM IN-STOCK TO CUSTOM PROGRAMS.





## **Custom Collections**

Rustic Iron and Traversing	. 1
Rustic Iron Motorized Traversing	. 8
Modern Metals	11
Modern Metals Traversing	16
Modern Metals Motorized Traversing	17
Bamboo Metals	19

## In-Stock Collections

Thom Filicia	23
Coastal Simplicity	27
Vintage Chic	33
Barbara Barry INDOCHINE	37
Signature Collection	43

## Information

At A Glance: Collection Details	47
Glossary	48
Support Bracket Recommendations	50
Recommendations and Installation Tips	51





# RUSTIC IRON

## kravetdraperyhardware **Custom Collection**

## RUSTIC IRON

Pawn









Hammered HDW20204



HDW20205

HDW20199- 3/4" Iron Cap HDW20200-1" HDW20201- 1 1/2"

Pawn

HDW20203





HDW20254

Iron Pillar

HDW20253

Iron Capital



HDW20207

Iron Spade

HDW20209



Pinion

All Rustic Iron finials can be adapted to fit any style and diameter of rod.

NEW!



HDW20229

HDW20228

HDW20230

3/4" Solid Hammered Iron Rod



3/4" Hollow Iron Rod

7/8" Solid Iron Rod



1" Hollow Iron Rod

HDW20226



1 1/2" Hollow Iron Rod

HDW20227



1" Square Iron Rod

HDW20231

\*Maximum length per rod is 106". Rods will be automatically spliced thereafter. Please note to order a connector for each splice. A center support bracket must be ordered to hold the spliced area at the union of the rods.

#### NEW!

## kravetdraperyhardware Custom Collection



\*Ring sizes refer to the coordinating rod diameter \*\*Ring thickness is 3/8" Standard thickness is 1/4"

NEW!





Single Bracket 3" Projection 6" Projection HDW20183- 3/4" HDW20195-3/4" HDW20184-7/8" HDW20196-7/8" HDW20197-1" HDW20185-1" HDW20186-11/2" HDW20198-11/2"



Double Bracket HDW20187-3/4" HDW20188- 7/8" HDW20189-1" HDW20190-11/2"





Single End Bracket 3" Projection 6" Projection HDW20150- 3/4" HDW20154-3/4" HDW20151-1" HDW20155-1" HDW20153-11/2" HDW20156-11/2"

Double End Bracket HDW20178-3/4" HDW20179-1" HDW20180- 1 1/2"



Ceiling Mount Bracket		
Single	Double	
2" Drop	2" Drop	
HDW20191-3/4"	HDW20222- 3/4"	
HDW20192-7/8"	HDW20223- 7/8"	
HDW20193-1"	HDW20224- 1"	
HDW20194-11/2"	←(3" Drop) → HDW20225- 1 1/2"	



NEW!

Horizontal Support Bracket 3" Projection 6" Projection HDW20344- 3/4" HDW20348-3/4" HDW20345-7/8" HDW20349-7/8" HDW20346-1" HDW20350-1" HDW20347- 1 1/2" HDW20351- 1 1/2"



Single Bypass Bracket 3" Projection HDW20214-3/4" HDW20215-1" HDW20216-11/2"

Double Bypass Bracket HDW20147-3/4" HDW20148-1" HDW20149-11/2"

6" Projection HDW20217-3/4" HDW20218-1" HDW20219-11/2"








HDW20210- 3/4" HDW20211-7/8" HDW20212-1" HDW20213-11/2"

Single 3" Projection HDW20169 6" Projection HDW20170





Closed End Socket HDW20244- 3/4" HDW20245-1" HDW20246-11/2"



NEW!

HDW20241-3/4" HDW20242-1" HDW20243-11/2"



Square Horizontal Support Bracket

3" Projection

HDW20352

6" Projection

HDW20353

Closed End Socket Square HDW20248

NEW!



Open End Socket Square HDW20247





### RUSTIC IRON & TRAVERSING FINISHES



Aged Silver - 106



Antique Gold - 418



Vintage - 84



Rustic - 624



Bronze - 66



Cast Iron - 818



## RUSTIC IRON TRAVERSING MANUAL CORD PULLEY SYSTEM



Single Round Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

\*HDW20261 HDW20262



Single Square Traversing Rod Set (1st 3ft) Ordering For Each Additional ft



HDW20250



Double Round Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

\*HDW20265 HDW20266



Double Square Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

HDW20251

\*HDW20267 HDW20268



HDW20249

Single Wall

Mount Bracket



Double Wall

Mount Bracket



Single Ceiling

Mount Bracket



Double Ceiling HDW20252 Mount Bracket




\*(Minimum of 3ft traversing rod required) A set includes: rod, traverse track, 8ft of cord and pulley, end brackets, master carrier and (4 per ft) sub-carriers. Optional Ripplefold® carriers available, but must be specified, including fullness (60, 80, 100 of 120%). Rings sold separately, but not an option on Ripplefold® style. All traversing rods are 1 1/2" Dia or Sq.

## Kravetdraperyhardware Custom Collection

### **NEW ADDITION**

RUSTIC IRON TRAVERSING

SOMFY MOTORIZED SYSTEM





Ordering For Each Additional ft	HDW20393
Also available in Double Square Motorized Traversing	*HDW20396
Rod Set (1st 3ft)	"HDW 20396
Ordering For Each Additional ft	HDW20397
	Double Square Motorized Traversing Rod Set (1st 3ft)

\*(Minimum of 3ft traversing rod required) A set includes: rod, traverse track, Somfy motor, end brackets master carrier and (4) sub-carriers per ft. Must specify sub-carrier style preferred.

See page 9 for optional sub-carrier styles available.

Please note: Each rod operates independently; double rods will come with 2 motors; one for each rod. Rings sold separately. All round traversing rods are 1 1/2" Dia. All square traversing rods are 1 1/2" Dia.

Note: Fascia length is 1" longer than the track length. (See drawing details on page 9)

#### SOMFY CONTROL OPTIONS WIRELESS RADIO TECHNOLOGY



\*Wireless 5 Channel Wall Mount (Battery-powered, no electrician needed) White Ivory Black





\*Wireless Handheld 5 Channel Remote

Silver Black White HDW20402 HDW20386 HDW20387

\*5 channels allow for control of up to 5 individual motorized window coverings, or 5 groups of motorized window coverings, or a combination of the two. A control unit is required to operate motorization.



### SOMFY MOTORIZATION INFORMATION



#### FEATURES/OPTIONS:


- Ultimate in home convenience
- For light to heavyweight draperies; Up to 36ft and 132 lbs
- Control single or multiple motorized draperies using the same remote
- Easy installation- Motor can be installed to the right or left side of the track
- Standard or inverse motor mounting available with 10 ft cord
- Belt driven track
- Motor design and the use of a timing belt provides quiet operation
- Automatic or adjustable settings
- Manual override; Disengages motor when adjusted manuallyideal for power outages

- Soft start and soft stop; adjustable speeds
- Patented cover design conceals unsightly cables and protects the connectors and control modules inside the motor
- Plug-in modules adapt to various technologies to easily integrate with home automation systems
- Patented flexible master carrier reduces friction and is adaptable to various drapery types
- Sub-carrier types will be determined by the style of draperies. Please specify the sub-carrier style when ordering, Ripplefold® available in 80, 100 and 120% fullness
- Ceiling mount installation available
- Wireless remote and wireless battery-powered wall mount controls are available and no electrician needed

#### MOTOR:

- Glydea™ 60e
- 5 year international warranty
- International certifications





#### FASCIA MEASUREMENT DETAILS





MODERN METALS AND CRYSTALS





## MODERN METALS AND CRYSTALS



Princess HDW20106



Crisscut

HDW20107



Trielle

HDW20103



NEW! Crystal Capital

al HDW20362



Asscher

HDW20105



Baguette

HDW20104





NEW! Crystal Cap Square HDW20365





\*The Crystal finials are compatible with a variety of rod choices. Rod Selections can come from either the Modern Metals or Rustic Iron collections. Refer to the price list for these additional rod options.

## kravetdraperyhardware Custom Collection

## MODERN METALS AND CRYSTAL



\*Metal Globe

HDW20096



\*Metal Cylinder HDW20098



\*Metal Cylinder Large HDW20358



\*Metal Cylinder HDW20098




NEW! \*Metal Cube Large HDW20359







Polished Nickel - 11



Satin Nickel - 106



Mercury - 118



Satin Gold - 4

## kravetdraperyhardware **Custom Collection**

## **NEW ADDITION**

MODERN METALS TRAVERSING MANUAL CORD PULLEY SYSTEM



Single 1 1/2" Round Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

\*HDW20374 HDW20375

Also available in Single 2" Square Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

\*HDW20378 HDW20379



Double 1 1/2" Round Traversing Rod Set (1st 3ft) \*HDW20376 HDW20377 Ordering For Each Additional ft Also available in

Double " Square Traversing Rod Set (1st 3ft) \*HDW20380 Ordering For Each Additional ft HDW20381



Single Wall HDW20370 Mount Bracket

Double Wall Mount Bracket

HDW20371



Single Ceiling HDW20372 Mount Bracket



Double Ceiling HDW20373 Mount Bracket



1 1/2" Round HDW20367 Metal C Ring



2" Square HDW20368 Metal C Ring



Additional HDW20259 Traversing Carriers

Additional HDW20260 Cord

Available any length up to 48"


\*(Minimum of 3ft traversing rod required) A set includes: rod, traverse track, 8ft of cord and pulley, end brackets, master carrier and (4 per ft) sub-carriers. Optional Ripplefold® carriers available, but must be specified, including fullness (60, 80, 100 of 120%). Rings sold separately, but not an option on Ripplefold® style. All round traversing rods are 1 1/2" Dia. All square traversing rods are 2" Dia.



#### **NEW ADDITION**


MODERN METALS TRAVERSING

SOMFY MOTORIZED SYSTEM



Single Square Motorized Traversing Rod Set (1st 3ft) Ordering For Each Additional ft	*HDW20385 HDW20384
Also available in	

Also available in Single Round Motorized Traversing \*HDW20399 Rod Set (1st 3ft) Ordering For Each Additional ft HDW20398



Double Square Motorized Traversing Rod Set (1st 3ft) Ordering For Each Additional ft	*HDW20383 HDW20382
Also available in Double Round Motorized Traversing Rod Set (1st 3ft) Ordering For Each Additional ft	*HDW20401 HDW20400

\*(Minimum of 3ft traversing rod required) A set includes: rod, traverse track, Somfy motor, end brackets master carrier and (4) sub-carriers per ft. Must specify sub-carrier style preferred.

See page 9 for optional sub-carrier styles available.

Please note: Each rod operates independently; double rods will come with 2 motors; one for each rod. Rings sold separately. All round traversing rods are 1 1/2" Dia. All square traversing rods are 2" Dia.

Note: Fascia length is 1" longer than the track length. (See drawing details on page 9)

SOMFY CONTROL OPTIONS

\*Wireless 5 Channel Wall Mount (Battery-powered, no electrician needed) White Ivory Black

HDW20403 HDW20404 HDW20405




\*Wireless Handheld 5 Channel Remote

Silver Black White HDW20402 HDW20386 HDW20387

 \*Please see page 9 for Somfy Motorization Information.
\*5 channels allow for control of up to 5 individual motorized window coverings, or 5 groups of motorized window coverings, or a combination of the two. A control unit is required to operate motorization.





# BAMBOO METALS

## kravetdraperyhardware **Custom Collection**

## **BAMBOO METALS**



HDW20134 1" Bamboo Cap



1 1/2" Bamboo Cap HDW20135



HDW20136 Bamboo Ring For 1" Rod Bamboo Ring For 1 1/2" Rod

HDW20137



1" Bamboo Rod Connector/Splice 1" (photo on page 4)



1 1/2" Bamboo Rod Connector/Splice 1 1/2" (photo on page 4)

HDW20146 HDW20234

HDW20145

HDW20233



Single Bracket 3" Projection HDW20139-1" HDW20141-11/2"

6" Projection HDW20140-1" HDW20142- 1 1/2" Double Bracket HDW20143-1" HDW20144-11/2"

Bamboo Baton Only available in 38" length

HDW20138

NEW!

Bamboo Metals Collection can be specially treated for outdoor use with an upcharge.



### BAMBOO METAL FINISHES



Bamboo Light - 16



Bamboo Medium - 616



Bamboo Dark - 6

**NEW!** Bamboo Metals Collection can be specially treated for outdoor use with an upcharge.

Photography is, at best, a representation of color. Actual finishes may vary slightly.





# THOM FILICIA

## kravetdraperyhardware **In-Stock Collection**

### THOM FILICIA



Metal Ball Finial

for 1" pole

HDW20310



Metal Ball Finial for 1 3/8" pole HDW20312



Metal Ball Finial for 1 3/4" pole HDW20314



Wood Ball Finial for 1" pole HDW20309



Wood Ball Finial

for 1 3/8" pole

HDW20311



Wood Ball Finial for 1 3/4" pole HDW20313

Wood Trumpet Finial

for 1 3/4" pole

HDW20307





Metal Trumpet Finial for 1" pole HDW20303

Metal Endcap

for 1" pole

HDW20316



Metal Trumpet Finial for 1 3/8" pole HDW20306

Metal Endcap

for 1 3/8" pole

HDW20318



Metal Trumpet Finial for 1 3/4" pole HDW20308



Metal Endcap for 1 3/4" pole HDW20320



Standard Bracket for 1" pole





Wall projection is 3.5" - 3.75", order extender HDW20340 to increase the projection to 4.75"-5.00"



Wood Trumpet Finial Wood Trumpet Finial for 1" pole for 1 3/8" pole HDW20304 HDW20305



Wood Endcap Wood Endcap for 1" pole for 1 3/8" pole HDW20315 HDW20317



Wood Endcap for 1 3/4" pole HDW20319



Metal Ring	Metal Ring	Wood Ring	Wood Ring
(Small)	(Large)	(Small)	(Large)
HDW20333	HDW20334	HDW20335	HDW20336
ND VV 20333	HD W 20334	TDW 20555	HDW20330

Rings are available in wood or metal, in small or large sizes. The small size is perfect for the 1" or 1 3/8" diameter poles, the large size will work for the 1 3/8" or 1 3/4" diameter pole.

HDW20337



#### THOM FILICIA FINISHES



Brushed Nickel- 106



Antique Pewter- 118



Antique Brass- 48



Bronze- 66



French Grey- 106



Chestnut- 6




Walnut- 66

Ebony- 818

#### Metal Poles

HDW20321- 1" dia., 4' length HDW20322- 1" dia., 6' length HDW20323- 1" dia., 8' length Connector for 1" dia. Connector for 1 3/8" dia. HDW20324- 1 3/8" dia., 4' length HDW20325- 1 3/8" dia., 6' length HDW20326- 1 3/8" dia., 8' length HDW20341 HDW20342



HDW20327- 1 3/8" dia., 4' length HDW20328- 1 3/8" dia., 6' length HDW20329- 1 3/8" dia., 8' length Connector/Double Sided Screw HDW20330- 1 3/4" dia., 4' length HDW20331- 1 3/4" dia., 6' length HDW20332- 1 3/4" dia., 8' length HDW20343



25

The wood poles and finials are made in North Carolina, from locally sourced American Red Oak, each receiving a hand rubbed finish.

Photography is, at best, a representation of color. Actual finishes may vary slightly.






## COASTAL SIMPLICITY

## kravetdraperyhardware **In-Stock Collection**

## COASTAL SIMPLICITY





1 3/8" Square Pole with Track Pole comes with track system. If a track system is not required, turn track towards wall. End caps and carriers sold separately.



HDW20086-4ft HDW20089-8ft Carriers HDW20129 Pole Connector HDW20076



U-Track Set

Set Includes: Rail, (2) adapters to attach to bracket, (2) End caps, (12) carriers per 4ft section, (24) carriers per 8ft section



Wooden End Cap HDW20071



Rectangular Wooden Ring HDW20062



HDW20068

Wooden Bracket 4" Projection



Wooden Bracket HDW20065 6.25" Projection



Wooden Baton HDW20074 Must specify baton rod finish: available in Satin Nickel or Satin Gold

HDW20077-4ft HDW20078-8ft



### COASTAL SIMPLICITY



1 3/8" Square Rod with Track Rod comes with track system. If a track system is not required, turn track towards wall. End caps and carriers sold sepa-rately. (Only available in Satin Nickel and Satin Gold)



HDW20032



HDW20053-4ft HDW20049-8ft Carriers HDW20129 Rod Connector HDW20055



Inside Mount

HDW20038



Metal End Cap

**Rectangular** Ring

HDW20044



**Ceiling Bracket** 

HDW20041



Bracket

HDW20056 4" Projection



HDW20059 6.25" Projection Metal Baton Must specify baton rod finish: available in Satin Nickel or Satin Gold

HDW20035






#### COASTAL SIMPLICITY FINISHES



Natural - 16







Java - 66



Satin Nickel - 106








Satin Gold - 4





# VINTAGE CHIC

# kravetdraperyhardware

### VINTAGE CHIC





Rustic End Cap HDW20131



2" Vintage Wood Pole

HDW20125- 4ft HDW20127- 6ft HDW20126- 8ft



Vintage Ring HDW20121 Rings available in all wood finishes and Faux Aged Iron finish





Bracket

HDW20123 4" Projection Adjustable Bracket

HDW20124



### VINTAGE CHIC FINISHES



Pickled Oak - 16



Chestnut - 616



Java - 66



Driftwood - 106





# BARBARABARRY INDOCHINE



Lucky Coin

#### BARBARA BARRY INDOCHINE





Inside Mount

HDW20288



Chang Mai

HDW20276

HDW20278



Qi

HDW20271





Secret Key

HDW20274

Lotus







1 3/8" Plain Pole Pole comes with track system. If a track system is not required, turn track towards wall. Carriers are sold separately.

HDW20299 - 4ft HDW20292 - 8ft Carriers HDW20298 End Stop HDW20297





1 3/8" Bamboo Pole Pole comes with track system. If a track system is not required, turn track towards wall. Carriers are sold separately.





HDW20300 - 4ft HDW20284 - 8ft Carriers HDW20298 End Stop HDW20297



Perfect Circle

HDW20280 Rattan Ring HDW20282

Bamboo Wand

HDW20286

Adjustable Bracket

HDW20290





for poles without track

HDW20294

4.25" Projection





\*Bracket position for poles without track

Double Bracket

HDW20296 7.25" Projection kravet.com kravetdraperyhardware

#### BARBARA BARRY INDOCHINE FINISHES



Tatami - 16

Grey Mist - 106



Oxblood - 9



Ebony - 68



Soft Silver - 11



Empress Gold - 4

Photography is, at best, a representation of color. Actual finishes may vary slightly.







# SIGNATURE COLLECTION

# kravetdraperyhardware **In-Stock Collection**

## SIGNATURE COLLECTION





HDW20001



Arabesque HDW20002



Artichoke

HDW20003



Sphere

Tulip

HDW20004



HDW20005



HDW20006



Grecian

HDW20007





HDW20008



Medallion Finial or Rosette HDW20009







2in. Reeded Pole

HDW20023- 5ft HDW20024- 8ft Plain Ring HDW20026

Beaded Ring HDW20020



#### SIGNATURE COLLECTION FINISHES




Bisque 16

Mahogany with Gilded Gold

Water Gilded Silver 11





Water Gilded Gold 44

Swatches of finishes are available upon request.

Photography is, at best, a representation of color. Actual finishes may vary slightly.



## AT A GLANCE: COLLECTION DETAILS

COLLECTIONS	Transferration in the	Iron	Bamboo	beneringer in	Coastal	and the second second	Report Presson	2011 1 1 201000
FEATURES / DETAILS	Rustic Iron	Traversing	Metals	Modern Metals		Vintage Chic		Original Signature
/n-Stock	-	-			•	•	•	•
Custom	•		•	•				
CONSTRUCTED OF:	5 33	1. J.					8	3
Metal & Iron	S•S	•	•		•			
Aluminum	1				•			
Wood		21 jā			•	•	•	•
Resin						•	•	•
Crystal		2						1
POLE/ RODS			-	3			12 1	3 3
Round 3/4" Dia.	•							
Round 7/8" Dia.	•		-	-			-	
Round 1" Dia.	•			•				-
Round 1 3/8" Dia.		-					•	
Round 1 1/2" Dia	•				-		•	
Round 2" Dia.	<u> </u>		-					
And Address of the Ad	-			-		•		•
Square 1*	•				•			
Square 1 1/2"	-	•	1	-				-
Bamboo	-		•	-			•	
Reeded								•
Return to Well	•	<u></u> ;		•				
Track System					•		•	
Wand/Baton Pull System	•	•	•	•	•		•	
Traversing	2	•				1		1
RINGS	3	66					· · · · · · · · · · · · · · · · · · ·	9
Round	•	•	•	•		•	•	•
Square		•		-	•			
Wood				-	•			-
Metal	•		•	•	•			
Resin				· ·		•	•	
Bamboo	+ +	-	•	-				
FINIALS				-		-		
Cast Iron Finials	•	•						
Metal Finials			•	•	•			
Resin Finials		S		1		1	•	•
Hand Carved Finlals	2 C					•		
Wood Finials					•	•		
Crystal Finials	2	č – – – – 5		•				
STYLES				10 - C - C				
Traditional/Classical	•						•	•
Transitiona/Modern			•	•	•		•	•
Laxe/Elegent	-			- ·			•	
Casual	•	•			•	•		
Rustic	- · ·			-	•		•	•
Licensee Collections	· ·		•	-		•		
			l				•	
FINISHES						20		
Finish Colors:	Bronze-66 Vintage-84 Cast Iron-518 Antique Gold-418 Rustic-624 Aged Silver-106	Same as Rustic Iron Collection	Natural-16 Medium-616 Dark-6	Nickel-11 Satin Nickel-106 Satin Gold-4 Mercury-118	Wood: Natural-16 Driftwood-108 Java-66 Metal: Nickel-11 Satin Nickel-106 Satin Gold-4	Pickled Dak-16 Driftwood-106 Chestnul-016 Java-66 Aged Iron-81	Empress Gold-4 Soft Silver-11 Tatami-16 Oxbiood-9 Ebony-68 Grey Mat-106	Fresco-116 Bisque-15 Bisque wGold-1644 Patina-35 Antique Oak-616 Mah. wGold-644 Dark Wainut-65 Gilded Stiver-11 Gilded Gold-44
Deleted Einleber	-		-	-				
Painted Finishes	•	1		-	1		•	•
Wood Stained	-			-	•	•		
Water Gilded Gold & Silver	-	1		-		-	•	•
Polished & Satin Metals PRICE RANGES :				•	•			
Entry Level = 5 Mid Level = 55 High End = 551	S	s	s	\$\$	\$\$	\$\$\$	\$\$\$	SSS

# kravetdraperyhardware

## GLOSSARY

**Base/Height** - This describes the vertical measurement of an item that lays flat against the wall. For example: A bracket base/height is the flat area that goes against the wall.

**Bracket** - A hardware component that is attached to the wall or casing to support both ends of a drapery or curtain rod/pole.

**By-Pass Bracket** - By-Pass brackets are used for drapes to pass thru the center support bracket. This system is available for round rods only, not for use with square or hammered rods. A "C" ring is used that will pass through the by-pass bracket.

**"C" Ring** - This style of ring is designed to be used with a by-pass bracket system, so that the rings can slide through a center bracket.

**Carrier/Glide** - A plastic or metal tab that is inserted into the traverse track and used to attach the drapery panel to the traverse rod.

**Ceiling Bracket** - This type of bracket is used when there is not an area on the wall that it can be mounted on.

**Center Bracket** - A bracket made to mount over the top of a window to support the additional weight in the center of the curtain/drapery rod when there is not enough vertical space to accommodate a standard bracket.

**Center Draw** - A term used with traversing rods to note that the drapery panels will close at the window's center point.

**Center Splice** - This type of bracket is used when joining two poles together to achieve longer spans while at the same time concealing the resulting seam.

**Connector & Connector Screw** - A light weight tube used to connect two metal rods. It also provides strength at the point of connection. A connector screw is a double ended screw that is used to attach the ends of two wood poles together. **Elbow Connectors** - (Corner angles) An adjustable corner angle that attaches two rods together. This item can be used in bay windows or around corners to keep seamless rod flow.

**End Bracket** - These brackets can be decorative in nature or simple metal grips that hold a drapery rod to the wall or ceiling. These can also control the depth of projection from the wall.

**Faux Finish** - This term is used to describe a special painterly technique. The image of wood, bamboo or aged metal is created by the "faux" painting effect. This stunning faux appearance can only be achieved by a highly skilled artisan.

**Finial** - These pieces are used as decorative embellished ornaments on the ends of a drapery rod/pole or applied on furniture such as on top of a bed post.

**Gold & Silver Leaf** - Authentic gold or silver metal material which is milled through a roller into paper thin sheets.

**Inside Mount Bracket** - This type of bracket allows a rod/pole to fit securely inside the window frame or wall corner. Inside mounts do not allow for finals.

**Length** - Refers to the horizontal measurement of a finial or the overall span of a drapery rod/pole.

**Master Carrier** - The arm of the traverse track that holds the edge of the drapery. They are available in one-way draw (one master carrier) or central draw (one master carrier and one overlap arm to hide the drapery closure).

**One-Way Draw** - A term used with traversing rods to note that the drapery panel is designed to open in one direction.

**Overall Projection** - This term is used to describe the measurement of the entire distance the item would protrude from wall.



**Pin On Hook** - This is a metal pin that slides into pleated draperies to attach them to the rings or carrier/glide.

**Pole/Drapery Rod** - Curtains and draperies are generally suspended from a rod or pole which sits across the top of a window or entryway. Poles can come in a wide variety of styles and materials.

**Projection** - This describes the measurement of how far an item protrudes from the wall. For example: A tieback base is installed on the wall and the distance between the wall and how far the tieback projects out determines the projection.

**Projection from Center** - This measurement is the distance from the wall to the center opening of a bracket.

**Return** - The flat portion of a drapery heading that wraps around the corner of the rod to cover the end of the rod and the bracket.

**Ring** - These items are sewn or hooked onto a curtain or drapery panel heading, then placed on a rod/pole allowing the fabric panel to move back and forth (open and close) freely on the pole.

**Rosette** - Rosettes offer a decorative embellished accent to hold valances and swags in a fixed position in lieu of drapery rod or pole.

**Sockets** - This type of bracket is primarily used for inside mounts and wall to wall installations. One must order both an open and closed socket for proper ease of installation.

**Tieback** - This fixed decorative item is anchored to the wall, usually to the side of a window. It secures the curtain or drapery panel away from the door or window, while allowing for the passage of light and adding a decorative element to a room. **Tracking System** - A metal track unit that is inserted into a wooden or aluminum rod; this tracking unit operates manually by using a wand/baton to move the carriers/glides to open and close drapes.

**Traversing Rod System** - A rod that incorporates a metal tracking unit, with glides that attach the drapery panel to the traverse rod. A cord pulley system opens and closes by drawing the cord. A decorative faux ring option is available in lieu of a simple carrier/glide. This system also allows for manual hand drawn operation.

**U-Shape Tieback** - This is the basic piece of hardware for holding the draperies away from the window in a decorative swag. When purchasing this type of swag holder, one must also purchase a decorative finial to be attached to complete the unit.

**Wall Mounted Rod** - A rod that is bent and returns to wall to be mounted. There is no decorative finial needed for this application. The mounting socket units are included with this type of rod.

**Wand/Baton** - A long handled rod attached to a ring or a master carrier used to assist opening and closing movement of the curtain/draperies.

**Water Gilding** - This ancient technique of applying gold or silver leaf requires a true artisan to produce. Laborious time-staking steps and procedures are used to create the smooth metal finish outcome. Due to the technical details of these processes, and to preserve its special qualities, the technique is secretly kept so that not one individual can complete all the steps.

**Width** - This describes the measurement used for the widest area of an item.



## NEWLY UPDATED!

## BRACKET SUPPORT GUIDE

		Rod Brackets and Splices								
Pole/Roo Feet	l Length Inches	End Brackets	Support Brackets required	Pole/Rod Splices Required	Manual Traversing Support Brackets Required	Motorized Traversing Support Brackets Required	Traversing Splices Required			
3	36	2	0	0	0	0	0			
4	48	2	0	0	0	1	0			
5	60	2	1	0	1	2	0			
6	72	2	1	0	1	2	0			
7	84	2	1	0	1	2	0			
8	96	2	1	0	1	2	0			
9	108	2	2	1	2	2	1			
10	120	2	3	1	2	2	1			
11	132	2	3	1	3	3	1			
12	144	2	3	1	3	4	1			
13	156	2	3	1	3	4	1			
14	168	2	3	1	3	4	1			
15	180	2	3	1	3	4	1			
16	192	2	3	1	3	4	1			
17	204	2	3	1	4	4	1			
18	216	2	5	2	4	5	1			
19	228	2	5	2	4	5	1			
20	240	2	5	2	4	5	1			
21	252	2	5	2	4	5	1			
22	264	2	5	2	4	5	1			
23	276	2	5	2	4	5	1			
24	288	2	5	2	4	5	1			

Please contact Customer Service for lengths longer than 24 Ft



### RECOMMENDATIONS AND INSTALLATION TIPS

#### FINISHES

The finishes in Signature and Barbara Barry Indochine collections are a combination of hand painted faux and water gilded finishes which are applied by experienced artisans. Due to the nature of this process, a slight variation of color may occur from piece to piece. This variation creates a one-of-a-kind product and adds to the unique nature of this hand made work of art. All Photography is, at best, a representation of color. Actual finishes may vary slightly.

#### RECOMMENDATIONS

Please consult a professional installer for the application of all drapery hardware products.

We recommend a minimum of three support brackets for every 8 feet of pole length.

When a pole is re-cut to be made smaller, a new opening/hole will need to be made. That opening should be 3/16" or 5mm to allow for the finial screw to fit properly into the drapery pole.

When screwing a finial into a pole, the finial should be handled by the <u>base only</u> to allow for a proper fit and alignment.

All cord traversing comes with floor pulleys and include safety tag attached to the floor pulley, compliant with the new Child Safety Device regulation. Customers must install the floor pulley so the cord is not dangling.

#### TERMS

Terms are to be PAID IN FULL at time of order. Shipments are F.O.B. Bethpage, N.Y. or F.O.B. Anderson, S.C.

#### PRICES

Prices herein quoted are net wholesale. Prices are subject to change without notice. All shipping charges are additional. PRICES DO NOT INCLUDE GST.

#### ORDERING

When placing an order be sure ALL information is given, including item name or number, finish color, all shipping instructions and markings.

Rush options are available on some Custom Collections. Please inquire with our drapery hardware customer service for details and additional charges for this service. 800 648 5728 Ext. 2484

Rustic Iron Traversing Collection can be modified to curve or bend on Round Rods only. A design template must be submitted for approval first, and then up charges for this customization can be obtained. Please contact our drapery hardware customer service for more information. 800 648 5728 Ext. 2484

#### SHIPPING

Rods and poles up to 106" and traversing rods up to 102" ship Fed-X ground, unless specified otherwise. Any longer lengths will ship by freight carrier.

#### INQUIRIES

When inquiring about an order always be sure to list the item number or name, finish color and quantity required.

#### **RETURNS & CLAIMS**

No returns will be accepted unless Kravet authorization has been given.

Your request for return authorization must include the invoice number, date of invoice, pattern, finish color, quantity and reason. All returns must be made within 30 days of invoice date.

Refused shipments, customer duplication of orders, or cancellations after shipment has been made are subject to a 25% re-stocking charge and all freight charges.

Items can not be returned for credit if it has been processed by the purchaser in any way.

#### **OFFICE AND WAREHOUSE**

225 Central Avenue South Bethpage New York 11714 Toll Free Customer Service & Order Department 800 648 5728 Ext. 2484 Fax 516 293 2054 Canada 800 535 3258

> For access to our digital library, please visit: kravet.com/digitallibrary

# kravet.com

# Log on 24 hours a day, 7 days a week

- Search for fabrics, furniture, trimmings, carpets, wallcoverings and drapery hardware
- Check current stock and track order status
- Enter orders, reserves and memos for fabrics, trimmings and wallcoverings
- Approve CFAs and view account details
- Calculate furniture pricing with graded-in fabric
- View or download online catalogs and price lists
- Browse the latest sample books
- Search Outlet for great values on fabrics, furniture and furnishings
- Navigate to CuratedKravet.com
- Chat LIVE with our Customer Service Representatives

# Register today at kravet.com

## Log in and "Register with My Account" Please have your customer number and postal code available. It's that easy!

kravet  $^{\mbox{\tiny @}}$  US 800 645 9068 CAN 800 535 3258 UK +44 (0) 1202 266 750 MX 01 (800) 777 1569 kravet.com







