



kravetdraperyhardware
Volume III



CAPTURE YOUR IMAGINATION.

TELL YOUR STORY.

CREATE A LIFESTYLE...

KRAVET DEBUTS THEIR NEWEST COLLECTIONS
OF DRAPERY HARDWARE; EACH EMBODIES ITS
OWN UNIQUE CHARACTER FROM TRADITIONAL
STYLING TRANSCENDING TO MODERN CHIC.
ALL OFFER THE FINEST OF QUALITY, DIVERSITY AND
VERSATILITY. COUNTLESS OPTIONS ARE AVAILABLE
FROM IN-STOCK TO CUSTOM PROGRAMS.






| Rustic Iron and Traversing | . 6 |
|---------------------------------------|-----|
| Rustic Iron Motorized Traversing | .13 |
| Modern Metals | 17 |
| Modern Metals Traversing | 22 |
| Modern Metals Motorized Traversing | 23 |
| | |
| In-Stock Collections | |
| Thom Filicia | 25 |
| Barbara Barry INDOCHINE | 29 |
| | |
| Information | |
| At A Glance: Collection Details | 34 |
| Glossary | 35 |
| Support Bracket Recommendations | 37 |
| Recommendations and Installation Tips | 38 |







RUSTIC IRON

kravetdraperyhardware

Custom Collection



Iron Cap HDW20199- 3/4" HDW20200- 1" HDW20201- 1 1/2"



Pawn HDW20203



RUSTIC IRON

Hammered HDW20204 Pawn



Cannon Ball HDW20205



Iron Pillar HDW20254



Iron Capital HDW20253



HDW20207



Iron Spade HDW20209



Ponderosa HDW20206



Pinion

Iron Spear HDW20202




Iron Fleur HDW20208

All Rustic Iron finials can be adapted to fit any style and diameter of rod.

Rustic Iron Collection can be specially treated for outdoor use with an upcharge. (Rustic Iron Traversing cannot be treated for outdoor use.)





*Maximum length per rod is 106". Rods will be automatically spliced thereafter. Please note to order a connector for each splice. A center support bracket must be ordered to hold the spliced area at the union of the rods.

NEW

Rustic Iron Collection can be specially treated for outdoor use with an upcharge. (Rustic Iron Traversing cannot be treated for outdoor use.)

kravetdraperyhardware

Custom Collection



Iron Ring *HDW20157-3/4" HDW20158-7/8"

HDW20159-1" HDW20152-11/2" **HDW20160-11/2"



Forged Hammered

*HDW20162-3/4" HDW20163-7/8" HDW20164-1" Iron Ring HDW20165- 1 1/2"



Iron **Passing** Ring

*HDW20166-3/4" HDW20167-1" HDW20168-11/2"



Iron Square Ring

*HDW20161-1"



Iron Baton Round HDW20175



Iron Baton Square HDW20176



Rod with Return (Solid) includes socket

HDW20238-3/4" Hammered HDW20239-7/8" Smooth



Rod with Return (Hollow) includes socket

HDW20236-3/4" HDW20237-1" HDW20235-1 1/2"



Square Rod with Return

HDW20240-1"



Adjustable Elbow

HDW20172-3/4" HDW20173-1" HDW20174- 1 1/2"



Please specify if clip is desired.

Swing Arm Round 1/2" Diameter Swing Arm Square 1/2" Diameter



U-Shaped HDW20177 Tieback Select any Rustic Iron finial

separately to finish end.



Tieback HDW20301



Connector/ Splice

HDW20232- 3/4" HDW20233-1" HDW20234- 1 1/2"

HDW20181

HDW20182

^{*}Ring sizes refer to the coordinating rod diameter

^{**}Ring thickness is 3/8" Standard thickness is 1/4"

kravetdraperyhardware

Custom Collection









Single Bracket

3" Projection HDW20183- 3/4" HDW20184- 7/8" HDW20185- 1" HDW20186- 1 1/2" 6" Projection HDW20195- 3/4" HDW20196- 7/8" HDW20197- 1" HDW20198- 1 1/2" Double Bracket HDW20187- 3/4" HDW20188- 7/8" HDW20189- 1" HDW20190- 1 1/2" Single End Bracket

3" Projection HDW20150- 3/4" HDW20151- 1" HDW20153- 1 1/2" 6" Projection HDW20154- 3/4" HDW20155- 1" HDW20156- 1 1/2" Double End Bracket HDW20178- 3/4" HDW20179- 1" HDW20180- 1 1/2"



Ceiling Mount Bracket

Single 2" Drop HDW20191- 3/4" HDW20192- 7/8" HDW20193- 1" HDW20194- 1 1/2" unt Bracket

Double
2" Drop

HDW20222- 3/4"

HDW20223- 7/8"

HDW20224- 1"

←(3*Drop) → HDW20225- 1 1/2"



NEW!

Horizontal Support Bracket
3" Projection 6" Projection
HDW20344- 3/4" HDW20348- 3/4"
HDW20345- 7/8" HDW20349- 7/8"
HDW20346- 1" HDW20350- 1"
HDW20347- 1 1/2" HDW20351- 1 1/2"



Single Bypass Bracket 3" Projection HDW20214- 3/4" HDW20215-1" HDW20216- 1 1/2"

6" Projection HDW20217- 3/4" HDW20218- 1" HDW20219- 1 1/2"





Single 3" Projection HDW20169 6" Projection

HDW20170

Square Bracket

Double
6" Projection
HDW20171



NEW!

Square Horizontal Support Bracket 3" Projection HDW20352 6" Projection HDW20353



Square Ceiling Bracket

Single 2" Drop HDW20220 Double 2" Drop HDW20221



Closed End Socket HDW20244- 3/4" HDW20245- 1" HDW20246- 1 1/2"

Open End Socket HDW20241- 3/4" HDW20242- 1" HDW20243- 1 1/2"



Closed End Socket Square HDW20248



Open End Socket Square HDW20247



Cuff Bracket

HDW20210- 3/4" HDW20211- 7/8" HDW20212- 1" HDW20213- 1 1/2"



RUSTIC IRON & TRAVERSING FINISHES



Aged Silver - 106



Antique Gold - 418



Vintage - 84



Rustic - 624



Bronze - 66



Cast Iron - 818

NEW!

Rustic Iron Collection can be specially treated for outdoor use with an upcharge. (Rustic Iron Traversing cannot be treated for outdoor use.)

RUSTIC IRON TRAVERSING MANUAL CORD PULLEY SYSTEM



Single Round Traversing Rod Set (1st 3ft) Ordering For Each Additional ft





Double Round Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

*HDW20265 HDW20266



Single Square Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

*HDW20263 HDW20264



Double Square Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

*HDW20267 HDW20268



Single Wall Mount Bracket

HDW20249



Double Wall Mount Bracket

HDW20250

Round

Single Ceiling Mount Bracket



HDW20251



Double Ceiling Mount Bracket

HDW20252



HDW20257



Square Iron



HDW20255



Iron Baton

Additional HDW20259 Traversing Carriers

Additional HDW20260 Cord

Round Iron C Ring

HDW20258 C Ring

Iron Baton

Square

HDW20256

*(Minimum of 3ft traversing rod required) A set includes: rod, traverse track, 8ft of cord and pulley, end brackets, master carrier and (4 per ft) sub-carriers. Optional Ripplefold® carriers available, but must be specified, including fullness (60, 80, 100 of 120%). Rings sold separately, but not an option on Ripplefold® style. All traversing rods are 1 1/2" Dia or Sq.



NEW ADDITION

RUSTIC IRON TRAVERSING SOMFY MOTORIZED SYSTEM





Also available in Single Square Motorized Traversing *HDW20394 Rod Set (1st 3ft) Ordering For Each Additional ft HDW20395



| Double Round Motorized Traversing | |
|------------------------------------|-----------|
| Rod Set (1st 3ft) | *HDW20392 |
| Ordering For Each Additional ft | HDW20393 |
| | |
| Also available in | |
| Double Square Motorized Traversing | *HDW20396 |
| Rod Set (1st 3ft) | |
| Ordering For Each Additional ft | HDW20397 |

*(Minimum of 3ft traversing rod required) A set includes: rod, traverse track, Somfy motor, end brackets master carrier and (4) sub-carriers per ft. Must specify sub-carrier style preferred.

See page 9 for optional sub-carrier styles available.

Please note: Each rod operates independently; double rods will come with 2 motors; one for each rod. Rings sold separately. All round traversing rods are 1 1/2" Dia. All square traversing rods are 1 1/2" Dia. Note: Fascia length is 1" longer than the track length. (See drawing details on page 9)

SOMFY CONTROL OPTIONS WIRELESS RADIO TECHNOLOGY













*Wireless 5 Channel Wall Mount (Battery-powered, no electrician needed) White


Ivory Black HDW20403 HDW20404 HDW20405 *Wireless Handheld 5 Channel Remote

Silver Black White HDW20402 HDW20386 HDW20387

*5 channels allow for control of up to 5 individual motorized window coverings, or 5 groups of motorized window coverings, or a combination of the two. A control unit is required to operate motorization.



SOMFY MOTORIZATION INFORMATION



FEATURES/OPTIONS:

- Ultimate in home convenience
- For light to heavyweight draperies; Up to 36ft and 132 lbs
- Control single or multiple motorized draperies using the same remote
- Easy installation- Motor can be installed to the right or left side of the track
- Standard or inverse motor mounting available with 10 ft cord
- Belt driven track
- Motor design and the use of a timing belt provides quiet operation
- Automatic or adjustable settings
- Manual override; Disengages motor when adjusted manuallyideal for power outages


- · Soft start and soft stop; adjustable speeds
- Patented cover design conceals unsightly cables and protects the connectors and control modules inside the motor
- Plug-in modules adapt to various technologies to easily integrate with home automation systems
- Patented flexible master carrier reduces friction and is adaptable to various drapery types
- Sub-carrier types will be determined by the style of draperies.
 Please specify the sub-carrier style when ordering, Ripplefold available in 80, 100 and 120% fullness
- Ceiling mount installation available
- Wireless remote and wireless battery-powered wall mount controls are available and no electrician needed

MOTOR:

- Glydea™ 60e
- 5 year international warranty
- International certifications



FASCIA MEASUREMENT DETAILS







MODERN METALS and CRYSTALS





MODERN METALS AND CRYSTALS







HDW20107 Crisscut



Trielle HDW20103



Crystal Capital HDW20362



Asscher HDW20105



Crystal Cap Square HDW20365



HDW20363





^{*}The Crystal finials are compatible with a variety of rod choices. Rod Selections can come from either the Modern Metals or Rustic Iron collections. Refer to the price list for these additional rod options.

Crystal Globe

kravetdraperyhardware

Custom Collection

MODERN METALS AND CRYSTAL



*Metal Globe HDW20096



*Metal Cylinder HDW20098



*Metal Cylinder Large HDW20358



*Metal Cylinder HDW20098



*Metal Cube Large HDW20359



1" Hollow Rod 1" Rod with Return to Wall

Please specify 3in. or 6in. projection Connector/Splice 1" (photo on page 4)



HDW20119

HDW20120 HDW20233





Metal Ring HDW20114



Metal Passing Ring HDW20357



Single Metal Bracket 3" Projection HDW20116 6" Projection HDW20117

Double Metal Bracket 6" Projection HDW20118



NEW!

Horizontal Support Bracket 3" Projection 6" Projection HDW20360 HDW20361



Single Bypass Bracket 3" Projection HDW20354 6" Projection HDW20355



Double Bypass Bracket 6" Projection HDW20356



Moveable HDW20112 Elbow



90 Degree HDW20113 Fixed Elbow



45 Degree HDW20111 Fixed Elbow



Closed **End Socket** HDW20110



Open **End Socket** HDW20109







Polished Nickel - 11



Satin Nickel - 106



Mercury - 118



Satin Gold - 4

NEW ADDITION MODERN METALS TRAVERSING MANUAL CORD PULLEY SYSTEM



Single 1 1/2" Round Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

Also available in Single 2" Square Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

*HDW20374 HDW20375

*HDW20378 HDW20379

HDW20371



Double 1 1/2" Round Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

Also available in Double "Square Traversing Rod Set (1st 3ft) Ordering For Each Additional ft

*HDW20376 HDW20377

*HDW20380 HDW20381



Single Wall Mount Bracket HDW20370



Double Wall Mount Bracket

Single Ceiling Mount Bracket



HDW20372



Double Ceiling Mount Bracket

HDW20373



1 1/2" Round Metal C Ring

HDW20367



2" Square HDW20368 Metal C Ring

Metal Baton Round

Available any length up to 48"


HDW20369

Additional HDW20259 Traversing Carriers

Additional HDW20260 Cord


*(Minimum of 3ft traversing rod required) A set includes: rod, traverse track, 8ft of cord and pulley, end brackets, master carrier and (4 per ft) sub-carriers. Optional Ripplefold * carriers available, but must be specified, including fullness (60, 80, 100 of 120%). style. All round traversing rods are 1 1/2" Dia. All square traversing rods are 2" Dia. Rings sold separately, but not an option on Ripplefold

NEW ADDITION MODERN METALS TRAVERSING SOMFY MOTORIZED SYSTEM



Single Square Motorized Traversing *HDW20385 Rod Set (1st 3ft) Ordering For Each Additional ft HDW20384

Also available in Single Round Motorized Traversing *HDW20399 Rod Set (1st 3ft) Ordering For Each Additional ft HDW20398



Double Square Motorized Traversing Rod Set (1st 3ft) *HDW20383 Ordering For Each Additional ft HDW20382

Also available in **Double Round Motorized Traversing** *HDW20401 Rod Set (1st 3ft) Ordering For Each Additional ft HDW20400

st(Minimum of 3ft traversing rod required) A set includes: rod, traverse track, Somfy motor, end brackets master carrier and (4) sub-carriers per ft. Must specify sub-carrier style preferred. See page 9 for optional sub-carrier styles available.

Please note: Each rod operates independently; double rods will come with 2 motors; one for each rod. Rings sold separately. All round traversing rods are 1 1/2" Dia. All square traversing rods are 2" Dia. Note: Fascia length is 1" longer than the track length. (See drawing details on page 9)

SOMFY CONTROL OPTIONS



*Wireless 5 Channel Wall Mount

White

Ivory

Black













*Wireless Handheld 5 Channel Remote

Silver Black White HDW20402 HDW20386 HDW20387

*Please see page 9 for Somfy Motorization Information.

*5 channels allow for control of up to 5 individual motorized window coverings, or 5 groups of motorized window coverings, or a combination of the two. A control unit is required to operate motorization.

23





THOM FILICIA



In-Stock Collection

THOM FILICIA



Metal Ball Finial for 1" pole HDW20310



Metal Ball Finial for 1 3/8" pole HDW20312



Metal Ball Finial for 1 3/4" pole HDW20314



Wood Ball Finial for 1" pole HDW20309



Wood Ball Finial for 1 3/8" pole HDW20311



Wood Ball Finial for 1 3/4" pole HDW20313



Metal Trumpet Finial for 1" pole HDW20303



Metal Trumpet Finial for 1 3/8" pole HDW20306



Metal Trumpet Finial for 1 3/4" pole HDW20308



Wood Trumpet Finial for 1" pole HDW20304



Wood Trumpet Finial for 1 3/8" pole HDW20305



Wood Trumpet Finial for 1 3/4" pole HDW20307



Metal Endcap for 1" pole HDW20316



Metal Endcap for 1 3/8" pole HDW20318



Metal Endcap for 1 3/4" pole HDW20320



Wood Endcap for 1" pole HDW20315



Wood Endcap for 1 3/8" pole HDW20317



Wood Endcap for 1 3/4" pole HDW20319



Standard Bracket for 1" pole HDW20337



Standard Bracket for 1 3/8" pole HDW20338



Standard Bracket for 1 3/4" pole HDW20339



Metal Ring (Small) HDW20333



Wood Ring (Small) HDW20335

Wood Ring (Large) HDW20336

Wall projection is 3.5" - 3.75", order extender HDW20340 to increase the projection to 4.75"-5.00"

Rings are available in wood or metal, in small or large sizes. The small size is perfect for the 1" or 1 3/8" diameter poles, the large size will work for the 1 3/8" or 1 3/4" diameter pole.

kravetdraperyhardware In-Stock Collection

THOM FILICIA FINISHES



Brushed Nickel- 106



Antique Pewter- 118



Antique Brass- 48



Bronze- 66



French Grey- 106



Chestnut- 6



Walnut- 66



Ebony-818

Metal Poles

HDW20321- 1" dia., 4' length

HDW20324- 1 3/8" dia., 4' length

HDW20325- 1 3/8" dia., 6' length

HDW20323- 1" dia., 8' length

HDW20326- 1 3/8" dia., 8' length

Connector for 1" dia. HDW20341
Connector for 1 3/8" dia. HDW20342

Wood Poles

HDW20327- 1 3/8" dia., 4' length HDW20328- 1 3/8" dia., 6' length HDW20329- 1 3/8" dia., 8' length Connector/Double Sided Screw HDW20330- 1 3/4" dia., 4' length HDW20331- 1 3/4" dia., 6' length HDW20332- 1 3/4" dia., 8' length

d Screw HDW20343



The wood poles and finials are made in North Carolina, from locally sourced American Red Oak, each receiving a hand rubbed fini sh.





BARBARABARRY

INDOCHINE

In-Stock Collection

BARBARA BARRY INDOCHINE









Inside Mount HDW20288



Chang Mai HDW20276



Qi HDW20271



Secret Key HDW20274




Lotus HDW20270

kravetdraperyhardware

In-Stock Collection






1 3/8" Plain Pole Pole comes with track system. If a track system is not required, turn track towards wall. Carriers are sold separately.

HDW20299 - 4ft HDW20292 - 8ft Carriers HDW20298 End Stop HDW20297





1 3/8" Bamboo Pole Pole comes with track system. If a track system is not required, turn track towards wall. Carriers are sold separately.

HDW20300 - 4ft HDW20284 - 8ft Carriers HDW20298 End Stop HDW20297







Perfect Circle

HDW20280

Rattan Ring

HDW20282

Bamboo Wand HDW20286

Adjustable Bracket

HDW20290





*Bracket position for poles without track





*Bracket position for poles without track

Bracket HDW20294 4.25" Projection Double Bracket

HDW20296 7.25" Projection



BARBARA BARRY INDOCHINE FINISHES



Tatami - 16



Grey Mist - 106



Oxblood - 9



Ebony - 68



Soft Silver - 11



Empress Gold - 4





AT A GLANCE: COLLECTION DETAILS

| COLLECTIONS | District | Iron | Markey Mark | DO Indiana |
|--|---|--------------------------------------|--|---|
| FEATURES / DETAILS | Rustic Iron | Traversing | Modern Metals | THE RESERVE OF THE PERSON NAMED IN |
| In-Stock | | | - | • |
| Custom | | | | |
| CONSTRUCTED OF: | 10 | | | |
| Metal & Iron | S•3 | | | |
| Aluminum | 1 | | | |
| Wood | | | 1 | • |
| Resin | | | | • |
| Crystal | < | 70 | | 5 |
| POLE/ RODS | | | | |
| Round 3/4" Dia. | • | | | |
| Round 7/8" Dia. | | | | |
| Round 1" Dia. | | | | |
| Round 1 3/8" Dia. | - | | | • |
| Round 1 1/2" Dia | | | | |
| Round 2" Dia. | - | - | | |
| Square 1* | 1 | | | |
| | | | | |
| Square 1 1/2" | | • | | 4 0 |
| Bamboo | _ | | - 1 | • |
| Reeded | | | | |
| Return to Well | • | | • | |
| Track System | | | | • |
| Wand/Baton Pull System | | | • | • |
| Traversing | 2 3. | • | | |
| RINGS | | | | |
| Round | • | • | | • |
| Square | | • | | |
| Wood | | | | |
| Metal | | | | |
| Resin | | | | |
| Bamboo | | | | - |
| | | | | |
| FINIALS | | | | |
| Cast Iron Finials | • | • | | |
| Metal Finials | | | • | |
| Resin Finials | | | | • |
| Hand Carved Finials | | | | S |
| Wood Finishs | | | | |
| Crystal Finials | 5 | 0 | | |
| STYLES | | 100 | | |
| Traditional/Classical | • | | | • |
| Transitiona/Modern | | | | • |
| Luxe/Elegent | | | · · | |
| Casual | | • | | |
| Rustic | • | | | - |
| Mustic Licensee Collections | 1 1 | | | |
| | 4 | | | - 5 |
| FINISHES | | | | |
| Finish Colors: | Bronze-66 Vintage-84 Cast fron-818 Antique Gold-418 Rustic-624 Aged Silver-108 | Same as Rustic Iron Collection | Nickel-11 Satin Nickel-106 Satin Gold-4 Mercury-118 | Empress Gold-I Soft Silver-11 Tatami-16 Oxblood-9 Ebony-68 Grey Mast-106 |
| Painted Finishes | | • | | |
| Wood Stained | | | | |
| Water Gilded Gold & Silver | 9 | 4 1 | | • |
| Polished & Satin Metals | 4 7. | | | E |
| PRICE RANGES : Entry Level = 5 Mist Level = 58 High End = 531 | s | s | SS | SSS |



GLOSSARY

Base/Height -This describes the vertical measurement of an item that lays flat against the wall. For example: A bracket base/height is the flat area that goes against the wall.

Bracket - A hardware component that is attached to the wall or casing to support both ends of a drapery or curtain rod/pole.

By-Pass Bracket - By-Pass brackets are used for drapes to pass thru the center support bracket. This system is available for round rods only, not for use with square or hammered rods. A "C" ring is used that will pass through the by-pass bracket.

"C" Ring - This style of ring is designed to be used with a by-pass bracket system, so that the rings can slide through a center bracket.

Carrier/Glide - A plastic or metal tab that is inserted into the traverse track and used to attach the drapery panel to the traverse rod.

Ceiling Bracket - This type of bracket is used when there is not an area on the wall that it can be mounted on.

Center Bracket - A bracket made to mount over the top of a window to support the additional weight in the center of the curtain/drapery rod when there is not enough vertical space to accommodate a standard bracket.

Center Draw - A term used with traversing rods to note that the drapery panels will close at the window's center point.

Center Splice - This type of bracket is used when joining two poles tog ether to achieve longer spans while at the same time concealing the resulting seam.

Connector & Connector Screw - A light weight tube used to connect two metal rods. It also provides strength at the point of connection.

A connector screw is a double ended screw that is used to attach the ends of two wood poles to gether.

Elbow Connectors - (Corner angles) An adjustable corner angle that attaches two rods together.

This item can be used in bay windows or around corners to keep seamless rod flow.

End Bracket - These brackets can be decorative in nature or simple metal grips that hold a drapery rod to the wall or ceiling. These can also control the depth of projection from the wall.

Faux Finish - This term is used to describe a special painterly technique. The image of wood, bamboo or aged metal is cr eated by the "faux" painting effect. This stunning faux appearance can only be achieved by a highly skilled artisan.

Finial - These pieces are used as decorative embellished ornaments on the ends of a drapery rod/pole or applied on furniture such as on top of a bed post.

Gold & Silver Leaf - Authentic gold or silver metal material which is milled through a roller into paper thin sheets.

Inside Mount Bracket - This type of bracket allows a rod/pole to fit securely inside the window frame or wall corner. Inside mounts do not allow for finals.

Length - Refers to the horizontal measurement of a finial or the overall span of a drapery rod/pole.

Master Carrier - The arm of the traverse track that holds the edge of the drapery. They are available in one-way draw (one master carrier) or central draw (one master carrier and one overlap arm to hide the drapery closure).

One-Way Draw - A term used with traversing rods to note that the drapery panel is designed to open in one direction.

Overall Projection - This term is used to describe the measurement of the entire distance the item would protrude from wall.



Pin On Hook - This is a metal pin that slides into pleated draperies to attach them to the rings or carrier/glide.

Pole/Drapery Rod - Curtains and draperies are generally suspended from a rod or pole which sits across the top of a window or entryway. Poles can come in a wide variety of styles and materials.

Projection - This describes the measurement of how far an item protrudes from the wall. For example: A tieback base is installed on the wall and the distance between the wall and how far the tieback projects out determines the projection.

Projection from Center - This measurement is the distance from the wall to the center opening of a bracket.

Return - The flat portion of a drapery heading that wraps around the corner of the rod to cover the end of the rod and the bracket.

Ring - These items are sewn or hooked onto a curtain or drapery panel heading, then placed on a rod/pole allowing the fabric panel to move back and forth (open and close) freely on the pole.

Rosette - Rosettes offer a decorative embellished accent to hold valances and swags in a fixed position in lieu of drapery rod or pole.

Sockets -This type of bracket is primarily used for inside mounts and wall to wall installations. One must order both an open and closed socket for proper ease of installation.

Tieback - This fixed decorative item is anchored to the wall, usually to the side of a window. It secures the curtain or drapery panel away from the door or window, while allowing for the passage of light and adding a decorative element to a room.

Tracking System - A metal track unit that is inserted into a wooden or aluminum rod; this tracking unit operates manually by using a wand/baton to move the carriers/glides to open and close drapes.

Traversing Rod System - A rod that incorporates a metal tracking unit, with glides that attach the drapery panel to the traverse rod. A cord pulley system opens and closes by drawing the cord. A decorative faux ring option is available in lieu of a simple carrier/glide. This system also allows for manual hand drawn operation.

U-Shape Tieback - This is the basic piece of hardware for holding the draperies away from the window in a decorative swag. When purchasing this type of swag holder, one must also purchase a decorative finial to be attached to complete the unit.

Wall Mounted Rod - A rod that is bent and returns to wall to be mounted. There is no decorative finial needed for this application. The mounting socket units are included with this type of rod.

Wand/Baton - A long handled rod attached to a ring or a master carrier used to assist opening and closing movement of the curtain/draperies.

Water Gilding - This ancient technique of applying gold or silver leaf requires a true artisan to produce. Laborious time-staking steps and procedures are used to create the smooth metal finish outcome. Due to the technical details of these processes, and to preserve its special qualities, the technique is secretly kept so that not one individual can complete all the steps.

Width -This describes the measurement used for the widest area of an item.



NEWLY UPDATED!

BRACKET SUPPORT GUIDE

| | | Rod Brackets and Splices | | | | | |
|------------------|------------------|--------------------------|---------------------------------|---------------------------------|---|--|-----------------------------------|
| Pole/Rod Feet | Length Inches | End Brackets | Support Brackets required | Pole/Rod Splices Required | Manual Traversing Support Brackets Required | Motorized Traversing Support Brackets Required | Traversing Splices Required |
| 3 | 36 | 2 | 0 | 0 | 0 | 0 | 0 |
| 4 | 48 | 2 | 0 | 0 | 0 | 1 | 0 |
| 5 | 60 | 2 | 1 | 0 | 1 | 2 | 0 |
| 6 | 72 | 2 | 1 | 0 | 1 | 2 | 0 |
| 7 | 84 | 2 | 1 | 0 | 1 | 2 | 0 |
| 8 | 96 | 2 | 1 | 0 | 1 | 2 | 0 |
| 9 | 108 | 2 | 2 | 1 | 2 | 2 | 1 |
| 10 | 120 | 2 | 3 | 1 | 2 | 2 | 1 |
| 11 | 132 | 2 | 3 | 1 | 3 | 3 | 1 |
| 12 | 144 | 2 | 3 | 1 | 3 | 4 | 1 |
| 13 | 156 | 2 | 3 | 1 | 3 | 4 | 1 |
| 14 | 168 | 2 | 3 | 1 | 3 | 4 | 1 |
| 15 | 180 | 2 | 3 | 1 | 3 | 4 | 1 |
| 16 | 192 | 2 | 3 | 1 | 3 | 4 | 1 |
| 17 | 204 | 2 | 3 | 1 | 4 | 4 | 1 |
| 18 | 216 | 2 | 5 | 2 | 4 | 5 | 1 |
| 19 | 228 | 2 | 5 | 2 | 4 | 5 | 1 |
| 20 | 240 | 2 | 5 | 2 | 4 | 5 | 1 |
| 21 | 252 | 2 | 5 | 2 | 4 | 5 | 1 |
| 22 | 264 | 2 | 5 | 2 | 4 | 5 | 1 |
| 23 | 276 | 2 | 5 | 2 | 4 | 5 | 1 |
| 24 | 288 | 2 | 5 | 2 | 4 | 5 | 1 |



RECOMMENDATIONS AND INSTALLATION TIPS

FINISHES

The finishes in Signature and Barbara Barry Indochine collections are a combination of hand painted faux and water gilded finishes which are applied by experienced artisans. Due to the nature of this process, a slight variation of color may occur from piece to piece. This variation creates a one-of-a-kind product and adds to the unique nature of this hand made work of art. All Photography is, at best, a representation of color. Actual finishes may vary slightly.

RECOMMENDATIONS

Please consult a professional installer for the application of all drapery hardware products.

We recommend a minimum of three support brackets for every 8 feet of pole length.

When a pole is re-cut to be made smaller, a new opening/hole will need to be made. That opening should be 3/16" or 5mm to allow for the finial screw to fit properly into the drapery pole.

When screwing a finial into a pole, the finial should be handled by the base only to allow for a proper fit and alignment.

All cord traversing comes with floor pulleys and include safety tag attached to the floor pulley, compliant with the new Child Safety Device regulation. Customers must install the floor pulley so the cord is not dangling.

TERMS

Terms are to be PAID IN FULL at time of order. Shipments are F.O.B. Bethpage, N.Y. or F.O.B. Anderson, S.C.

PRICES

Prices herein quoted are net wholesale. Prices are subject to change without notice. All shipping charges are additional. PRICES DO NOT INCLUDE GST.

ORDERING

When placing an order be sure ALL information is given, including item name or number, finish color, all shipping instructions and markings.

Rush options are available on some Custom Collections. Please inquire with our drapery hardware customer service for details and additional charges for this service. 800 648 5728 Ext. 2484

Rustic Iron Traversing Collection can be modified to curve or bend on Round Rods only. A design template must be submitted for approval first, and then up charges for this customization can be obtained. Please contact our drapery hardware customer service for more information. 800 648 5728 Ext. 2484

SHIPPING

Rods and poles up to 106" and traversing rods up to 102" ship Fed-X ground, unless specified otherwise. Any longer lengths will ship by freight carrier.

INQUIRIES

When inquiring about an order always be sure to list the item number or name, finish color and quantity required.

RETURNS & CLAIMS

No returns will be accepted unless Kravet authorization has been given.

Your request for return authorization must include the invoice number, date of invoice, pattern, finish color, quantity and reason. All returns must be made within 30 days of invoice date.

Refused shipments, customer duplication of orders, or cancellations after shipment has been made are subject to a 25% re-stocking charge and all freight charges.

Items can not be returned for credit if it has been processed by the purchaser in any way.

OFFICE AND WAREHOUSE

225 Central Avenue South Bethpage New York 11714
Toll Free Customer Service & Order Department 800 648 5728 Ext. 2484
Fax 516 293 2054 Canada 800 535 3258

For access to our digital library, please visit: kravet.com/digitallibrary

kravet.com

Log on 24 hours a day, 7 days a week

- Search for fabrics, furniture, trimmings, carpets, wallcoverings and drapery hardware
- Check current stock and track order status
- Enter orders, reserves and memos for fabrics, trimmings and wallcoverings
- Approve CFAs and view account details
- Calculate furniture pricing with graded-in fabric
- View or download online catalogs and price lists
- Browse the latest sample books
- Search Outlet for great values on fabrics, furniture and furnishings
- Navigate to CuratedKravet.com
- Chat LIVE with our Customer Service Representatives

Register today at kravet.com

Log in and "Register with My Account"

Please have your customer number and postal code available.

It's that easy!

