



CST®

ALL-SEASON/WINTER CATALOGUE
2023/2024

MEDALLION

ALL SEASON ACP1



- V-shaped lateral grooves optimise water dispersal and snow traction
- Two wavy longitudinal grooves provide additional effective water dispersal
- Uni-directional pattern design delivers optimal handling performance
- Full-silica compound provides excellent braking ability, even on slippery surfaces, keeping braking distances short in all conditions
- 3D sipes in the tread pattern enhance rigidity for impressive handling performance all year round
- Alternating pitch design reduces pattern noise and delivers balanced performance

Your turn to dominate the weather



The Medallion All Season ACP1 truly lives up to the name by providing ultimate performance in all seasons.




With excellent braking ability and efficient water dispersal it offers maximum grip in the wet and snow for a safer ride all year round.


Rim	Size	Load/SpeedRating	Approved Rim Width (in)	RR	WG	Noise dB
13	155/65R13	73T	4.5-(4.5)-5.5	D	C	B 71
	155/70R13	75T	4.0-(4.5)-5.0	D	C	B 71
	165/70R13	79T	4.0-(5.0)-5.5	D	C	B 71
	155/80R13	83T XL	4.0-(4.5)-5.0	C	C	B 71
14	185/60R14	82H	5.0-(5.5)-6.5	D	B	B 71
	155/65R14	75T	4.5-(4.5)-5.5	D	C	B 71
	165/65R14	79T	4.5-(5.0)-6.0	D	C	B 71
	165/65R14	83H XL	4.5-(5.0)-6.0	D	C	B 71
	175/65R14	82T	5.0-(5.0)-6.0	C	B	B 71
	185/65R14	86H	5.0-(5.5)-6.5	D	B	B 71
	165/70R14	81T	4.0-(5.0)-5.5	D	C	B 71
	175/70R14	88T XL	4.5-(5.0)-6.0	D	B	B 71
15	175/70R14	88H XL	4.5-(5.0)-6.0	D	B	B 71
	195/50R15	86V XL	5.5-(6.0)-6.5	D	B	B 71
	175/55R15	77H	5.0-(5.5)-6.0	D	B	B 71
	185/55R15	82H	5.0-(6.0)-6.5	C	B	B 71
	195/55R15	89V XL	5.5-(6.0)-6.5	D	B	B 71
	175/60R15	81H	5.0-(5.5)-6.0	D	B	B 71
	185/60R15	88H XL	5.0-(5.5)-6.5	C	B	B 71
	195/60R15	88H	5.5-(6.0)-7.0	C	B	B 71
	165/65R15	81T	4.5-(5.0)-5.5	D	C	B 71
	165/65R15	81H	4.5-(5.0)-5.5	D	C	B 71
	175/65R15	88H XL	5.0-(5.0)-6.0	D	B	B 71
	185/65R15	88H	5.0-(5.5)-6.5	C	B	B 71
	185/65R15	92H XL	5.0-(5.5)-6.5	C	B	B 71
	195/65R15	95V XL	5.5-(6.0)-7.0	C	B	B 71
	195/45R16	84V XL	6.0-(6.5)-7.0	D	B	B 71
16	205/45R16	87V XL	6.5-(7.0)-7.5	D	B	B 71
	185/50R16	81V XL	5.0-(6.0)-6.5	D	B	B 71
	195/55R16	91V XL	5.5-(6.0)-7.0	C	B	B 71
	205/55R16	94V XL	5.5-(6.5)-7.5	C	B	B 71
	215/55R16	97V XL	6.5-(7.0)-7.5	C	B	B 71
	225/55R16	99V XL	6.0-(7.0)-8.0	D	B	B 71
	185/60R16	86V	5.0-(5.5)-6.5	C	B	B 71
	205/60R16	96V XL	5.5-(6.0)-6.5	C	B	B 71
	215/60R16	99V XL	6.0-(6.5)-7.0	C	B	B 71
	215/65R16	102V XL	5.5-(6.0)-6.5	C	B	B 71
17	205/45R17	88V XL	6.5-(7.0)-7.5	D	B	B 71
	205/45ZR17	88W XL	6.5-(7.0)-7.5	D	B	B 71
	215/45R17	91V XL	(7.0)-7.5	D	B	B 71



Wet braking performance (%)



Wet braking distance (m) 80-20km/h



Rim	Size	Load/SpeedRating	Approved Rim Width (in)	RR	WG	Noise dB
17	215/45ZR17	91W XL	(7.0)-7.5	D	B	B 71
	225/45R17	94V XL	7.0-(7.5)-8.0	C	B	B 71
	225/45ZR17	94W XL	7.0-(7.5)-8.0	C	B	B 71
	205/50R17	93V XL	6.0-(6.5)-7.0	D	B	B 71
	205/50ZR17	93W XL	6.0-(6.5)-7.0	D	B	B 71
	215/50R17	95V XL	6.5-(7.0)-7.5	D	B	B 71
	215/50ZR17	95W XL	6.5-(7.0)-7.5	D	B	B 71
	225/50R17	98V XL	6.5-(7.0)-7.5	C	B	B 71
	225/50ZR17	98W XL	6.5-(7.0)-7.5	C	B	B 71
	235/50R17	100V XL	7.0-(7.5)-8.0	C	B	B 71
	205/55R17	95V XL	6.0-(6.5)-7.0	C	B	B 71
	215/55R17	98V XL	6.5-(7.0)-7.5	C	B	B 71
	215/55ZR17	98W XL	6.5-(7.0)-7.5	C	B	B 71
	225/55R17	101V XL	6.5-(7.0)-7.5	C	B	B 71
18	225/55ZR17	101W XL	6.5-(7.0)-7.5	C	B	B 71
	235/55R17	103V XL	7.0-(7.5)-8.0	C	B	B 71
	225/40R18	92V XL	7.5-(8.0)-8.5	D	B	B 71
	225/40ZR18	92W XL	7.5-(8.0)-8.5	D	B	B 71
	245/40R18	97V XL	8.0-(8.5)-9.0	D	B	B 71
	245/40ZR18	97W XL	8.0-(8.5)-9.0	D	B	B 71
	225/45R18	95V XL	7.0-(7.5)-8.0	D	B	B 71
	225/45ZR18	95W XL	7.0-(7.5)-8.0	D	B	B 71
	235/45ZR18	98W XL	7.5-(8.0)-9.0	D	B	B 71
	245/45R18	100V XL	7.5-(8.0)-8.5	D	B	B 71
	245/45ZR18	100W XL	7.5-(8.0)-8.5	D	B	B 71
	225/50R18	99V XL	6.5-(7.0)-7.5	C	B	B 71
	225/50ZR18	99W XL	6.5-(7.0)-7.5	C	B	B 71
	235/50R18	101V XL	7.0-(7.5)-8.0	C	B	B 71
19	235/50ZR18	101W XL	7.0-(7.5)-8.0	C	B	B 71
	215/55R18	99V XL	6.0-(7.0)-7.5	C	B	B 71
	225/55ZR18	102W XL	6.0-(7.0)-8.0	C	B	B 71
	235/55R18	104V XL	7.0-(7.5)-8.0	C	B	B 71
	235/55ZR18	104W XL	7.0-(7.5)-8.0	C	B	B 71
	235/60ZR18	107W XL	6.5-(7.0)-8.5	B	B	B 71
	245/40ZR19	98W XL	8.0-(8.5)-9.5	C	B	B 71
	245/45ZR19	102W XL	7.5-(8.0)-9.0	C	B	B 71
	255/50R19	107V XL	7.5-(8.0)-8.5	C	B	B 71
	255/50ZR19	107W XL	7.5-(8.0)-8.5	C	B	B 71
	235/55R19	105V XL	7.0-(7.5)-8.0	C	B	B 71
	235/55ZR19	105W XL	7.0-(7.5)-8.0	C	B	B 71



All sizes covered by M+S and 3PMSF (snowflake)

MEDALLION WINTER WCP1

Significantly improves winter driving safety



The Medallion Winter WCP1 is the ultimate winter tire. Full-silica compound provides excellent braking ability and shortens braking distances for your safety.



The special winter compound combined with a specially designed pattern delivers optimal performance in the most extreme winter conditions.



Wide V-shape lateral grooves improve water dispersion and snow traction

Uni-directional pattern design provides optimal handling performance

Full-silica compound shortens the braking distance as much as possible for a safe journey



Longitudinal interlocking jigsaw pattern improves carcass rigidity for better handling performance in winter conditions




3D zig-zag sipes increase the number of biting edges to improve grip in all road conditions




BEST OUT OF 16 CANDIDATES IN ALL THREE CATEGORIES


WET HANDLING – LAP TIME



WET BRAKING DISTANCE



DRY BRAKING DISTANCE



Tested by Tekniikan Maailma (Finland)

Rim	Size	Load/SpeedRating	Approved Rim Width (in)	RR	WG	Noise dB
13	155/65R13	73T	4.5-(4.5)-5.5	D	C	B 71
	155/70R13	75T	4.0-(4.5)-5.0	D	C	B 71
	155/80R13	83T XL	4.0-(4.5)-5.0	D	C	B 71
14	185/60R14	82T	5.0-(5.5)-6.5	D	B	B 71
	155/65R14	75T	4.5-(4.5)-5.5	D	C	B 71
	165/65R14	79T	4.5-(5.0)-6.0	D	C	B 71
	165/65R14	83T XL	4.5-(5.0)-6.0	D	C	B 71
	175/65R14	82T	5.0-(5.0)-6.0	D	B	B 71
	185/65R14	86T	5.0-(5.5)-6.5	D	B	B 71
	165/70R14	81T	4.0-(5.0)-5.5	D	C	B 71
15	175/70R14	88T XL	4.5-(5.0)-6.0	D	B	B 71
	185/55R15	86H XL	5.0-(6.0)-6.5	D	B	B 71
	195/55R15	89H XL	5.5-(6.0)-6.5	D	B	B 71
	175/60R15	81T	5.0-(5.5)-6.0	D	B	B 71
	185/60R15	88H XL	5.0-(5.5)-6.5	D	B	B 71
	195/60R15	88H	5.5-(6.0)-7.0	D	B	B 71
	175/65R15	88H XL	5.0-(5.0)-6.0	D	B	B 71
16	185/65R15	88T	5.0-(5.5)-6.5	D	B	B 71
	195/65R15	91T	5.5-(6.0)-7.0	D	B	B 71
	195/45R16	84V XL	6.5-(6.5)-7.0	D	B	B 71
	195/55R16	91V XL	5.5-(6.0)-6.5	C	B	B 71
	205/55R16	91H	5.5-(6.5)-7.5	C	B	B 71
	215/55R16	97V XL	6.5-(7.0)-7.5	C	B	B 71
	225/55R16	99H XL	6.0-(7.0)-8.0	C	B	B 71
17	205/60R16	96V XL	5.5-(6.0)-6.5	D	B	B 71
	215/60R16	99V XL	6.0-(6.5)-7.0	C	B	B 71
	215/65R16	102V XL	6.0-(6.5)-7.0	C	B	B 71
	215/40R17	87V XL	7.0-(7.5)-8.0	D	B	B 71
	215/45R17	91V XL	(7.0)-7.5	D	B	B 71
	225/45R17	94V XL	7.0-(7.5)-8.0	D	B	B 71
	225/45ZR17	94W XL	7.0-(7.5)-8.0	D	B	B 71
18	205/50R17	93V XL	6.5-(6.5)-7.0	D	B	B 71
	225/50R17	98V XL	6.5-(7.0)-7.5	C	B	B 71
	235/50R17	100V XL	7.0-(7.5)-8.0	D	B	B 71
	205/55R17	95V XL	6.5-(6.5)-7.0	C	B	B 71
	215/55R17	98V XL	6.5-(7.0)-7.5	C	B	B 71
	235/55R17	103V XL	7.0-(7.5)-8.0	C	B	B 71
	225/40R18	92V XL	7.5-(8.0)-8.5	D	B	B 71
19	225/40ZR18	92W XL	7.5-(8.0)-8.5	D	B	B 71
	245/40R18	97V XL	8.0-(8.5)-9.0	D	B	B 71
	245/40ZR18	97W XL	8.0-(8.5)-9.0	D	B	B 71
	225/45R18	95V XL	8.0-(8.5)-9.0	D	B	B 71
	225/45ZR18	95W XL	7.0-(7.5)-8.0	D	B	B 71
	245/45R18	100V XL	7.0-(7.5)-8.0	D	B	B 71
	245/45ZR18	100W XL	7.5-(8.0)-8.5	C	B	B 71
19	225/50R18	99V XL	6.5-(7.0)-7.5	D	B	B 71
	225/50ZR18	99W XL	6.5-(7.0)-7.5	C	B	B 71
	235/50R18	101V XL	7.0-(7.5)-8.0	C	B	B 71
	235/50ZR18	101W XL	7.0-(7.5)-8.0	C	B	B 71
	235/55R18	104V XL	7.0-(7.5)-8.0	C	B	B 71
	235/55ZR18	104W XL	7.0-(7.5)-8.0	C	B	B 71
	255/50R19	107V XL	7.5-(8.0)-8.5	C	B	B 71
19	255/50ZR19	107W XL	7.5-(8.0)-8.5	C	B	B 71
	235/55R19	105V XL	7.0-(7.5)-8.0	C	B	B 71
	235/55ZR19	105W XL	7.0-(7.5)-8.0	C	B	B 71



All sizes covered by M+S
and 3PMSF (snowflake)

CST

VAN MASTER ALL SEASON ACT1

For all-year-round reliability



-  Three main grooves provide excellent water dispersal
-  Wavy sipes on the shoulders deliver extra grip in the wet and snow
-  Lateral grooves enhance handling on wet surfaces
-  Advanced silica compound improves braking performance, especially in the wet
-  Special pattern design reduces resonance for a quieter journey
-  High-strength belt design provides safer driving and durability
-  Highly rigid structure offers outstanding load capacity
-  Low-heat-generation technology improves durability for long life

Rim	Size	Load./SpeedRating	Approved Rim Width (in)	Max Load (kg)	Max Pressure (PSI)	RR	WG	Noise dB
15	195/70R15C	104/102T	5.0-(5.5)-6.0	S900/D850	65	D	A	B 71
	215/70R15C	109/107R	5.5-(6.0)-7.0	S1030/D975	65	C	A	B 73
	225/70R15C	112/110R	6.0-(6.5)-7.0	S1120/D1060	54	C	A	B 73
16	195/60R16C	99/97T	5.5-(6.0)-6.5	S755/D730	54	D	A	B 71
	215/60R16C	108/106T	6.0-(6.5)-7.0	S1000/D950	69	C	A	B 73
	205/65R16C	107/105T	5.5-(6.0)-6.5	S975/D925	69	C	A	B 71
	215/65R16C	109/107T	6.0-(6.5)-7.0	S1030/D975	69	C	A	B 73
	225/65R16C	112/110T	6.0-(6.5)-7.0	S1120/D1060	69	C	A	B 73
	235/65R16C	121/119T	6.5-(7.0)-7.5	S1450/D1360	83	C	A	B 73
	195/75R16C	110/108S	5.0-(5.5)-6.0	S1060/D1000	76	C	A	B 71
	215/75R16C	116/114R	5.5-(6.0)-7.0	S1250/D1180	76	C	A	B 73
	225/75R16C	121/120R	6.0-(6.5)-7.0	S1450/D1400	83	C	A	B 73
17	225/55R17C	109/107H	6.5-(7.0)-7.5	S1030/D975	69	C	A	B 73
	215/60R17C	109/107T	6.0-(6.5)-7.0	S1030/D975	69	C	A	B 73



All sizes covered by M+S
and 3PMSF (snowflake)